

**RDT**<sup>™</sup> formation tester



FORMATION EVALUATION | FORMATION TESTING

# Integrated characterization section A

Reservoir description tool (RDT™) formation tester

## New generation of downhole fluid composition

The Reservoir Description Tool (RDT™) Integrated Characterization Section (ICS) expands measurements of fluid composition downhole by using ICE Core® technology. Based on our unique multivariate optical computing technique, this enables high-resolution hydrocarbon compositional analysis.

## Measurement of saturates, resins, aromatics, and asphaltenes (SARA)

With superior signal-to-noise ratio compared to conventional downhole techniques, our ICE Core technology uses direct optical computing of the full wavelength to create a unique fingerprint of the fluid, including differentiation of the C6+ SARA fractions.

## **Gas composition**


ICE Core technology in ICS-A measures single-phase gas component – C1. We also measure total gas GOR directly, not as an estimate from C1, making the measurement more accurate.

## Display weight percentage

The ICS measures an absolute density of each measured component. It can be displayed in weight percentages, making the final results directly comparable to lab measurements with an easy-to-use composition display.

## Sample purity determination

The ICS with multiple ICE Core samples uses gas and the liquid-phase composition to determine contamination. As methane gas isn't present in oil-based mud, the gas volume and GOR can be used. When combined with the saturates and aromatics composition, the change in liquid-phase content can also be determined as the SARA fingerprint of filtrate and native fluid differs.



#### DATA SHEET

DIMENSIONS AN	D RATINGS					
Max Temperature			350°F (177°C)			
Max Pressure			25,000 psi (172 MPa)			
OD			4.75 in. (12.065 cm)			
Length			5.40 ft (1.646 m)			
Weight			261 lb (118.38 kg)			
BOREHOLE COND	DITIONS					
Borehole Fluids		Salt ■	Fresh ■	Oil ■	Air ■	
Recommended Logg	ging Speed		Stationary			
Tool Positioning		Centralized ■ Eccentralized ■				
OPTICAL SENSIN	G UNIT					
Quantity				One		
Number of Channels	6			20		
Detectors			Single Thermopile			
Optical Window				Sapphire		
MEASUREMENTS						
STRAIN GAUGE PRESSURE TRANSDUCERS						
Accuracy			Resolution			
+/- 0.1% full scale			0.2 psi (1.4 KPa)			
FLUID TEMPERATURE						
Accuracy			Resolution			
3% full scale			0.02°F (-18°C)			
		S OPTICAL SENSOR VERS	SION 1	FLUID TYPE		
SENSOR	RANGE	ACCURACY	Light Oil	FLUID TYPE  Medium Oil	Gas/Condensate	
		Greater of 200 scf/bbl			Gas/Condensate	
GOR	0 to 2000 GOR units	or 20% of range	✓	✓		
Methane	0 to 0.3 g/cc	10% Partial Density	✓	✓	✓	
Saturates	0.3 to 0.7 g/cc	10% Partial Density	✓	✓		
Aromatics	0.05 to 0.3 g/cc	20% Partial Density	✓	✓		

For clean samples with less than 15% contamination, single-phase samples, and for transmittance better than 10%

#### **DATA SHEET**

THE RANGES FOR DIFFERENT FLUID TYPES ARE BASED ON TABLE BELOW +/- 15%					
OIL TYPE	RESERVOIR FLUID	API RANGE	GOR SCF/BBL		
Heavy	>0.875 g/cc	15 - 20 API	< 400		
Medium	0.690 - 0.875 g/cc	20 - 32 API	250 - 1,250		
Light	0.525 - 0.775 g/cc	32 - 40 API	1,000 - 1,750		
Volatile	0.400 - 0.740 g/cc	35 - 50 API	1,650 - 3,500		
Condensate	0.245 - 0.600 g/cc	40 - 65 API	3,200 - 25,000		
Wet Gas	0.010 - 0.450 g/cc	N/A	20,000 - 50,000		
Dry Gas	<0.375 g/cc	N/A	>50,000		

Note: • Excludes subcategories of Extra Heavy, Medium Heavy, and Medium Light.

• Ranges assume reservoir fluids from 3,000 to 15,000 psi and 150°F to 300°F.

PHYSICAL STRENGTHS		
Hardware	Tool Joints RDT	
Tension	200,000 lb (90,719 kg)*	
Compression	200,000 lb (90,719 kg)*	
Torque	600 ft-lb (813 N-m)*	

 $<sup>^{\</sup>ast}$  Strengths apply to new tools at 70°F (21°C) and 0 psi.

For more information, contact your local Halliburton representative or visit us on the web at www.halliburton.com

Sales of Halliburton products and services will be in accord solely with the terms and conditions contained in the contract between Halliburton and the customer that is applicable to the sale.

H012350.ICSA 02/25 © 2025 Halliburton. All Rights Reserved.

