

WHO Labour Care Guide Participant Characteristics

Participant ID# _____ Date _____

Question	Response
1. What is your current qualification? <i>Circle one</i>	1. Specialized doctor (obstetrician/gynecologist) 2. Medical officer (general doctor) 3. Clinical officer 4. Registered Midwife 5. Registered Nurse 6. Enrolled Midwife 7. Enrolled Nurse 8. Nurse Assistant 9. Other (<i>Please specify</i>) _____
Experience with monitoring women in labour	
2. How many years of experience do you have monitoring women in labour?	1. _____ Number of years of experience (<i>write <1 year if it has been less than 12 months</i>)
3. When was the last time you personally monitored a woman in labour? <i>Circle one</i>	1. Never 2. Less than 30 days 3. 1-6 months 4. 6-12 months 5. 1-5 years 6. 5+
4. What labour monitoring tool did you use? <i>Circle one</i>	1. Partograph 2. Labour Care Guide 3. Other (please specify): _____ _____
5. Approximately what percentage of time are you able to monitor the woman and complete the labour monitoring tool per protocols? <i>Circle one</i>	1. 100% of the time 2. 75-99% of the time 3. 51-74% of the time 4. <50% of the time
6. If unable to monitor the woman and complete the labour monitoring tool per protocols, why not? <i>Circle as many as apply</i>	1. N/A I am able to monitor the woman and complete the labour monitoring tool per protocols 2. Poor availability of partograph 3. Poor availability of equipment (BP machine, thermometer, fetal stethoscope/doppler, etc.) 4. High workloads 5. Poor staffing levels 6. Duplication of records 7. Lack of available policy or guidance 8. Limited knowledge and understanding of the partograph Inadequate staff 9. Other (please specify): _____ _____

Question	Response
7. How confident are you to assess fetal heart decelerations with intermittent auscultation (i.e. without continuous electronic fetal monitoring) during labour? <i>Circle one</i>	1. Very confident 2. Somewhat confident 3. Not at all confident
8. How confident are you to assess fetal position during labour? <i>Circle one</i>	1. Very confident 2. Somewhat confident 3. Not at all confident
9. How confident are you to assess moulding of the fetal head during labour? <i>Circle one</i>	1. Very confident 2. Somewhat confident 3. Not at all confident
10. How confident are you to assess caput of the fetal head during labour? <i>Circle one</i>	1. Very confident 2. Somewhat confident 3. Not at all confident
11. When was the last time you personally correctly identified abnormal findings when monitoring fetal well-being while monitoring labour? <i>Circle one</i>	1. Never 2. Less than 30 days 3. 1-6 months 4. 6-12 months 5. 1-5 years 6. 5+
12. What was the fetal abnormality? <i>Circle all that apply.</i>	1. Abnormal heart rate 2. Fetal distress 3. Malposition 4. Malpresentation 5. +++ Moulding 6. +++ Caput 7. Bloody amniotic fluid 8. Other (Specify):
13. When was the last time you personally correctly identified abnormal findings when monitoring well-being of the woman while monitoring labour? <i>Circle one</i>	1. Never 2. Less than 30 days 3. 1-6 months 4. 6-12 months 5. 1-5 years 6. 5+
14. What were the abnormal findings? <i>Circle all that apply.</i>	1. High or low blood pressure 2. Bradycardia or tachycardia 3. Too slow or too fast respiratory rate 4. Acetonuria 5. Proteinuria 6. Low urine output 7. Other (Specify):

Question	Response
15. When was the last time you personally <i>correctly identified</i> abnormal labour progress while monitoring labour? <i>Circle one</i>	1. Never 2. Less than 30 days 3. 1-6 months 4. 6-12 months 5. 1-5 years 6. 5+
16. What were the abnormal findings? <i>Circle all that apply.</i>	1. Cervical dilatation that is too slow 2. Lack of descent 3. Inefficient uterine contractions 4. Bandl's ring 5. Uterine contractions that are too long or too frequent 6. Other (Specify):
Pre-service Education (before you received your diploma)	
During your pre-service education, were you trained to:	
17. Monitor women in labour?	<input type="checkbox"/> Yes <input type="checkbox"/> No
18. Use a labour monitoring tool?	<input type="checkbox"/> Yes <input type="checkbox"/> No
19. Identify obstructed labor and cephalopelvic disproportion that require a cesarean birth?	<input type="checkbox"/> Yes <input type="checkbox"/> No
20. Identify malpositions/malpresentations?	<input type="checkbox"/> Yes <input type="checkbox"/> No
21. Identify caput in labour?	<input type="checkbox"/> Yes <input type="checkbox"/> No
22. Identify moulding in labour?	<input type="checkbox"/> Yes <input type="checkbox"/> No
In-service Training	
In the last 5 years, have you had in-service training on:	
23. Using a labour monitoring tool?	<input type="checkbox"/> Yes <input type="checkbox"/> No
24. Emergency obstetric and newborn care?	<input type="checkbox"/> Yes <input type="checkbox"/> No
25. Assessing women with signs of prolonged labour?	<input type="checkbox"/> Yes <input type="checkbox"/> No