

GRAVELY®

COMMERCIAL



BUILT TO MOW THE DISTANCE®

MOWERS THAT WORK AS HARD AS YOU DO.

Gravely® commercial lawn mowers are known for their power and rugged reliability. For over a century, professional landscapers know when they choose a Gravely, they're choosing a mower that works as hard as they do.

GRAVELY
EST. 1916

**PRO-TURN®
600**



SERIES

**PRO-TURN®
500**



SERIES

**PRO-TURN®
MACH ONE**



SERIES

**PRO-STANCE®
ULTRA**



SERIES

PRO-STANCE® Z-STANCE®



SERIES



SERIES

**PRO-TURN®
300**



SERIES

**PRO-TURN®
200**



SERIES

**PRO-TURN®
100**




SERIES

PRO-WALK®



SERIES

OVIS



SERIES

**PRO-TURN®
ZX**



SERIES

**COMPACT
PRO®**



SERIES

ZTHD



SERIES

JOBSITE MACHINES

ATLAS JSV®



SERIES

AXIS®



SERIES

110 YEARS OF AMERICAN INGENUITY

From the beginning, Ben Gravelly made a commitment to building rugged, dependable machines. His craftsmanship and ingenuity were unmatched, which caused his reputation for tough and reliable products to quickly grow across the country. People became loyal to the Gravelly® brand because they knew it was made to last. It's often said that our machines are overbuilt. But after a century of overdelivering, we believe that's how you build brand loyalty, how you earn respect, and how you keep a family company on top for over a hundred years.

GRAVELLY

EST. 1916

We've never been the ones to settle. Much like you, it's not in our nature. Where other manufacturers stop, we press on. Better materials, more innovative designs, and intuitive features make our mowers the most sought after in the industry. For over a century, we've been setting people's expectations pretty high. What a coincidence — that's about the same time we started to exceed them.



PRO-TURN® 600



SERIES

60"

MODEL - 992501

35 HP Kawasaki® FX1000 Engine

MODEL - 992503

38.5 HP Kawasaki® FX1000 EFI Engine

72"

MODEL - 992502

35 HP Kawasaki® FX1000 Engine

MODEL - 992504

38.5 HP Kawasaki® FX1000 EFI Engine

GRAVELY



SET YOUR EXPECTATIONS HIGH AND THEY'LL STILL BE EXCEEDED

Operator comfort was the focus in its design. You'll feel it the moment you climb aboard – and keep feeling it with less fatigue. Its smooth ride allows you to cut more lawns faster and still feel fresh when the sun goes down.

OPERATOR POD SYSTEM

Separates the operator from the mower's bouncing and jostling. You'll feel like you're floating as you mow faster and more comfortably, without sacrificing control.

PARKER® HTG TRANSAXLES

Warranty that matches the machine warranty and allows up to 15 mph operation. The Pro-Turn® 600 is a very efficient mower for any crew trying to get work out of every daylight hour.

DIAL-A-HEIGHT

Allows the operator to easily adjust the deck height by quarter-inch increments.

X-FACTOR® 3 DECK

Our top-of-the-line deck has better grass dispersion. It is constructed from 7-gauge steel to deliver years of solid performance.

Kawasaki
— ENGINES —

5YR
FIVE YEAR OR 1500 HOUR
WARRANTY
NO HOUR LIMIT FOR THE FIRST TWO YEARS
LIMITED LIFETIME DECK SHELL & FRAME



OPTIONAL ACCESSORIES:



LED HEADLIGHT KIT
SKU: 79222900



GRASS MULCHING KIT
SKU: 79220300 (60"),
79220400 (72")



3-BUCKET POWERED BAGGER
SKU: 89205500
REQUIRES: Bagger Completion Kit

MOW LIKE THE PRO YOU ARE

This is the mower for professionals who insist on rugged durability without sacrificing features and performance.

COMFORTABLE AIR-RIDE SEAT

Absorbs more shock while the high-back seat with lumbar support and padded armrests delivers cushioned comfort.

FULLY WELDED TUBULAR FRAME

Strong and rugged, its wide front rail distributes weight for outstanding balance and supports the deck lift for easy engagement.

PARKER® HTG TRANSAXLES

They deliver a top speed of 15mph and have a 16cc pump. Access filters from the rear for easy maintenance.

X-FACTOR® 3 DECK

This top-of-the-line deck deck has been designed for better grass dispersion. Constructed from 7-gauge steel, it will deliver years of solid performance.



Kawasaki
— ENGINES —

5YR
FIVE YEAR OR 1500 HOUR
WARRANTY
NO HOUR LIMIT FOR THE FIRST TWO YEARS
LIMITED LIFETIME DECK SHELL & FRAME



OPTIONAL ACCESSORIES:



GRASS MULCHING KIT
SKU: 79220200 (52") 79220300 (60")
79220400 (72")



DUMP-FROM-SEAT POWERED BAGGER
SKU: 89205400
REQUIRES: Bagger Completion Kit



OPERATOR CONTROLLED DISCHARGE CHUTE
SKU: 79223700



PRO-TURN®
500



S E R I E S

52"

MODEL - 992533

31 HP Kawasaki® FX921 Engine

60"

MODEL - 992534

35 HP Kawasaki® FX1000 Engine

MODEL - 992530

38.5 HP Kawasaki® FX1000 EFI Engine

72"

MODEL - 992535

35 HP Kawasaki® FX1000 Engine

MODEL - 992531

38.5 HP Kawasaki® FX1000 EFI Engine

GRAVELY

PRO-TURN[®] MACH ONE



S E R I E S

60"

MODEL - 992515

31 HP Kawasaki[®] FX921 Engine

MODEL - 992519

38.5 HP Kawasaki[®] FX1000 EFI Engine

GRAVELY



IT HAS A VORACIOUS APPETITE

The specially designed tunnel chamber deck directs grass clippings away from the blades to keep them from bogging down.

PARKER[®] HTG TRANSAXLES

Deliver a top speed of 15mph and have a 16cc pump. Filters are accessible from the rear for easy maintenance.

INTEGRATED SEAT ISOLATORS

Vibration absorbing dampers smooth out bumps and engine vibrations.

TUNNEL CHAMBER

Blades are set back by four inches to create a cutting chamber, reducing clumps and dispersing grass clippings.

Kawasaki
— ENGINES —

5YR
FIVE YEAR OR 1500 HOUR
WARRANTY
NO HOUR LIMIT FOR THE FIRST TWO YEARS
LIMITED LIFETIME DECK SHELL & FRAME



OPTIONAL ACCESSORIES:



LASEREDGE[®] BLADE KIT
SKU: 79222400



TRAILER HITCH
SKU: 79215800



AIR RIDE SEAT
SKU: 7922280

GRAVELY[®] | BUILT TO MOW THE DISTANCE[®]

OUTSTANDING RESULTS SEASON AFTER SEASON

Innovative features and excellent cutting performance define the PRO-TURN® 300. This is the tool you will come back to year after year.

FULLY WELDED TUBULAR FRAME

Distributes weight for superior balance and supports the deck lift for easy engagement.

DIAL HEIGHT ADJUSTMENT

Allows easy height adjustment between 1" - 5". Toolless adjustable foot pedal with internal assist springs helps lift the deck with little effort.

PARKER® HTJ TRANSAXLES

Delivers a top speed of 11mph and have a 12cc pump. This is one complete system eliminates the need for additional parts, saving time and money.

X-FACTOR® 3 DECK

Designed for better grass dispersion, it's constructed from 7-gauge steel to deliver years of solid performance.



Kawasaki
— ENGINES —

5YR
FIVE YEAR OR 1250 HOUR
WARRANTY
NO HOUR LIMIT FOR THE FIRST TWO YEARS
LIMITED LIFETIME DECK SHELL & FRAME



OPTIONAL ACCESSORIES:



POLY SIDE GRASS CATCHER
SKU: 79404800



LED HEADLIGHT KIT
SKU: 79222900



GELCORE® SEAT COVER
SKU: 71515500



PRO-TURN®
300



S E R I E S

52"

MODEL - 992532
27 HP Kawasaki® FX850 Engine

60"

MODEL - 992529
29.5 HP Kawasaki® FX850 EFI Engine

MODEL - 992526

31 HP Kawasaki® FX921 Engine

72"

MODEL - 992525
31 HP Kawasaki® FX921 Engine

GRAVELLY

PRO-TURN[®] 200



S E R I E S

52"

MODEL - 992550

27 HP Kawasaki[®] FX850 Engine

60"

MODEL - 992551

31 HP Kawasaki[®] FX921 Engine

GRAVELY



IT'S BACK, AND BUILT BEYOND EXPECTATIONS

The Pro-Turn[®] 200 is designed and engineered to tame the roughest terrain. Climb aboard and your attention shifts to its comfort and pristine, flawless cut.

X-FACTOR[®] 2 DECK

Fabricated from top to bottom, this 7-gauge steel deck provides industrial-strength peace of mind.

FOOT-OPERATED DECK LIFT

Easily adjusts cutting heights from 1.5"-5.5".

IMPROVED SPINDLE SYSTEM

Equipped with double-lip seal bearings with forged aluminum housings.

FULL-SUSPENSION SEAT

All-day comfort with the high-back suspension seat with lateral stability.

Kawasaki
— ENGINES —

5YR
FIVE YEAR OR 1250 HOUR
WARRANTY
NO HOUR LIMIT FOR THE FIRST TWO YEARS
LIMITED LIFETIME DECK SHELL & FRAME



OPTIONAL ACCESSORIES:



GELCORE SEAT COVER
SKU: 71515500



LED HEADLIGHT KIT
SKU: 79216200



LASEREDGE[®] BLADE KIT
SKU: 79222400

GRAVELY[®] | BUILT TO MOW THE DISTANCE[®]

THE CORE PERFORMANCE SOLUTION

Time-tested features are backed by power and performance with the PRO-TURN® 100. After hours and acres of mowing, you'll appreciate its exceptional cutting results.

X-FACTOR® 2 DECK

Fabricated from top to bottom, this 7-gauge steel deck provides industrial-strength peace of mind.

DUAL SADDLE TANKS

With a 10-gallon capacity, your crew will make fewer stops to refuel. That means more time to cut grass.

SEATING SYSTEM

High back suspension seat with padded armrests with 4" seat slide provides all day comfort.

CONSTANT BELT TENSION SYSTEM (CBT)

Ensures belt tension is consistent, keeping the blade tip speed consistent for better cutting results.

Kawasaki
ENGINES

5YR
FIVE YEAR OR 1000 HOUR
WARRANTY
NO HOUR LIMIT FOR THE FIRST TWO YEARS
LIMITED LIFETIME DECK SHELL & FRAME



OPTIONAL ACCESSORIES:



TWEEL® KIT
SKU: 79110300



SUNSHADE
SKU: 79218000



LED HEADLIGHT KIT
SKU: 79216200



PRO-TURN® 100



SERIES

48"

MODEL - 991128
22 HP Kawasaki® FX691 Engine

52"

MODEL - 991129
22 HP Kawasaki® FX691 Engine

60"

MODEL - 991130
23.5 HP Kawasaki® FX730 Engine

GRAVELY

PRO-TURN[®]

ZX



SERIES

48"

MODEL - 991287

22 HP Kawasaki[®] FX691 Engine

52"

MODEL - 991289

22 HP Kawasaki[®] FX691 Engine

60"

MODEL - 991291

23.5 HP Kawasaki[®] FX730 Engine

GRAVELY.

Kawasaki
ENGINES

4YR
FOUR YEAR OR 750 HOUR
WARRANTY

BIG RETURN, SMALL INVESTMENT

The performance you expect from a Gravely[®] with a surprising price point. Easily handle tough jobs thanks to its solid construction, leaving behind a beautifully manicured lawn.

AUTOMOTIVE-STYLE TUBULAR FRAME

It's unique to the mowing industry and increases durability by withstanding force from any direction. This high-strength frame is positioned with a lower center of gravity to improve stability on hillsides.

HYDRO-GEAR[®] ZT-3200^{*}

A step up from the 3100 level transaxles, the 3200 series provides more power to conquer more demanding jobs.

X-FACTOR[®] 3 DECK

Designed for better grass dispersion, it's constructed from 7-gauge steel to deliver years of solid performance.

A SMALL AND MIGHTY TRIUMPH

Small and nimble, yet still powerful and durable. That's the COMPACT-PRO[®]. It takes you where other mowers can't, like through gates as narrow as 36".

SMALLER FOOTPRINT

Easily passes through gates as narrow as 36" and nimbly maneuvers around common residential obstacles.

FUEL TANK

Designed to increase stability and improve handling and visibility.

KAWASAKI[®] FX ENGINE

Series touts a heavy-duty canister air cleaner to optimize performance in all conditions and extend engine life.

COMPACT PRO[®]



SERIES

34"

MODEL - 991144

15.5 HP Kawasaki[®] FX481 Engine

44"

MODEL - 991145

19 HP Kawasaki[®] FX600 Engine

Limited availability

GRAVELY.

Kawasaki
ENGINES

4YR
FOUR YEAR OR 750 HOUR
WARRANTY

ZT HD



SERIES

44"

MODEL - 991267
21.5 HP Kawasaki® FR651 Engine

48"

MODEL - 991269
23 HP Kawasaki® FR691 Engine

52"

MODEL - 991277
23 HP Kawasaki® FR691 Engine

60"

MODEL - 991279
24 HP Kawasaki® FR730 Engine

GRAVELY



EXPECTATIONS ELEVATED

Climb aboard the ZT HD and you'll instantly feel its power and durability. It's our number one-selling machine because it delivers more style, comfort, speed, and precision.

X-FACTOR® 3 DECK

Made with 7-gauge steel and specially designed for better grass dispersion.

HYDRO-GEAR® ZT-3100® TRANSAXLES

Reliable, commercial grade transaxles deliver the speed and torque to get your mowing done quickly. They're also easy to service.

COMFORTABLE SEAT

Mounted on vibration absorbing dampers and padded armrests to smooth out bumps while mowing.

CUT SELECTION

Offers 15 cutting positions, ranging from from 1.5" to 5", to make your lawn look its best.

ZT HD is not included in the 2026 Commercial Fleet program.

Kawasaki
— ENGINES —

4YR
FOUR YEAR OR 500 HOUR
WARRANTY



OPTIONAL ACCESSORIES:



GELCORE SEAT COVER
SKU: 71515500



13" FRONT WHEEL CASTER
SKU: 79110900



USB PORT ADAPTER KIT
SKU: 79111200

GRAVELY® | BUILT TO MOW THE DISTANCE®

GRAVELLY®



DEFINED BY HARD WORK. DRIVEN BY INNOVATION.

110 YEARS

BIGGER WAS REQUESTED, BUT WE ALSO DELIVERED BETTER

This latest addition to the line is so jacked-up it should be tested for steroids. A wide frame and larger deck are only some of its upgrades. Even its warranty is bigger. Step up to a boost in productivity and performance with the PRO-STANCE® ULTRA.

BUILT FOR COMMERCIAL DEMANDS

Designed with a wide frame, robust build, big tires, and a large deck size, the PRO-STANCE® ULTRA delivers a substantial payback and proves its worth in demanding commercial environments.

ACCESS TO INTERNAL COMPONENTS

The contoured operator pad flips down, providing service access to the internal components.

HIGH-CAPACITY FUEL TANK

Mow longer and drive efficiency with two tanks that offer a combined total of 16 gallons.

INCREASED SPEED

Get more done in less time with impressive speed that will enhance your overall productivity.

Kawasaki
— ENGINES —

5YR
FIVE YEAR OR 1500 HOUR
WARRANTY
NO HOUR LIMIT FOR THE FIRST TWO YEARS
LIMITED LIFETIME DECK SHELL & FRAME



PRO-STANCE® ULTRA



S E R I E S

52"

MODEL - 994173

35 HP Kawasaki® FX1000 Engine

60"

MODEL - 994170

35 HP Kawasaki® FX1000 Engine

MODEL - 994171

38.5 HP Kawasaki® FX1000 EFI Engine


72"

MODEL - 994175

38.5 HP Kawasaki® FX1000 EFI Engine

GRAVELY

OPTIONAL ACCESSORIES:



MULCH KIT
SKU: 792202 (52") 792203 (60")
794051 (72")



ENGINE MAINTENANCE KIT
SKU: 70721600



LED HEADLIGHT KIT
SKU: 79405300

PRO-STANCE®



SERIES

32"

MODEL - 994157
18.5 HP Kawasaki® FS600 Engine

36"

MODEL - 994149
18.5 HP Kawasaki® FS600 Engine

48"

MODEL - 994161
23.5 HP Kawasaki® FX730 Engine

52"

MODEL - 994162
23.5 HP Kawasaki® FX730 Engine

MODEL - 994163
26 HP Kawasaki® FT730 EFI Engine

60"

MODEL - 994164
23.5 HP Kawasaki® FX730 Engine

MODEL - 994165
26 HP Kawasaki® FT730 EFI Engine



TAKE A STAND FOR POWER AND PERFORMANCE

The PRO-STANCE® is perfect for environments that demand quick on-and-off versatility. Its suspension platform absorbs vibration for all-day comfort, making it a step above the competition.

X-FACTOR® 3 DECK
Designed for better grass dispersion, it's constructed from 7-gauge steel to deliver years of solid performance.

HYDRO-GEAR® TRANSMISSION
The ZT-3400 integrated transmission boasts an 1.125-inch axle for heavy loads (32" and 36" model use ZT-3100).

DECK HEIGHT ADJUSTMENT
The dual height adjustment system is designed with both traditional hand lever and a foot lever to lift and adjust the deck.



ENGINEERED FOR EFFORTLESS ACCESS

When operators stay standing, both time and energy are saved. It's easier to dismount to move sticks or debris and is the preferred option for many professionals.

ADJUSTABLE CRUISE BAR
Allows the operator to limit the unit's maximum speed in tight working environments.

FLIP-UP SUSPENSION PLATFORM
Lets the operator stand comfortably all day or easily transition to a walk-behind and get some steps in.

LOWERED CENTER OF GRAVITY
Reshaped geometry and redistributed weight provide increased hillside stability and confidence.



Z-STANCE®



SERIES

32"

MODEL - 994160
18.5 HP Kawasaki® FS600 Engine

48"

MODEL - 994159
22 HP Kawasaki® FS651 Engine

52"

MODEL - 994158
22 HP Kawasaki® FS651 Engine



PRO-WALK®



SERIES

36"

MODEL - 988188

14.5 HP Kawasaki® FS481 Engine

48"

MODEL - 988189

18.5 HP Kawasaki® FS600 Engine

52"

MODEL - 988190

18.5 HP Kawasaki® FS600 Engine

60"

MODEL - 988191

23 HP Kawasaki® FS691 Engine

GRAVELY



A SMOOTH OPERATOR

Change speed with the simple glide of its hydro lever for easy maneuvering. Don't let its easy maintenance and smooth handling fool you, this commercial walk-behind is built tough and will perform season after season.

SMOOTH AND RELIABLE SPEED

Maintain a comfortable speed with its hydro lever to control the HydroGear 3400 transaxles.

SINGLE-POINT HEIGHT-OF-CUT

This system provides optimal cutting performance in 1/4-inch increments.

INTUITIVE STEERING CONTROLS

Offers a shortened learning curve while providing precision handling.

X-FACTOR® 3 DECK

Designed for better grass dispersion, its constructed from 10-gauge steel to deliver years of solid performance.

Kawasaki
— ENGINES —

4YR
FOUR YEAR OR 750 HOUR
WARRANTY
NO HOUR LIMIT FOR THE FIRST TWO YEARS



OPTIONAL ACCESSORIES:



LED HEADLIGHT KIT
SKU: 78807300



OPERATOR CONTROLLED
DISCHARGE BAFFLE
SKU: 78807400 (36", 48", 52")
78807500 (60")



SULKY, SINGLE-WHEEL 18" ARM
SKU: 78806800

WHERE THE MOWING GETS TOUGH, THE OVIS GETS MOWING

Built like a tank and equipped with an endless appetite, the Gravelly® Ovis lets you mow where traditional ride-on mowers shouldn't – or even couldn't. Its low center of gravity enables its superior traction and track design while still providing the ground clearance needed. Thanks to its powerful flail-style mowing deck, it chews through any type of tall, overgrown grass – even thick stalks. This is the best way to mow a high, overgrown, slippery incline.

HILLSIDE MOWING

The heavy-duty track system optimizes weight distribution, which enables safe mowing on slopes up to 55 degrees (crosswise to slope).

EASY TO TRANSPORT

Its low profile and compact design allow for easy transport.

FLAIL-STYLE CUTTING SYSTEM

Easily chews through any type of tall, overgrown grass – even stalks and saplings up to 1.5" in diameter.

EASY MAINTENANCE

Belts, filters and oil can all be accessed without additional tools. Service settings have also been optimized to make both the mower and track systems easily accessible.

2YR
TWO YEAR OR 250 HOUR
WARRANTY



REMOTE-CONTROLLED MOWING

Allows operators to safely control the machine from nearly 1,000 feet away and operate a limitless number of machines without concerns of crossing frequency with another machine.

OVIS 40 RC REMOTE



OVIS X 40 RC REMOTE



OVIS



SERIES

OVIS 40 RC

MODEL - 949001
23 HP Briggs & Stratton® Vanguard

OVIS X 40 RC

MODEL - 949002
23 HP Briggs & Stratton® Vanguard

GRAVELLY



GRAVELLY



JOBSITE

WE'VE NEVER MET A JOBSITE WE COULDN'T IMPROVE.

The Gravelly® reputation for building the most durable machines extends beyond traditional landscaping jobs. Multi-tool skid loaders and utility vehicles bring even more versatility to your arsenal of equipment.

ATLAS JSV®



S E R I E S

3400

MODEL - 996209

40 HP Polaris® 2-Cylinder, SOHC

3400SD

MODEL - 996204

40 HP Polaris® 2-Cylinder, SOHC

6400

MODEL - 996207

40 HP Polaris® 2-Cylinder, SOHC

6400SD

MODEL - 996208

40 HP Polaris® 2-Cylinder, SOHC

1YR
LIMITED
WARRANTY

200DW

MODEL - 950012

25 HP Kubota® D1105 Engine

200DT

MODEL - 950010

25 HP Kubota® D1105 Engine

200DTN

MODEL - 950011

25 HP Kubota® D1105 Engine

1YR
ONE YEAR OR 1000 HOUR
WARRANTY

AXIS®



S E R I E S



BLAZE YOUR OWN TRAIL

There's no shortage of power and torque in the Atlas JSV®. You can haul, work, tow, dump – and a ton of other jobs you haven't even discovered yet. It features a heavy-duty suspension and seats three to six comfortably.

POWERTRAIN STRENGTH

A two-cylinder, 1000cc, SOHC engine and smooth drivetrain tackle demanding jobsite conditions.

ONE-PIECE CHASSIS

A one-piece chassis and independent rear suspension offer rigidity in the toughest work environments.

ALL-STEEL JOB BOX*

A fabricated all-steel job box won't buckle or bend. Dump cargo with the touch of a button and haul a fully loaded pallet, thanks to a generous 18 cubic feet of cargo space.

**Available on select models.*

MAXIMUM VERSATILITY AND EFFICIENCY

The AXIS® is a multi-tool built to perform a ton of jobs thanks to its long list of attachments. Whatever it is you need to do on the job, the AXIS® is ready to do it.

DUAL-LIFT CYLINDER ARMS

Strong and self-leveling, they can lift up to 832 lbs. with a tipping load of up to 1,665 lbs. with available weight kit.

SELF-LEVELING BOOM

Keeps the bucket, pallet forks or attachment level so the operator does not need to adjust when raising or lowering the boom.

VARIABLE FLOW SYSTEM

Allows precise adjustment of the hydraulic flow to allow inching when trenching.

OUTFIT YOUR GRAVELY® WITH MORE OF THE BEST.

These additional tools and accessories have been meticulously engineered and come straight from the factory to fit seamlessly with your machine. They can help shave time off your schedule or help lighten the load.



MAINTENANCE KIT

Gravelly® maintenance kits offer a complete service package, designed to protect your engine and promote optimal performance levels.



OEM OIL

Gravelly® oils are specifically formulated to provide protection for your engine in the toughest of environments.



OEM BELTS

Designed to be a perfect fit for your machine, Gravelly® OEM belts provide the strength, longevity and quality needed to enhance performance and cut quality.



BAGGER SYSTEM

Gravelly's two- and three-bucket mesh bags provide outstanding airflow and venting.



POWERED DECK LIFT

Powered lift kits make cutting-height adjustments smooth and simple.



TWEEL® KITS

These airless, run-flat tires help minimize your downtime and dampen the effect of uneven terrain.



MULCH KIT

Separate cutting chambers for each blade produce smaller clippings for a professionally manicured appearance.



LASEREDGE® BLADES

These self-sharpening blades last up to 5 times longer than standard blades, helping to minimize downtime.



LIGHT KIT

These blazing LEDs illuminate your cutting path in low-light conditions as dusk approaches.



HITCH KIT

Add a hitch kit to enjoy unmatched versatility with a variety of tow-behind options.

GRAVELLY®

For a full list of parts, attachments and accessories please see your local Gravelly® dealer or visit GRAVELLY.COM.

PRODUCT SPECIFICATIONS

A Gravelly® is built not only to leave a perfectly manicured lawn, but also to be both durable and reliable. They go through rigorous testing, mowing on extremely unfriendly and uneven terrain. They cut through thick unforgiving grasses, even the heavy wet stuff, for hours at a time. After all, the Gravelly name is on each of our machines, and we don't take that lightly.



SERIES	PRO-TURN® 600				PRO-TURN® 500				
DECK SIZE	660	660	672	672	552	560	560	572	572
MODEL NUMBER	992501	992503	992502	992504	992533	992534	992530	992535	992531
ENGINE	KAWASAKI® FX1000	KAWASAKI® FX1000 EFI	KAWASAKI® FX1000	KAWASAKI® FX1000 EFI	KAWASAKI® FX921	KAWASAKI® FX1000	KAWASAKI® FX1000 EFI	KAWASAKI® FX1000	KAWASAKI® FX1000 EFI
HORSEPOWER	35 HP	38.5 HP	35 HP	38.5 HP	31 HP	35 HP	38.5 HP	35 HP	38.5 HP
DRIVE SYSTEM	PARKER® HTG TRANSAXLES				PARKER® HTG TRANSAXLES				
DECK									
DECK MATERIAL / CONSTRUCTION	X-FACTOR® 3 DECK / 7 GA. STEEL, WITH .25 IN. SPINDLE REINFORCEMENT				X-FACTOR® 3 DECK / 7 GA. STEEL, WITH .25 IN. SPINDLE REINFORCEMENT				
SPINDLE HOUSING & BEARINGS	SERVICEABLE, COLD-FORGED ALUMINUM PRO-SPINDLE / DOUBLE ROW BALL BEARING				SERVICEABLE, COLD-FORGED ALUMINUM PRO-SPINDLE / DOUBLE ROW BALL BEARING				
CUTTING WIDTH	60 IN.	60 IN.	72 IN.	72 IN.	52 IN.	60 IN.	60 IN.	72 IN.	72 IN.
CUTTING HEIGHT	1.0 IN - 5.5 IN				1.0 IN - 5.5 IN.				
WHEELS									
FRONT	15 X 6-6 SEMI PNEUMATIC				15 X 6-6 SEMI PNEUMATIC				
REAR	26 X 12-12 TURF				26 X 12-12 TURF				
MACHINE									
WEIGHT	1586 LBS.	1601 LBS.	1646 LBS.	1661 LBS.	1447 LBS.	1487 LBS.	1580 LBS.	1477 LBS.	1580 LBS.
LENGTH	83 IN.				84 IN.				
WIDTH (w/o CHUTE)	63 IN.		75 IN.		55 IN.	63 IN.		75 IN.	
WARRANTY									
UNIT	*5 YEARS / 1500 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS				*5 YEARS / 1500 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS				

SERIES	PRO-TURN® MACH ONE		PRO-TURN® 300			
DECK SIZE	60	60	352	360	360	372
MODEL NUMBER	992515	992519	992532	992529	992526	992525
ENGINE	KAWASAKI® FX921		KAWASAKI® FX850	KAWASAKI® FX850 EFI	KAWASAKI® FX921	KAWASAKI® FX921
HORSEPOWER	31 HP		27 HP	29.5 HP	31 HP	31 HP
DRIVE SYSTEM	PARKER® HTG TRANSAXLES		PARKER® HTJ TRANSAXLES			
DECK						
DECK MATERIAL / CONSTRUCTION	7 GA. STEEL, WITH .25 IN. SPINDLE REINFORCEMENT		X-FACTOR® 3 DECK / 7 GA. STEEL, WITH .25 IN. SPINDLE REINFORCEMENT			
SPINDLE HOUSING & BEARINGS	FORGED ALUMINUM / DOUBLE LIP BALL BEARINGS		SERVICEABLE, COLD-FORGED ALUMINUM PRO-SPINDLE / DOUBLE ROW BALL BEARING			
CUTTING WIDTH	60 IN.		52 IN.	60 IN.	60 IN.	72 IN.
CUTTING HEIGHT	1.0 IN - 5.5 IN		1.0 IN - 5.5 IN			
WHEELS						
FRONT	15 X 6-6 SEMI PNEUMATIC		15 X 6-6 SEMI PNEUMATIC			
REAR	26 X 12-12 RADIAL TURF		24 X 12-12 TURF			
MACHINE						
WEIGHT	1486 LBS.	1502 LBS.	1320 LBS.	1346 LBS.	1350 LBS.	1472 LBS.
LENGTH	86.2 IN.		83 IN.			
WIDTH (w/o CHUTE)	61 IN.		55 IN.	63 IN.		75 IN.
WARRANTY						
UNIT	*5 YEARS / 1500 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS		*5 YEARS / 1250 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS			

SERIES	PRO-TURN® 200		PRO-TURN® 100		
DECK SIZE	252	260	148	152	160
MODEL NUMBER	992550	992551	991128	991129	991130
ENGINE	KAWASAKI® FX850		KAWASAKI® FX921	KAWASAKI® FX691	KAWASAKI® FX691
HORSEPOWER	27 HP		31 HP	22 HP	23.5 HP
DRIVE SYSTEM	HYDRO-GEAR® ZT-5400 TRANSAXLES		HYDRO-GEAR® ZT-3400 TRANSAXLES		
DECK					
DECK MATERIAL / CONSTRUCTION	X-FACTOR® 2 DECK / 7 GA. STEEL, WITH .25 IN. SPINDLE REINFORCEMENT		X-FACTOR® 2 DECK / 7 GA. STEEL, WITH .25 IN. SPINDLE REINFORCEMENT		
SPINDLE HOUSING & BEARINGS	FORGED ALUMINUM / DOUBLE LIP BALL BEARINGS		FORGED ALUMINUM / DOUBLE LIP BALL BEARINGS		
CUTTING WIDTH	52 IN.	60 IN.	48 IN.	52 IN.	60 IN.
CUTTING HEIGHT	1.5 IN - 5.5 IN		1.0 IN - 5.5 IN		
WHEELS					
FRONT	13 X 6.5 PNEUMATIC		13 X 6.5 SEMI PNEUMATIC		
REAR	23 X 10.5-12	24 X 12-12	23 X 10.5-12		
MACHINE					
WEIGHT	1302 LBS.	1336 LBS.	1062 LBS.	1079 LBS.	1121 LBS.
LENGTH	80 IN.		78.5 IN.		
WIDTH (w/o CHUTE)	55.5 IN.	63 IN.	50 IN.	55.5 IN.	63 IN.
WARRANTY					
UNIT	*5 YEARS / 1250 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS		*5 YEARS / 1000 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS		

SERIES	PRO-TURN® ZX			ZTHD			
DECK SIZE	48	52	60	44	48	52	60
MODEL NUMBER	991287	991289	991291	991267	991269	991277	991279
ENGINE	KAWASAKI® FX691	KAWASAKI® FX691	KAWASAKI® FX730	KAWASAKI® FR651	KAWASAKI® FR691	KAWASAKI® FR691	KAWASAKI® FR730
HORSEPOWER	22 HP	22 HP	23.5 HP	21.5 HP	23 HP	23 HP	24 HP
DRIVE SYSTEM	HYDRO-GEAR® ZT-3200® TRANSAXLES			HYDRO-GEAR® ZT-3100® TRANSAXLES			
DECK							
DECK MATERIAL / CONSTRUCTION	X-FACTOR® 3 DECK / 7 GA. STEEL, WITH SPINDLE REINFORCEMENT			X-FACTOR® 3 DECK / 7 GA. STEEL			
SPINDLE HOUSING & BEARINGS	FORGED ALUMINUM / DOUBLE LIP BALL BEARINGS			FORGED ALUMINUM / BALL BEARING			
CUTTING WIDTH	48 IN.	52 IN.	60 IN.	44 IN.	48 IN.	52 IN.	60 IN.
CUTTING HEIGHT	1.5 IN - 5.0 IN			1.5 IN - 5.0 IN			
WHEELS							
FRONT	13 X 6.5-6			13 X 6.5-6			
REAR	22 X 10-12	22 X 10.5-12	22 X 12-12	22 X 10-10	22 X 11-10		22 X 12-10
MACHINE							
WEIGHT	925 LBS.	931 LBS.	952 LBS.	794 LBS.	802 LBS.	817 LBS.	841 LBS.
LENGTH	79 IN.			79 IN.			
WIDTH (w/o CHUTE)	50.8 IN.	56.2 IN.	63.7 IN.	47.6 IN.	50.8 IN.	56.2 IN.	63.7 IN.
WARRANTY							
UNIT	*4 YEARS / 750 HOURS			*4 YEARS / 500 HOURS			

*See your professional Gravelly® dealer for complete warranty details.

PRODUCT SPECIFICATIONS CONTINUED

SERIES	COMPACT-PRO®		PRO-STANCE ULTRA®			
DECK SIZE	34	52	60	60	72	
MODEL NUMBER	991144	994173	994170	994171	994175	
ENGINE	KAWASAKI® FX491	KAWASAKI® FX1000	KAWASAKI® FX1000	KAWASAKI® FX1000 EFI	KAWASAKI® FX1000 EFI	
HORSEPOWER	15.5 HP	35 HP	35 HP	38.5 HP	38.5 HP	
DRIVE SYSTEM	HYDRO-GEAR® ZT-3100 TRANSAXLES		PARKER® HTG TRANSAXLES			
DECK						
DECK MATERIAL / CONSTRUCTION	10 GA. STEEL, WITH 10 GA. SPINDLE REINFORCEMENT		X-FACTOR® 3 / 7 GA. STEEL			
SPINDLE HOUSING & BEARINGS	FORGED ALUMINUM / DOUBLE LIP BALL BEARINGS		LARGE FORGED ALUMINUM / DOUBLE ROW BALL BEARING			
CUTTING WIDTH	34 IN.	52 IN.	60 IN.	60 IN.	72 IN.	
CUTTING HEIGHT	1.0 IN. - 5.0 IN		1.5 IN - 5.5 IN			
WHEELS						
FRONT	13 X 5 - 6		15 X 6.50 - 6 SEMI-PNEUMATIC			
REAR	21 X 7-10 TURF	24 X 9.5 - 12 RADIAL	24 X 12 - 12 RADIAL			
MACHINE						
WEIGHT	737 LBS.	1294 LBS.	1348 LBS.	1364 LBS.	1440 LBS.	
LENGTH	79 IN.	72.5 IN.				
WIDTH (w/o CHUTE)	39.5 IN.	55 IN.	63 IN.		74.5 IN.	
WARRANTY						
UNIT	*4 YEARS / 750 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS		*5 YEARS / 1500 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS			

SERIES	Z-STANCE®			PRO WALK®			
DECK SIZE	32	48	52	36HR	48HE	52HE	60HE
MODEL NUMBER	994160	994159	994158	988188	988189	988190	988191
ENGINE	KAWASAKI® FS600	KAWASAKI® FS651	KAWASAKI® FS651	KAWASAKI® FS481	KAWASAKI® FS600	KAWASAKI® FS600	KAWASAKI® FS691
HORSEPOWER	18.5 HP	22 HP	22 HP	14.5 HP	18.5 HP	18.5 HP	23 HP
DRIVE SYSTEM	HYDRO-GEAR® ZT-3100® TRANSAXLES			HYDRO-GEAR® ZT-3400® TRANSAXLES			
DECK							
DECK MATERIAL / CONSTRUCTION	X-FACTOR® 2 DECK 7 GA. STEEL	X-FACTOR® 3 DECK 10 GA. STEEL		X-FACTOR® 3 DECK / 10 GA. STEEL			
SPINDLE HOUSING & BEARINGS	FORGED ALUMINUM / DOUBLE LIP BALL BEARINGS			ALUMINUM / DOUBLE LIP BALL BEARINGS		FORGED ALUMINUM / DOUBLE LIP BALL BEARINGS	
CUTTING WIDTH	32 IN.	48 IN.	52 IN.	36 IN.	48 IN.	52 IN.	60 IN.
CUTTING HEIGHT	2.0 IN. - 5.0 IN.	2.0 IN. - 5.0 IN.		1.5 IN - 4.5 IN	1.5 IN - 5.0 IN		
WHEELS							
FRONT	11 X 6-5 PNEUMATIC			11 X 4-5 PNEUMATIC			
REAR	20 X 6.50 - 10	20 X 10 - 8	20 X 10 - 8	21 X 7-10	20 X 8-10		
MACHINE							
WEIGHT	669 LBS.	744 LBS.	763 LBS.	710 LBS.	740 LBS.	770 LBS.	795 LBS.
LENGTH	65.5 IN.			64 IN	69 IN	71 IN	71.8 IN
WIDTH (w/o CHUTE)	32.8 IN.	49.5 IN.	55 IN.	36.8 IN.	50.1 IN.	55.5 IN.	63 IN.
WARRANTY							
UNIT	*4 YEARS / 500 HOURS COMMERCIAL			*4 YEARS / 750 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS			

SERIES	PRO-STANCE®						
DECK SIZE	32	36	48	52	52	60	60
MODEL NUMBER	994157	994149	994161	994162	994163	994164	994165
ENGINE	KAWASAKI® FS600	KAWASAKI® FS600	KAWASAKI® FX730	KAWASAKI® FX730	KAWASAKI® FT730 EFI	KAWASAKI® FX730	KAWASAKI® FT730 EFI
HORSEPOWER	18.5 HP	18.5 HP	23.5 HP	23.5 HP	26 HP	23.5 HP	26 HP
DRIVE SYSTEM	HYDRO-GEAR® ZT-3100 TRANSAXLE			HYDRO-GEAR® ZT-3400 TRANSAXLE			
DECK							
DECK MATERIAL / CONSTRUCTION	X-FACTOR® 3 DECK / 7 GA. STEEL						
SPINDLE HOUSING & BEARINGS	FORGED ALUMINUM / DOUBLE LIP BALL BEARINGS						
CUTTING WIDTH	32 IN.	36 IN.	48 IN.	52 IN.	52 IN.	60 IN.	60 IN.
CUTTING HEIGHT	1.0 IN. - 5.5 IN.						
WHEELS							
FRONT	11 X 4.00-5 SEMIPNEUMATIC			13 X 6.50-6 SEMI-PNEUMATIC			
REAR	18 X 6.50 - 8	18 X 8.50 - 8	20 X 10.50 - 8				
MACHINE							
WEIGHT	762 LBS.	776 LBS.	875 LBS.	912 LBS.	912 LBS.	940 LBS.	940 LBS.
LENGTH	59.5 IN.			60.63 IN.			62 IN.
WIDTH (w/o CHUTE)	33.5 IN.	36.5 IN.	50 IN.	55.5 IN.	55.5 IN.	63 IN.	63 IN.
WARRANTY							
UNIT	*5 YEARS / 1000 HOURS COMMERCIAL / NO HOUR LIMIT FOR FIRST 2 YEARS						

SERIES	OVIS®	
MODEL NAME	40RC	X 40RC
MODEL NUMBER	949001	949002
ENGINE	BRIGGS & STRATTON® VANGUARD	
HORSEPOWER	21.1 HP	
STARTING DEVICE	ELECTRIC START	
FUEL TANK CAPACITY	2.87 GAL. / 2 HR. RUN TIME PER TANK	
PERFORMANCE		
SPEED (FORWARD / REVERSE)	0-3.1 MPH / 0-3.1 MPH	
MAX SLOPE CROSSWISE	55 DEGREE	
MAX SLOPE UPHILL / DOWNHILL	44 DEGREE	
MAXIMUM AREA COVERAGE	APPROX. 1.2 ACRES PER HOUR	
TURING RADIUS	APPROX. 0 IN.	
CUTTING		
CUTTING DEVICE	FLAIL MOWER UNIT WITH 28 Y-KNIFE	
CUTTING WIDTH / HIGHT	40 IN. WIDE / 1-4 IN. HEIGH	
CLUTCH OF CUTTING TOOL	BELT TENSION CLUTCH	
MACHINE		
WEIGHT	924 LBS.	
LENGTH	72 IN.	
WIDTH	45 IN.	
HEIGHT	27 IN.	
GROUND PRESSURE	2.2 PSI	
WARRANTY		
UNIT	*2 YEAR OR 250 HOUR COMMERCIAL	



GRAVELY®
GRAVELY.COM

*See your professional Gravelly® dealer for complete warranty details.

JOBSITE PRODUCT SPECIFICATIONS

JOB SITE SERIES	ATLAS JSV®			
MODEL NAME	3400	3400SD	6400	6400SD
MODEL NUMBER	996209	996204	996207	996208
ENGINE	POLARIS 4-STROKE SOHC TWIN CYLINDER EFI			
FUEL CAPACITY	11.5 GAL.			
DRIVING SYSTEM	PVT			
TOWING CAPACITY	2500 LBS.			
HITCH TONGUE CAPACITY	250 LBS.			
TOTAL RATED PAYLOAD	1900 LBS.	1800 LBS.	2075 LBS.	1975 LBS.
CARGO BOX DIMENSIONS	54" W X 43.5 D X 11.5" H			
SUSPENSION				
FRONT SUSPENSION	DUAL A-ARM W/ 9 IN OF TRAVEL			
REAR SUSPENSION	INDEPENDENT W/ 9 IN OF TRAVEL			
WHEELS				
FRONT / REAR	26 X 10 - 12			
MACHINE				
WEIGHT	1568 LBS.	1790 LBS.	1925 LBS.	2075 LBS.
LENGTH	125 IN.		157 IN.	
WIDTH (w/o CHUTE)	62.5 IN.			
WARRANTY				
UNIT	*1 YEAR LIMITED COMMERCIAL			

JOB SITE SERIES	AXIS®		
MODEL NAME	200DT	200DTN	200DW
MODEL NUMBER	950010	950011	950012
ENGINE	KUBOTA®		
HORSEPOWER	24.9 HP		
FUEL SYSTEM	DIESEL, 10 GAL		
MAX LIFT CAPACITY	489 LBS. (661.3 LBS W/ WEIGHT KIT)	497 LBS. (639.6 LBS W/ WEIGHT KIT)	631 LBS. (832.7 LBS W/ WEIGHT KIT)
TIPPING CAPACITY	1397 LBS. (1889.4 LBS W/ WEIGHT KIT)	1420 LBS. (1827.4 LBS W/ WEIGHT KIT)	1262 LBS. (1665.5 LBS W/ WEIGHT KIT)
HYDRAULIC SYSTEM			
AUX SYSTEM FLOW (GMP)	14		
LOW FLOW (GPM)	5.5		
TANK CAPACITY	41.6		
WHEELS			
FRONT	9.1 IN.	7.1 IN.	8.5 IN.
REAR	8 IN.		
MACHINE			
DRIVE TYPE	TRACK		WHEEL
SPEED	5.3 MPH		3.2 MPH
HEIGHT	51.3 IN.		50.3 IN.
WEIGHT	2525 LBS.	2465 LBS.	2125 LBS.
LENGTH	63.3 IN		
WIDTH	41.2 IN.	35.6 IN.	41 IN.
WARRANTY			
UNIT	*1 YEAR / 1000 HOURS / INCLUDES RENTAL OR LEASED MACHINES		

*See your professional Gravelly® dealer for complete warranty details.



WE CAN ALSO CUT A PATH TO
OWNERSHIP.

We build mowers to mow, not sit on a showroom floor. That's why we provide financing options to make sure these machines are out there working. We have a network of authorized independent finance companies with affordable finance plans. Don't settle for an inferior product. Do the job right with Gravelly®.

Visit your local Gravelly dealer to learn more.

GRAVELLY®

FRANKLIN



GRAVELY®

GRAVELY.COM    

Registered trademark and ™ trademark of AriensCo. Briggs & Stratton®, Kawasaki®, Kubota®, Ogura®, Parker®, Warner®, Polaris®, Hydro-Gear®, Michelin® and Yamaha® are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit gravely.com for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of the product; actual product may vary.

© 2026 ARIENSCO. ALL RIGHTS RESERVED. 1225

AN ARIENS|CO BRAND



NATIONAL
ASSOCIATION OF
LANDSCAPE
PROFESSIONALS



WILDLIFE
HABITAT COUNCIL™