

V1.3 February 2025

Compatibility Guide for x-to-water Heat Pumps

Find out which tado° Line X product is compatible with your heating system. Download the latest version of this document at tado.com/heat-pump-compatibility.

General

- You will receive specific DIY instructions, tailor-made for your heating system via the tado° app. Check your "Get Started" leaflet.
- Generic installation manuals for professional installers can be found on tado.com/professional-manuals.

Our Heat Pump Products



The Heat Pump Optimizer X

The Heat Pump Optimizer X enhances ease of use by managing the heating and hot water schedules through the tado° app with real-time consumption.



The Smart Thermostat X

Designed for use as a room thermostat, it can also be wired to a heat pump using a relay or OpenTherm communication.



Your setup is compatible with the Heat Pump Optimizer X and the Smart Thermostat X and you want to know which one fits your needs?

The Heat Pump Optimizer X has been engineered to seamlessly complement a heat pump setup while providing smart enhancements. It is independent from any room and acts as a central heating device by giving you user-friendly access to your heat pump schedule(s) from the tado° app. The Heat Pump Optimizer X brings additional benefits to your setup when adding Smart Radiator Thermostat(s) X / Smart Thermostat(s) X to your radiators/underfloor heatings. Make sure to visit the Heat Pump Optimizer X product page for more details.

The Smart Thermostat X has been designed to be used as a room thermostat. Your heat pump operation will therefore react to that specific room schedule and current temperature.

By using the native BUS communication we ensure a performance tailored to each heat pump's specificities.

Heat Pump Brand	Model	tado° Compatibility
© atlantic Atlantic	Alfea models (except Alfea M models and Alfea Excellia S)	
	Alfea M	
	Alfea Excellia S	
	lxtra	
	Hybea	
	Loria	
	Geolia	
	LWP AI	
	LWPK AI	
	LWP HP ECO	
	LWPK HP ECO	
Austria Email Austria Email	LWP HT ECO	
	LWPK HT ECO	
	LWPM	
	LWPMK	
aub	GeniaAir	
AWB	GeniaAir Max	
BRÖTJE	SensoTherm BLW (with ISR-BLW / ISR-EHMS)	
HEIZUNG Brötje	SensoTherm BSW	
Bulex	GeniaAir	
Bulex	GeniaAir Max	
	Altherma 3 R	
	Altherma 3 R MT	
Daikin	Altherma 3 H	
	Altherma 3 H HT	
	Altherma 3 H MT	
	Altherma 3 R ECH2O (except EHSH-D & EHSX-D)	
	Altherma 3 R MT ECH2O	

By using the native BUS communication we ensure a performance tailored to each heat pump's specificities.

Heat Pump Brand	Model	tado° Compatibility
	Altherma 3 H MT ECH2O	
	Altherma 3 H HT ECH2O (except ETS-D)	
	Altherma R F	
	Altherma R W	
	Altherma R Hybrid	
DAIKIN	Altherma R HT	
Daikin	Altherma R ECH20 EHSH-D	
	Altherma R ECH20 EHSX-D	
	Altherma R H HT ECH20 ETS-D	
	Altherma 3 M	
	Altherma Hydrobox EKHB	
	Altherma Monobloc (EBHQ, EBLQ, EDHQ, EDLQ)	
	Aerotop S	
	Aerotop T	
CCC heating solutions	Aquatop S	
Elco	Aquatop T	
	Aerotop SG	
	Aerotop SX	
FUJITSU Fujitsu	Waterstage (WGY / WSY / UTW)	
(Hermann)	GeniaAir	
Herrmann	GeniaAir Max	
	Alfea models (except Alfea M)	
ideal	Logic Air	
Ideal	Alfea M	
	Loria	
Panasonic Panasonic	WH-ADC (from generation H)	
	WH-SDC (from generation H)	

By using the native BUS communication we ensure a performance tailored to each heat pump's specificities.

Heat Pump Brand	Model	tado° Compatibility
	WH-SXC (from generation H)	
	WH-SQC	
	WH-ADF	
	WH-CME	
Panasonic Panasonic	WH-MDF, -MHF, -MXF	
	WH-SHF, -SDF, -SXF	
	WH-ADC (until generation G)	
	WH-SDC (until generation G)	
	WH-SXC (until generation G)	
	HPSU Bi-Bloc Ultra	
	HPSU Bi-Bloc	
ROTEX	HPSU compact	
Rotex	HPSU monobloc compact	
	HPSU hitemp	
	HPSU hybrid	
	GeniaAir	
Saunier Duval	GeniaAir Max	
Saunier Duval	Genia Set	
	Aerolia	
	Aerolia Duo	
	Alfea	
Thermortie	Aurea M	
Thermor	Aeropack Ai	
	Aureapack M	
	Aurea+	
	Aureapack+	
Vaillant Vaillant	Following models with VRC 700 and VRC 720:	
	Arotherm	

By using the native BUS communication we ensure a performance tailored to each heat pump's specificities.

Heat Pump Brand	Model	tado° Compatibility
Vaillant Vaillant	flexoTherm	
	flexoCompact	
	recoCompact, versoTherm	
	geoTherm VWL/4	
	Following models with VRC 470:	
	geoTherm/x (other than VWL/4)	

Compatibility Guide for the Smart Thermostat X

The Smart Thermostat X is compatible with 95% of heat pumps. It replaces a heat pump thermostat that has been wired with Relay control or using OpenTherm as a communication protocol.

Please check the tado° compatibility checker for additional details regarding your thermostat compatibility.



Do you have an air-air heat pump/air conditioner? The Smart AC Control V3+*

Controls air conditioners / heat pumps with an infrared remote control with a display to ensure a comfortable and healthy climate at home, while helping to save on your energy bill.

Check this help center article for more details.

*This product cannot be added in the same tado° home as Line X devices.

