tado°

V1 April 2024

# Compatibility Guide for the Wired and Wireless Smart Thermostat


Find out if tado° is compatible with your heating system.

This guide is only intended for the United Kingdom and Ireland.

This document covers traditional heating setups, excluding heat pumps. If you have a heat pump, please use our <u>heat pump guide</u> instead.


#### Installation on different heating setups

Compatibility and how you install tado<sup>°</sup> differ depending on your heating system. The two most common systems are system boilers (with external hot water tank) or combi boilers (with hot water on demand):



**Note:** If you need to control a dual relay system for central heating and hot water, you will require the Wireless Smart Thermostat Starter Kit with Hot Water Control. tado° X and V3+ are both compatible with heating systems with an external hot water tank.

For the compatibility of your combi boiler, please check the table provided below. The list includes the most common manufacturers in your country, but it is not exhaustive; if you cannot find your manufacturer, please use the compatibility checker on our website. If you're interested in more information or technical details, please see the section below the list.



Compatible with V3+ and tado<sup>°</sup> X (Wired & Wireless)

Compatible with **wired** Smart Thermostat V3+ only

Manufacturer/Type	<b>Relay</b> (on/off)	<b>Digital control</b> (Modulation)	Information
Alpha			
E-tec			
All other types		×	
ARISTON Ariston			
Micro City 24 MFFI Genus 27 BFFI Plus Combi A MFFi Clas He System Uno 24 M(FF)I DIA 24 MFFICE Type C SX 20 M EuroCombi			
ecoSmart Egis NOx FF			
alle overige types		V3+	
BAXI Baxi			
Avant Combi Combi 8 Copper 28 Fi Duo-Tec (all types except Duo-tec Combi ErP) Ecotherm Plus WGB-2N & -KN			
Galaxy			

Initia 3 Duo 3.24 ..

Luna .. (all types except Luna 1.2../ Luna Blue 23 .. / Luna Duo-Tec .. MP / Luna Platinum .. / LUNA Super 240 Fi)


Neodens Plus ..

Neta-tec ..

Compatible with V3+ and tado° X (Wired & Wireless)

Compatible with **wired** Smart Thermostat V3+ only


Manufacturer/Type	<b>Relay</b> (on/off)	<b>Digital control</b> (Modulation)	Information
BAXI Baxi			
Novamax Novanox Nuvola (Alle Ausführungen außer: Nuvola Platinum and Nuvola Platinum plus) Platinum Platinum Alux Platinum Compact Platinum. Combi Power HT Prime Slim (all types except Slim iA50 / Slim pN-iPV)			
EcoCondens BBS EcoSolar BSK EcoTherm Kompakt All other Ecotherm Plus types except the one listed above EuroCondens Luna Platinum NXR3i		V3+	
Platinum 2 Combi Platinum Combi Plus Platinum Duo Plus Platinum Max Plus Platinum Plus Power 32		<b>V3+</b>	
All other types			



Compatible with V3+ and tado° X (Wired & Wireless)

Compatible with **wired** Smart Thermostat V3+ only

Manufacturer/Type	<b>Relay</b> (on/off)	<b>Digital control</b> (Modulation)	Information
GENERAZIONE COMFORT Biasi			
Inovia M94			
Parva Recupera			
Recupera DGT RinNova			
All other types			
BOSCH Bosch			
Ceraclass Smart Cerapur Cerasmart/Europur Cerastar/Eurostar ZWE/ZSE4 Condens 5000 Condens 7000 HRC HRS 24 VRC EuroPur Gaz 5000 W Gaz 7000 WT GreenstarCDi Greenstari Maxi.dens Mega.dens		<b>V3+</b>	
Condens 3500 Condens 6500 GreenstarCDi Compact GreenstarSi Compact		V3+	



Compatible with V3+ and tado° X (Wired & Wireless)

Compatible with **wired** Smart Thermostat V3+ only

Manufacturer/Type	<b>Relay</b> (on/off)	<b>Digital control</b> (Modulation)	Information
<b>British Gas</b> British Gas			
All other types		8	
<b>Ferroli</b> Ferroli			
Atlas D Bluehelix BlueSense CCS DOMIcompact F / C Domina DGT Domina Plus C E Domina Oasi E F Ferella Gold C GN-TK M Unit GN GRF GRK INNOX Maxima 35 S Modena S/E NEF H.P. CE nouvelle elite Optima OptimaxC Optimax HE 18 Optimax HE 18 Optimax HE 18 Soptimax SGE Sigma SUN P SYS 10-23 Tantaqua Tempra			

Compatible with V3+ and tado° X (Wired & Wireless)

Compatible with **wired** Smart Thermostat V3+ only

V3+

Manufacturer/Type	<b>Relay</b> (on/off)	<b>Digital control</b> (Modulation)	Information
<b>Ferroli</b> Ferroli			
Xignal CE		×	
All other types			
Glow worm			
Betacom Compact c Easicom Energy Essential Flexicom Home SemiaTek CondensAS/1/ MicraCom CondensAS/1 Ultrapower Ultimate Ultimate		V3+	
All other types		×	
GRANT Grant UK			
All types		×	
HEAT. LINE Head line			
All types		<b>V3+</b>	
ideal Ideal			

Logic+ Combi Vogue System S + 7 day digital Programmer 172618 Zenis DUO 3.33 HTE		
All other types	×	

Compatible with V3+ and tado° X (Wired & Wireless)

Compatible with **wired** Smart Thermostat V3+ only


Manufacturer/Type	<b>Relay</b> (on/off)	<b>Digital control</b> (Modulation)	Information
Intergas			
G22EW GVR LOW NOx-Tronic H22VR Stellina CV Haard GS		×	
All other types			
Keston BY IDEAL HEATING Keston			
C36 Combi 30 C Combi 30 / 35 C45 / C55 Qudos 28			
All other types		×	
Main heating			
Platinum Compact Eco			
All other types		×	
<b>POTTERTON</b> Potterton			
NXR3i + KSF-ISR NXR3i + KSF-ISR + ISR Plus Paramount two Paramount three Sirius two WH Sirius two FS		<b>V3+</b>	

Assure System .. Assure Combi .. + FM/1 ..Z Paramount .. Promax Ultra Combi Sirius FS .. Sirius WH ..

Compatible with V3+ and tado° X (Wired & Wireless)

Compatible with **wired** Smart Thermostat V3+ only

Manufacturer/Type	<b>Relay</b> (on/off)	<b>Digital control</b> (Modulation)	Information
POTTERTON Potterton			
WH			
All other types		×	
<b>Remeha</b>			
GAS 110 OG 10 Penta Pro W 23c			
All other types	<b></b>		
<b>Vaillant</b> Vaillant			
aquaBLOCK aquaPlus atmoBLOCK plus Hrsolide VHR		V3+	
Boilers with control unit calorMATIC VRC 430 or calorMATIC VRC 470 Boilers with control unit multiMATIC 700 or sensoCOMFORT 720		V3+	
Boilers without fit-in or a simple fit in controller like a time clock apart from VKS systems VKC IT 322-3 120			
VKS systems, or boilers with VRC410, VRC420, VRC-VC control unit	×	×	



Compatible with V3+ and tado° X (Wired & Wireless)

Compatible with **wired** Smart Thermostat V3+ only

Manufacturer/Type	<b>Relay</b> (on/off)	<b>Digital control</b> (Modulation)	Information
<b>VIESMANN</b> Viessmann			
Boilers with Vitotronic 100 and Vitopend 100, Vitodens 200/300, K 64-120 and Eurola boilers		8	
Boiler with Vitotronic 200/300	×	V3+	
Warmflow			
Agentis External Agentis External (Combi) Agentis Internal (Combi)			
All other types			
Worcester	_		
Condens 5000 W ZSB / ZWB GB162 Greenstar 25Si/30Si GreenstarCDi GreenstarCDi Classic GreenstarCDi Compact Greenstar 30CDi System Greenstar 30CDi Classic System Greenstar HE Combi Greenstar Heatslave II Greenstar Highflow 440 Greenstar Highflow CDi Greenstar Highflow Greenstar Jighflow Greenstari System Compact Greenstari System ErP Greenstari System ErP Greenstar 12i / 15i / 18i / 24i / 27i System Greenstar R HE Conventional R 28 HE RD 5i combi			

Compatible with V3+ and tado<sup>°</sup> X (Wired & Wireless)

Compatible with **wired** Smart Thermostat V3+ only

Manufacturer/Type	<b>Relay</b> (on/off)	<b>Digital control</b> (Modulation)	Information
<b>Worcester</b> Worcester			
All other types		×	
Compatible with V3+ and tado° X (Wired & Wireless)			

#### **Technical information**

#### Disclaimer

- DIY installation is dependent on your overall setup; even if a boiler is compatible, it may need to be rewired to work with the tado° Smart Thermostat X or V3+. In these cases, we recommend contacting a professional installer. Please be aware that tado° does not cover installation costs.
- If anything is unclear or you have any questions, please contact our support team via chat at <u>www.tado.com</u> for assistance.

#### General

- Depending on your overall setup, you can receive customised DIY instructions for your heating system via the tado<sup>°</sup> app. Check your 'Get Started' leaflet.
- Generic installation manuals for professional installers can be found on our <u>tado° for Installers app</u>.
- This document applies to both wired and wireless tado<sup>°</sup> Smart Thermostat setups. If you're replacing a wired thermostat, look into the wired Smart Thermostat. If you're replacing a wireless thermostat or installing it directly to a new boiler, go with the wireless option.



#### Heating control with tado°

- If you have an existing relay (on/off) room thermostat in a water-based heating system (radiator or underfloor heating) it can be replaced with a Smart Thermostat.
- Electric heating systems (not water-based) are not compatible with tado°, for more information please refer to this article.

#### District heating and block heating

• If you currently do not use a wall thermostat for your radiators supplied by district or block heating, then you

should use our <u>Smart Radiator Thermostat</u> to control your radiators. A Smart Thermostat is not needed in this case.

#### Technical compatibility

- The Smart Thermostat X cannot be used in the same tado° Home as previous generation tado° devices (tado° V3+ and earlier).
- The Smart Thermostat (wired & wireless) can switch up to 3 amps.
- External temperature sensors do not affect your system's compatibility with tado°.