


1. Go to a desktop computer / laptop. Do not work with a smartphone

Smartphone can not be used since it will always push you to the linksys App which does not support access to the required setting change

2. Open a browser (Chrome, Safari, Edge, ..) which you usually use to access the Internet.

3. Type into address bar of the browser 192.168.1.1




4. Click on continue to Linksys Smart Wi-Fi


A screenshot of the Linksys mobile application interface. On the left, a smartphone displays the 'My Home Wi-Fi' dashboard with statistics for 12 devices and 3 nodes, internet speed of 128/63, and a list of connected devices including an iPhone X, iPad Pro, and Apple Watch. On the right, a tablet displays the 'Keep your Wi-Fi handy' section, which includes a promotional message about managing Wi-Fi, download buttons for the App Store and Google Play, and two QR codes. A red box with arrows pointing to it contains the text 'Continue to Linksys Smart Wi-Fi'.

5. Sign in with the password on the bottom of the router

If the password is not working or if you do not know the password, reset the password by using the recovery key printed on the bottom



6. Click on “Wi-Fi Settings” in the main menu



7. Click on "Show more"



8. Add 5 to the Wi-Fi Name of the 5GHz Wifi



9. Click on “Apply”



10. Confirm “Use different names”



11. Confirm with “Yes”



12. Confirm with “Ok”



13. Go to your tado° App and complete the Smart Thermostat Installation

Start in the tado° App with scanning of the Smart Thermostat you would like to add and follow the commissioning instructions in the tado° App.

14. If you are done with your tado° Installation remove _5 again and apply changes to the router.

As soon as you are done with the installation of all tado° devices you can return to your original router settings. This will not impact the operation of the tado° App going forward. It is only required during the installation to change this setting.