



Together, Serving Up World Flavors.

FINISHED PRODUCT SPECIFICATION

Document: Research and Development

Program: Specification Program

Effective Date: 08/12/2025

Revised By: Nancy Zuniga

Location: TONNE

Approved By: Nick Sondike, Chief Innovation Officer

Item Name: 20lb Pork World™ Pork Gyro IctItem Number: ME000006

UNIT NET WEIGHT	
20 lbs	9.07 kg

ITEM DESCRIPTION

Appearance: Sliced Meats in a cylinder shape**Color:** Typical of Raw Pork**Flavor/Aroma (Cooked):** Mild roast pork aroma; pork flavor with onion, garlic and pepper flavor**Texture:** Typical of raw pork

ITEM PACKAGING

Primary Packaging:	Plain Plastic Bag
Cases Per Pallet:	60 Cases per pallet
Rows Per Pallet (Hi):	3 Cases High
Cases Per Row (Ti):	20 Cases Per Row
Case Dimensions (Inches):	9.06 x 9.06 x 16.38 in.
UPC Code Number:	N/A
SEC / ITF Number:	0-00-75365-00038-5
Pallet Weight (lb & kg):	1325 lbs (601 kg)

Primary Case Type:	PLAIN BOX - INK JETTED
No. of Cones / Case:	LABEL
Case Gross Wt. (lbs):	1/20 lb Cone
Case Gross Wt. (kg):	21.00 lbs
Case Net Wt. (lbs):	9.53 kg
Case Net Wt. (kg):	20.00 lbs
Cases Cube (Cu. Ft.):	9.07 kg
Pallet Pattern Height (In.):	0.778 Cu. Ft.
	54.125 in.

STORAGE & SHELF LIFE & CODE DATE FORMAT

Storage Conditions:	FROZEN (0°F)
Shelf Life from Production:	FROZEN (0°F) : 6 MONTHS (180 DAYS)

Distributed:	FROZEN (0°F)
LOT CODING:	Shipping Container
	1 Digit Year + Julian Date

Certified Kosher
NO

Certified Halal
NO

Certified Organic
NO

Certified CN
NO

INGREDIENT STATEMENT

INGREDIENTS:

Pork, Water, Onions, Contains less than 2% of Soy Protein, Sodium Phosphates, Isolated Potato Product, Cellulose Powder, Sodium Acetate, Glucose Syrup, Soy Lechthin, Soybean Oil and/or Canola Oil, Seasoning (Spices, Yeast Extract, Dehydrated Garlic), Salt, Binder (Methylcellulose, Corn Starch, Salt, Sodium Gluconate, Cellulose Powder, Sodium Carbonate).

CONTAINS: SOY.

FINISHED PRODUCT SPECIFICATION

Document: Research and Development

Program: Specification Program

Location: TONNE

Effective Date: 08/12/2025

Revised By: Nancy Zuniga

Approved By: Nick Sondike, Chief Innovation Officer

NUTRITIONALS PER SERVING SIZE

Recommend Serving Size: 4 oz. (113g)

Servings Per Container: Approx. 80

Nutrition Facts	
80 servings per container	
Serving size	4oz (113g)
Amount per serving	
Calories	290
% Daily Value*	
Total Fat 25g	32%
Saturated Fat 9g	45%
Trans Fat 0g	
Cholesterol 60mg	20%
Sodium 590mg	26%
Total Carbohydrate 2g	1%
Dietary Fiber 1g	4%
Total Sugars 0g	
Includes 0g Added Sugars	0%
Protein 14g	
Vitamin D 0mcg	
Calcium 18mg	2%
Iron 1mg	6%
Potassium 270mg	6%
*The % Daily Value tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.	
Calories per gram: Fat 9 • Carbohydrate 4 • Protein 4	

Nutrient Content Claims Per Serving Size:

Free of Sugar

Excellent source of Vitamin B-1

Excellent source of Vitamin B-2

Excellent source of Vitamin B-3

Excellent source of Vitamin B-6

Excellent source of Vitamin B-12

Excellent source of Pantothenic Acid

Good source of Phosphorous

Good source of Copper

Excellent source of Zinc

Excellent source of Selenium

ALLERGENS AND OTHER SENSITIVE INGREDIENTS

ALLERGEN	Column I	Column II	Column III
Peanut	Present in the Product	Present in other products manufactured on the same line	Present in the same manufacturing plant
Tree Nuts	NO	NO	NO
Milk and Dairy Products	NO	YES	YES
Eggs	NO	NO	YES
Fish	NO	NO	NO
Shellfish and Molluscs	NO	NO	NO
Soy	YES	YES	YES
Wheat	NO	YES	YES
Sesame Seeds	NO	NO	YES
Sulfites	NO	NO	YES
Monosodium Glutamate (MSG)	NO	YES	YES



Together, Serving Up World Flavors.

FINISHED PRODUCT SPECIFICATION**Document:** Research and Development**Program:** Specification Program**Revised By:** Nancy Zuniga **Location:** TONNE**Approved By:** Nick Sondike, Chief Innovation Officer**NUTRITIONALS VALUES (100g UNROUNDED)**Product: 20lb Pork World™ Pork Gyro 1ct **GENESIS EFFECTIVE DATE: 08/12/2025**

Nutrients	Per 100g	Nutrients	Per 100g	Nutrients	Per 100g	Nutrients	Per 100g
Basic Components		Trans Fatty Acid (g)	0.07	Vitamin B12 (mcg)	0.69	Magnesium (mg)	11.94
Gram Weight (g)	100.00	Cholesterol (mg)	51.23	Biotin (mcg)	0.00	Manganese (mg)	0.01
Calories (kcal)	256.22	Water (g)	56.52	Vitamin C (mg)	0.58	Molybdenum (mcg)	0.00
Calories from Fat (kcal)	195.99	Ash (g)	0.00	Vitamin D - IU (IU)	15.45	Phosphorus (mg)	128.19
Calories from SatFat (kcal)	68.44	Insoluble Fiber (g)	0.00	Vitamin D - mcg (mcg)	0.36	Potassium (mg)	238.11
Protein (g)	12.17	Vitamins		Vitamin E - Alpha-Toco (mg)	0.22	Selenium (mcg)	15.64
Carbohydrates (g)	1.70	Vitamin A - IU (IU)	85.45	Folate (mcg)	0.27	Sodium (mg)	524.62
Dietary Fiber 2016	0.85	Vitamin A - RE (R)	1.83	Folate, DFE (mcg)	0.46	Zinc (mg)	1.87
Soluble Fiber 2016	0.00	Vitamin A - RAE (RAE)	6.57	Vitamin K (mcg)	0.00	Chloride (mg)	0.00
Total Sugars (g)	0.38	Carotenoid RE (RE)	0.00	Pantothenic Acid (mg)	0.81	Poly Fats	
Added Sugars (g)	0.00	Retinol RE (RE)	1.83	Minerals		Omega 3 Fatty Acids	0.16
Disaccharides (g)	0.00	Beta-Carotene (mcg)	0.00	Calcium (mg)	16.04	Omega 6 Fatty Acids	2.15
Other Carbs (g)	0.04	Vitamin B1 (mg)	0.38	Chromium (mcg)	0.00	Other Nutrients	
Fat (g)	21.78	Vitamin B2 (mg)	0.25	Copper (mg)	0.06	Alcohol (g)	0.00
Saturated Fat (g)	7.60	Vitamin B3 (mg)	3.45	Fluoride (mg)	0.00	Caffeine (mg)	0.00
Mono Fat (g)	9.56	Niacin Equiv (mg)	4.99	Iodine (mcg)	0.00	Choline (mg)	37.76
Poly Fat (g)	2.98	Vitamin B6 (mg)	0.29	Iron (mg)	0.92	Sugar Alcohol (g)	0.00

VIDEO JET MASTER CASE LABEL

KEEP FROZEN -UNCOOKED 20 lb Old World™ Pork Gyro 1 ct

Handstacked Whole Muscle (Uncooked)

INGREDIENTS: Pork, Water, Onions, Contains less than 2% of Soy Protein, Sodium Phosphates, Isolated Potato Product, Cellulose Powder, Sodium Acetate, Glucose Syrup, Soy Lecithin, Soybean Oil and/or Canola Oil, Seasoning (Spices, Yeast Extract, Dehydrated Garlic), Salt, Binder (Methylcellulose, Corn Starch, Salt, Sodium Gluconate, Cellulose Powder, Sodium Carbonate).

CONTAINS: SOY

Manufactured By: Grecian Delight Foods, Inc.
Elk Grove Village, IL 60007 USA
www.GDKFoods.com 800-621-4387

NET WT. 20 lbs (9.07kg)

PRODUCT OF USA "FOR INSTITUTIONAL USE ONLY"

**ME000006**

1-20 lb case

LOT CODE

10:42



0 00 75365 00038 5

FINISHED PRODUCT SPECIFICATION

Document: Research and Development

Program: Specification Program

Effective Date: 08/12/2025

Revised By: Nancy Zuniga

Location: TONNE

Approved By: Nick Sondike, Chief Innovation Officer

PALLET PATTERN

 TOPS		GRECIAN - 60266	Date Printed : 10/8/2018 Last Saved : 6/27/2016																																																															
	<p>GMA (Notched) 48.000x40.000x5.000</p> <table> <thead> <tr> <th>Shipper (ID)</th><th>Shipper (OD)</th><th>UnitLoad (Incl. Pal)</th></tr> </thead> <tbody> <tr> <td>Ln: 8.7500 in</td><td>9.0625 in</td><td>45.313 in</td></tr> <tr> <td>Wd: 8.7500 in</td><td>9.0625 in</td><td>36.250 in</td></tr> <tr> <td>Ht: 15.7500 in</td><td>16.3750 in</td><td>54.125 in</td></tr> <tr> <td>Net: 0.00 lb</td><td>0.00 lb</td><td>0.00 lb</td></tr> <tr> <td>Grs: 0.00 lb</td><td>0.00 lb</td><td>65.00 lb</td></tr> <tr> <td>Cube: 0.698 ft3</td><td>0.778 ft3</td><td>51.449 ft3</td></tr> <tr> <td colspan="3">Height Vert</td></tr> <tr> <td>Prod.Vol: 0.000 in3</td><td>0.000 ft3</td><td>0.000 ft3</td></tr> <tr> <td>Shipper: 60</td><td></td><td></td></tr> <tr> <td>Area Efficiency: 0.0 %</td><td>85.6 %</td><td></td></tr> <tr> <td>Cubic Efficiency: 0.0 %</td><td>66.7 %</td><td></td></tr> <tr> <td>Prod.Eff: 0.0 %</td><td>0.0 %</td><td>0.0 %</td></tr> <tr> <td>Cases per layer: 20</td><td></td><td></td></tr> <tr> <td>Layers/load: 3</td><td></td><td></td></tr> <tr> <td>Pattern: Column</td><td></td><td></td></tr> <tr> <td>RSC Area: 6.40 ft2</td><td>384 ft2</td><td></td></tr> <tr> <td>Density (gr/cc): 0.0000</td><td></td><td></td></tr> <tr> <td>Max UL High: 4</td><td></td><td></td></tr> <tr> <td>Clamp Direction: N/A</td><td></td><td></td></tr> <tr> <td>Box Cost: 0.00</td><td>0.00</td><td>0.00</td></tr> </tbody> </table>	Shipper (ID)	Shipper (OD)	UnitLoad (Incl. Pal)	Ln: 8.7500 in	9.0625 in	45.313 in	Wd: 8.7500 in	9.0625 in	36.250 in	Ht: 15.7500 in	16.3750 in	54.125 in	Net: 0.00 lb	0.00 lb	0.00 lb	Grs: 0.00 lb	0.00 lb	65.00 lb	Cube: 0.698 ft3	0.778 ft3	51.449 ft3	Height Vert			Prod.Vol: 0.000 in3	0.000 ft3	0.000 ft3	Shipper: 60			Area Efficiency: 0.0 %	85.6 %		Cubic Efficiency: 0.0 %	66.7 %		Prod.Eff: 0.0 %	0.0 %	0.0 %	Cases per layer: 20			Layers/load: 3			Pattern: Column			RSC Area: 6.40 ft2	384 ft2		Density (gr/cc): 0.0000			Max UL High: 4			Clamp Direction: N/A			Box Cost: 0.00	0.00	0.00		
Shipper (ID)	Shipper (OD)	UnitLoad (Incl. Pal)																																																																
Ln: 8.7500 in	9.0625 in	45.313 in																																																																
Wd: 8.7500 in	9.0625 in	36.250 in																																																																
Ht: 15.7500 in	16.3750 in	54.125 in																																																																
Net: 0.00 lb	0.00 lb	0.00 lb																																																																
Grs: 0.00 lb	0.00 lb	65.00 lb																																																																
Cube: 0.698 ft3	0.778 ft3	51.449 ft3																																																																
Height Vert																																																																		
Prod.Vol: 0.000 in3	0.000 ft3	0.000 ft3																																																																
Shipper: 60																																																																		
Area Efficiency: 0.0 %	85.6 %																																																																	
Cubic Efficiency: 0.0 %	66.7 %																																																																	
Prod.Eff: 0.0 %	0.0 %	0.0 %																																																																
Cases per layer: 20																																																																		
Layers/load: 3																																																																		
Pattern: Column																																																																		
RSC Area: 6.40 ft2	384 ft2																																																																	
Density (gr/cc): 0.0000																																																																		
Max UL High: 4																																																																		
Clamp Direction: N/A																																																																		
Box Cost: 0.00	0.00	0.00																																																																
Notes: DESIGN #68843																																																																		