

7 ROCKY MT RD Athens, Tennessee 37303

- (P) 423-405-5150
- (F) 423-405-5904

WWW.IRONCRAFTUSA.COM

@IRONCRAFTUSA

f in □ ⊙ ♂







Revised November 20, 2023 ©2023 IronCraft Attachments. All rights reserved





SKID STEER, LOADER, & EXCAVATOR PRODUCT GUIDE

PRICES SUBJECT TO CHANGE WITHOUT NOTICE | REVISED AS OF AUGUST 28, 2023




IRONCRAFT



TABLE OF CONTENTS

BUCKETS	2
CUTTERS & FORESTRY	21
Log Splitters	21
Γree Pullers, Removers, and Spades	22
Brush Cutters	23
Disc Mulchers	30
Excavator Cutters	31
Tree Saws and Shears	32
DIRT WORKING	34
Backhoes	34
Trenchers	35
Auger Drives	36
Blades	38
Γillers	39
Levelers & Rippers	40
Rakes	42
FORKS	44
Manure Forks	45
Pallet Forks	47

GRAPPLES	50
HAY EQUIPMENT	62
Hay Spears	62
Bale Squeezers	63
SNOW EQUIPMENT	64
Snow Plows & Pushers	64
Snow & Litter Buckets	68
Snow Cannon	70
OTHER ATTACHMENTS	71
Breakers	71
Post Driver	73
Sod Roller and Concrete Claw	74
Brooms	75
Boom Poles	76
Tooth Bars	77
Conversions	78
Hitches & Quick Attach Plates	80









IRONCRAF



LEARN MORE

The Mini 4-N-1 Bucket is very versatile attachment for your mini skid steer and are ideal for grappling, dozing, backfiring, loading, digging, and fine grading. The cylinders on our Mini 4-N-1 Buckets have a 2" bore by 6" stroke. The buckets are equipped with a 3/8" x 3" cutting edge. They are also built with top quality steel, oversized pins and bushings, with grease fittings at every pivot point. Every unit exceeds the lifting capacity of the skid steer machine it is used on.

MODEL	CTD4N136 CTD4N144		CTD4N148	
MSRP	\$2,080	\$2,235	\$2,280	
DESCRIPTION	FOR DINGO			
WORKING WIDTH	36" 44"		48"	
CYLINDER SIZE	2" x 6"			
NOTES	Grease Fittings at every pivot point, optional weld on teeth, also available for MT51			



COMPACT



LEARN MORE

The cylinders on our compact tractor 4-N-1 Buckets have a 2" bore. They are built with top quality steel, oversized pins and bushings, with grease fittings at every pivot point. Every unit exceeds the lifting capacity of the skid steer machine it is used on.

MODEL	CT4N1 48	CT4N1 54	CT4N1 60	CT4N1 66	CT4N1 72
MSRP	\$2,255	\$2,310	\$2,360	\$2,415	\$2,460
WORKING WIDTH	48"	54"	60"	66"	72"
CYLINDER SIZE	2" bore				
RPM	Recommended for tractors under 40 HP				
CUTTING EDGES	1/2" x 6"				
NOTES	Grease fittings at every pivot point, Optional weld on teeth				



POWER RAKE



LEARN MORE

The IronCraft 4-N-1 Power Rake is an innovative landscape tool that combines a 4N1 bucket along with a power rake. No longer will you have to change attachments to finish preparing the soil bed. You can now use your rake for back dragging, digging, and grappling. Offered in various widths and sizes for full size machines to mini skid steer. The Multi-Purpose Power Rake comes stock with a smooth edge, with the option for a Bolt on Edge or welded teeth.

MODEL	MPPR66	MPPR72	MPPR78	MPPR84	
MSRP	\$11,170	\$11,695	\$12,215	\$12,735	
WORKING WIDTH	60"	72"	78"	84"	
DRUM SIZE	7-1/2" w/ carbide roller tips (10-1/4" tip to tip)				
MOTOR	Direct Drive Motor				
FLOW	15-25 GPM				
CYLINDER SIZE	2-1/2" x 8" dual cylinders				
WIRING HARNESS	Universal, 7pin, 8pin or 14pin				
NOTES	1-1/4" Pivot Pins & Side Cutters Standard				





STANDARD DUTY

4-N-1 BUCKET



LEARN MORE

The cylinders on our Standard Duty 4-N-1 Buckets have a 2.5" bore. They are equipped with a 1/2" x 6" cutting edge and 1/2" x 4" at all other ground engaging points. They are built with top quality steel, oversized pins and bushings, with grease fittings at every pivot point. Every unit exceeds the lifting capacity of the skid steer machine it is used on. Optional weld-on teeth available.

MODEL	SD4N1-60	SD4N1-66	SD4N1-72	
MSRP	\$2,940	\$3,045	\$3,150	
WORKING WIDTH	60"	66"	72"	
CYLINDER SIZE	2-1/2" bore			
RPM	Recommended for tractors 40-50 hp			
CUTTING EDGES	1/2" x 6"			
NOTES	Grease fittings at every pivot point, Optional weld on teeth			



HEAVY DUTY

4-N-1 BUCKET



LEARN MORE

The cylinders on our SHeavy Duty 4-N-1 Buckets have a 2.5" bore. They are equipped with a 1/2" x 6" cutting edge and 1/2" x 4" at all other ground engaging points. They are built with top quality steel, oversized pins and bushings, with grease fittings at every pivot point. Every unit exceeds the lifting capacity of the skid steer machine it is used on. Optional weld-on teeth available.

MODEL	HD4N1-63	HD4N1-66	HD4N1-72	
MSRP	\$3,700	\$3,750	\$3,850	
WORKING WIDTH	63"	66"	72"	
CYLINDER SIZE	2-1/2" bore			
RPM	Recommended for tractors 50 - 65 hp			
CUTTING EDGES	1/2" x 6"			
NOTES	Grease fittings at every pivot point. Optional weld on teeth, bolt on edge, and side cutter			

WWW.IRONCRAFTUSA.COM







Our Severe 4-N-1 Buckets have cylinders with a 3" bore. They are equipped with a 1" x 8" cutting edge and 3/4" x 6" at all other ground engaging points. They are built with top quality steel, oversized pins and bushings, with grease fittings at every pivot point. Every unit exceeds the lifting capacity of the skid steer machine it is used on. Optional weld-on teeth available.

MODEL	SV4N172	SV4N178	SV4N181	SV4N184	
MSRP	\$5,120	\$5,270	\$5,675	\$5,960	
WORKING WIDTH	72"	78"	81"	84"	
RPM	Recommended for machines 80 HP and above				
NOTES	Replaceable 4" x 12" rear edges, Side cutters standard, optional weld on teeth and bolt on edge				






LEARN MORE

(shown with optional side cutter). Our X-treme 4-N-1 Buckets have cylinders with a 3" bore. They are equipped with a 1" x 8" cutting edge and 3/4" x 6" at all other ground engaging points. They are built with top quality steel, oversized pins and bushings, with grease fittings at every pivot point. Every unit exceeds the lifting capacity of the skid steer machine it is used on. Optional weld-on teeth available.

MODEL	X4N1-72	X4N1-78	X4N1-81	X4N1-84	
MSRP	\$4,900	\$5,100	\$5,200	\$5,300	
WORKING WIDTH	72"	78"	81"	84"	
RPM	Recommended for machines 65 HP and above				
NOTES	Side cutters standard, optional weld on teeth and bolt on edge				







HEAVY DUTY

DEMOLITION GRAPPLE

LEARN MORE

The IronCraft Demo Dozer combines multiple functions in one unique attachment. The Demo Dozer replicates the functions of a general purpose bucket, 4-N-1 Bucket, Dozer Blade, Grapple, Clam shell, Log handler, and Demolition Bucket. The Demo Dozer is also equipped with tool receivers, pre-drilled holes for Bolt on edges, chain hooks with pins, and removable sides.

MODEL	HDDD72 HDDD78		
MSRP	\$4,355	\$4,520	
WORKING WIDTH	72"	78"	
TINE THICKNESS	1/2" top tines		
CYLINDER SIZE	2" x 10" 4,000 PSI		
RPM	Recommended for 45-65 HP machines		
NOTES	Hydraulic lines routed inside tubing to prevent tears. Bolt on sides included, Optional bolt on kit		

X-TREME DUTY

DEMOLITION GRAPPLE



LEARN MORE

The IronCraft Demo Dozer combines multiple functions in one unique attachment. The Demo Dozer replicates the functions of a general purpose bucket, 4-N-1 Bucket, Dozer Blade, Grapple, Clam shell, Log handler, and Demolition Bucket. The Demo Dozer is also equipped with tool receivers, pre-drilled holes for Bolt on edges, chain hooks with pins, and removable sides.

MODEL	XDDD72	XDDD78	XDDD84		
MSRP	\$4,945	\$5,105	\$5,210		
DESCRIPTION					
WORKING WIDTH	72"	78"	84"		
TINE THICKNESS	5/8" top tines				
CYLINDER SIZE	2" x 10" 4,000 PSI				
RPM	Recommended for 65 HP and above machines				
NOTES	Hydraulic lines routed inside tubing to prevent tears. Bolt on sides and bolt on kit standard				

IRONCRAFI

GRAPPLE

MONSTER GRAPPLE BUCKET

MODEL	MXDGB72	MXDGB78	MXDGB84	MXDGB96
MSRP	\$5,265	\$5,425	\$5,635	\$6,060
DESCRIPTION	W/O HOOK UP			
WORKING WIDTH	72"	78"	84"	96"
CYLINDER SIZE	2" x 10" Hydraulic Cylinders			
RPM	Recommended for 100 HP track loaders & telescoping loaders(telehandlers)			
NOTES	Reinforced with extra tubing and ribs			



GRAPPLE BUCKET




LEARN MORE

Our Hay Grapple Bucket is a large capacity bucket with a grapple. Used for gathering bro-ken bales of hay, straw, silage and other light material.

MODEL	HBGB72	HBGB84	HBGB96
MSRP	\$4,830	\$5,060	\$5,435
WORKING WIDTH	72"	84"	96"
BUCKET WRAP		1/4"	
CYLINDER SIZE		2" x 10"	
CUTTING EDGES		3/4" x 6"	
NOTES		ings at every h ional bolt on e	





LEARN MORE

All of our grapple buckets have 2" bore by 10" stroke cylinders, with all hydraulic lines routed inside the tubing to prevent tears. They are also built with top quality steel, oversized points and bushings, with grease fittings at every pivot point. Every unit exceeds the lifting capacity of the skid steer machine it is attached to.

	MODEL	HDGB63	HDGB66	HDGB72	HDGB78	HDGB81
	MSRP	\$3,245	\$3,350	\$3,510	\$3,665	\$3,775
	WORKING WIDTH	63"	66"	72"	78"	81"
	CYLINDER SIZE		2"	x 10" 4,000 P	SI	
	RPM	1	Recommende	ed for tractor	s up to 65 HI)
8	NOTES		ings at every veld on teeth			



LEARN MORE

Our Grapple Buckets are very versatile attachments. They're all great choices for anyone who owns a skid steer. Available in a wide range of sizes, they easily pick up logs, rocks, left over building supplies or any other type of debris.

MODEL	XGB66	XGB72	XGB78	XGB81	XGB84	XGB96					
MSRP	\$3,990	\$4,090	\$4,255	\$4,305	\$4,355	\$4,625					
WORKING WIDTH	66"	72"	78"	81"	84"	96"					
TINE THICKNESS		5/8" top tines									
CYLINDER SIZE			2" x 10"	4,000 PSI							
RPM		Recon	nmended for 65 I	HP and above ma	chines						
CUTTING EDGES		1" x 8"									
NOTES			d inside the tubir les standard, opti								

WWW.IRONCRAFTUSA.COM

WWW.IRONCRAFTUSA.COM











The Heavy Duty Long Bottom Bucket is designed for greater visibility of the cutting edge. It will also hold more material than the Low Profile Bucket. It's made for up to 65 HP track machines and up to 70 HP on wheel machines. For larger machines, please seer our Track Loader Buckets.

MODEL	LBB48	LBB54	LBB60	LBB63	LBB66	LBB72	LBB74	LBB78	LBB81	LBB84	LBB90	LBB96
MSRP	\$875	\$990	\$1,145	\$1,160	\$1,215	\$1,330	\$1,375	\$1,440	\$1,500	\$1,555	\$1,680	\$1,810
WORKING WIDTH	48"	54"	60"	63"	66"	72"	74"	78"	81"	84"	90"	96"
BUCKET WRAP		3/16"										
DETAILS		3/8" wear bars and side edge										
RPM]	Recomme	nded for ti Extreme D	rack mach Juty Packa	ines up to ige availal	65 HP and ole for ma	d wheel m chines up	achines u to 110 HP	p to 70 HP).	
CUTTING EDGES		3/4" x 6"										
NOTES	Design	ned for gre teeth.		ility of the xtreme Du								cutting



MINI
LOW PROFILE BUCKET

X-TREME

HIGH DUMP BUCKET

LEARN MORE

Our X-treme High Dump Bucket is an essential tool in the poultry business. With the extra 3 feet of dumping height, you can easily load dump trucks to capacity. The High Dump Bucket has extra tall sides to make your clean up jobs go faster. The cylinders are protected on the sides so you don't lose material space inside the bucket. This feature also makes clean out much easier.

MODEL	HDB72	HDB84	HDB96
MSRP	\$4,025	\$4,355	\$4,685
WORKING WIDTH	72"	84"	96"
CYLINDER SIZE	2" x	10" Twin Cylin	ders
CUTTING EDGES		3/4" x 6"	
NOTES	3 Extra Feet	of Dumping He bucket wrap	eight & 3/16"

The Mini Skid Steer Low Profile Bucket is ideal for moving, digging and grading dirt or gravel.

	MODEL	DLPB 3415	DLPB 3420	DLPB 3615	DLPB 3620	DLPB 4215	DLPB 4220	DLPB 4415	DLPB 4420	DLPB 4815	DLPB 4820	DLPB 5215	DLPB 5220	DLPB 5415	DLPB 5420
	MSRP	\$525	\$635	\$550	\$660	\$610	\$720	\$615	\$730	\$665	\$770	\$710	\$830	\$730	\$855
	WORKING WIDTH	34"	34"	36"	36"	42"	42"	44"	44"	48"	48"	52"	52"	54"	54"
	BUCKET WRAP							3/1	16"						
	DETAILS		1/2" x 4" edge												
11.00	NOTES			Ор	tional W	eld on T	eeth, 15"	or 20" b	ucket he	ight, also	availab	le for M	Г53		

LEARN MORE





LOW PROFILE

BUCKET

IRONCRAFI

The Heavy Duty Low Profile Bucket is ideal for moving, digging and grading dirt or gravel. It's made for up to 65 HP track machines and up to 70 HP on wheel machines. X-treme Duty package option is made for up to 110 HP machines.

MODEL	LPB48	LPB54	LPB60	LPB63	LPB66	LPB72	LPB74	LPB78	LPB81	LPB84	LPB90	LPB96
MSRP	\$920	\$985 \$1,045 \$1,090 \$1,135 \$1,215 \$1,255 \$1,300 \$1,340 \$1,390 \$1,485 \$1,590										
WORKING WIDTH	48"	54"	60"	63"	66"	72"	74"	78"	81"	84"	90"	96"
BUCKET WRAP		3/16"										
DETAILS					3/8"	wear bars	and side	edge				
RPM		Ι			rack mach Outy Packa					p to 70 HI).	
CUTTING EDGES						3/4"	x 6"					
NOTES					Optional k	olt on edg	ge and wel	ld on teeth	ı			





COMPACT TRACTOR

ROCK BUCKET

LEARN MORE

The IronCraft Compact Tractor offers a similar design to our X-treme version, but in a stepped down size for smaller machines.

	MODEL	CTRB48	CTRB54	CTRB60	CTRB66	CTRB7
	MSRP	\$915	\$1,005	\$1,095	\$1,180	\$1,270
	WORKING WIDTH	48"	54"	60"	66"	72"
	TINE SPACING			2-3/4"		
	TINE THICKNESS			1/2"		
or	RPM	Reco	mmended	for tracto	rs under 3	5 HP



HEAVY DUTY ROCK BUCKET

The Rock Bucket is made from top quality steel and is ideal for sifting out large rocks. It works great in pastures, lawns or construction sites, and will catch any rock or piece of debris that is larger than 2–3/8". The rock bucket comes standard with 3/4 x 6 cutting edge and is upgraded to 1 x 8 edge when optional teeth are added.

MODEL	HDRB63	HDRB66	HDRB72	HDRB78	HDRB81	HDRB84
MSRP	\$1,715	\$1,810	\$1,910	\$2,005	\$2,100	\$2,190
WORKING WIDTH	63"	66"	72"	78"	81"	84"
TINE SPACING			2-3/8	3"		
CUTTING EDGES			3/4" x	6"		
NOTES				ith 1" x 8" cut ce the 5" tall		













BUCKETS



MINI ROCK BUCKET



The Mini Skid Steer Rock Bucket is made from top quality steel and is ideal for sifting out large rocks. It works great in pastures, lawns, or construction sites.

MODEL	DRB36	DRB44	DRB48	
MSRP	\$725	\$795	\$835	
DESCRIPTION		FOR DINGO		
WORKING WIDTH	36"	44"	48"	
TINE SPACING		2-3/8"		
TINE THICKNESS		5/16"		-
NOTES		ld on Teeth-Also , MT51 (DRB44),		





ROCK BUCKET

The Rock Bucket is made from top quality steel and is ideal for sifting out large rocks. It works great in pastures, lawns or construction sites, and will catch any rock or piece of debris that is larger than 2-3/8". The rock bucket comes standard with $3/4 \times 6$ cutting edge and is upgraded to 1×8 edge when optional teeth are added.

	MODEL	SDVTRB 60	SDVTRB 63	SDVTRB 66	SDVTRB 72	SDVTRB 78	SDVTRB 81	SDVTRB 84
	MSRP	\$1,365	\$1,435	\$1,500	\$1,600	\$1,690	\$1,760	\$1,910
	WORKING WIDTH	60"	63"	66"	72"	78"	81"	84"
	TINE SPACING				3"			
	TINE THICKNESS				3/8"			
	RPM		R	ecommend	ed for tracto	ors 35 - 45 H	Р	
11.10				///		///////		

X-TREME DUTY

LEARN MORE

ROCK BUCKET

Our X-treme Rock Bucket is bigger is better. It comes with 3" time spacing, 3/8" times, and dual 1 $\frac{1}{4}$ " rods to reinforce the 5" tall rock dam. Our X-treme rock bucket also has fully welded front tines in place of cutting edge (shown).

MODEL	XDRB 60	XDRB 66	XDRB 72	XDRB 78	XDRB 81	XDRB 84	XDRB 96
MSRP	\$1,995	\$2,170	\$2,365	\$2,560	\$2,620	\$2,710	\$3,115
WORKING WIDTH	60"	66"	72"	78"	81"	84"	96"
TINE SPACING				3"			

Fully Welded Tines, Optional Weld On teeth with 1" x 8" cutting edge, Dual 1-1/4" rods to reinforce the 5" tall rock dam

IRONCRAFI







MINI SNOW & LITTER BUCKET

LEARN MORE

The mini skid steer Snow & Litter Bucket is ideal for lifting large volume, low weight material such as snow, mulch, manure, sawdust, shavings and any other type of loose or light debris.

MODEL	DSNLB44	DSNLB48		
MSRP	\$770	\$815		
DESCRIPTION	DINGO			
WORKING WIDTH	44"	48"		
BUCKET WRAP	3/1	16"		
NOTES		Also available for MT50	***	




SNOW & LITTER



The Heavy Duty Snow & Litter Bucket is ideal for lifting large volume, low-weight material such as snow, mulch, manure, sawdust, shavings, and any other type of loose or light debris. It's made for up to 65 HP track machines and up to 70 HP on wheel machines. X-treme Duty package option is made for up to 110 HP machines.

MOI	EL SNLB 54	SNLB 60	SNLB 63	SNLB 66	SNLB 72	SNLB 78	SNLB 81	SNLB 84	SNLB 90	SNLB 96	SNLB 102	SNLB 108
MS	RP \$1,255	\$1,325	\$1,380	\$1,435	\$1,555	\$1,680	\$1,740	\$1,795	\$1,950	\$2,100	\$2,260	\$3,115
WORKING WID	TH 54"	60"	63"	66"	72"	78"	81"	84"	90"	96"	102"	108"
BUCKET WR	AP	3/16"										
DETA	LS				3/8"	wear bars	and side	edge				
CUTTING ED	ES	3/4" x 6"										
NOT	ES Design	Designed for large volume, low weight material. Optional bolt on edge and X-treme Duty Package(1/4" wrap, 1"x8" edge, 1/2" side edge & wear bars)										





HIGH CAPACITY

SNOW & LITTER BUCKET

The High Capacity Snow Bucket was built to handle large volumes of material. This bucket has viewing slots in the back, allowing line of sight with the edge. With a 31" height and 41" depth, the high capacity bucket will make transportation of light material more efficient. The bucket is constructed of 3/16th" steel with a $3/4 \times 6$ cutting edge. Optional Bolt on edge available.

MODEL	HCSB72	HCSB78	HCSB84	HCSB90	HCSB96	HCSB102	HCSB108	HCSB120
MSRP	\$1,885	\$2,000	\$2,115	\$2,230	\$2,345	\$2,515	\$2,685	\$3,030
WORKING WIDTH	72"	78"	84"	90"	96"	102"	108"	120"
BUCKET WRAP		3/16"						
CUTTING EDGES				3/4"	x 6"			
NOTES	and	Slotted Back Plate for Edge View, optional bolt on edge, and X-Treme Duty package (1/4" wrap, 1" x 8" edge, 1/2" side edge & wear bars)						

BUCKET

WWW.IRONCRAFTUSA.COM








TURKEY LITTER

This bucket is mostly used for snow removal, loading mulch and poultry litter removal. It is basically an oversized version of our snow and litter bucket. It's made for up to 65 HP track machines and up to 70 HP on wheel machines. X-treme Duty package option made for up to 110 HP machines.

_							
MODEL	TLB66	TLB78	TLB84	TLB96	TLB102	TLB108	TLB120
MSRP	\$2,180	\$2,510	\$2,655	\$2,935	\$3,535	\$3,770	\$4,195
DESCRIPTION		INLCUDES X-TREME PACKAG					PACKAGE
WORKING WIDTH	66"	78"	84"	96"	102"	108"	120"
BUCKET WRAP	3/16"						
DETAILS			3/8" wea	r bars and s	side edge		
RPM			rack machin Outy Package				
CUTTING EDGES	3/4" x 6"						
NOTES			olume, low age(1/4" wr				









Designed for the most demanding track loaders on the market. 1" x 8" cutting edge, 1/2" AR400 heel plate and 1/2" wear bars, reinforced quick attach, 1/4" bucket wrap, rolled back for easy clean out. 65 HP and over. (Image shown with optional teeth and optional side cutters)

MODEL	TAKB72	TAKB78	TAKB81	TAKB84	TAKB90	TAKB96	
MSRP	\$2,035	\$2,215	\$2,305	\$2,390	\$2,550	\$2,715	
WORKING WIDTH	72"	78"	81"	84"	90"	96"	
BUCKET WRAP	1/4"						
DETAILS	1/2" wear bars and side edge						
HEEL PLATE	1/2" AR400						
RPM	Recommended for machines 65 HP and above						
CUTTING EDGES			1" :	x 8"			

The Industrial Track Loader Bucket is a comparable alternative to your track loader OEM bucket with some upgrades. 1" x 8" cutting edge gives more strength to your bucket while giving you 2" more cutting edge. A rolled back allows for exceptional cleanout. Reinforced quick attach and two piece back for extra strength. Low profile design for better visibility. (Image shown with optional bolt on edge and optional side cutters)

MODEL	ITAKB72	ITAKB78	ITAKB80	ITAKB84	ITAKB90	ITAKB96
MSRP	\$2,015	\$2,135	\$2,195	\$2,250	\$2,390	\$2,525
	72"	78"	80"	84"	90"	96"
DETAILS		1/2	" wear bars	and side ed	lge	
CUTTING EDGES		1" x 8"				
NOTES	Rolled ba	ack for bette	er visibility,	optional bo	lt on edge, t	eeth, and

Optional side cutting teeth & bolt on edge









COMPACT TRACTOR BUCKET



Our tractor buckets are designed with higher backs to prevent material from spilling over. They feature 3/16" steel sides and a 3/4" x 6" cutting edge. These buckets also come with holes in the sides for mounting a tooth bar and will hookup using universal Skid Steer and many tractor styles quick attach.

MODEL	CTRAC48	CTRAC54	CTRAC60	CTRAC63	CTRAC66	CTRAC72
MSRP	\$865	\$910	\$955	\$995	\$1,030	\$1,105
WORKING WIDTH	48"	54"	60"	63"	66"	72"
BUCKET WRAP	3/16"					
RPM		Recomm	ended for tra	ctors 45 HP ar	nd under	
CUTTING EDGES	1/2" x 4"					
NOTES	Hig	Higher back to prevent spillage, Universal skid steer & many tractor style quick attach				



X-TREME



Our tractor buckets are designed with higher backs to prevent material from spilling over. They feature 3/16" steel sides and a 3/4" x 6" cutting edge. These buckets also come with holes in the sides for mounting a tooth bar and will hookup using universal Skid Steer and many tractor styles quick attach.

MODEL	XTRAC 72	XTRAC 78	XTRAC 84	XTRAC 90	XTRAC 96	XTRAC 102	XTRAC 108
MSRP	\$1,975	\$2,095	\$2,215	\$2,365	\$2,520	\$2,870	\$3,030
WORKING WIDTH	72"	78"	84"	90"	96"	102"	106"
BUCKET WRAP		3/16"					
RPM		Reco	mmended f	or tractors 6	55 HP and al	oove	
CUTTING EDGES		3/4" x 6"					
NOTES					steer and ma (1"x8" edge		



HEAVY DUTY TRACTOR BUCKET



LEARN MORE


Our tractor buckets are designed with higher backs to prevent material from spilling over. They feature 3/16" steel sides and a 3/4" x 6" cutting edge. These buckets also come with holes in the sides for mounting a tooth bar and will hookup using universal Skid Steer and many tractor styles quick attach.

MODEL	TRAC63	TRAC66	TRAC72	TRAC78	TRAC81	TRAC84	
MSRP	\$1,150	\$1,195	\$1,285	\$1,375	\$1,420	\$1,465	
WORKING WIDTH	63"	66"	72"	78"	81"	84"	
BUCKET WRAP		3/16"					
RPM		Recomr	nended for tra	actors 45 HP to	o 65 HP		
CUTTING EDGES			3/4"	x 6"			
NOTES	High tr	actor styles q	uick attach, X	e, universal sk -treme duty p /2" side edge 8	ackage offere	nany ed	









STUMP



HEAVY DUTY STUMP BUCKET





The Heavy-Duty Stump Bucket is an excellent addition to your skid steer attachments. Easily dig around the stump, and then pop it out. We have even had contractors dig house footings with the stump bucket. These stump buckets will enable you to be more versatile in your

Our X-treme Stump Bucket is made from 1/2" top quality steel plate and features a 1" cutting edge with replaceable teeth. It has a curved bottom, giving you more leverage when prying up rocks and stumps or digging in harder ground. The X-treme Stump Bucket is a full 12" longer than our Heavy Duty Stump Bucket, contracting needs. which allows you to dig much deeper.

MODEL	SB	
MSRP	\$915	
DESCRIPTION	HEAVY DUTY	
SIDE	3/8"	
EDGE	3/4" x 6"	
WEAR BAR	3" x 3/8"	

MODEL	XSB
MSRP	\$1,370
DESCRIPTION	X-TREME
FRAME MATERIAL	4x4 square tube frame made from 1/2" top quality plate
WEAR BAR	3" x 3/8"
CUTTING EDGES	1"
NOTES	Replaceable teeth, 12" longer bucket than Heavy Duty
W MARLO	





LOG SPLITTER CUTTERS & FORESTRY



These log splitters are operated from inside your cab. Simply maneuver the splitter over the log and activate the auxiliary hydraulics to split the log. Logs can also be picked up and placed with these splitters. Rear mount or side mount available for quick attach.

MODEL	ILS30T	HLS30T				
MSRP	\$4,110	\$4,110				
DESCRIPTION	INVERTED 40 TON	HORIZONTAL 40 TON				
CYLINDER SIZE	5" X	30"				
QH COMPATIBLE	FPM					
NOTES	10" I-beam, Two quick attach positions available, Removable cutting heads, Optional 4-way head					

TREE PULLERS, REMOVERS AND SPADES Made in the U.S.A. **CUTTERS & FORESTRY**








PULLER TREE PULLERS

LEARN MORE

This versatile puller will pull posts up to 8" in diameter and trees up to 6" in diameter. It allows you to pull up unwanted trees and shrubs without having to dig around the roots.





SPADE TREE SPADE



LEARN MORE

The IronCraft Tree Spade is an essential tool in the landscaping and lawn care or nursery industry that can easily digs out stumps, transplant trees or dig trenches. Our tree spade is made from abrasion resistant ¼" AR400 material. The front edge is beveled to give a sharp penetrating edge for digging. This is offered in 40" and 48" sizes.

MODEL	TREESPADE 40	TREESPADE 48		
MSRP	\$970	\$1,075		
OPTIONS	1/4" AR400			
WORKING WIDTH	40"	48"		
NOTES	Front Beveled Edge			



TERMINATOR TREE & STUMP REMOVER



LEARN MORE

This versatile puller will pull posts up to 8" in diameter and trees up to 6" in diameter. It allows you to pull up unwanted trees and shrubs without having to dig around the roots.

MODEL	TTSR		
MSRP	\$3,975		
DESCRIPTION	TERMINATOR TREE AND STUMP REMOVER		
# OF TEETH	66 (32 Horizontal & 34 Vertical)		
TEETH SIZE	5/8" AR400 (Vertical) & 1" AR400 (Horizontal)		
CLAMPING FORCE	29,000 lbs		
PIN SIZE	1-1/4" Cylinder pins, 1-1/2" Main pivot Pins		
CYLINDER SIZE	Dual 3-1/2" x 4"		
CUTTING EDGES	Replaceable 1" x 8"		
NOTES	Will pull 12" trees and remove any size stump		





MINI BRUSH CUTTER



The Mini Skid Steer Brush Cutter easily fits into tight places that your standard skid steer brush cutter can't reach. It offers a 44" cut to tackle even the most demanding jobs, and has the capability of cutting 3" brush in a single pass. Standard features include a Parker motor, Omni gearbox.

PRODUCT FAMILY	DBC			
MSRP	\$3,890			
DESCRIPTION	44" BRUSH CUTTER FOR DINGO			
MOUNT OPTIONS	Dingo (Also Available for MT50)			
MOTOR	Parker Motor			
FLOW	10-15 GPM			
GEARBOX	Omni Gearbox			
WORKING WIDTH	44"			
CUTTING CAPACITY	3"			

Our Heavy Duty Brush Cutter comes with a 60" or 72" mowing deck.

HDBCNS

60-3

\$5,515

It features a RC100 gear box, Parker motor and fabricated blade

HDBCNS 60-2

\$5,315

MSRP

FLOW

MOTOR

CASE DRAIN

OF BLADES

CUTTING CAPACITY DECK THICKNESS

GEARBOX

HEIGH1

BLADES

OPTIONS

WORKING WIDTH

holder with bidirectional blades. A flow of 14–20 gpm is required.





TREE REAPER

BRUSH CUTTERS

CUTTERS & FORESTRY



STANDARD DUTY BRUSH CUTTER



LEARN MORE

Our Standard Duty Brush Cutter comes with a 60" or 72" mowing deck. It features 2 blades, a 40HP gear box and stump jumper. A flow of 11–20 gpm is required. Optional mesh grill available on open front.

MODEL	SBC60	SBC72	SOFBC60	SOFBC72			
MSRP	\$4,255	\$4,445	\$4,445	\$4,630			
WORKING WIDTH	60"	72"	60"	72"			
FL0W	14 - 20 GPM						
MOTOR	High Torque Motor w/ built in relief valve						
CASE DRAIN	Not Required						
GEARBOX	40 HP Right Angle						
# OF BLADES	2						
CUTTING CAPACITY	3"						
DECK THICKNESS	3/16	' deck w/ 3/8"	A36 reinforced	l sides			
HEIGHT	21.26" (12" cover)						
BLADE HOLDER	Stump Jumper						
NOTES	S Open Front (shown)						
OPTIONS	Optional mesh grill						



HDBCNS

72-2

\$5,610

14 - 20 GPM

Parker Motor

Not Required

RC100

3/16" deck w/ 3/8" A36 reinforced sides

22" (14" cover)

5/8" AR400

16 - 26 GPM Motor Upgrade (\$552)

HDBCNS

72-3

\$5,955

HDBCNS

78-2

\$5,905

78"

LEARN MORE

HDBCNS

78-3

\$6,265

| X-TREME TREE REAPER

provide all the power, without the restrictions of a gear box. The Tree Reaper uses a 16-26 GPM Gear motor (no case drain required) providing a 5" cutting capacity, or a 17-30 GPM Piston motor (case drain required) providing a 7" cutting capacity. This cutter features replaceable skid shoes, 3x AR400 non-welded blades, optional mulching teeth, and an optional grill

MODEL	TRBC1626 60(MT)	TRBC1626 72(MT)	TRBC1626 78(MT)	TRBC1727 60(MT)	TRBC1727 72(MT)	TRBC1727 78(MT)	
MSRP	\$7,175	\$7,275	\$7,585	\$7,730	\$7,825	\$8,290	
W/MULCHING TEETH	\$7,525	\$7,660	\$8,010	\$8,080	\$8,210	\$8,675	
WORKING WIDTH	60"	72"	78"	60"	72"	78"	
FLOW		16-26 GPM			17-27 GPM		
MOTOR	Gear Motor				Piston Motor		
CASE DRAIN	No				Yes		
# OF BLADES		3					
CUTTING CAPACITY		7"					
HEIGHT			24	4"			
SKID SHOES	Replaceable						
BLADES	5/8" AR400 Non-Welded						
NOTES	With Mulching teeth						
OPTIONS	Optional Grill (\$111)						

BRUSH CUTTER The IronCraft X-treme Tree Reaper combines strength and efficiency. The Direct Drive motors







BRUSH CUTTERS

CUTTERS & FORESTRY

X-TREME **BRUSH CUTTER**

Our X-treme Brush Cutter is an ideal attachment for tough clearing applications. The cutter comes in a 60", 72", 78" or 84" cutting width. It is equipped with bidirectional blades, powered by a high torque motor and features a 100-hp Omni gear box. A flow of 14-20 gpm is required on the low flow, 20–30 gpm on the mid flow.



LEARN MORE

MODEL	XBC60 LF(MT)	XBC72 LF(MT)	XBC78 LF(MT)	XBC84 LF(MT)	XBC60 MF(MT)	XBC72 MF(MT)	XBC78 MF(MT)	XBC84 MF(MT)	XBC16 2660	XBC16 2672	XBC16 2678	XBC16 2684
MSRP	\$6,475	\$6,905	\$7,340	\$7,740	\$7,575	\$8,985	\$8,395	\$8,800	\$7,055	\$7,485	\$7,920	\$8,320
W/MULCHING TEETH	\$6,800	\$7,305	\$7,740	\$8,165	\$7,905	\$8,385	\$8,795	\$9,220				
WORKING WIDTH	60"	72"	78"	84"	60"	72"	78"	84"	60"	72"	78"	84"
FLOW		14-20	GPM			20-30	GPM			16-26	GPM	
MOTOR		High Torque Parker Motor w/ built in relief valve High Torque Parker Motor										
CASE DRAIN		Not Required										
GEARBOX		100 HP Right Angle										
# OF BLADES		3 (optional 4th blade \$221)										
CUTTING CAPACITY						6	3"					
DECK THICKNESS		3/16" deck w/ 3/8" AR400 reinforced sides, 1/4" Deck option(\$294)										
HEIGHT		24.5"										
BLADE HOLDER		6 Bolt Flange Blade Carrier										
BLADES		5/8" AR400										
OPTIONS	16 - 26	GPM Moto	or Upgrade	e (\$552)								



X-TREME (PISTON MOTOR)

XBC1730 60(MT)

\$7,475

\$7,800

17-27 GPM

BRUSH CUTTER

WORKING WIDTH

FLOW

MOTOR

HEIGHT

BLADES

HOSES

OPTIONS

CASE DRAIN

OF BLADES

BLADE HOLDER

CUTTING CAPACITY **DECK THICKNESS**



XBC3048

60(MT)

\$10,240

\$10,570

60"

30-48 GPM

XBC2735

84(MT)

\$9,980

\$10,385

84"

27-35 GPM

1/4" deck with 3/8" AR400 reinforced sides

1/2" Double clover leaf shaped

XBC3048

72(MT)

\$10,650

\$11,050

30-48

GPM

XBC3048

78(MT)

\$11,160

\$11,560

Our X-treme Brush Cutter is an ideal attachment for tough clearing applications. The cutter comes in a 60", 72", 78" or 84" cutting width. It is equipped with bidirectional blades, powered by a high torque direct drive piston motor and bearing housing. We offer flows of 17–27 gpm, 27–35 gpm and 30–48 gpm. No 4th Blade option on 60" Cutters.

78(MT)

\$8.345

\$8,745

78"

17-27 GPM

3 (optional 4th blade)

3/16" deck w/ reinforced sides

3/8"

optional 1/4" Deck (\$294)

XBC1730

84(MT)

\$8,755

\$9,155

84"

17-27 GPM

XBC2735

60(MT)

\$8,705

\$9,030

60"

27-35 GPM

XBC2735

72(MT)

\$9,110

\$9,515

72"

27-35 GPM

XBC2735

78(MT)

\$9,575

\$9,975

78"

27-35

GPM

3 (optional 4th blade)

Piston Motor Direct Drive

Yes

24.5"

5/8" AR400

3/4"

XBC1730 XBC1730

72(MT)

\$7,885

\$8,285

17-27 GPM



84(MT)

\$11,570

\$11,970

XBC3048

"	78"	84"		ë_
48 M	30-48 GPM	30-48 GPM		HAY
			-	
				EQUIP
3 (o <u>r</u>	otional 4th bl	ade)		SNOW
				·
				AT
				TACH
				OTHER ATTACHMENTS
			= .	ninc

W/MULCHING TEETH

WWW.IRONCRAFTUSA.COM WWW.IRONCRAFTUSA.COM







Our Swing Boom Cutter is a great implement to add to your collection. It is designed for our Swing Boom Cutter is a great implement to add to your collection. It is designed for cutting banks, fence lines, and right of ways. It also works great for clearing pond banks and cutting trails. This cutter has a significant reach advantage over our typical cutter. With a reach of 96" when extended horizontally and a vertical reach of sixteen feet, it makes clearing unwanted tree limbs less of a hassle. The cutter will also swing to the right and can be used as a side cutter. It is powered by a high torque motor with built in relief valve or choose a direct drive piston motor on a bearing housing with 4000 Max PSI.

MODEL	SBC	SBCNS		
MSRP	\$10,545	\$11,140		
WORKING WIDTH	44"	44"		
FLOW 14-20 GPM		17-27 (30) GPM		
MOTOR High Torque Motor w/ built in relief		Direct Drive Piston Motor		
CASE DRAIN	Not Required	YES		
CUTTING CAPACITY	3"	4"		
BLADES	5/8" AR400	5/8" AR400		
CUTTING REACH	96"	96" horizontal, 16' vertical		
CYLINDER SIZE	3" x 16" tilt	3" x 16" tilt		
WIRING HARNESS	Universal (\$528), 7pin (\$729), 8 pin (\$308), or 14 pin (\$308)			
NOTES	Max supply pressure of 4000 PSI andcan be used as a side cutter			
OPTIONS	Optional motor upgrade 16-26 (\$552)			



SEVERE DUTY BENT AXIS BRUSH CUTTER


The IronCraft Severe Duty Piston Cutter is powered by a Parker bent axis piston motor. With a continuous cutting capacity of 10 inches, you will make quick work of your brush cutting needs. The 72" cutter has four blades/16 mulching teeth, and the 78" cutter has four blades/20 mulching teeth. Either option will allow for the ultimate mulching capability.

MODEL	SDBAP C72L	SDBAP C78L	SDBAP C72H	SDBAP C78H		
MSRP	\$11,160	\$11,645	\$12,880	\$13,370		
WORKING WIDTH	72"	78"	72"	78"		
FLOW	20-30 GPM 30-50 GPM					
MOTOR	Parker Bent Axis Motor					
CASE DRAIN	Yes					
# OF BLADES	4					
CUTTING CAPACITY	10"					
HEIGHT		22	2"			
DECK THICKNESS	1/4" deck					
SKID SHOES	AR400 Replaceable					
BLADE HOLDER	155,000 PSI round carrier					
BLADES	3/4" AR400					



SEVERE DUTY BENT AXIS







44" DISC MULCHER CUTTER



LEARN MORE

The Forestry Disc Mulcher 44" can mulch 4" material in seconds, and cuts 8" diameter trees with ease. This mulcher features a 44" diameter cutting area, and a machined and statically balanced disc. The disc holds a total of 30 mulching teeth, and the deck has an additional 4 mulching teeth, providing the muscle for your toughest clearing needs.

MODEL	FDM44	FDM44		
MSRP	\$20,220 \$20,220			
WORKING WIDTH	44"	44"		
FLOW	20-30 GPM	32-48 GPM		
MOTOR	100CC MOTOR	150CC MOTOTR		
TTING CAPACITY	8"	8"		
HEIGHT Adjustment	3/8" Thick deck 3/8" Thick de			
	Teeth on all surfaces, deck and sides.			

" hinged deflector plate, Larger trees can e vertically mulched guickly, Machine is

nimble and easily maneuvered.



| 60" DISC MULCHER



LEARN MORE

The Forestry Disc Mulcher 60" is the newest addition to our lineup of cutters. With a robust 60" diameter fully machined disc, there is no job too tough to tackle. Mulches 6" material in a matter of seconds and cuts 14" diameter trees like it is nothing.

MODEL	FDM60	FDM60		
MSRP	\$25,315	\$25,315		
WORKING WIDTH	60"	60"		
FLOW	32-44 GPM	45-60 GPM		
MOTOR	150CC MOTOR	200CC MOTOR		
CUTTING CAPACITY	14"	14"		
HEIGHT Adjustment	3/8" Thick deck 3/8" Thick dec			
NOTES	Teeth on top & bottom of blade, 1" thick hinged deflector, Throws material away from the machine, & allows below ground cutting			



STANDARD DUTY EXCAVATOR CUTTER

high tempered steel blades.



With our X-treme Excavator Brush Cutter, you will clear dense Our Standard Duty version is designed for mini excavators under 12,000 lbs. operating weight. It is offered in two brush and trees up to 3" in diameter with the long lasting AR400 steel blades. Designed for Excavators with an operating different motor options that will allow you to clear dense brush and saplings up to 2" in diameter with long-lasting weight of 12,000 lbs and over, the small size easily maneuvers

MODEL	SDEXBC 91542	SDEXBC 142042	SDEXBC STAR44			
MSRP	\$4,195	\$4,195	\$6,015			
FLOW	12-17 GPM	17-24 GPM	12-29 GPM			
MOTOR			Star			
HEIGHT	26"					
CASE DRAIN	No					
CUTTING CAPACITY	2"					
OPTIONS	Excavator cutter mount					



in tight spaces at a job site, around buildings, fence lines or on

EXBC

202644

\$5,010

GPM

EXBC

243044

\$5,560

24-30

GPM

24"

Not Required

3"

AR400 Steel Blades

Optional Debris Chains, Excavator cutter

mount, Knee (\$362 for EXBC STAR44)

your property. (Image shown with optional knee)

142044

\$4,645

GPM

MOTOR

HEIGHT

BLADES

CASE DRAIN

CUTTING CAPACITY

X-TREME EXCAVATOR CUTTER



EXBC

STAR44

\$6,470

12-29

GPM

Star





The IronCraft Severe Excavator Brush Cutter is a beast for machines that are 12K to 18K In weight. With a Parker bent axis piston motor, 3 cutting blades and mulching teeth, it can easily take down 6" diameter trees. The cut width is 44", and we have two flow options: 17-35 GPM and 35 and over GPM. This cutter will require a case drain.

MODEL	SVEXCBCL	SVEXCBCH		
MSRP	\$8,820	\$9,855		
WORKING WIDTH	44"	44"		
FLOW	17-35 GPM	35+ GPM		
HEIGHT	23"			
CASE DRAIN	Yes			
# OF BLADES	3			
CUTTING CAPACITY	6"			
BLADES	AR400			
MULCHING TEETH	Ç	9		

WWW.IRONCRAFTUSA.COM









MANUAL ROTATING

TREE SAW

LEARN MORE

The X-treme Tree Saws are useful attachment when it comes to land management. From clearing undergrowth, to cutting out small trees, these attachment will leave your land looking like it should. We have two versions of our tree saw: Fixed and Manual Rotating. The Manual Rotating is new for 2019, and provides a 90-degree rotation in either direction. Hydraulics on both models are routed through the boom for protection. Both models have a ½" AR400 blade holder, and 15x high strength, four sided cutting teeth.

MODEL	MTS1723	MTS2030			
MSRP	\$9,160	\$9,545			
DESCRIPTION	17-23 GPM	20-30 GPM			
CASE DRAIN	Not Required	Required			
FLOW	17-23 GPM 20-30 GPM				
BLADE HOLDER	1/2" AR400				
NOTES	Includes 15 high strength, four sided cutting teeth, 90 degree manual rotation				








LEARN MORE

The IronCraft Fixed Tree Saw is a useful attachment when it comes to land management. From clearing undergrowth to cutting out smaller trees this tree saw attachment will leave your land looking like it should. This tree saw has two flow models. One that runs at 17 to 23 GPM and does not require a case drain. Another that runs at 20 to 30 GPM, is a piston motor and requires a case drain. All hydraulics are routed through the boom for protection. The blade holder is ½" AR400 and there are fifteen high strength, four sided cutting teeth.

MODEL	FTS1723	FTS2030		
MSRP	\$8,205	\$8,590		
DESCRIPTION	17-23 GPM	20-30 GPM		
CASE DRAIN	Not Required	Required		
FLOW	17-23 GPM	20-30 GPM		
BLADE HOLDER	1/2" AR400			
NOTES	Includes 15 high strength, four sided cutting teeth			









LEARN MORE

Our X-treme Tree Shear non rotating has a 5" bore cylinder that can generate up to 40 tons of shearing force. It is constructed with a 1" thick AR400 blade, which gives you the ability to cut up to 12" diameter trees and logs. It's design forces trees to fall consistently to the right, allowing the operator to accurately position where the tree will land.

Our X-treme Rotating Tree Shear has a 5" bore cylinder that can generate up to 40 tons of shearing force. It is constructed with a 1" thick AR400 blade, which gives you the ability to cut up to 12" diameter trees and logs. It features a 90 degree rotation that is offered in manual or hydraulic. (Note: manual is a two-man operation.) It's design forces trees to fall consistently to the right, allowing the operator to accurately position where the tree will land.

MODEL	NRTS	TRSHM	TRSH-HYD			
MSRP	\$4,100	\$5,010	\$6,520			
DESCRIPTION	NON-ROTATING	MANUAL ROTATING	HYDRAULIC ROTATING			
SHEARING FORCE	40 tons	40 tons	40 tons			
DEGREE OF ROTATION		90 degrees 90 degrees				
CYLINDER SIZE		5" x 12"				
WIRING HARNESS		Universal, 7pin, 8pin, or 14 pin				
BLADES		1" thick AR400				
NOTES		Capable of cutting 12" trees				

BACKHOES







STIFF ARM BACKHOE

LEARN MORE

Our X-treme Stiff Arm Backhoe is an excellent tool for digging ditches, removing stumps and digging footings. With the option of adding a thumb, you can move logs, chunks of cement and most anything else. Buckets come in sizes of 8", 12", 16", 20" and 24". The bucket is powered by an American made 3" x 16" cylinder. With 7' of digging depth and 14,000 lbs. of ripping force, it is an aggressive digging machine.

MODEL	XBHSTA	
MSRP	\$2,315	
DESCRIPTION	Stiff Arm Backhoe	
DIGGING DEPTH	7"	
BUCKET SIZES	8" to 24"	
CYLINDER SIZE	3" x 16"	
OPTIONS	Thumb Attachment	B



SWING ARM BACKHOE



LEARN MORE

Our X-treme Swing Arm Backhoe is an excellent tool for digging ditches, removing stumps and digging footings. It uses an electric over hydraulic control to operate both the bucket and swing cylinder from one auxiliary valve on your machine. This allows a 110 degree swing right or left.

With the option of adding a thumb, you can move logs, chunks of cement or just about anything else. Buckets come in sizes of 8", 12", 16", 20" and 24". The bucket is powered by an American made 3" x 16" boom cylinder and 3" x 6" swing cylinder. With 7' of digging depth and 14,000 lbs of ripping force, it is an aggressive digging machine.

MODEL	XBHSWA			
MSRP	\$4,785			
DESCRIPTION	Swing Arm Backhoe			
DIGGING DEPTH	7"			
DEGREE OF SWING	110 Degrees			
BUCKET SIZES	8" to 24"			
CYLINDER SIZE	3" x 16"			
WIRING HARNESS	Universal, 8 Pin, or 14 Pin			



Our Mini Skid Steer Trencher is ideal for trenching water lines and cable lines in places where a full size

MTRENCH

121836

\$5,010

TRENCHER W/O CHAIN - DINGO OR MT50- 36"

12-18 GPM

Dingo or

MT51

trencher cannot get to. With a Dirt chain, ½ Rock & Frost chain or full Rock & Frost chain, we are sure to have

MTRENCH

183036

\$5,575

18-30 GPM

Dingo or

MT52

Dirt, 1/2" rock &frost, or full rock & frost

10" auger

MTRENCH

61248

\$5,105

6-12 GPM

Dingo or

MT53

MTRENCH

121848

\$5,105

TRENCHER W/O CHAIN - DINGO OR MT50- 48"

12-18 GPM

Dingo or

MT54



MINI

a chain to fit your trenching needs.

MSRP

FLOW

DESCRIPTION

MOUNT OPTIONS

CHAIN WIDTH

CHAIN TYPES

NOTES

MTRENCH

61236

6-12 GPM

Dingo or



LEARN MORE

MTRENCH

183048

\$5,670

18-30 GPM

Dingo or

MT55



Our X-treme Skid Steer Trencher is ideal for trenching water lines and cable lines in a timely manner. With a dirt chain, 1/2 rock & frost or full rock & frost we are sure to have a chain to fit

We offer two arm sizes for different digging depths. Different chain widths, 36" or 48" lengths. Our X-treme Skid Steer We also offer a 15-20

	h a full rock guard. We a GPM flow with a 15" au				
MODEL	XTRENCH36	XTRENCH48			
MSRP	\$5,930	\$6,025			
DESCRIPTION	TRENCHER W/O CHAIN, 36"	TRENCHER W/0 CHAIN, 48"			
FLOW	15-20 GPM o	or 20-30 GPM			
CHAIN WIDTH	TH 36" 48"				
CHAIN TYPES	Dirt, 1/2" rock & fro	ost, full rock & frost			
NOTES	15" a	uger			

TRENCHER

your trenching needs.

XTRENCH48 \$6,025 TRENCHER W/O CHAIN, 48" I or 20-30 GPM 48"





AUGER DRIVES

DIRT WORKING

AUGER DRIVES

IRONCRAFI



LEARN MORE

Our Mini Auger Attachment has a continuous pressure rating of 3,000 psi and an intermittent pressure of 4,000 psi. The auger consists of a motor mounted directly to the planetary gear box with no chains to break or come loose. It comes complete with mounting plate, hoses and couplings. The output shaft is either a 2" hex or 2-9/16" round drive and is powerful enough for the tough jobs.

MODEL	DXADH	DXADR			
MSRP	\$2,830	\$2,830			
DESCRIPTION	Hex for Dingo	Round for Dingo			
DRIVE SYSTEM	Direct Drive through Planetary Gear				
AUGER SIZES	Hex	Round			
NOTES	Also available for MT50, Capable of driving up to 36" bit2" hex shaft	Also available for MT50, Capable of driving up to 36" bit. -2-9/16" round shaft			





Our new X-treme auger drive has a new robust planetary gearbox capable of driving a 48" diameter auger. The X-treme auger drive you had known in the past is now our Heavy-Duty Auger Drive and is still capable of driving up to a 36" diameter auger. The X-treme auger drive comes in a 2" hex drive while the heavy duty auger comes in a 2" hex or 2 9/16" round drive.

MODEL	HAD	RAD	XHAD			
MSRP	\$2,830	\$2,830	\$3,125			
DESCRIPTION	Heavy Duty – Hex	Heavy Duty –Round	X-Treme – Hex Only			
DRIVE SYSTEM	Dire	Direct Drive through Planetary Gear				
AUGER SIZES	Hex	Round	Hex			
NOTES	Heavy Duty Output Shaft and Excavator mounts available					





STANDARD DUTY AUGER DRIVES



One of our most popular and highest rated attachments, the Auger Drive is available for skid steers and tractors with universal quick attachment plates with a standard or side shift mount. IronCraft Auger Drives feature a planetary gear drive second to none in North America, completely eliminating the common issue of shaft pullout. High torque output means IronCraft augers power through tough earth conditions and can handle rock auger bits for extreme earth conditions.

MODEL	9211	9221	9227	
MSRP	\$1,435	\$1,695	\$1,940	
DESCRIPTION	1500	1500 2500 35		
HEX SHAFT		2"		
FLOW RANGE (GPM)	5 - 13	7 - 17	10 - 25	
MAX PSI	2973	36	00	
WEIGHT	101 lbs	135 lbs	140 lbs	
REC BIT SIZE*	4 - 16"	4 - 24"	4 - 36"	
MAX TORQUE:				
@3500 PSI (FT LB)	1103	2100	2700	
SPEED (RPM)	98	87	97	

IRONCRAFT



LEARN MORE

*Replaceable

Our X-treme 4-Way and 6-Way Dozer Blades are an excellent tool for grading. Easily cut a road, level ground for building, or cut a ditch. The dozer blade comes with an electric over hydraulic valve to operate the tilt function of the blade. Only one set of auxiliary hydraulics are needed.

_						
MODEL	4WD72	4WD84	4WD96	6WD72	6WD84	6WD96
MSRP	\$4,250	\$4,445	\$4,640	\$5,715	\$5,910	\$6,105
DESCRIPTION	4-WAY 6-WAY					
MATERIAL THICKNESS	1/4" Moldboard					
CYLINDER SIZE	3-1/2" x 4"					
WIRING HARNESS	Universal, 7pin, 8pin, or 14 pin					
WORKING WIDTH	72"	84"	96"	72"	84"	96"
1/2" CUTTING EDGES	AR400*	AR401*	AR402*	AR403*	AR404*	AR405*
NOTES	Electric over hydraulic valve standard					



LEARN MORE

Our Multi-Purpose Angle Blade is different from most. Our engineers have designed this Multi-Purpose Angle Blade to be used as a snow plow and an angle blade with ease. To use this as a snow plow, simply remove the center pin. This allows the blade to tip when hitting something.

Our powerful springs retract the blade into position as soon as the object is cleared.

To use as an angle blade, leave the center pins in, and you are ready to move some earth. This is a 4 way dozer blade, up and down from your skid steer, and side to side from the attachment. Our plows have 1/2" thick 6" wide replaceable bolt on cutting edges. The blade comes with two 3" bore 6" stroke cylinders, couplings, and hoses so the attachment is ready to use when it is received.

MODEL	MPAB72	MPAB84	MPAB96	MPAB108	MPAB120
MSRP	\$3,635	\$3,735	\$3,940	\$4,145	\$4,455
DESCRIPTION	72"	84"	96"	108"	120"
MATERIAL THICKNESS	3/16" Moldboard				
CYLINDER SIZE			3" x 6"		
WORKING WIDTH	72"	84"	96"	108"	120"
CUTTING EDGES	Replaceable 1/2" x 6" AR400 Bolt-On				
NOTES	Operates as a snow plow or dozer blade				



MINI ROTARY TILLER



LEARN MORE

The Mini Skid Steer Rotary Tiller is a perfect attachment for tilling gardens and small fields. It's also great for deer hunters to use to make food plots with ease. These tillers have a bi-directional rotation and can till ground up to 6" deep.

	MODEL	DT44
	MSRP	\$3,370
	DESCRIPTION	DINGO TILLER LOW FLOW 44"
	PLATE THICKNESS	1/4" Plate (Rolled Housing)
	FL0W	10-20 GPM
	TILLING DEPTH	6"
	WORKING WIDTH	44"
4.00	NOTES	2-3/8" tine rod, bolt on replace- able tines, 3/8" sides with 3/8" shoes. Also available for MT50



LEARN MORE

The X-treme Rotary Tiller is a perfect attachment for tilling gardens and small fields. It's also great for deer hunters to use to make food plots. This tiller has a bidirectional rotation and can till ground up to 6"deep. We manufacture two configurations of rotary tillers. We make a low flow single motor tiller that runs between 14-20 GPM. We also make a high flow tiller with a dual motor system that runs 20-40 GPM.

MODEL	XTLF72	XTHF72	XTHF84	
MSRP	\$3,955	\$5,320	\$5,615	
DESCRIPTION	14-20 GPM	20-40 GPM 20-40 GPM		
MOTOR	Single Parker Motor w/ internal relief valve	Dual Parker Motors w/ internal relief valves		
PLATE THICKNESS	1/4" Plate (Rolled Housing)			
FLOW	14-20 GPM	14-20 GPM 20-40 GPM		
HOSES	3/4" Machine Hoses			
WORKING WIDTH	72" 84"			
NOTES	Bolt on replaceable	tines, 3/8" sides wi	th 3/8" thick shoes	

WWW.IRONCRAFTUSA.COM

X-TREME ROTARY TILLER



RIPPERS

DIRT WORKING

LEARN MORE

Our Box Scrape Ripper is perfect for reconditioning gravel roads and driveways. The rippers will resurface the buried gravel and the cutting edges will smooth out and level the gravel.
You can drive forward or backwards, simply remove the rippers and rotate them.

				1		
MODEL	BSR48	BSR60	BSR72	BSR78	BSR84	BSR96
MSRP	\$2,850	\$2,935	\$3,115	\$3,350	\$3,390	\$3,575
WORKING WIDTH	48"	60"	72"	78"	84"	96"
CUTTING EDGES	Replaceable					
NOTES	Can operate driving forwards or backwards (just need to rotate the shanks), Shanks are replaceable					





LEARN MORE

Our Ripper is great for ground penetration. Easily prep a garden or till up some land with the ripper. The tines are adjustable for more or less ground penetration.

MODEL	XR48	XR60	XR72	XR78	XR84	XR96
MSRP	\$1,435	\$1,535	\$1,635	\$1,710	\$1,740	\$1,845
WORKING WIDTH	48"	60"	72"	78"	84"	96"
NOTES	Adjustable tines & optional finishing rake					



STANDARD LAND LEVELER

LEARN MORE

Our land leveler are available in 72", 78", and 84" widths and are used to cultivate, grade, cut, and mainly level land. This attachment is not designed to transfer large amounts of dirt. The land leveler is specifically used for leveling jobs such as dirt roads and gravel driveways.


	MODEL	LL72	LL78	LL84
	MSRP	\$1,450	\$1,615	\$1,775
	WORKING WIDTH	72"	78"	84"
10.00	CUTTING EDGES		Replaceable	











SEVERE ROOT RAKE



LEARN MORE

The IronCraft Root Rake is excellent for rolling debris into tight piles for easy burning. It will easily remove large rocks, roots, and other objects on or below the surface. The Severe version features 3/4" AR400 tines placed on 6" centers, rated for machines with a horsepower of 75 or

MODEL	SVRR72	SVRR84	SVRR96		
MSRP	\$2,405	\$2,630	\$2,855		
WORKING WIDTH	72"	84"	96"		
TINE SPACING	Spaced on 6" Centers				
TINE THICKNESS	5/8"				
HP REQUIRED	Recommended for 75 HP and above machines				
NOTES	Excellent for rolling debris into tight piles				



X-TREME



The IronCraft Root Rake is excellent for rolling debris into tight piles for easy burning. It will easily remove large rocks, roots, and other objects on or below the surface. The X-treme Version features top quality 5/8" Steel Tines placed on 6" centers, rated for machines with a horsepower of less than 75. The Severe version features 3/4" AR400 tines placed on 6" centers, rated for

machines with a horsepower of 75 or higher.

MODEL	XRR66	XRR72	XRR84	XRR96	
MSRP	\$1,795	\$1,910	\$2,030	\$2,150	
WORKING WIDTH	66"	72"	84"	96"	
TINE SPACING	Spaced on 6" Centers				
TINE THICKNESS	3/4" AR400				
HP REQUIRED	Recommended for machines up to 75 HP				
NOTES	Exceller	nt for rolling	debris into ti	ght piles	



4-N-1 POWER RAKE



LEARN MORE

The IronCraft 4-N-1 Power Rake is an innovative landscape tool that combines a 4N1 bucket along with a power rake. No longer will you have to change attachments to finish preparing the soil bed. You can now use your rake for back dragging, digging, and grappling. Offered in various widths and sizes for full size machines to mini skid steer. The Multi-Purpose Power Rake comes stock with a smooth edge, with the option for a Bolt on Edge or welded teeth.

	MODEL	MPPR66	MPPR72	MPPR78	MPPR84		
	MSRP	\$11,170	\$11,695	\$12,215	\$12,735		
	WORKING WIDTH	60"	72"	78"	84"		
	DRUM SIZE	7-1/2" w/ carbide roller tips (10-1/4" tip to tip)					
	MOTOR	Direct Drive Motor					
	FLOW	15-25 GPM 2-1/2" x 8" dual cylinders					
	CYLINDER SIZE						
-	WIRING HARNESS	Universal, 7pin, 8pin or 14pin					
0.0	NOTES		1-1/4" Pivot Pins &	& Side Cutters Stand	lard		



X-TREME POWER RAKE

The IronCraft X-treme Power Rake provides a versatile tool for your skid steer attachments, in a manual or hydraulic version. The X-treme Power Rake will provide the proper preparation of seedbed grading, leveling and re-conditioning of multiple surfaces. The X-treme Power Rake uses a 16-26 GPM motor inset within the drum. This unique feature ensures the motor does not extend past the width of the rake, eliminating damage to the motor due to accidental collisions. The Xtreme Power Rake's bi-directional drum features carbide teeth and removeable side plates. The floating design ensures the rake will remian level during operation.

	MODEL	XPWR72	XPWR90		
	MSRP	\$11,615	\$12,480		
	WORKING WIDTH	72"	90"		
	MOTOR	Inset Direct D	rive Motor		
	WIRING HARNESS	Universal, 7pin, 8pin or 14pin			
	WHEEL TYPE	Solid Foam Filled Tires			
	GUARDING OPTIONS	Front & Back Debris Curtain			
Ħ	NOTES	Bi-directional drum w/ carbide teeth, removeable side plates, & floating design to ensure the rake will remain level during operation			







X-TREME FORK GRAPPLE

Our Fork Grapple is ideal for use on

the farm, in logging operations and

by general contractors. The top tine is adjustable for small or large loads and

the hydraulic cylinder gives you plenty of clamping force. Our fork tines are

completely heat treated from the tip to the heel and made in the U.S.A.

LEARN MORE



Our x-treme mat grapple is designed to pick up and move equipment mats. It can also be used to transport logs, poles and just about anything else. We build this in a class 3 carriage with a lifting capacity of 8,000 pounds.

MODEL	FG		
MSRP	\$2,380		
DESCRIPTION	FORK GRAPPLE CLASS II		
K TINE LENGTH	48", 60" or 72"		
ORK MATERIAL	Heat Treated		
CYLINDER SIZE	2" x 10"		
NOTES	Adjustable top tine to handle any size load, Class 3 Optional		



LEARN MORE

	MODEL	C3MG		
	MSRP	\$3,375		
	DESCRIPTION	MAT GRAPPLE CLASS III WITH 60" TINES		
	FORK TINE LENGTH	60" standard, 48" or 72" Optional		
	LOAD CAPACITY	8,000 lbs		
PART	NOTES	Designed to lift equip- ment mats, Teeth on the grapple to grip the mats	S	







These forks are useful for manure and general pick up of materials when you only want to pick up the item and not the soil around it. The tines slide in through the front and are pinned from the rear.

	MODEL	CTMFG54	CTMFG60	CTMFG66	CTMFG72	
	MSRP	\$2,375	\$2,415	\$2,525	\$2,630	
	WORKING WIDTH	54"	60"	66"	72"	
	TINE THICKNESS	1-1/2" cold rolled steel				
	CYLINDER SIZE	2" x 10"				
113.50	HP REQUIRED	Recommended for machines under 55 HP				
	MARK NAVY TAX SAMBLES AND A STATE OF	01110	(1) (1) (1) (1) (1) (1) (1)	C 1 11 11 11 11 11 11 11 11 11 11 11 11	1/////////	





Our X-treme Manure Fork Grapple is an excellent piece of equipment to have on the farm. Whether moving bales of hay or cleaning up after storm damage, you will find many uses for the manure fork grapple. Strong 2" cold rolled steel is used on the bottom tines.

MODEL	XMFG63	XMFG66	XMFG72	XMFG78	XMFG81	XMFG84	XMFG96
MSRP	\$3,740	\$3,860	\$3,985	\$4,115	\$4,230	\$4,360	\$4,935
WORKING WIDTH	63"	66"	72"	78"	81"	84"	96"
TINE THICKNESS	2" cold rolled steel						
CYLINDER SIZE		2" x 10"					
HP REQUIRED	Recommended for machines 55 HP and above						











IRONCRAFI



LEARN MORE

These forks are useful for manure and general pick up of materials when you only want to pick up the item and not the soil around it. The tines slide in through the front and are pinned from the rear.

MODEL	CTMF54	CTMF60	CTMF66	CTMF72	
MSRP	\$1,200	\$1,255	\$1,370	\$1,495	
WORKING WIDTH	54"	60"	66"	72"	
TINE THICKNESS	1-1/2" cold rolled steel				
HP REQUIRED	Recommended for machines under 55 HP				



through the front and are pinned from the rear.

LEARN MORE

XMF66 XMF72 XMF78 XMF81 \$1,975 \$2,035 \$2,215 \$2,275 \$2,455 \$2,545 **WORKING WIDTH** 81" TINE THICKNESS 2" cold rolled steel Recommended for machines 55 HP and above

These forks are useful for manure and general pick up of materials when

you only want to pick up the item and not the soil around it. The tines slide in









LEARN MORE

Our Mini Skid Steer Pallet Forks fit the Dingo, Boxer, Ramrod, Ditch Witch, and Thomas. Rated at 2,800 lbs. These are Class 1 fork tines.

1					
	MODEL	DPF36	DPF42		
	MSRP	\$770	\$880		
	FORK TINE LENGTH	36"	42"		
	MOUNT OPTIONS	Dir	1go		
	LOAD CAPACITY	2,800 lbs			
gin	NOTES	Also available for MT50			






LEARN MORE

The Compact Tractor Pallet Forks are designed specifically for compact tractors. A lightweight frame offers 2000 lb. load capacity. Fork tines are 42" in length, while see through visibility eases tine placement. Hooking up is fast and convenient with a universal skid steer mount.

	MODEL	CTFF
	MSRP	\$720
	DESCRIPTION	COMPACT TRACTOR CLASS FORKS & FRAME
	FORK TINE LENGTH	42" & 48"
	FORK MATERIAL	Heat Treated
	MOUNT OPTIONS	SSL & John Deere
11/	LOAD CAPACITY	2,000 lbs



SUB-COMPACT PALLET FORK

LEARN MORE

The Sub-Compact Pallet Forks are ideal for

machines with limited lifting capacity. Similar to our compact tractor pallet forks, but using a class 1 fork to remove additional weight, without compromising strength. Fork tines come in a 42" length with a 1,200 lbs lift capacity.

	MODEL	SCTFF
	MSRP	\$645
	DESCRIPTION	SUB COMPACT TRACTOR CLASS I FORKS &FRAME
FR	AME MATERIAL	3/8" Formed Top Slide, 2" x 3/8" Center Slide Support
FOR	K TINE LENGTH	36" or 42"
М	OUNT OPTIONS	SSL
L	DAD CAPACITY	1,000 lbs



IRONCRAFI

STANDARD DUTY PALLET FORK



PALLET

Anyone that owns a skid steer should have a set of forks on hand. Forks are ideal for lifting pallets, loading lumber or just about anything else. Our forks are 1–3/8 inches thick, 4 inches wide and 42, or 48 inches long. They are completely heat treated and rated to carry 3,000 lbs. We put a step on both sides of our frames so the operator can easily climb into the cab.

MODEL	SDFF	
MSRP	\$870	
DESCRIPTION	STANDARD DUTY CLASS II FORKS & FRAME	
FORK TINE LENGTH	42" & 48"	
FORK MATERIAL	Heat Treated	
MOUNT OPTIONS	SSL, Euro, & John Deere	
LOAD CAPACITY	3,000 lbs	
NOTES	Steps on both sides of frame	



X-TREME DUTY

PALLET FORK

LEARN MORE

Our X-treme Duty Forks are 1-3/4 inches thick, 5 inches wide and 48 inches long. They are completely heat treated and rated to carry 8,500 lbs. We put a step on both sides of our frames so the operator can easily climb into the cab.





WALK THROUGH PALLET FORK

LEARN MORE

Our walk-through frame is exactly what it says. Instead of having to climb around or over the fork back frame, simply walk through it. This added convenience will make jobs go faster and easier whether you are lifting pallets, loading lumber or just about anything else. Our forks are 1-3/8 inches thick, 4 inches wide, completely heat treated, 48 inches long and rated to carry 4,000 lbs.

MODEL	WTFF	WTHHDFF		
MSRP	\$985	\$1,990		
DESCRIPTION	WALK THRU CLASS II 48" FORKS & FRAME	WALK THRU HYDRAU- LIC HEAVY DUTY CLASS II FORKS & FRAME		
FORK TINE LENGTH	42", 48", 60", or 72"			
FORK MATERIAL	Heat Treated			
MOUNT OPTIONS	SSL, Euro, & John Deere			
LOAD CAPACITY	4,000 lbs			
CYLINDER SIZE	1-1/2" x 16"			
NOTES	Walk-thru design makes entering machine easier. Optional 5,500 lb capacity.			



HEAVY DUTY PALLET FORK



LEARN MORE

Our Heavy Duty Forks are 1-3/8 inches thick, 4 inches wide and 48 inches long. They are completely heat treated and rated to carry 4,000 lbs. We put a step on both sides of our frames so the operator can easily climb into the cab.

MODEL	HDFF	HHDFF		
MSRP	\$950	\$1,955		
DESCRIPTION	HEAVY DUTY CLASS II 48" FORKS & FRAME (4000 LBS)	HYDRAULIC HD CLASS II FORKS & FRAME		
FORK TINE LENGTH	42", 48", 60", or 72"	42", 48", 60", or 72"		
FORK MATERIAL	Heat T	reated		
MOUNT OPTIONS	SSL, Euro, 8	& John Deere		
LOAD CAPACITY	4,00	0 lbs		
CYLINDER SIZE		1-1/2" x 16"		
NOTES	Steps on both sides of frame, Optional 5,500 lb Capacity	Steps on both sides of frame, Optional 5,500 lb Capacity		











COMPACT TRACTOR

GRAPPLE RAKE

LEARN MORE

Our Compact Tractor Grapple Rake is for use on tractors less than 40 HP and is built heavy enough for rigorous use, but light enough for compact tractors. Our re-designed Standard Duty Grapple Rakes are constructed from 3/8th AR400 Steel and are rated for machines with 35-60 HP. The new design provides more strength, combined with a lower weight to maximize your grappling power.

MODEL	CTGR 48	CTGR 54	CTGR 60	CTGR 63	CTGR 66	CTGR 72	CTGR DC60	CTGR DC66	CTGR DC72
MSRP	\$1,465	\$1,565	\$1,660	\$1,760	\$1,755	\$1,905	\$2,245	\$2,390	\$2,590
DESCRIPTION							DUAL CYCLE		
WORKING WIDTH	48"	54"	60"	63"	66"	72"	60"	66"	72"
CYLINDER SIZE		2" x 6" 4,000 PSI American Made							
RPM	Recommended for tractors 40 HP or less								
NOTES		Unio	que desigr	makes it	easy to ro	ll debris i	nto tight p	oiles	



HEAVY DUTY

GRAPPLE RAKE



LEARN MORE

Our Grapple Rakes are ideal for raking and loading debris. The shape of the grapple makes it easy to roll debris into tight places. A single grapple or two independent grapples are available. We use American-made cylinders, rated at 4,000 psi, to handle the toughest jobs. Our Heavy Duty Rakes and X-treme Grapple Rakes are built with 1/2" top-quality steel and are rated for 50-70 HP machines.

MODEL	HDGR 63	HDGR 66	HDGR 72	HDGR 78	HDGR 81	HDGR 84	HDGR 96	
MSRP	\$3,510	\$3,555	\$3,725	\$3,880	\$3,935	\$3,990	\$4,360	
WORKING WIDTH	63"	66"	72"	78"	81"	84"	96"	
CYLINDER SIZE	2" x 10" 4,000 PSI							
RPM		Recommended for 50-70 HP machines						
NOTES	Available as a single grapple or two independent grapples. Unique design makes it easy to roll debris into tight piles.							





MINI GRAPPLE RAKE

The mini skid steer Grapple Rake is ideal for raking up debris. The shape of the grapple rake makes it easy to roll debris into tight piles if you are planning to burn. We use twin 2" by 6" stroke cylinders, rated at 3,000 psi to handle the toughest jobs.

MODEL	DGR44	DGR48	
MSRP	\$1,910	\$2,105	
DESCRIPTION	FOR DINGO		
WORKING WIDTH	44"	48"	
MATERIAL THICKNESS	3/8" top o	ղuality steel	
CYLINDER SIZE	2" x 6" - 3,000 PSI		
NOTES		Also availabl for MT50	

SEVERE DUTY

GRAPPLE RAKE



LEARN MORE


Our Grapple Rakes are ideal for raking and loading debris. The shape of the grapple makes it easy to roll debris into tight places. A single grapple or two independent grapples are available. We use American-made cylinders, rated at 4,000 psi, to handle the toughest jobs.

MODEL	SVGR72	SVGR84			
MSRP	\$6,025	\$6,640			
WORKING WIDTH	72"	84"			
RPM	Recommended for 80 HP and above machines				
NOTES	Oversized pins and bushings, single or dual grapples available, & oversized step for ease of entering machine				









X-TREME DUTY

WWW.IRONCRAFTUSA.COM

GRAPPLE RAKE



LEARN MORE

Our Grapple Rakes are ideal for raking and loading debris. The shape of the grapple makes it easy to roll debris into tight places. A single grapple or two independent grapples are available. We use American-made cylinders, rated at 4,000 psi, to handle the toughest jobs.

				I				
MODEL	XGRT63	XGRT66	XGRT72	XGRT78	XGRT81	XGRT84	XGRT96	
MSRP	\$3,990	\$4,040	\$4,200	\$4,410	\$4,490	\$4,570	\$4,785	
DESCRIPTION		WITH TEETH						
WORKING WIDTH	63"	66"	72"	78"	81"	84"	96"	
MATERIAL THICKNESS	1/2" top quality steel							
CYLINDER SIZE	2" x 10" 4,000 PSI							
RPM	Recommended for 65 HP and above machines							
NOTES	23 Series Teeth Standard and has a full 51" opening							



STANDARD DUTY GRAPPLE RAKE



LEARN MORE

Our Grapple Rakes are ideal for raking and loading debris. A single grapple or two independent grapples are available. We use American-made cylinders, rated at 4,000 psi, to handle the toughest jobs.

MODEL	ARSGR63	ARSGR66	ARSGR72		
MSRP	\$2,910	\$2,980	\$3,125		
WORKING WIDTH	63"	66"	72"		
MATERIAL THICKNESS	3/8" AR400 Steel				
CYLINDER SIZE	2" x 6" 4,000 PSI American Made				
RPM	Recommended for machines 35-60 HP				
NOTES	Unique design makes it easy to roll debris into tight piles				





HAY ACCUMULATOR

GRAPPLE



The Accumulator Grapple allows one man and a skid steer to gather 8 to 10 square bales, grapple them, lift and off load to a trailer. No need for multiple pieces of equipment, this is all operated from inside the skid steer using the Accumulator Grapple. Sides and dividers can be removed for more officient grappling. for more efficient grappling.

MODEL	HAG10	
MSRP	\$4,625	
BALE CAPACITY	8-10 square bales	
CYLINDER SIZE	2" x 6"	
NOTES	9" Grapple Hooks, Radial Bearings, and adjustable width sides standard	TO)



COMPACT TRACTOR

ROCK GRAPPLE

IRONCRAFI

LEARN MORE

The IronCraft Rock Grapples are great for sifting through dirt in order to remove rocks and debris. Our Compact Tractor Rock Grapple comes with a single grapple, and works with 45 or less HP machines.





HEAVY DUTY


ROCK GRAPPLE



With our Heavy Duty Rock Grapple you can also pick up large rocks, logs, brush or just about anything else by use of the grapples. We use twin 2" bore by 10" stroke cylinders rated at 4,000 psi on all of our grapples. The rock grapple comes standard with $3/4 \times 6$ cutting edge and is upgraded to 1×8 edge when optional teeth are added. Up to 65 HP.

MODEL	HDROKG63	HDROKG66	HDROKG72	HDROKG78	HDROKG81		
MSRP	\$3,720	\$3,755	\$3,825	\$3,935	\$3,985		
WORKING WIDTH	63"	66"	72"	78"	81"		
TINE SPACING	2-38/"						
TINE THICKNESS	5/8"						
DETAILS	Wear bars & side edge: Bolt on Sides						
CYLINDER SIZE	2" x 10" rated at 4,000 PSI						
NOTES	Optional Weld on Teeth w/ 1" x 8" cutting edge						





STANDARD DUTY

ROCK GRAPPLE



LEARN MORE

The IronCraft Rock Grapples are great for sifting through dirt in order to remove rocks and debris. The Standard Rock Grapple has dual cylinders and works with 45-60 HP machines.

SDROK- GVT72 GVT	SDROK- GVT66	SDROK- GVT60	MODEL
\$2,710 \$2,8	\$2,585	\$2,460	MSRP
72" 78	66"	60"	WORKING WIDTH
" stroke	CYLINDER SIZE		
5-60 HP machines	RPM		
eth Standard	NOTES		
\$2,710 \$2,8 72" 78 " stroke 5-60 HP machines	\$2,585 66" 2" bore x	\$2,460 60" Recom	MSRP WORKING WIDTH CYLINDER SIZE RPM



X-TREME DUTY

ROCK GRAPPLE



Our X-Treme Rock Grapple has tines set at 3" apart, allowing you to pick up most everything but the dirt. You can also pick up large rocks, logs, brush or just about anything else by use of the grapples. We use twin 2" bore by 10" stroke cylinders rated at 4,000 psi on all of our grapples. 65 HP and up.

MODEL	XROKG60	XROKG66	XROKG72	XROKG78	XROKG81	XROKG84	
MSRP	\$4,125	\$4,235	\$4,345	\$4,475	\$4,555	\$4,635	
WORKING WIDTH	60"	66"	72"	78"	81"	84"	
TINE SPACING		3"					
TINE THICKNESS		5/8"					
DETAILS	Wear bars & side edge: Bolt on Sides						
CYLINDER SIZE	2" x 10" rated at 4,000 PSI						
NOTES	Fully Welded Front Teeth Standard						







IRONCRAFT









LEARN MORE

LEARN MORE

STUMP


GRAPPLES

Our Mini Skid Steer Stump Grapple is a scaled down version of the Heavy Duty Stump Grapple. With the weight of the grapple in mind, we were able to design this to withstand the force of the largest of the mini skid steers. Whether you are digging out stumps or digging a trench, our mini stump grapple is up for the test.

MODEL	CTSG
MSRP	\$1,995
DESCRIPTION	DINGO OR MT
MOUNT OPTIONS	Dingo or MT50
CYLINDER SIZE	2" x 10"
CUTTING EDGES	3/4" x 6"
NOTES	23 series teeth

Our X-treme Stump Grapple is made from 1/2" top quality steel plate and features a 1" cutting edge, replaceable teeth and a 3/8" hose. Not only are you able to dig out stumps, you are able to carry them away afterwards. No need to have another attachment for loading the stump into your dump truck, or moving the stump to a burn pile.

MODEL	SG	
MSRP	\$2,205	
FRAME MATERIAL	Made from 1/2" top quality plate	
DETAILS	3" x 3/8" Wear Bars	
CYLINDER SIZE	2" x 10"	
CUTTING EDGES	1"	
NOTES	Replaceable teeth, Easily Transports stumps	





MONSTER ROOT GRAPPLE




LEARN MORE

The Monster Root Grapple is a perfect match for 100 horse power track loaders and telescoping loaders (telehandlers). Reinforced with extra tubing and pipe, enormous opening and depth and the largest capacity on

MODEL	MXDRG72	MXDRG78	MXDRG84	MXDRG96			
MSRP	\$5,000	\$5,160	\$5,370	\$5,795			
DESCRIPTION	W/O HOOK UP						
WORKING WIDTH	72"	78"	84"	96"			
CYLINDER SIZE	2" x 10" Hydraulic Cylinders						
RPM	Recommended for 100 HP track loaders & telescoping loaders(telehandlers)						
NOTES	Reinforced with extra tubing and pipe, 7200 lb clamping force & 3500 PSI						









MINI ROOT GRAPPLE

LEARN MORE

COMPACT TRACTOR

ROOT GRAPPLE

LEARN MORE

Our Mini Skid Steer Root Grapple is perfect for the compact tractor. They are built strong yet very light weight.

Our Compact Tractor Root Grapple is perfect for the compact tractor. These grapples are built strong yet very light weight.

MODEL	DRG36	DRG44	DRG48	
MSRP	\$1,345	\$1,385	\$1,425	
DESCRIPTION	FOR DINGO			
WORKING WIDTH	36"	44"	48"	
CYLINDER SIZE	2" x 4-1/2"			
NOTES			Also available for MT50	

MODEL	CTSRG48	CTSRG54	CTSRG60	CTSRG66	CTSRG72		
MSRP	\$1,670	\$1,765	\$1,810	\$1,905	\$2,000		
DESCRIPTION		SINGLE CYLINDER					
WORKING WIDTH	48"	48" 54" 60" 66" 72"					
CYLINDER SIZE	2" bore x 10" stroke						
RPM	Recommended for 35 HP and below machines						







STANDARD DUTY ROOT GRAPPLE

LEARN MORE

ULTRA ROOT GRAPPLE

The IronCraft Ultra Root Grapple offers a more compact design than the Standard Root Grapple. The independent dual grapple design is a step above the compact tractor

	MODEL	SRG63	SRG66	SRG72			
	MSRP	\$2,510	\$2,560	\$2,610			
	WORKING WIDTH	63"	66"	72"			
	SQUARE TUBING	3" thick					
	PLATE THICKNESS	3/8"					
	CYLINDER SIZE	2" bore x 10" stroke					
	RPM	Recommended for 35-45 HP and under machines					
K/////	NOTES	Hydraulic lines routed inside the tubing to prevent tears, optional spacer tines					

Our Standard Duty Grapple is built from 3/8" thick steel plate on the top and bottom, and incorporates 3" square tubing.

le grapple.	is a step abo	ve tile compa	CL
MODEL	ULRG60	ULRG66	

530	¢2 705				
\$2,530 \$2,785 \$3,010					
60" 66" 72"					
Protected Hoses					
Recommended for 35-50 HP machines					
American Made Hydraulics					
	I mmeno	Protected Hose			

WWW.IRONCRAFTUSA.COM

WWW.IRONCRAFTUSA.COM







HEAVY DUTY

ROOT GRAPPLE



One feature that separates our Standard and Heavy Duty Root Grapples from our competitor's attachments is that we offer optional bolt on cylinder rod covers to protect the hydraulic cylinder shafts. Most root grapples only have the actual cylinder enclosed and not the shaft. We give you the option to protect both. Anyone that has had debris fall on the cylinder shaft knows what damage this can cause. (Image shown with optional spacer tines)

MODEL	HDRG63	HDRG66	HDRG72	HDRG78	HDRG81			
MSRP	\$2,805	\$2,850	\$2,950	\$3,055	\$3,105			
WORKING WIDTH	63"	66"	72"	78"	81"			
SQUARE TUBING	3" thick							
PLATE THICKNESS	1/2"							
CYLINDER SIZE	2" bore x 10" stroke							
RPM	Recommended for 45-65 HP machines							
NOTES	Hydraulic line	Hydraulic lines routed inside the tubing to prevent tears, optional spacer tines						



The X-treme Root Grapple is the grapple of choice for those who need an attachment that will hold up in

XRG72

XRG66

\$3,560

XRG63

severe applications. It can handle more material and is more rugged that our other grapples. It's built from

5/8" thick steel plate on the top, 1/2" on bottom, and incorporates 4" square tubing. It also features enclosed

XRG78

78"

XRG81

\$3,880

81"

4" thick

5/8" top plate & 1/2" bottom plate

2" bore x 10" stroke Recommend for machines 65 HP and above

Hydraulic lines routed inside the tubing to prevent tears, optional spacer tines

XRG84

84"

XRG90

\$4,170

90"

X-TREME DUTY

hydraulic cylinders and shafts.

ROOT GRAPPLE

WORKING WIDTH

SQUARE TUBING

PLATE THICKNESS

CYLINDER SIZE



XRG96

\$4,350

LEARN MORE





bottom tines and 3/4" top tines. Oversized pins and bushings, protected hoses, and cylinders with American made hydraulics.

MODEL	SVRG72	SVRG84			
MSRP	\$4,635	\$4,940			
WORKING WIDTH	72"	84"			
TINE THICKNESS	5/8" bottom tines & 3/4" top tines				
RPM	Recommended for machines 80 HP and above				
NOTES	Oversized pins and bushing	s, protected hoses and cylin-			

The IronCraft Severe Root Grapple is ideal for machines over 80 HP that require the strongest root grapple available. It boasts 5/8" continuous

IRONCRAFI

WWW.IRONCRAFTUSA.COM

ders w/ American made hydraulics








IRONCRAF

DOUBLE ADJUSTABLE HAY SPEAR

LEARN MORE

Our Double Adjustable Bale Spear is very useful around the farm. It can be adjusted to pick up 2, 4, 5, and 6 foot bales of hay, and is rated at 2,800 lbs per spear.

MODEL	DHBABS	
MSRP	\$1,805	
LOAD CAPACITY	2,800 lbs	
BALE CAPACITY	Two 4', 5' or 6'	
NOTES	Spears are adjustable	1




HIGH BACK HAY SPEAR

LEARN MORE

Our High Back Hay Spear is designed to increase your leverage and safety when rolling the bales back towards the cab. Hay Spears easily move bales of hay with a quick hook up on your skid steer or tractor. Euro style and John Deere mounts are available

MODEL	HBHS	DHBHS	THBHS	
MSRP	\$705	\$950	\$1,125	
DESCRIPTION	HIGH BACK	DOUBLE	TRIPLE	
MOUNT OPTIONS	SSL, Euro, & John Deere			
SPEAR LENGTH	42"			
SPEAR SPACING	Fix	xed 32", 36", or 4	10"	



LOW BACK



LEARN MORE

Our Hay Spear is an excellent piece of equipment to have on the farm. Easily move bales of hay with a quick hook up on your skid steer or tractor. The Economy Hay Spear is rated at 2,800 lbs, while the rest are rated at 3,500 lbs. Euro Style and John Deere mounts are available.

MODEL	LBHS	DLBHS	TLBHS	QUADL- BHS			
MSRP	\$615	\$865	\$1,060	\$1,460			
DESCRIPTION	LOW BACK	DOUBLE	TRIPLE	QUAD			
MOUNT OPTIONS	SSL, Euro, & John Deere						
SPEAR LENGTH	49"						
SPEAR SPACING	Fixed 32", 36", or 40"						
LOAD CAPACITY		2,80	0 lbs				



LOW BACK HAY SPEAR





GRAPPLE

The Accumulator Grapple allows one man and a skid steer to gather 8 to 10 square bales, grapple them, lift and off load to a trailer. No need for multiple pieces of equipment, this is all operated from inside the skid steer using the Accumulator Grapple. Sides and dividers can be removed for more efficient grappling.

	MODEL	HAG10
	MSRP	\$4,625
	BALE CAPACITY	8-10 square bales
	CYLINDER SIZE	2" x 6"
V.	NOTES	9" Grapple Hooks, Radial Bearings, and adjustable width side standard





Our X-treme Bale Squeezer is great

for anyone moving and stacking large

quantities of hay. It features twin 2 1/2" x 8"

lbs. This attachment can also stack two bales

XBS

\$3,320

X-TREME

2,800 lbs

4', 5', or 6'

Twin 2-1/2" x 8"

cylinders with a holding capacity of 2,800

at a time and handles 4, 5 or 6 foot bales.



DESCRIPTION

LOAD CAPACITY

BALE CAPACITY

CYLINDER SIZE

LEARN MORE





LEARN MORE

Easily grab and transport round bales

with our Heavy Duty Bale Squeezer. You can pick up bales sitting flat or on their side. The tubular design allows wrapped bales to be transported without tearing plastic. The single cylinder design allows this attachment to be very economical.


MODEL	HDBS
MSRP	\$2,575
DESCRIPTION	HEAVY DUTY
LOAD CAPACITY	1,800 lbs
BALE CAPACITY	4', 5', or 6'
CYLINDER SIZE	Single Cylinder
HP REQUIRED	Recommended for 65 HP

WWW.IRONCRAFTUSA.COM











COMPACT TRACTOR SNOW PUSHER

*Replaceable



Our Compact Tractor Snow pusher is a smaller version of our full-size pusher, allowing you to get to areas a large machine could not reach. The low-profile design offers greater visibility for small tractors and mini skid steers. Offered with a rubber or steel edge.

MODEL	CTS- PUSH48	CTS- PUSH60	CTS- PUSH72	CTS- PUSH84	CTS- PUSH96	CTS- PUSH120		
MSRP	\$1,585	\$1,690	\$1,790	\$1,895	\$2,060	\$2,180		
WORKING WIDTH	48"	60"	72"	84"	96"	120"		
DETAILS	Wear bars	Wear bars and side edge: 5/16" sides and 1-1/2" x 8" replaceable rubber edge						
SKID SHOES	1/2" AR400*	1/2" AR401*	1/2" AR402*	1/2" AR403*	1/2" AR404*	1/2" AR405*		
NOTES	Optional pull back							



Our Mini Skid Steer Snow Pusher allows you to clear a parking lot quicker than a snow plow. It comes in a 48"

CTSPUSH48

\$1,585

DINGO OR MT

Dingo or MT50

Wear bars & side edge: 5/16" sides

Replaceable 1/2" AR400 1-1/2" x 8" Replaceable rubber edge,

optional pull back

CTSPUSH60

\$1,695



width or a 60" width.

MODEL

DESCRIPTION

DETAILS

SKID SHOES

WORKING WIDTH MOUNT OPTIONS





sides are 3/8" thick for extra support.



Our X-treme Snow Pusher allows you to clear a parking lot quicker than a snow plow. The snow pusher edge is 1-1/2" thick x 8" wide, adjustable, reversible and replaceable rubber so you won't tear up the pavement. The mold board is 1/4" and the

	01 001100	01 0011/2	01 001101	01 001100	01 001100	01 0011100	01 0011120	01 00111	
MSRP	\$2,645	\$2,865	\$3,085	\$3,195	\$3,305	\$3,640	\$3,970	\$4,300	
WORKING WIDTH	60"	72"	84"	90"	96"	108"	120"	144"	
DETAILS		Wear bars & side edge: 3/8" sides and 1-1/2" x 8" replaceable rubber edge							
SKID SHOES	3/4" AR400*	3/4" AR401*	3/4" AR402*	3/4" AR403*	3/4" AR404*	3/4" AR405*	3/4" AR406*	3/4" AR407	

SPUSH84 SPUSH90

NOTES Bucket Lip Mount available and optional pull back

*Replaceable

WWW.IRONCRAFTUSA.COM

SPUSH96 SPUSH108 SPUSH120





HEAVY DUTY

SNOW PLOW

IRONCRAFT

LEARN MORE

Our Heavy Duty Snow Plow is the same basic design of our X-treme Snow plow but without the extra roll top. This design allows the operator to have better visibility while plowing.

MODEL	HDS HDS PLOW84		HDS PLOW96	HDS PLOW108	HDS PLOW120		
MSRP	\$3,055	\$3,170	\$3,295 \$3,470		\$3,710		
DESCRIPTION	HYDRAULIC						
WORKING WIDTH	72"	84"	96"	108"	120"		
CYLINDER SIZE	3" x 6"						
CUTTING EDGES	1/2" AR400 bolt on						
ANGLE ADJ.	30 Degrees angle adjustment						
NOTES	Easily Angle the plow from inside the cab, Available with rubber edge and manual angle						





Our X-treme Snow Plow allows you to efficiently clear driveways and parking lots. Easily angle the plow from within your cab, using the $3^{\prime\prime}$ x $6^{\prime\prime}$ hydraulic cylinder. The top of the plow is rolled to keep the snow from coming back towards the cab. It's $1/2^{\prime\prime}$ bolt on cutting edge and adjustable snow shoes are standard. 144" model is hydraulic only.


MODEL	XSPLOW72	XSPLOW84	XSPLOW96	XSPLOW108	XSPLOW120	XSPLOW144	
MSRP	\$3,170	\$3,290	\$3,410	\$3,590	\$3,830	\$4,490	
DESCRIPTION	HYDRAULIC						
WORKING WIDTH	72"	84"	96"	108"	120"	144"	
CYLINDER SIZE	3" x 6"						
CUTTING EDGES	1/2" AR400 bolt on						
ANGLE ADJ.	30 Degrees angle adjustment						
SKID DHOES	Adjustable						
NOTES	Easily Angle the plow from inside the cab, Also available in manual adustment						





Our Compact Tractor Snow Plow allows you to quickly clear driveways and parking lots. This plow is designed for compact tractors under 45 HP. Easily angle the plow with the $2'' \times 6''$ hydraulic cylinder.

MODEL	CTS PLOW48	CTS PLOW54	CTS PLOW60	CTS PLOW72	CTS PLOW78	CTS PLOW84	CTS PLOW96	
MSRP	\$2,205	\$2,315	\$2,330	\$2,425	\$2,480	\$2,535	\$2,700	
DESCRIPTION		HYDRAULIC						
WORKING WIDTH	48"	54"	60"	72"	78"	84"	96"	
CYLINDER SIZE		2" x 6"						
HP REQUIRED		Recommended for tractors up to 45 HP						
ANGLE ADJ.		30 Degrees angle adjustment						
NOTES		Rubber Edge and Manual Adjustment available						











LEARN MORE

The mini skid steer Snow & Litter Bucket is ideal for lifting large volume, low weight material such as snow, mulch, manure, sawdust, shavings and any other type of loose or light debris.


MODEL	DSNLB44	DSNLB48	
MSRP	\$770	\$815	
DESCRIPTION	DINGO		
WORKING WIDTH	44"	48"	
BUCKET WRAP	3/16"		
NOTES		Also available for MT50	



The Heavy Duty Snow & Litter Bucket is ideal for lifting large volume, low-weight material such as snow, mulch, manure, sawdust, shavings, and any other type of loose or light debris. It's made for up to 65 HP track machines and up to 70 HP on wheel machines. X-treme Duty package option is made for up to 110 HP machines.

MODEL	SNLB 54	SNLB 60	SNLB 63	SNLB 66	SNLB 72	SNLB 78	SNLB 81	SNLB 84	SNLB 90	SNLB 96	SNLB 102	SNLB 108
MSRP	\$1,255	\$1,325	\$1,380	\$1,435	\$1,555	\$1,680	\$1,740	\$1,795	\$1,950	\$2,100	\$2,260	\$3,115
WORKING WIDTH	54"	60"	63"	66"	72"	78"	81"	84"	90"	96"	102"	108"
BUCKET WRAP	3/16"											
DETAILS		3/8" wear bars and side edge										
CUTTING EDGES		3/4" x 6"										
NOTES	Designed for large volume, low weight material. Optional bolt on edge and X-treme Duty Package(1/4" wrap, 1"x8" edge, 1/2" side edge & wear bars)											





HIGH CAPACITY SNOW & LITTER BUCKET



The High Capacity Snow Bucket was built to handle large volumes of material. This bucket has viewing slots in the back, allowing line of sight with the edge. With a 31'' height and 41'' depth, the high capacity bucket will make transportation of light material more efficient. The bucket is constructed of 3/16th" steel with a $3/4 \times 6$ cutting edge. Optional Bolt on edge available.

MODEL	HCSB72	HCSB78	HCSB84	HCSB90	HCSB96	HCSB102	HCSB108	HCSB120
MSRP	\$1,885	\$2,000	\$2,115	\$2,230	\$2,345	\$2,515	\$2,685	\$3,030
WORKING WIDTH	72"	78"	84"	90"	96"	102"	108"	120"
BUCKET WRAP	3/16"							
CUTTING EDGES	3/4" x 6"							
NOTES	Slotted Back Plate for Edge View, optional bolt on edge, and X-Treme Duty package (1/4" wrap, 1" x 8" edge, 1/2" side edge & wear bars)							

SKID STEER

BREAKER/HAMMER











SNOW CANNON™

FOR SKID STEERS & LOADERS



The X-treme Snow Cannon for skid steers offers a 14" auger and single stage hydraulic blower. Other features include an electric controlled gear drive chute and 180 degree rotating deflector so the operator can change directions on the


MODEL	SSSCS-60	SSSCS-66	SSSCS-72	SSSCS-78	SSSCS-84		
MSRP	\$7,615	\$8,010	\$8,125	\$8,205	\$8,400		
WORKING WIDTH	60"	66"	72"	78"	84"		
CHUTE ROTATION	180 Degrees						
FLOW	15-25 GPM						
WIRING HARNESS	Universal, 7 pin, 8 pin, or 14 pin						
OPTIONS	Optional chute actuator						





LEARN MORE

Hydraulic Breakers are the ultimate attachment to demolish rock, asphalt, or concrete. They stand out for their superior impact power, coupled with a low noise design, ensuring efficient operation. An easy to change control valve promotes hassle-free maintenance. Designed for noise reduction and prevention of



internal vibration. Works on material surface with vertical impact advantage for breaking stone and other



MINI EXCAVATOR BREAKER/HAMMER



Hydraulic Breakers are the ultimate attachment to demolish rock, asphalt, or concrete. They stand out for their superior impact power, coupled with a low noise design, ensuring efficient operation. An easy to change control valve promotes hassle-free maintenance.

MODEL	CBR225	CBR500			
MSRP	\$6,755	\$8,475			
DESCRIPTION	SKID STEER EXCAVATOR BREAKER/HAMMER				
ENERGY CLASS	225 ft·lbf	500 ft·lbf			
REQUIRED OIL Flow	3.96-7.92 GPM	5.2-10.5 GPM			
MAX PRESSURE	1,707 PSI	1,707 PSI			
WEIGHT	269 lbs	419 lbs			
BLOW RATE	540-1,000 bpm	600-1,490 bpm			
TOOL DIAMETER	1.77 in	2.24 in			









EXCAVATOR BREAKER/HAMMER



LEARN MORE

Hydraulic Breakers are the ultimate attachment to demolish rock, asphalt, or concrete. They stand out for their superior impact power, coupled with a low noise design, ensuring efficient. An easy to change control valve promotes hassle-free maintenance. Designed for noise reduction and prevention of internal vibration. Works on material surface with vertical impact advantage for breaking stone and other materials.

MODEL	CBR650	CBR850	CBR1000	CBR1200	CBR2200
MSRP	\$11,290	\$12,030	\$14,680	\$17,875	\$27,100
DESCRIPTION			EXCAVATOR BREAKI	ER/HAMMER	
ENERGY CLASS	650 ft·lbf	850 ft·lbf	1,100 ft·lbf	1,200 ft·lbf	
REQUIRED OIL Flow	7.9-17.1 GPM	10-21.1 GPM	10-23.7 GPM	11-25 GPM	
MAX PRESSURE	2,347 PSI	2,347 PSI	2,418 PSI	2,418 PSI	
WEIGHT	618 lbs	772 lbs	1,124 lbs	1,245 lbs	
BLOW RATE	550-1,300 bpm	380-1,100 bpm	490-1,100 bpm	480-1,000 bpm	
TOOL DIAMETER	2.75 in	2.95 in	3.14 in	3.54 in	





POST DRIVER POST DRIVER



The IronCraft Post Driver is a dependable post driving attachment for operators looking to get the job completed in a timely manner for an excellent cost. These breaker style post drivers use a proven nitrogen charged power cell, steel plate frame, and high strength steel domed head to put posts in the ground on pace with any competing attachment. Offered in the skid steer or excavator mounts, ready to go when received.


MODEL	PD1000	PD750
MSRP	\$6,250	\$5,785
DESCRIPTION	BREAKER STYL	E POST DRIVER
ENERGY CLASS	1000 ft·lbf	1150 ft·lbf
MACHINE FLOW Rate	13-24 GPM	13-24 GPM
MAX PRESSURE	1700 PSI	2200 PSI
WEIGHT	1268 lbs	2000 lbs
MINIMUM MACHINE LIFT CAPACITY	1500 lbs	2500 lbs
BLOW RATE	400-800 bpm	400-800 bpm
DOMED DRIVER HEAD	8" inner diameter	8" inner diameter

















LEARN MORE







This attachment is used to assist in laying down rolls of sod. It is an essential tool for those doing lawn renovations and new home construction. Its simple design requires no hydraulics whatsoever. The strong tubular frame handles rolls of sod up to 48" wide and 60" in diameter, and requires fiber or plastic cored rolls.

MODEL	SR			
MSRP	\$1,230			
WORKING WIDTH	48" & 60" diameter sod rolls			
NOTES	Requires fiber or plastic cored rolls			



The IronCraft concrete claw is designed to pick up big slabs of broken concrete on job sites, construction sites, driveways and sidewalks. The concrete claw can also be used to remove stumps, shrubs, bushes, and large rocks.

MODEL	xcc		
MSRP \$2,310			
DESCRIPTION	5/8" AR400 sides		
PLATES	3/8" bottom and top		
TUBE	4" square tube on top		
TEETH	TH 1"x8" edge with 23 series teeth		








LEARN MORE

The Pickup Broom allows for added efficiency while cleaning. Whether sweeping dirt, light snow, or other debris; our Pickup Broom will easily tackle the job. The 8" Hub and 26" wafers sweep material into the bucket, and the manual hinging broom allows for easy transfer and disposal. Our Pickup Broom has adjustable height to allow for different scenarios and wear. Replaceable Bolt on Edge included.

MODEL	PUBROOM72	PUBROOM84		
MSRP	\$5,560	\$5,945		
DESCRIPTION	72"	84"		
HUB SIZE	8"	8"		
WAFER MATERIAL	Poly, Wire, or Mix			
OMBO NAME OF STREET STREET, STREET	O I I I I I I I	TILL SHILL I DULLINGSHOOT		







OTHER ATTACHMENTS



Our X-treme Angle Broom is hydraulically-driven and is an ideal, efficient and effective way to sweep away dirt, light snow and other debris. It is available in 48", 60", 72" and 84" widths and comes with your choice of hydraulic or manual angles. This attachment is powered by a reversible high torque motor. It has an 8" core and a 26" wafer. Poly and steel wafers are available.

1	NOTES		Optional 32" Wafers with 10" Core			Optional 32" Wafers with 10" Core							
1	ANGLE ADJUSTMENT		Hydraulic Left or Right					Man	ual Left or I	Right			
	WAFER MATERIAL		Pol	y, Wire, or I	Mix		Poly, Wire, or Mix						
	WIRING HARNESS		Univer	sal, 8 Pin, oı	14 Pin		Universal, 8 Pin, or 14 Pin						
	CYLINDER SIZE		2" x 6"					2" x 6"					
	DESCRIPTION	48"	60"	72"	84"	96"	48"	60"	72"	84"			
v	MSRP	\$4,885	\$5,075	\$5,275	\$5,470	\$5,665	\$3,710	\$3,905	\$4,100	\$4,295	\$4,490		
V	MODEL	HAB48	HAB60	HAB72	HAB84	HAB96	MAB48	MAB60	MAB72	MAB84	MAB96		





LEARN MORE

The Mini Skid Steer Boom Pole is an essential tool for anyone interested in the landscaping or nursery industry. Easily pick up trees to be planted, transported, or loaded. The boom is constructed from 3" x 3" tubing that is 1/4" thick, and is rated to carry 3,000 lbs.

MODEL	DBP	BP		
MSRP	\$615	\$535		
DESCRIPTION	3 SQUARE FOR DINGO	3 SQUARE		
LOAD CAPACITY	3,000 lbs	3,000 lbs		
THICKNESS OF SQUARE TUBING	1/4" thick, 3" x 3"			
NOTES	Also available for MT50			

X-TREME LEARN MORE

The X-treme Boom Pole is an essential tool for anyone in the landscaping or nursery industry. Easily pick up trees to be planted, transported or loaded. The boom is constructed from 1/4" thick 3" x 3" tubing and is rated to carry 3,000 lbs. You also have the option of ordering it with an extended 4 x 4

tube boom pole.

MODEL	XBP	
MSRP	\$735	
DESCRIPTION	4 SQUARE	E
LOAD CAPACITY	3,000 lbs	
THICKNESS OF SQUARE TUBING	1/4" thick, 4" x 4"	



X-TREME TELESCOPIC BOOM POLES



LEARN MORE

This hydraulically driven pole allows for easy transportation of your items, with the ability to extend your height by 72". The pole has a 4×4 base with 3/8" thick walls. The hydraulic extension arm is constructed from 3×3 tubing, and the manual extension from 2×2 tubing. The Arm is rated to carry 1200 lbs, with an angle limitation of 45 degrees. The manual extension arm can be positioned in 2 different height locations, one at 12" and the other at 24".

MODEL	ТВР
MSRP	\$2,680
DESCRIPTION	X-TREME TELESCOPIC
EXTENSION HEIGHT	Up to 72"
LOAD CAPACITY	1,200 lbs
CYLINDER SIZE	2-1/2" x 48"
NOTES	16" Extended arm set at 40 degrees, 2-1/2" hole in bracket for strapping chains or hooks









Attaching a tooth bar to your existing bucket means you are ready for some serious digging. Simply drill a hole on each side of your bucket and bolt on the tooth bar. The shanks on the tooth bar hook onto your existing cutting edge, where all the pressure is applied. The bolts simply hold the tooth bar on the bucket. Our tooth bar teeth are all replaceable, so you don't have to worry about breaking one.

You must measure the inside dimension of the bucket to determine the model number and price. Note: Will not work with bolt-on edge.

M	NOTES	122111				.11.441		11 122111	= ,
	DESCRIPTION	37" – 46" 5 TEETH	47" – 56" 6 TEETH	57" – 65" 7 TEETH	66" – 74" 8 TEETH	75" – 84" 9 TEETH	85" – 92" 10 TEETH	93" – 100" 11 TEETH	
	MSRP	\$390	\$455	\$515	\$580	\$640	\$705	\$765	
	MODEL	5TB	6TB	7TB	8TB	9TB	10TB	11TB	

Replaceable teeth, optional small teeth available

CONVERSIONS OTHER ATTACHMENTS



MINI EXCAVATOR (EXTSS/EXTMT50)



Your pin on tractor can easily be converted to a skid steer quick attach. All we require are a few simple measurements. For those that have John Deere loaders or Euro loaders, we also make a conversion to attach to your loader which enables you to use skid steer attachments.

Other hook ups available.



CONVERSIONS **JOHN DEERE**

MODEL	SSTJD234	SSTJD500	SSTJD67	QTJD500	POTJD500	POTJD234	JD500TJD67	JD67TJD500
MSRP	\$1,482	\$1,482	\$1,561	\$1,561	\$1,482	\$1,559	\$1,655	\$1,482
DESCRIPTION	SKID STEER TO JD 200, 300, 400	SKID STEER TO JD 500	SKID STEER TO JD 600, 700	QUICKIE TO JD500	PIN ON TO JD500	PIN ON TO JD234	JD 500 TO JD 6/7	JD 600, 700 TO JD 500

CONVERSIONS TO QUICKIE

MODEL	SSTQ	JD500TQ			
MSRP	\$1,716	\$1,716			
DESCRIPTION	SKID STEER TO QUICKIE	JD 500 TO QUICKIE			

CONVERSIONS DINGO/MTSO

MODEL	SSTD	SSTMT50	MT50TD	DTMT50	RC30TD	EXTMT50	
MSRP	\$1,327	\$1,170	\$1,366	\$1,170	\$1,366	\$1,249	
DESCRIPTION	SKID STEER TO DINGO	SKID STEER TO MT 50	MT 50 TO DINGO	DINGO TO MT 50	RC30 TO DINGO	EXCAVATOR TO MT	

CONVERSIONS

TO SKID STEER

	MODEL	POTSS	QTSS	BTSS	DTSS	MTSS	JD234 TSS	JD500 TSS	JD67 TSS	OSNH TSS	GTSS	METSS	MT50 TSS	RC30TSS	EXTSS
	MSRP	\$1,170	\$1,170	\$1,170	\$1,170	\$1,249	\$1,133	\$1,170	\$1,366	\$1,249	\$1,249	\$1,716	\$1,170	\$1,170	\$1,249
15.45	DESCRIPTION	PIN ON TO SKID STEER	QUICKIE TO SKID STEER	BLANK TO SKID STEER	DINGO TO SKID STEER	MUSTANG TO SKID STEER	JD 200, 300, 400 TO SKID STEER	JD 500 TO SKID STEER	JD 600, 700 TO SKID STEER	OLD STYLE NEW HOLLAND TO SKID STEER	GEHL TO SKID STEER	MERLO TO SKID STEER	MT 50 TO SKID STEER	RC30 TO SKID STEER	EXCAVATOR TO SKID STEER CONVERSION NO HOOK-UP

IRONCRAFT





IRONCRAFI





LEARN MORE

Our receiver hitch makes it easy to move trailers around the yard using your skid steer. While it uses the same ball mounts you use in your other vehicles, hooking up only takes a fraction of the time required to hook a trailer to your truck.

RECEIVER

MODEL	RH
MSRP	\$380
DESCRIPTION	RECEIVER HITCH







LEARN MORE

Our receiver hitch makes it easy to move trailers around the yard using your skid steer. While it uses the same ball mounts you use in your other vehicles, hooking up only takes a fraction of the time required to hook a trailer to your truck.

MODEL	GNRH
MSRP	\$485
DESCRIPTION	GOOSE NECK RECEIVER HITCH W/ 2 5/16



3 POINT QUICK ATTACH HITCH



LEARN MORE

The IronCraft 3-Point Hitch is handy to have around the farm. Simply drive your skid steer up to the implement, hook it up and go. No need to get your tractor out, just to move some attachments around. Available in cat 1 or cat 2.

MODEL	3PTQAP	3PTQAPCAT2		
MSRP	\$620	\$1,005		
DESCRIPTION	3 POINT HITCH QUICK ATTACH CAT 1	3 POINT HITCH QUICK ATTACH CAT 2		
CATEGORY	Cat 1	Cat 2		





QUICK ATTACH PLATE





With the IronCraft Universal Skid Steer Quick Attach plate, you can easily convert your existing attachment to the universal skid steer hook up. Simply weld or bolt the quick attach plate to the implement you wish to convert. Our standard quick attach steel plates are 1/4" thick and are solid across the back. We can also make the steel plates thicker for different applications.

MODEL	QAPLT	
MSRP	\$210	
DESCRIPTION	¼" QUICK ATTACH PLATE	
PLATE THICKNESS	1/4" standard, also available in 3/8" & 1/2"	7

WWW.IRONCRAFTUSA.COM WWW.IRONCRAFTUSA.COM





WARRANTY

LIMITED WARRANTY

IronCraft products are warranted to be free from defects in workmanship or materials for a period of (12) months from initial sale, lease or rental date.

FORESTRY DISC MULCHER

For more info on our disc warranty please refer to our disc operating manual. For warranty info on all other components on the forestry disc mulcher please refer to the IronCraft operator's manual.

NON-COVERED ITEMS

- This warranty does not cover normal wear items, including but not limited to, bearings, hoses, ground engaging parts such as, teeth, blades, cutting edges, pilot bits, auger teeth and broom bristles.
- This warranty does not cover maintenance, service or adjustments.
- This warranty does not cover damage due to misuse, negligence, accidents, or improper maintenance.
- This warranty does not cover damage due to improper application, installation, adjustment or setup.
- This warranty does not cover improper modifications of product.
- This warranty is void if any components have been disassembled, i.e. pumps, gear boxes, motors.
- Specially modified attachments built by IronCraft Attachments to meet your customer's needs shall not be warrantied by Construction Implements Depot, Inc.
- This warranty does not cover replacement parts not supplied by CID, Inc.

WARRANTY STATEMENT

Our obligation under this Limited Warranty shall be solely limited to repairing or replacing any part (see non-covered items) free of charge that, according to our judgment, shows evidence of a defect in quality of workmanship or materials for the stated (12) month warranty period. All defective parts must be routed directly to IronCraft with freight or delivery charges to be prepaid. This Limited Warranty shall not be interpreted to render IronCraft liable for any injury or damage to persons, business or property of any kind nor expenses or losses incurred for labor, supplies, substitute machinery rental, or for any other reason. Repair or replacement parts are subject to the supply conditions at the time of repair or replacement, which may directly affect our ability to obtain material and/or replacements parts. IronCraft reserves the right to make improvements in design or changes in specifications at any time without incurring any obligations to owners of previously purchased units. No one but IronCraft is allowed to alter, modify or enlarge this warranty nor the exclusions, limitation and reservation at any time.


WARRANTY SERVICE

□ 旅記 第4章 第4章

PROCEDURES FOR OBTAINING WARRANTY SERVICE

RGA (Returning Goods Authorization) Policy: If repairs are required, IronCraft must obtain a RGA number from the Manufacturer of the defective part and proof of purchase. RGA and services are rendered by IronCraft only. Any responsibility of shipping costs on any item returned for repair is at the discretion of IronCraft . All returned parts must have a RGA number written clearly on the outside of the package along with a Service Request Form and the defective part. No COD packages will be accepted. No package will be accepted without a RGA number written on the outside of the package. RGA numbers are only valid for 30 days from the date of issue. All replacement parts shipped out will need a PO# from the original IronCraft customer. If the Defective part is rendered non-warranty the PO# will be invoiced for the replacement part.. Should you have any problems with your Attachments, please follow these procedures to obtain the service:

- 1. Call the Warranty Department (336) 859-2002 ext 215. Photo's serial and model #'s of the attachment and parts in question will need to be obtained with a description of the problem.
- 2. Upon a warranted issue Go to ironcraftattachments.com, click on the warranty tab and fill in the warranty claim form IronCraft will retain a RGA# from the manufacturer of the defective part. If all information above is fulfilled the manufacturer will issue a RGA#
- 3. A PO# is required from the original IronCraft customer. PO#'s will only be invoiced in the event that the defective part is un-warranted.
- 4. IronCraft will ship a replacement part with a service request form and RGA #. There will be a call tag with the Manufactures address and instructions for returning the defective part.
- 5. Once the defective part is warranted by the manufacturer. IronCraft will be issued a credit and the PO# will be void. If the manufacturer finds that the defective part is not warranted the PO# will be invoiced for the replacement part.
- 6. In the event that renders the attachment be returned to IronCraft for repair, IronCraft will make arrangements for pick up and return. Repairs will be performed by IronCraft qualified technicians. Non-warranted issues will be discussed and repairs will be performed upon agreement of the owner, and payment for parts and labor will be issued.



14.5MM 0.57IN

WHICH

HYDRAULIC

DO I NEED?

COMPATIBILITY

VIEW OUR GUIDE TO

SKID STEER ATTACHMENT

COUPLER

A	Boot to cylinder pin (center to center dimension)	
В	cylinder to cylinder (inside dimension)	
C	cylinder to cylinder (outside dimension)	
D	boom to boom (inside dimension)	
E	boom to boom (outside dimension)	
F	top pin diameter	
G	bottom pin diameter	





WILL THIS ATTACHMENT FIT?

PIN DIAGRAM

MYEOUIPMENTSPECS.COM



MEASUREMENT



EDUCATION CENTER

STAY UP TO DATE ON THE LATEST **EOUIPMENT & IRONCRAFT NEWS**



