

TABLE TWO: APPLICABLE PRODUCTS
LEED® For New Construction and Major Renovations v4.0/v4.1

V4.0 / v4.1	Section: Credit:		EAp2	EAc2	SSc1	MRp1	MRp2	MRC1	MRC3 (1)	MRC3 (2)	MRC3 (3)	MRc4 Option 1	MRc4 Option 2	MRC3 / MRc4	MRc5	EQp1	EQp2	EQc1	EQc2	EQc3	EQc4	EQc5	EQc9	INc1	RPC1	
	PRODUCT	RECYCLED CONTENT MRc3 (3)	VOC CONTENT (EQc2)						Bio-Based % by weight				Reach Compliant						GREENGUARD GOLD							
Ready Sleeve / Ready Sleeve Split Sleeve	0	0 g/L	X	X	X	X	X	X	0	X		X	Y	Many projects are located within 100 miles of the manufacturing location. Please visit the link below to access the LEED Credit Calculator and download a project specific distance verification letter. https://login.stfirestop.com/?button=lg (LEED Credit Calculator)	X	X	X	X	N/A	X	X	X		X	X	
RTC Collar	0	0 g/L			X	X	X	X	12	X		X	Y		X					N/A	X					
Safing Spray	6% 6% post consumer 0% post industrial	30.0 g/L	X	X	X	X	X		0		X	X	Y		X	X	X	X	YES	X	X	X	X	X	X	X
SIL300	5% 5% post consumer 0% post industrial	20.0 g/L	X	X	X	X	X		0		X	X	Y		X	X	X	X	YES	X	X	X	X	X	X	X
SIL300SL	5% 5% post consumer 0% post industrial	< 47.0 g/L	X	X	X	X	X		0		X	X	Y		X	X	X	X	YES	X	X	X	X	X	X	X
SmokeBlock 136	0	< 2.0 g/L	X	X	X				0			X	Y		X	X	X	X	YES	X	X	X			X	X
SmokeBlock Foam	0	26%	X	X					0			NA	Y		X	X	X	X	Not CDPH Tested	X	X	X	X	X	X	X
SNS Sealant	5% 5% post consumer 0% post industrial	20.0 g/L	X	X	X	X	X		0		X	X	Y		X	X	X	X	YES	X	X	X	X	X	X	X
SNS Spray	5% 5% post consumer 0% post industrial	30.0 g/L	X	X	X	X	X		0		X	X	Y		X	X	X	X	YES	X	X	X	X	X	X	X
Speedflex Joint Profile	0	0 g/L	X	X	X	X	X		0			X	Y			X	X	X	N/A	X	X	X			X	X
Speedflex Track Top Gasket (TTG)	10% 0% post consumer 10% post industrial	0 g/L	X	X	X	X	X	X	0	X	X	X	Y		X	X	X	X	N/A	X	X	X	X	X	X	X
SSB Pillows	21% 21% post consumer 0% post industrial	0 g/L	X	X	X	X	X	X	0	X	X	X	Y		X	X	X	X	N/A	X	X	X	X	X	X	X
SSC Collars	0	0 g/L			X	X	X	X	12	X		X	Y		X					N/A	X					
SSM Mortar	24% 19% post consumer 5% post industrial	0 g/L	X	X	X	X	X		0		X	X	Y		X	X	X	X	N/A	X	X	X			X	X
SSP Putty	0	0 g/L	X	X	X	X	X	X	0	X		X	Y		X	X	X	X	CDPH V1.2	X	X	X	X	X	X	X
SSS Sealant	16% 6% post consumer 10% post industrial	29.2 g/L	X	X	X	X	X		0		X	X	Y		X	X	X	X	YES	X	X	X	X	X	X	X
SSWRED/BLUWrap Strip	0	0 g/L			X	X	X	X	0	X		X	Y		X					N/A	X					
SSWRED2, BLU2, 220, 230, 240 Wrap Strip	0	0 g/L			X	X	X	X	20	X		X	Y		X					N/A	X					
SSW125, 250, 375 GRAY Wrap Strip	0	0 g/L			X	X	X	X	20	X		X	Y		X					N/A	X					
SSW1569, 2538, GRAY Wrap Strip	0	0 g/L			X	X	X	X	20	X		X	Y		X					N/A	X					
Thermal Barrier Wrap (TBW)	0	0 g/L			X	X	X		0	X		NA	Y	X					N/A	X						
Window Wall Gasket	0	0 g/L			X	X	X	X	5	X		X	Y	X					N/A	X						
WF300 Caulk	5% 5% post consumer 0% post industrial	53.0 g/L	X	X	X	X	X		0		X	X	Y	X	X	X	X	YES	X	X	X	X	X	X	X	