

the logical choice.

EZ Path®

EZ Path®

The Smart Choice.

EZ Path® saves time, money, and resources by removing ongoing downstream costs.

Only EZ Path® helps you avoid citations and costs associated with non-compliance. Other sleeves require constant upkeep, ongoing maintenance, and inspection to ensure compliance.

You can never be certain that other sleeves have been activated, plugs and putty have been replaced, or that they have been properly sealed to meet codes. And now that The Joint Commission **mandates 60 DAY RFIs** (Requirements for Improvement) for survey deficiencies— **ongoing code compliance is more important than ever.**



"Most cable penetrations were found to be out of compliance except for EZ Path®."

Global Fire Protection
Inspections Department

The Only Maintenance-Free Pathway.

Annual inspection and maintenance of firestop systems is required by code.

An Evaluation Service Report (ESR)* was issued on May 20, 2016 and revised on November 7, 2024 by UL® for EZ Path® Fire-Rated Pathways. The report confirms code compliance with the International Building Code® (IBC), International Fire Code® (IFC), and NFPA 101, "Life Safety Code®" (LSC). The report goes on to confirm that, when properly installed, **EZ Path® Pathways are exempt from ongoing maintenance.**

Unlike other sleeves, **EZ Path®** has no moving parts and requires no action to activate the internal sealing mechanism—making it **the *only* rated firestop device that is compliant right out of the box.**

EZ Path® Fire-Rated Pathways do not require regular maintenance...

Evaluation Service Report
Underwriters Laboratory

*www.stifirestop.com/esr

Scan to learn more about the EZ-Path® System ▶

The Only Pathway that Pays for Itself.

Other sleeves incur enormous ongoing costs over the lifecycle of the building.

EZ Path® offers the ultimate in flexibility and can virtually eliminate fines due to non-compliance, increasing your savings over and over again. **EZ Path®** is a fully sustainable cable pathway solution for the lifetime of your building.

- Ends downstream maintenance & inspection costs
- Eliminates ongoing fire & smoke sealing costs
- Allows remote cable pulls through multiple barriers
- Reduces unnecessary trips above the ceiling
- Limits liability & decreases exposure to pathogens

"Over its lifecycle, EZ Path® pays for itself many times over."

Jeff Combs
Fire Marshal, Major U.S. Medical System

The Logical Solution for You.

For Contractors and Maintenance Professionals.

Concerns about failing inspections become a thing of the past with **EZ Path®**. The system is easy to visually inspect and is ideal for both new construction and existing conditions.

For the Health Care Professional.

Infection control is paramount in healthcare facilities. **EZ Path®** minimizes the spread of hospital-acquired infections (HAIs) by reducing or eliminating trips above the ceiling to unseal, reseal, or adjust equipment of any kind.

For the Owner.

EZ Path® eliminates downstream labor costs with the use of pull strings inside the **EZ Path®** devices, for easy cable MAC work from remote locations—saving you time and money over the life cycle of the building.

For Architects, Consultants, Specifiers, and RCDDs.

EZ Path® provides you with a complete solution to help protect the legacy of your project. Whether it's the engineered aesthetics, the robust design, the dynamic features, the ability to "future-proof" the design, or the unparalleled performance— **EZ Path®** has you covered.

For the Cable Installer and IT / ICT Professional.

Recognized as best practice by trade professionals, **EZ Path®** protects your network. Maintain compliance while navigating the demands of perpetually evolving floor, wall, and ceiling penetrations that result from equipment expansions and technology upgrades. Easy to install with nothing to maintain, **EZ Path®** lets you execute continuous cable pulls while allowing your network to run at peak performance.

EZ-Path® Applications:

Scan to learn more about the EZ-Path® System ▶

0-100% cable fill
Self sealing & always compliant

Smoke & acoustical devices
For non-fire-rated walls



Grommets
For single-cable applications

High-density solutions
For space-saving horizontal applications



Retrofit Devices
For non-compliant sleeves & cable trays

High-density solutions
For space-saving vertical applications



Smaller footprint
Greater cable capacity than traditional methods



Extensions
For use with thicker walls



EZ Path® Specifications

EZ Path Product	Device Length	Opening Size	Gangable	Fire Rating in Walls	Fire Rating in Floors
RFG1	1-5/8 in. (41.3 mm)	9/16 in. (14 mm)	–	Up to 2 hours	–
RFG2	1-5/8 in. (41.3 mm)	1 in. (25 mm)	–	Up to 2 hours	–
 Series 22	10-1/2 in. (367 mm)	2 in. (51 mm)	–	Up to 4 hours	Up to 4 hours
Series 33	10-1/2 in. (367 mm)	3 in. (76 mm)	Yes	Up to 4 hours	Up to 4 hours
Series 44+	14 in. (356 mm)	4 in. (102 mm)	Yes	Up to 4 hours	Up to 4 hours
EZDR200	2-3/4 in. (70 mm)	Nom 2 in. and 4 in. Conduits/Sleeves	–	Up to 2 hours	Up to 2 hours
EZDR400	2-3/4 in. (70 mm)	Nom 2 in. and 4 in. Conduits/Sleeves	–	Up to 2 hours	Up to 2 hours
 EZCTR	2-3/4 in. (70 mm)	Min 12 in. to max 24 in. wide Cable Trays	–	Up to 2 hours	–
Series 33NEZ	4 in. to 8 in. (102 mm to 203 mm)	4 in. (102 mm)	Yes	Not fire-rated	Not fire-rated
Series 44NEZ	4 in. to 8 in. (102 mm to 203 mm)	6 in. (152 mm)	Yes	Not fire-rated	Not fire-rated

1 EZDR 400 width includes locking tab. Device can be rotated to any orientation. (i.e.: 6-1/4 in. H x 5-1/2 in. W)
2 NEZ33 fits walls 4 in. to 8 in. in width.
3 NEZ33CK2 dimension measured from bottom of steel plate abutting unexposed ceiling to top of device.

Series 44+ Fire-Rated Pathway

Scan to learn more about the EZ-Path® System ▶

The EZ Path® Series 44+ Fire-Rated Pathway is a maintenance-free pathway solution designed for high cable volume conditions through fire-rated walls and floors. The Series 44+ incorporates self-sealing intumescent pads that automatically adjust to the installed cable fill without the need for user manipulation. Under fire exposure, the intumescent pads expand and swell, resisting the passage of smoke and flame.

Features & Benefits:

- Self Sealing design provides exceptional fire and smoke leakage ratings
- Allows for easy moves, adds, and changes
- Designed for new and existing conditions
- Variety of accessories available for any field condition
- Modular grid system for riser applications
- Greatest achievable cable density of any solution on the market

ORDERING INFORMATION

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
Single Device					
EZD44S2	730573001004	Fire-Rated Pathway Device	1	4	EZD44S2
Single Pathway Installation Through Walls					
EZDP44S2	730573001066	Fire-Rated Pathway Kit – Device with wall plates and labels	1	1	EZDP44S2 Full kit EZP144W Without pathway
EZP144W	730573001448	Single Wall Plates and Labels	1	1	
Single Pathway Installation Through Walls With Existing Cables					
EZDP144RS2	730573001073	Split Wall Plate – Device with split wall plate and labels	1	1	EZDP144RS2 Full kit EZP144RS Without pathway
EZP144RS	730573001486	Split Wall Plate – Plate only	1	1	
Multi-Gang Plates					
EZP544W	730573005446	Multi-gang wall plate brackets for 1-5 devices. Devices not included.	1	8	EZP544W
EZP544WD	730573005460	Multi-gang wall plate brackets for 2-10 devices. Devices not included.	1	8	EZP544WD
EZP644W	730573006481	Multi-gang wall plate brackets for 6 devices. Devices not included.	1	8	EZP644W
EZP644WD	730573006573	Multi-gang wall plate brackets for 12 devices. Devices not included.	1	8	EZP644WD
EZP544WV	730573005477	Vertical Multi-Gang Wall Bracket Kit for 1-5 devices. Devices not included.	1	1	EZP544WV

EZ Path®
Fire-Rated Pathway

Series 44+ Fire-Rated Pathway



Vertical Cable Solutions

Single Pathway Installation Through Floors — ORDERING INFORMATION

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZDP144FKS2	730573001080	Floor Kit – Device with floor plate	1	1	EZDP144FKS2 Full kit
EZP144F	730573008348	Split Floor Plate – Plate only	1	1	EZP144F Without pathway

Specialty Options

Extension Module — ORDERING INFORMATION

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZD44ES	730573000694	6" Extension Module – use with Series 44+ pathway ONLY	1	1	EZD44ES

Radius Control Extension Module

EZRCM44S	730573009345	Radius Control Module – one pair (2) for use with Series 44+ pathway ONLY	1	1	EZRCM44S

Vertical Specialty Options

Hanger Bracket — ORDERING INFORMATION

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZP444MB	730573004487	Hanger Bracket for Modular Floor Grid System	1	1	EZP444MB

Pathway Module

EZD444MBS2	730573001097	Single Bank of Devices – Four (4) Devices with hanger bracket	1	1	EZD444MBS2

T-Rating Kit

TRK444	730573004463	T-Rating Kit	1	2	TRK444

Series 44+ Fire-Rated Pathway

Modular Floor Grid System

Modular Floor Grid Systems utilize the high volume, EZ Path® Series 44+ pathways, installed in banks of four, to provide your cabling systems with room to grow. Sturdy steel grids mount one, two, or four banks of pathways in built-in slots for a total of up to sixteen pathways through a single floor opening. A single bank floor grid comes complete with pathways. Multi-bank modular floor grids are installed with firestop panels sealing each slot. As additional cable capacity is required, firestop panels are removed, and pathway modules containing four pathways are installed in each slot.

Single-Slot Modular Floor Grid — ORDERING INFORMATION

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZDG444S2	730573001103	Single Bank Floor Grid – Four (4) Devices with floor frame	1	1	EZDG444S2 Full kit 
EZG444	730573001004	Floor Frame Only	1	1	EZG444 Without pathway 

Two-Slot Modular Floor Grid

EZDG844S2	730573001110	Dual-slot Frame Kit with 8 Pathways – (Includes eight (8) Series 44+ devices with EZG844)	1	1	EZDG844S2 Full kit 
EZG844	730573008447	Dual-Slot Frame for Eight (8) Pathways	1	1	EZG844 Without pathway 

Splice Plate Kit

EZG444CP	730573004494	Floor Grid Splice Plate Kit – includes plate and gasket	1	1	

Scan to learn more about the EZ-Path® System ▶

EZ Path®
Fire-Rated Pathway

Series 33 Fire-Rated Pathway

The EZ Path® Series 33 Fire-Rated Pathway is a maintenance-free pathway solution for moderate cable volumes through fire-rated walls and floors. The Series 33 incorporates built-in intumescent pads that automatically adjust to cable fills. When exposed to flame and high temperatures, the intumescent pads expand to form a dense insulative char that prevents the passage of smoke and flame.

Features & Benefits:

- Self Sealing design provides exceptional fire and smoke leakage ratings
- Allows for easy moves, adds, and changes
- Designed for new and existing conditions
- Variety of accessories available for any field condition
- Available in an array of colors for easy cable pathway management

Single Device		ORDERING INFORMATION			Device
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	
EZD33FWS	730573000045	Fire-Rated Pathway Device	1	6	EZD33FWS
Single Pathway Square Plate Kit					
EZDP33FWS	730573000342	Square Plate Kit – Device with square wall plates and labels	1	4	EZDP33FWS Full kit EZP133W Without pathway
EZP133W	730573001332	Square Wall Plates with labels	1	1	
Single Pathway Circular Plate Kit					
EZDP133CWK	730573000359	Circular Plate Kit – Device with circular wall plates and labels	1	1	EZDP133CWK Full kit EZP133CW Without pathway
EZP133CW	730573001370	Circular Wall Plates with labels	1	1	

Multi-Gang Plates

Two Gang		ORDERING INFORMATION			Device
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	
EZDP233GK	730573002353	Two-Gang Kit – Two (2) devices with two-gang plates and labels	1	1	EZDP233GK Full kit EZP233W Without pathway
EZP233W	730573002339	Two-Gang Wall Plates with labels	1	1	
Three Gang					
EZDP333GK	730573903353	Three-Gang Kit – Three (3) devices with three-gang plates and labels	1	1	EZDP333GK Full kit EZP333W Without pathway
EZP333W	730573003336	Three-Gang Wall Plates and labels	1	1	

Series 33 Fire-Rated Pathway

Multi-Gang Plates continued

Four Gang		ORDERING INFORMATION			Device
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	
EZDP433GK	730573004357	Four-Gang Kit – Four (4) devices with four-gang plates and labels	1	1	EZDP433GK Full kit EZP433W Without pathway
EZP433W	730573004333	Four-Gang Wall Plates and labels	1	1	
Seven Gang					
EZDP733GK	730573007358	Seven-Gang Kit – Seven (7) devices with seven-gang plates and labels	1	1	EZDP733GK Full kit EZP733W Without pathway
EZP733W	730573007334	Seven-Gang Wall Plates and labels	1	1	

Specialty Options

New Cable Installations Through Floors		ORDERING INFORMATION			Device
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	
EZDP133FK	730573008355	Kick in Floor Plate Kit – Device with split floor plate	1	1	EZDP133FK Full kit EZP133K Without pathway
EZP133K	730573008331	Kick-In Split Floor Plate	1	6	
Conduit Attachment					
EZDP133CAK	730573000366	Conduit Attachment Kit-Device with conduit attachment plate and label	1	1	ZDP133CAK Full kit EZP133CA Without pathway
EZP133CA	730573001387	Conduit Attachment Plate with label	1	1	
Retro-Fit					
EZDP33WR	730573005330	Retro-Fit Kit – Device with retro-fit wall mounting plates and labels	1	1	EZDP33WR Full kit EZP133R Wihout pathway
EZP133R	730573005354	Retro-Fit Mounting Plates with labels	1	1	
Extension Module					
EZD33E	730573000052	Extension Module	1	1	
Radius Control Module					
RCM33	730573009338	One Pair (2) Radius Control Modules	1	1	

EZ Path®
Fire-Rated Pathway

Series 22 Fire-Rated Pathway

The **EZ Path® Series 22 Fire-Rated Pathway** is a maintenance-free pathway solution for smaller cable bundles through fire-rated wall assemblies. The device is offered as a complete kit without the need for additional accessory products for installation.

Features & Benefits:

- Self Sealing design provides exceptional fire and smoke leakage ratings
- Allows for easy moves, adds, and changes
- Designed for new and existing conditions
- Suited for round and rectangular openings



Single Device — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZD22	730573000229	Device, full kit includes wall plates and labels	1	6	EZD22

Retrofit Device

Non-compliant cable sleeves are the bane of every facilities team. Bring these deficient openings back into code compliance with the **EZ Path® Retrofit Device**. Its two-part clam shell design installs around projecting sleeves and cable bundles, restoring fire and smoke leakage performance. The EZ Path® Retrofit Device quickly and easily retrofits sleeves of up to 100% visual fill, restoring fire performance without the need for additional firestop products.

Features & Benefits:

- Sized for 2 in. and 4 in. metallic sleeves
- Designed for cable sleeves and stubs
- Professional fit and finish
- Safety Orange for easy identification
- Suited for round and rectangular openings



Single Device — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZDR200	730573002001	Retrofit Device for 2" (2-3/16" or 2-3/8" O.D.) Sleeves, One Pair (2)	1	4	EZDR200
EZDR400	730573004005	Retrofit Device for 4" (4-1/2" O.D.) Sleeves, One Pair (2)	1	4	EZDR400
EZPR150	730573002018	1-1/2" Adapter Plate for EZDR200, One Pair (2)	1	1	EZPR150
EZPR300	730573004012	3" Adapter Plate for EZDR400, One Pair (2)	1	1	EZPR300

Cable Tray Retrofit Device

The **EZ Path® Cable Tray Retrofit Device** is designed for addressing non-compliant tray penetrations in fire-rated wall assemblies. It's split housing design installs around existing cable tray penetrations restoring fire-resistance ratings. The EZ-Path Cable Tray Retrofit Device quickly restores compliance to cable tray penetrations loaded with up to 100% visual fill of cables.

Features & Benefits:

- Tested in Concrete and Gypsum Board Walls
- Sizes available for 12 in. (304.8 mm) to 24 in (609.6 mm) wide cable trays
- Tested cable fills from 25 up to 100%
- Suitable for ladder and wire basket style cable trays
- Safety Orange for easy identification



Device Pair — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZCTR612	730573007396	Cable Tray Retrofit Device for max 6" by 12" cable trays, One Pair (2)	1	1	EZCTR612 
EZCTR614	730573007389	Cable Tray Retrofit Device for max 6" by 14" cable trays, One Pair (2)	1	1	EZCTR614 
EZCTR616	730573007372	Cable Tray Retrofit Device for max 6" by 16" cable trays, One Pair (2)	1	1	EZCTR616 
EZCTR618	730573007365	Cable Tray Retrofit Device for max 6" by 18" cable trays, One Pair (2)	1	1	EZCTR618
EZCTR600P	730573007402	Oversized opening plates for Cable Tray Retrofit Device, One Pair (2)	1	1	EZCTR600P
EZCTR624	730573007419	Cable Tray Retrofit Device for max 6" by 24" cable trays, One Pair (2) with Slim Mounting Frames	1	1	EZCTR624
EZCTR624L	730573951118	Cable Tray Retrofit Device for max 6" by 24" cable trays, One Pair (2) with Mounting Plates for Oversized Hole in Wall	1	1	EZCTR624 

EZ-Firestop® Grommet

EZ-Firestop® Grommets make sealing penetrations of individual and small bundles of cables through gypsum board walls a snap. Molded from premium plenum-plastics and incorporating a soft foam inner core, EZ-Firestop® Grommets eliminate the need for sleeves, firestop putties, and sealants.

Features & Benefits:

- Suited for addressing single membrane or complete through-penetrations
- Available as a single cable or multiple cable solution
- Ideal for alarm, security, or wireless access point installations
- Designed for 1 & 2 hr fire-rated gypsum board wall assemblies
- Professional finished appearance

Firestop Grommets — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
RFG1	730573250587	Two-piece split cable grommet for single cable penetrations up to 0.27" (7 mm) diameter	1 Pack 10 Grommets per pack	10 Packs	RFG1
RFG2	730573250594	Two-piece split cable grommet for single or multiplecable penetrations up to 0.53" (14 mm) diameter	1 Pack 10 Grommets per pack	10 Packs	RFG2

EZ-Path®
Smoke & Acoustical Pathway

Smoke & Acoustical Pathways

Designed for easy installation in non-fire-rated floor, ceilings, and walls, EZ Path® Series 33NEZ & 44NEZ Smoke & Acoustical Pathways provide exceptional smoke sealing and acoustical performance with tested and approved cable capacities ranging from 0 up to 100% visual fill.



Series 44NEZ

Single Device for Walls and Floors — ORDERING INFORMATION

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
NEZ44	730573111727	Smoke and Acoustical Pathway (Blue)	1	4	NEZ44  NEZ44-W
NEZ44-W	730573111734	Smoke and Acoustical Pathway (White)	1	4	
3 & 5 Gang Devices for Walls and Floors					
NEZD344	730573111772	Smoke and Acoustical Pathway 3-Gang Kit (Blue) [16" (406mm) Wall Studs]	1	1	NEZD344 NEZD344-W
NEZD344-W	730573111789	Smoke and Acoustical Pathway 3-Gang Kit (White) [16" (406mm) Wall Studs]	1	1	
NEZD544	730573111796	Smoke and Acoustical Pathway 5-Gang Kit (Blue) [24" (610mm) Wall Studs]	1	1	NEZD544 NEZD544-W
NEZD544-W	730573111802	Smoke and Acoustical Pathway 5-Gang Kit (White) [24" (610mm) Wall Studs]	1	1	
Non-Fire-Rated Ceiling Kits					
NEZ44CK	730573111741	Smoke and Acoustical Pathway Ceiling Kit (White)	1	4	NEZ44CK NEZ344CK
NEZ344CK	730573111819	Smoke and Acoustical Pathway 3-Gang Ceiling Kit (White)	1	4	



Scan to learn more about the EZ-Path® System ▶

Series 33NEZ



Single Device for Walls and Floors — ORDERING INFORMATION

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
NEZ33	730573111581	Smoke and Acoustical Pathway, (Device Only) with hardware	1	4	NEZ33 NEZ33-W
NEZ33-W	730573111666	Smoke and Acoustical Pathway White, (Device Only) with hardware	1	4	
3 & 5 Gang Devices for Walls and Floors					
NEZDP233	730573111598	Smoke and Acoustical Pathway, Two Gang Kit (2 NEZ33 Pathways & 2 NEZP233 Two Gang Plates)	1	N/A	NEZDP233
NEZDP433	730573111604	Smoke and Acoustical Pathway, Four Gang Kit (4 NEZ33 Pathways & 2 NEZP433 Four Gang Plates)	1	N/A	NEZDP433
NEZP233	730573111611	Smoke and Acoustical Pathway, Two Gang Plate Kit (Plates Only)	1	N/A	NEZP233
NEZP433	730573111628	Smoke and Acoustical Pathway, Four Gang Plate Kit (Plates Only)	1	N/A	NEZP433
Retrofit Device					
NEZ33R	730573111659	Smoke & Acoustical Pathway Retrofit Device	1	1	NEZ33R
Non-Fire-Rated Ceiling Kits					
NEZ33CK2	730573111680	Smoke and Acoustical Pathway White, (Device Only) with Ceiling Kit	1	1	NEZ33CK2



EZ Path® Notable Projects

- Akron Childrens
- Akron General
- Amazon
  Fort Myers, FL
- Avida Assisted Living
  Fort Myers, FL
- Bank of America
  New York City, NY
- Banner Phoenix Medical Center
- Barings Project
  Charlotte, NC
- Baylor Hospital
  Grapevine, TX
- Baylor Hospital
  Marble Falls TX
- Baylor Hospital
  Waco, TX
- BJC Downtown Campus
- Boiling Springs High School
  Boiling Springs, SC
- Carolinas Healthcare Systems
  Charlotte, NC
- Catawba Ridge High School
  Monroe, NC
- Cleveland Clinic Cancer Center
- Children's Healthcare of Atlanta
  Atlanta, GA
- Children's Hospital of Colorado
- Choctaw Casino
  Durant OK
- Choctaw Regional Hospital
  Ada OK
- Cleveland Clinic – Avon Facility
- Cleveland Clinic Office Building
  Coconut Creek, FL
- Cleveland Clinic
  Weston, FL
- Comcast Tower
  Philadelphia, PA
- Community Health
- Detroit Med Center – Childrens
- DHR Healthcare System
  McAllen, TX
- East County Detention Center
  Riverside, CA
- Facebook
- Facebook Data Center
  Forest City, NC
- Facebook Data Center
  Maiden, NC
- Face Book
  Ft Worth, TX
- Ford Motor Company
- Fort Bliss Medical Center
  El Paso, TX
- Kaiser San Diego
- Kaiser Santa Rosa
- Franciscan Health – St Anthonys
- Franciscan – St. James
- Google Data Center
  Atlanta, GA
- Health South Headquarters
  Birmingham, AL
- Hillcrest Hospital System
  Tulsa, OK
- Hudson Yards Time Warner
  New York City
- Indian Health Services
- International Hotel Group
  Dunwoody, GA
- Iowa Childrens
- Lake Forest Hospital
- Lakeland Regional Healthcare
  Lakeland, FL
- Lash Kingsley Project
  Charlotte, NC
- Lee Health
  Fort Myers, FL
- Lee Memorial Hospital
  Fort Myers, FL
- Lexington Medical Center
  West Columbia, SC
- Market Tower
- Martin Memorial
  Port St. Lucie, FL
- Mayo Clinic
  Jacksonville, FL
- Medical City
  Plano, TX
- Memorial Sloan Hospital
  New York City
- Mercy – Jeff County
- Mercy Rockford
- MicroSoft
- Microsoft Data Center
  Washington DC
- Midland Memorial Hospital
  Midland, TX
- Mt. Sinai MRI Suite
  Miami, FL
- NASA Corporate Headquarter Complex, Kennedy Space Center
- Nationwide Childrens
- Navy Federal Credit Union
  Pensacola, FL
- NCAA Data Center
  Pell City, AL
- Norman Regional Hospital
  Moore, OK
- Novant Health
  Charlotte, NC
- Oregon Health and Science University
- Orlando Police Department
  Orlando, FL
- OSF St Francis
- Parkland Hospital
  Dallas, TX
- Port Huron Med Center
- PSU – Behren Hall
- Rapid City Regional
- Research Hospital
- Rex Hospital
  Raleigh, NC
- Riverside Methodist Tower
- Sanford Medical
- Sarasota Air Traffic Control
  Sarasota, FL
- Shands Hospital
  Gainesville, FL
- Sheriff Office Complex
  Sebring, FL
- Stanford Medical Center
- State Farm Corporate Center
  Atlanta, GA
- State Farm
  Dallas, TX
- St Elizabeth
- St. Francis Medical Center
  Denver, CO
- St John's Hospital
  Tulsa, OK
- St. Vincent's Hospital
  Birmingham, AL
- Sutter Cathedral Hill
- Tesla Manufacturing Plant
  Reno, NV
- Texas Tech University
  Lubbock TX
- Texoma Regional Hospital
  Sherman, TX
- Toyota Headquarters
  Plano, TX
- University of Colorado Health Longs Peak Hospital
- University of Miami Medical Center
  Miami, FL
- University of North Florida, Skinner Hall
- University of Tennessee Dormitory
  Knoxville, TN
- University of Tennessee Medical Ctr.
  Knoxville, TN
- U of Cincinnati Tower
- U of NE Med Center
- Utah Valley Regional Medical Center
- UT Southwest Medical
  Dallas, TX
- Via Christi
- Wells Fargo, Charlotte, NC
- World Trade Center Tower 1
  New York City, NY

Specified Technologies Inc.
STI
We engineer peace of mind.

Firestop, Smoke, & Sound Solutions
1 (800) 992-1180 stifirestop.com