

EZ Path®

The Complete Cable Pathway Solution



Specified Technologies Inc.


Firestop, Smoke, & Sound Solutions

The Smart Choice.

EZ Path® saves time, money, and resources by removing ongoing downstream costs.

Only EZ Path® helps you avoid citations and costs associated with non-compliance. Other sleeves require constant upkeep, ongoing maintenance, and inspection to ensure compliance.

You can never be certain that other sleeves have been activated, plugs and putty have been replaced, or that they have been properly sealed to meet codes. When life safety, code compliance, and asset protection are non-negotiable, **EZ Path® is the pathway you can rely on.**



Most cable penetrations were found to be out of compliance except for EZ Path®.

Global Fire Protection
Inspections Department

The Only Maintenance-Free Pathway.

Annual inspection and maintenance of firestop systems is required by code.

An Evaluation Report was issued by UL Solutions for EZ Path® Fire-Rated Pathways confirming compliance with International Building Code® (IBC), International Fire Code® (IFC), and NFPA 101, Life Safety Code®. The report further confirms that when properly installed, **EZ Path® Fire-Rated Pathways are exempt from ongoing maintenance.**

Unlike other sleeves, **EZ Path®** has no moving parts and requires no action to activate the internal sealing mechanism—making it **compliant right out of the box.**



EZ Path® Fire-Rated Pathways do not require regular maintenance...

Evaluation Report
Underwriters Laboratory


Scan to learn more about EZ Path®

The Only Pathway that Pays for Itself.

Other sleeves incur enormous ongoing costs over the lifecycle of the building.

EZ Path® offers the ultimate in flexibility and can virtually eliminate fines due to non-compliance, increasing your savings over and over again. **EZ Path®** is a fully sustainable cable pathway solution for the lifetime of your building.

- Ends downstream maintenance & inspection costs
- Eliminates ongoing fire & smoke sealing costs
- Allows remote cable pulls through multiple barriers
- Reduces unnecessary trips above the ceiling
- Limits liability & decreases exposure to pathogens



Over its lifecycle, EZ Path® pays for itself many times over.

Jeff Combs
Fire Marshal, Major U.S. Medical System

The Logical Solution for You.

For Contractors and Maintenance Professionals.

Concerns about failing inspections become a thing of the past with **EZ Path.®** The system is easy to visually inspect and is ideal for both new construction and existing conditions.

For the Health Care Professional.

Infection control is paramount in healthcare facilities. **EZ Path®** minimizes the spread of hospital-acquired infections (HAIs) by reducing or eliminating trips above the ceiling to unseal, reseal, or adjust equipment of any kind.

For the Owner.

EZ Path® eliminates downstream costs with the use of pull strings inside the **EZ Path®** devices, for easy cable MAC work from remote locations—saving you time and money over the life cycle of the building.

For Architects, Consultants, Specifiers, and RCDDs.

EZ Path® provides you with a complete solution to help protect the legacy of your project. Whether it's the engineered aesthetics, the robust design, the dynamic features, the ability to "future-proof" the design, or the unparalleled performance— **EZ Path®** has you covered.

For the Cable Installer and IT / ICT Professional.

Recognized as best practice by trade professionals, **EZ Path®** protects your network. Maintain compliance while navigating the demands of perpetually evolving floor, wall, and ceiling penetrations that result from equipment expansions and technology upgrades. Easy to install with nothing to maintain, **EZ Path®** lets you execute continuous cable pulls while allowing your network to run at peak performance.

EZ Path® Applications

Smoke & Acoustical Devices
for non-fire-rated walls

Grommets
for single-cable applications

High-Density Solutions
for space-saving horizontal applications


Retrofit Cable Tray Devices
for cable trays

Retrofit Devices
for non-compliant cable penetrations

High-Density Solutions
Series 84+ in combination with Series 44+


High-Density Vertical Solutions
for space-saving vertical applications


Extensions
for use with thicker walls
























EZ Path® Specifications

EZ Path® Product	Opening Size Width x Height	Device Length	Cable Capacity *Nominal Cable Capacity	F Rating
 Series ULTRA	???	???	???	???
 Series 84+	7.25 in. x 4.625 in. (184 mm x 118 mm)	14 in. (356 mm)	406 nominal*	Up to 2 hours
 Series 44+	4 in. x 4.625 in. (102 mm x 118 mm)	14 in. (356 mm)	210 nominal*	Up to 4 hours
 Series 33	3 in. x 3 in. (76 mm x 76 mm)	10.5 in. (267 mm)	88 nominal*	Up to 4 hours
 Series 22	1.5 in. x 1.5 in. (37 mm x 37 mm)	10.5 in. (267mm)	15 nominal*	Up to 4 hours
 Grommets	0.88 or 1.25 in. Dia (22mm or 32mm)	1.625 in. (41.3 mm)	Single or multiple, up to 0.27 in. total diameter	Up to 2 hours
 EZDR200[1]	4.06 in. x 3.368 in. (103 mm x 86 mm)	2.75 in. (70 mm)	100% capacity of 1.5 in. - 2 in. conduit	Up to 2 hours
 EZDR400[1]	6.24 in. x 5.368 in. (158 mm x 136 mm)	2.75 in. (70 mm)	100% capacity of 3 in. - 4 in. conduit	Up to 2 hours
 EZCTR	16.43 in. - 28.43 in. x 10.03 in. - 11.03 in. (417 mm - 667 mm x 255 mm - 280 mm)	3.21 in. (81.5 mm)	100% capacity of 12, 14, 16, 18 and 24 inch cable trays	Up to 2 hours
 Series 33NEZ	4.50 in. x 4.50 in. (114 mm x 114 mm)	4 in. to 8 in. (102 mm to 203 mm)	88 nominal*	Not fire-rated
 Series 44NEZ	7.50 in. x 7.125 in. (191 mm x 181 mm)	4 in. to 8 in. (102 mm to 203 mm)	210 nominal*	Not fire-rated

1 EZDR200 / EZDR400 width includes locking tab. Device can be rotated to any orientation.
***** Nominal cable capacity based on 0.236 in. (6mm) diameter Cat 6 cable. Actual cable diameters may vary. Field verification is recommend.

EZ Path® ULTRA


Scan to learn more about EZ Path®

Series ULTRA Fire-Rated Pathway


Meet the demands of today's cable-dense infrastructure with the **EZ Path® ULTRA Fire-Rated Pathway**, a maintenance-free solution for high-capacity cable penetrations through fire-rated barriers. Designed to support 100% of cable tray capacity, EZ Path ULTRA is ideal for main distribution and backbone pathways, as well as high-fill cable tray systems. Its self-sealing intumescent technology automatically adapts to changing cable loads, eliminating the need for additional firestop materials. Specifically designed to align with common NEMA-sized wire basket cable trays, EZ Path ULTRA supports both continuous and discontinuous cable tray configurations while accommodating future cable growth.

Features & Benefits

- Accommodates continuous and discontinuous cable tray systems
- Supports 100% of cable tray capacity
- Additional pathway headroom simplifies cable installation and future cable adds
- Self-sealing intumescent technology
- Available in models designed for standard 6" × 24", 6" × 18", and 6" × 12" wire basket cable trays



Single Device — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZUTDP624W	730573952801	EZ Path ULTRA Fire-Rated Pathway Wall Kit, 6" × 24" Tray (Pass-Through/Terminate)	1	1	EZUTDP624W 
EZUTDP618W	730573952818	EZ Path ULTRA Fire-Rated Pathway Wall Kit, 6" × 18" Tray (Pass-Through/Terminate)	1	1	EZUTDP618W 
EZUTDP612W	730573952825	EZ Path ULTRA Fire-Rated Pathway Wall Kit, 6" × 12" Tray (Pass-Through/Terminate)	1	1	EZUTDP612W 


EZ Path®
Fire-Rated Pathway

Series 84+ Fire-Rated Pathway

The **EZ Path® Series 84+ Fire-Rated Pathway** is a maintenance-free pathway solution designed to handle high cable volume conditions through fire-rated walls. Its compatibility with the EZ Path® Series 44+ allows for ganged configurations that align with standard cable trays. The Series 84+ incorporates self-sealing intumescent pads that automatically adjust to the installed cable fill. Under fire exposure, the intumescent pads expand and swell, resisting the passage of smoke and flame.

Features & Benefits:

- Easy to install
- No firestopping required
- Modular design enables alignment with standard cable trays
- Cross-Series compatibility with Series 44+ pathway device
- Mechanical locking system for quick ganging of devices
- Maximizes usable cavity area in 16" and 24" stud layouts
- Permits cable segregation by use, type, and vendor



Single Device — ORDERING INFORMATION

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZD84S2	730573952313	Series 84+ Fire-Rated Pathway Device	1	1	EZD84S2 

Single Pathway Installation Through Walls

EZDP84S2	730573952399	Series 84+ Fire-Rated Pathway Kit – single device with wall plates	1	1	EZDP84S2 Full kit
EZP184W	730573952344	Series 84+ EZ Path Single Wall Plate Bracket	1	1	EZP184W Without pathway

Multi-Gang Plates

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZP284W	730573952351	Series 84+ Multi-gang Wall Plate Brackets for 2 devices, single row	1	1	EZP284W 
EZP484W	730573952375	Series 84+ Multi-gang Wall Plate Brackets for 3-4 devices, single row	1	1	EZP484W 
EZP684W	730573952320	Series 84+ Multi-gang Wall Plate Brackets for 5-6 devices, single row	1	1	EZP684W 
EZP284WD	730573952368	Series 84+ Multi-gang Wall Plate Brackets for 4 devices, double row	1	1	EZP284WD 
EZP484WD	730573952382	Series 84+ Multi-gang Wall Plate Brackets for 6-8 devices, double row	1	1	EZP484WD 
EZP684WD	730573952337	Series 84+ Multi-gang Wall Plate Brackets for 10-12 devices, double row	1	1	EZP684WD 


Scan to learn more about EZ Path®

Series 44+ Fire-Rated Pathway

The EZ Path® Series 44+ Fire-Rated Pathway is a maintenance-free pathway solution designed for high cable volume conditions through fire-rated walls and floors. The Series 44+ incorporates self-sealing intumescent pads that automatically adjust to the installed cable fill without the need for user manipulation. Under fire exposure, the intumescent pads expand and swell, resisting the passage of smoke and flame.

Features & Benefits:

- Self Sealing design provides exceptional fire and smoke leakage ratings
- Allows for easy moves, adds, and changes
- Designed for new and existing conditions
- Variety of accessories available for any field condition
- Modular grid system for riser applications



Single Device — ORDERING INFORMATION

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZD44S2	730573001004	Fire-Rated Pathway Device	1	4	EZD44S2 

Single Pathway Installation Through Walls

EZDP44S2	730573001066	Fire-Rated Pathway Kit – Device with wall plates and labels	1	1	EZDP44S2 Full kit 
EZP144W	730573001448	Single Wall Plates and Labels	1	1	EZP144W Without pathway 

Single Pathway Installation Through Walls With Existing Cables

EZDP144RS2	730573001073	Split Wall Plate – Device with split wall plate and labels	1	1	EZDP144RS2 Full kit 
EZP144RS	730573001486	Split Wall Plate – Plate only	1	1	EZP144RS Without pathway 

Multi-Gang Plates

EZP544W	730573005446	Multi-gang wall plate brackets for 1-5 devices. Devices not included.	1	8	EZP544W 
EZP544WD	730573005460	Multi-gang wall plate brackets for 2-10 devices. Devices not included.	1	8	EZP544WD 
EZP644W	730573006481	Multi-gang wall plate brackets for 6 devices. Devices not included.	1	8	EZP644W 
EZP644WD	730573006573	Multi-gang wall plate brackets for 12 devices. Devices not included.	1	8	EZP644WD 
EZP544WV	730573005477	Vertical Multi-Gang Wall Bracket Kit for 1-5 devices. Devices not included.	1	1	EZP544WV 

Series 44+ Fire-Rated Pathway



Vertical Cable Solutions

Single Pathway Installation Through Floors — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZDP144FKS2	730573001080	Floor Kit – Device with floor plate	1	1	EZDP144FKS2 Full kit
EZP144F	730573008348	Split Floor Plate – Plate only	1	1	EZP144F Without pathway

Specialty Options



Extension Module — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZD44ES	730573000694	6" Extension Module – use with Series 44+ pathway ONLY	1	1	EZD44ES

Radius Control Module

EZRCM44S	730573009345	Radius Control Module – one pair (2) for use with Series 44+ pathway ONLY	1	1	EZRCM44S

Conduit Connector

EZP44CC	730573952016	Conduit Connector – for use with Series 44+ pathway ONLY	1	1	EZP44CC

Vertical Specialty Options

Hanger Bracket — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZP444MB	730573004487	Hanger Bracket for Modular Floor Grid System	1	1	EZP444MB

Pathway Module

EZD444MBS2	730573001097	Single Bank of Devices – Four (4) Devices with hanger bracket	1	1	EZD444MBS2

T-Rating Kit

TRK444	730573004463	T-Rating Kit	1	2	TRK444

Series 44+ Fire-Rated Pathway



Modular Floor Grid System

Modular Floor Grid Systems utilize the high volume, EZ Path® Series 44+ pathways, installed in banks of four, to provide your cabling systems with room to grow. Sturdy steel grids mount one, two, or four banks of pathways in built-in slots for a total of up to sixteen pathways through a single floor opening. A single bank floor grid comes complete with pathways. Multi-bank modular floor grids are installed with firestop panels sealing each slot. As additional cable capacity is required, firestop panels are removed, and pathway modules containing four pathways are installed in each slot.

Single-Slot Modular Floor Grid — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZDG444S2	730573001103	Single Bank Floor Grid – Four (4) Devices with floor frame	1	1	EZDG444S2 Full kit
EZG444	730573001004	Floor Frame Only	1	1	EZG444 Without pathway

Two-Slot Modular Floor Grid

EZDG844S2	730573001110	Dual-slot Frame Kit with 8 Pathways – (Includes eight (8) Series 44+ devices with EZG844)	1	1	EZDG844S2 Full kit
EZG844	730573008447	Dual-Slot Frame for Eight (8) Pathways	1	1	EZG844 Without pathway

Splice Plate Kit

EZG444CP	730573004494	Floor Grid Splice Plate Kit – includes plate and gasket	1	1	

Equal F and T Ratings achievable with two new STI systems

Scan to learn more

Series 33 Fire-Rated Pathway

The EZ Path® Series 33 Fire-Rated Pathway is a maintenance-free pathway solution for moderate cable volumes through fire-rated walls and floors. The Series 33 incorporates built-in intumescent pads that automatically adjust to cable fills. When exposed to flame and high temperatures, the intumescent pads expand to form a dense insulative char that prevents the passage of smoke and flame.

Features & Benefits:

- Self Sealing design provides exceptional fire and smoke leakage ratings
- Allows for easy moves, adds, and changes
- Designed for new and existing conditions
- Variety of accessories available for any field condition
- Available in an array of colors for easy cable pathway management



Single Device		ORDERING INFORMATION			
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	**Device**
EZD33FWS	730573000045	Fire-Rated Pathway Device	1	6	EZD33FWS

Single Pathway Square Plate Kit					
EZDP33FWS	730573000342	Square Plate Kit – Device with square wall plates and labels	1	4	EZDP33FWS Full kit
EZP133W	730573001332	Square Wall Plates with labels	1	1	EZP133W Without pathway

Single Pathway Circular Plate Kit					
EZDP133CWK	730573000359	Circular Plate Kit – Device with circular wall plates and labels	1	1	EZDP133CWK Full kit
EZP133CW	730573001370	Circular Wall Plates with labels	1	1	EZP133CW Without pathway

Multi-Gang Plates

Two Gang		ORDERING INFORMATION			
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	**Device**
EZDP233GK	730573002353	Two-Gang Kit – Two (2) devices with two-gang plates and labels	1	1	EZDP233GK Full kit
EZP233W	730573002339	Two-Gang Wall Plates with labels	1	1	EZP233W Without pathway

Three Gang					
EZDP333GK	730573903353	Three-Gang Kit – Three (3) devices with three-gang plates and labels	1	1	EZDP333GK Full kit
EZP333W	730573003336	Three-Gang Wall Plates and labels	1	1	EZP333W Without pathway

Series 33 Fire-Rated Pathway



Multi-Gang Plates continued

Four Gang		ORDERING INFORMATION			
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	**Device**
EZDP433GK	730573004357	Four-Gang Kit – Four (4) devices with four-gang plates and labels	1	1	EZDP433GK Full kit
EZP433W	730573004333	Four-Gang Wall Plates and labels	1	1	EZP433W Without pathway

Seven Gang					
EZDP733GK	730573007358	Seven-Gang Kit – Seven (7) devices with seven-gang plates and labels	1	1	EZDP733GK Full kit
EZP733W	730573007334	Seven-Gang Wall Plates and labels	1	1	EZP733W Without pathway

Specialty Options

New Cable Installations Through Floors		ORDERING INFORMATION			
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	**Device**
EZDP133FK	730573008355	Kick in Floor Plate Kit – Device with split floor plate	1	1	EZDP133FK Full kit
EZP133K	730573008331	Kick-In Split Floor Plate	1	6	EZP133K Without pathway

Conduit Attachment					
EZDP133CAK	730573000366	Conduit Attachment Kit-Device with conduit attachment plate and label	1	1	ZDP133CAK Full kit
EZP133CA	730573001387	Conduit Attachment Plate with label	1	1	EZP133CA Without pathway

Retro-Fit					
EZDP33WR	730573005330	Retro-Fit Kit – Device with retro-fit wall mounting plates and labels	1	1	EZDP33WR Full kit
EZP133R	730573005354	Retro-Fit Mounting Plates with labels	1	1	EZP133R Without pathway

Extension Module					
EZD33E	730573000052	Extension Module	1	1	

Radius Control Module					
RCM33	730573009338	One Pair (2) Radius Control Modules	1	1	

Series 22 Fire-Rated Pathway

The **EZ Path® Series 22 Fire-Rated Pathway** is a maintenance-free pathway solution for smaller cable bundles through fire-rated wall assemblies. The device is offered as a complete kit without the need for additional accessory products for installation.

Features & Benefits:

- Self Sealing design provides exceptional fire and smoke leakage ratings
- Allows for easy moves, adds, and changes
- Designed for new and existing conditions
- Suited for round and rectangular openings



Single Device — **ORDERING INFORMATION**


Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZD22	730573000229	Device, full kit includes wall plates and labels	1	6	EZD22 

EZ Path® Retrofit Device


Non-compliant cable sleeves are the bane of every facilities team. Bring these deficient openings back into code compliance with the **EZ Path® Retrofit Device**. Its two-part clam shell design installs around projecting sleeves and cable bundles, restoring fire and smoke leakage performance. The EZ Path® Retrofit Device quickly and easily retrofits sleeves of up to 100% visual fill, restoring fire performance without the need for additional firestop products.

Features & Benefits:

- Sized for 2 in. and 4 in. metallic sleeves
- Designed for cable sleeves and stubs
- Professional fit and finish
- Safety Orange for easy identification
- Suited for round and rectangular openings



Single Device — **ORDERING INFORMATION**


Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZDR200	730573002001	Retrofit Device for 2" (2-3/16" or 2-3/8" O.D.) Sleeves, One Pair (2)	1	4	EZDR200 
EZDR400	730573004005	Retrofit Device for 4" (4-1/2" O.D.) Sleeves, One Pair (2)	1	4	EZDR400 
EZPR150	730573002018	1-1/2" Adapter Plate for EZDR200, One Pair (2)	1	1	EZPR150 
EZPR300	730573004012	3" Adapter Plate for EZDR400, One Pair (2)	1	1	EZPR300 

Cable Tray Retrofit Device

The **EZ Path® Cable Tray Retrofit Device** is designed for addressing cable tray penetrations, including non-compliant overfilled trays in fire-rated assemblies. Its split housing design installs around existing cable tray penetrations restoring fire-resistance ratings. The EZ Path® Cable Tray Retrofit Device quickly restores compliance to cable tray penetrations loaded with up to 100% visual fill of cables.

Features & Benefits:

- Tested in Concrete and Gypsum Board Walls
- Sizes available for 12 in. (304.8 mm) to 24 in (609.6 mm) wide cable trays
- Tested cable fills from 25 up to 100%
- Suitable for ladder and wire basket style cable trays
- Safety Orange for easy identification



Device Pair — **ORDERING INFORMATION**


Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
EZCTR612	730573007396	Cable Tray Retrofit Device for max 6" by 12" cable trays, One Pair (2)	1	1	EZCTR612 
EZCTR614	730573007389	Cable Tray Retrofit Device for max 6" by 14" cable trays, One Pair (2)	1	1	EZCTR614 
EZCTR616	730573007372	Cable Tray Retrofit Device for max 6" by 16" cable trays, One Pair (2)	1	1	EZCTR616 
EZCTR618	730573007365	Cable Tray Retrofit Device for max 6" by 18" cable trays, One Pair (2)	1	1	EZCTR618 
EZCTR600P	730573007402	Oversized opening plates for Cable Tray Retrofit Device, One Pair (2)	1	1	EZCTR600P 
EZCTR624	730573007419	Cable Tray Retrofit Device for max 6" by 24" cable trays, One Pair (2) with Slim Mounting Frames	1	1	EZCTR624 
EZCTR624L	730573951118	Cable Tray Retrofit Device for max 6" by 24" cable trays, One Pair (2) with Mounting Plates for Oversized Hole in Wall	1	1	EZCTR624L 

EZ-Firestop® Grommet

EZ-Firestop® Grommets make sealing penetrations of individual and small bundles of cables through gypsum board walls a snap. Molded from premium plenum-plastics and incorporating a soft foam inner core, EZ-Firestop® Grommets eliminate the need for sleeves, firestop putties, and sealants.

Features & Benefits:

- Suited for addressing single membrane or complete through-penetrations
- Available as a single cable or multiple cable solution
- Ideal for alarm, security, or wireless access point installations
- Designed for 1 & 2 hr fire-rated gypsum board wall assemblies
- Professional finished appearance



Firestop Grommets — **ORDERING INFORMATION**

Catalog Number	UPC Number	Description	(UOM) Qty.	Case Qty.	Device
RFG1	730573250587	Two-piece split cable grommet for single cable penetrations up to 0.27" (7 mm) diameter	1 Pack 10 Grommets per pack	10 Packs	RFG1 
RFG2	730573250594	Two-piece split cable grommet for single or multiplecable penetrations up to 0.53" (14 mm) diameter	1 Pack 10 Grommets per pack	10 Packs	RFG2 

EZ Path®
Smoke & Acoustical Pathway


Smoke & Acoustical Pathways

Designed for easy installation in non-fire-rated floor, ceilings, and walls including Smoke Partitions, EZ Path® Series 33NEZ & 44NEZ Smoke & Acoustical Pathways provide exceptional smoke sealing and acoustical performance with tested and approved cable capacities ranging from 0 up to 100% visual fill.


Series 44NEZ




Single Device for Walls and Floors — ORDERING INFORMATION					
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	**Device**
NEZ44	730573111727	Smoke and Acoustical Pathway (Blue)	1	4	NEZ44
NEZ44-W	730573111734	Smoke and Acoustical Pathway (White)	1	4	NEZ44-W
3 & 5 Gang Devices for Walls and Floors					
NEZD344	730573111772	Smoke and Acoustical Pathway 3-Gang Kit (Blue) [16" (406mm) Wall Studs]	1	1	NEZD344
NEZD344-W	730573111789	Smoke and Acoustical Pathway 3-Gang Kit (White) [16" (406mm) Wall Studs]	1	1	NEZD344-W
NEZD544	730573111796	Smoke and Acoustical Pathway 5-Gang Kit (Blue) [24" (610mm) Wall Studs]	1	1	NEZD544
NEZD544-W	730573111802	Smoke and Acoustical Pathway 5-Gang Kit (White) [24" (610mm) Wall Studs]	1	1	NEZD544-W
Non-Fire-Rated Ceiling Kits					
NEZ44CK	730573111741	Smoke and Acoustical Pathway Ceiling Kit (White)	1	4	NEZ44CK
NEZ344CK	730573111819	Smoke and Acoustical Pathway 3-Gang Ceiling Kit (White)	1	4	NEZ344CK



Series 33NEZ



Single Device for Walls and Floors — ORDERING INFORMATION					
Catalog Number	**UPC Number**	**Description**	**(UOM) Qty.**	**Case Qty.**	**Device**
NEZ33	730573111581	Smoke and Acoustical Pathway, (Device Only) with hardware	1	4	NEZ33
NEZ33-W	730573111666	Smoke and Acoustical Pathway White, (Device Only) with hardware	1	4	NEZ33-W
3 & 5 Gang Devices for Walls and Floors					
NEZDP233	730573111598	Smoke and Acoustical Pathway, Two Gang Kit (2 NEZ33 Pathways & 2 NEZP233 Two Gang Plates)	1	N/A	NEZDP233
NEZDP433	730573111604	Smoke and Acoustical Pathway, Four Gang Kit (4 NEZ33 Pathways & 2 NEZP433 Four Gang Plates)	1	N/A	NEZDP433
NEZP233	730573111611	Smoke and Acoustical Pathway, Two Gang Plate Kit (Plates Only)	1	N/A	NEZP233
NEZP433	730573111628	Smoke and Acoustical Pathway, Four Gang Plate Kit (Plates Only)	1	N/A	NEZP433
Retrofit Device					
NEZ33R	730573111659	Smoke & Acoustical Pathway Retrofit Device	1	1	NEZ33R
Non-Fire-Rated Ceiling Kits					
NEZ33CK2	730573111680	Smoke and Acoustical Pathway White, (Device Only) with Ceiling Kit	1	1	NEZ33CK2



EZPath Notable Projects



Meta Data Center New Mexico



Microsoft Data Center Washington



Cleveland Clinic Ohio



Orlando Health Florida



One World Trade Center New York



Bank of America Tower New York

Data Centers

Adobe Data Center
Beaverton, OR

Apple Data Center
Maiden, NC

Core Scientific
Marble, NC

Core Scientific
Dalton, GA

Core Scientific
Texas, Oklahoma, South Carolina

Cox Communications
Virginia

Meta Data Center
Los Lunas, NM

Meta
Missouri, Ohio, Iowa

Meta Data Center
Ashburn, VA

Microsoft Data Center EAT05
Quincy, WA

Microsoft Data Center
Des Moines, IA

Skybox
Texas

QTS
Dallas, Fort Worth, Iowa, Virginia

QTS
New Albany, OH

QTS Richmond Data Center Campus
Sandston, VA

QTS / Microsoft Data Center
Atlanta, GA

Vantage Data Centers
Santa Clara and San Jose, CA

Vantage Data Center
New Albany, OH

Healthcare

Cleveland Clinic
Cleveland, OH

Children's Hospital of Philadelphia - Roberts Children's Health Tower
Philadelphia, PA

LBJ Hospital
Houston, TX

Mayo Clinic
Rochester, MN

Nationwide Children's Hospital
Columbus, OH

Northwell Health System,
Long Island, NY

Orlando Health
Wiregrass Ranch, FL

Orlando Health
Lakeland Highlands Hospital

Orlando Health – Jewett Orthopedic Center
Orlando, FL

Orlando Health – Children's Pavilion
Orlando, FL

Swedish Hospital
Seattle, WA

Parnassus Hospital
San Francisco, CA

Phillip and Susan Ragon Building, Mass General
Boston, MA

Spark Therapeutics - Gene Therapy Innovation Center
Philadelphia, PA

University of California Davis (UC Davis) Health – RHT Tower
Sacramento, CA

University of Chicago Medicine
Chicago, IL

VA Hospital
Birmingham, AL

Vogel Medical Campus Complex
Tinton Falls, NJ

Washington University
St. Louis, MO

Education

University of California, San Francisco Research and Academic Building
San Francisco, CA

UPMC
Pittsburgh, PA

Manufacturing

TSMC
Phoenix, AZ

Hudson Yards Time Warner
New York City

Tesla Manufacturing Plant
Reno, NV

Hospitality

Choctaw Casino
Durant, OK

International Hotel Group
Dunwoody, GA

Government

NASA Corporate Headquarters Complex
Washington, D.C.

Kennedy Space Center
Merritt Island, FL

Project Odyssey
Phoenix, AZ

Technology

Amazon
Fort Myers, FL

TECO Tampa Call Center
Tampa, FL

K-Tech Solutions
Tampa, FL

Commercial Construction

One World Trade Center
New York City, NY

Bank of America Tower
New York City, NY

JP Morgan Chase, HQ
New York City, NY

Comcast Tower
Philidelphia, PA

About Specified Technologies Inc.

For over 35 years, our team has worked hand in hand with the construction industry to create simple solutions to complex firestopping problems.

Our SpecSeal® and EZ Path® product lines are engineered to deliver powerful performance. Because our system designs are user-driven, they are easier to apply. The result is simply designed, outstanding fire protection systems which often result in lower installed costs.

STI products and systems offer innovative firestop solutions for all types of new construction and retrofit applications. Since firestopping is our only business, we concentrate all our resources on providing the highest quality, fully tested, innovative firestopping solutions.

Specified Technologies Inc.
Firestop, Smoke, & Sound Solutions

ZSTI3154 26182