

CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

Issued to: SPECIFIED TECHNOLOGIES INC
210 Evans Way
Somerville, NJ 08876 United States

This is to certify that representative samples of Fill, Void or Cavity Materials
Fill, Void or Cavity Materials Certified for Canada

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1479, "Fire Tests of Penetration Firestops" -Fourth Edition
UL 2079, "Tests for Fire Resistance of Building Joint Systems"-
Fifth Edition,
ANSI/ASTM E2307, "Standard Test Method for Determining Fire
Resistance of Perimeter Fire Barriers Using Intermediate-Scale,
Multi-story Test Apparatus."
CAN/ULC-S115, "Standard Method of Fire Tests of Firestop
Systems."-Fifth Edition
ANSI/UL 1489, "Fire Tests of Fire Resistant Pipe Protection
Systems Carrying Combustible Liquids,"-
First Edition

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

See addendum pages 2-15 for more details.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Pensil 100 Sealant for use in Joint System Nos. FF-S-0013 and WW-S-0017.

Pensil 200 Foam for use in Joint System Nos. FF-D-1006, FW-D-1005, HW-D-1004 and WW-D-1005.

Pensil 300 Sealant for use in Joint System Nos. BW-S-0003, BW-S-0017, FF-D-0001, FF-D-0016, FF-D-0019, FF-D-1001, FF-D-1006, FF-D-1010, FF-S-0013, FF-S-0020, FF-S-1009, FW-D-0010, FW-D-0014, FW-D-0032, FW-D-1001, FW-D-1005, FW-D-1010, FW-S-0009, FW-S-0014, FW-S-1018, HW-D-0157, HW-D-0312, HW-D-0491, HW-D-0492, HW-D-0632, HW-D-0633, HW-D-1001, HW-D-1004, HW-D-1018, HW-S-0070, HW-S-0075, HW-S-1014, W-L-2115, W-L-7145, WW-D-0001, WW-D-0019, WW-D-0020, WW-D-1001, WW-D-1002, WW-D-1005, WW-D-1027, WW-S-0017, WW-S-0023, WW-S-0029, WW-S-0038, WW-S-0049, WW-S-0051, WW-S-0052, WW-S-1009 and WW-S-1010.

Pensil 300 S/L (Self Leveling) Sealant for use in Joint System Nos. BW-S-0020, FF-D-0001, FF-D-0016, FF-D-1001, FF-S-0013, FF-S-0020, FF-S-1009, FW-D-0010, FW-D-0032, FW-D-1001, FW-S-0009, FW-S-0014 and FW-S-1018.

SpecSeal Series SIL300 Sealant for use in Joint System Nos. BW-S-0003, BW-S-0017, BW-S-0020, BW-S-0063, BW-S-0064, BW-S-0065, CJ-D-0001, CJ-D-0002, CJ-D-0003, FF-D-0001, FF-D-0016, FF-D-0019, FF-D-0150, FF-D-1001, FF-D-1006, FF-D-1010, FF-S-0013, FF-S-0020, FF-S-0038, FF-S-0049, FF-S-1051, FF-S-1009, FW-D-0010, FW-D-0014, FW-D-0032, FW-D-0097, FW-D-1001, FW-D-1005, FW-D-1010, FW-D-1089, FW-S-0009, FW-S-0014, FW-S-0019, FW-S-0025, FW-S-1018, FW-S-1028, HW-D-0157, HW-D-0312, HW-D-0491, HW-D-0492, HW-D-0632, HW-D-0633, HW-D-1001, HW-D-1004, HW-D-1018, HW-S-0070, HW-S-0075, HW-S-1014, W-L-2115, WW-D-0001, WW-D-0019, WW-D-0020, WW-D-1001, WW-D-1002, WW-D-1005, WW-D-1027, WW-D-1091, WW-S-0017, WW-S-0023, WW-S-0029, WW-S-0038, WW-S-0051, WW-S-0052, WW-S-1009 and WW-S-1010.

SpecSeal Series SIL300SL (Self Leveling) Sealant for use in Joint System Nos. FF-D-0001, FF-D-0016, FF-D-0150, FF-D-1001, FF-D-1010, FF-S-0013, FF-S-0020, FF-S-0038, FF-S-0049, FF-S-1051, FF-S-1009, FW-D-0010, FW-D-0032, FW-D-0097, FW-D-1001, FW-S-0009, FW-S-0014, FW-S-0019, FW-S-0025, FW-S-1018, FW-S-1028.

SpecSeal LCI Sealant for use in Joint System Nos. BW-S-0003, BW-S-0020, BW-S-0063, BW-S-0065, CJ-D-0001, CJ-D-0002, CJ-D-0003, HW-D-0194, HW-D-0241, HW-D-0242, HW-D-0243, HW-D-0244, HW-D-0245, HW-D-0519, HW-D-0520, HW-D-0521, HW-S-0088, HW-S-0116 and WW-D-1091.

SpecSeal AS200 Elastomeric Spray for use in Joint System Nos. FF-D-0028, FF-D-1007, FF-D-1025, FW-D-0023, FW-D-1006, FW-D-1035, HW-D-0043, HW-D-0044, HW-D-0054, HW-D-0055, HW-D-0086, HW-D-



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

0088, HW-D-0099, HW-D-0102, HW-D-0118, HW-D-0136, HW-D-0137, HW-D-0139, HW-D-0140, HW-D-0152, HW-D-0153, HW-D-0252, HW-D-0253, HW-D-0260, HW-D-0363, HW-D-0365, HW-D-0366, HW-D-0371, HW-D-0377, HW-D-0378, HW-D-0442, HW-D-0456, HW-D-0457, HW-D-0518, HW-D-0524, HW-D-0548, HW-D-0549, HW-D-0551, HW-D-0553, HW-D-0579, HW-D-0580, HW-D-0582, HW-D-0602, HW-D-0606, HW-D-0617, HW-D-0618, HW-D-0619, HW-D-0620, HW-D-0633, HW-D-0642, HW-D-0643, HW-D-0644, HW-D-0645, HW-D-0809, HW-D-0846, HW-D-0885, HW-D-1020, HW-D-1034, HW-D-1073, HW-D-1074, HW-D-1075, HW-D-1076, HW-D-1077, HW-S-0083, HW-S-1022, WW-D-0103, WW-D-1006, WW-D-1037, WW-D-1089, WW-D-1090 and WW-D-1091, WW-S-1040.

SpecSeal ES Sealant for use in Joint System Nos. BW-S-0003, BW-S-0017, BW-S-0020, BW-S-0063, BW-S-0064, BW-S-0065, CJ-D-0001, CJ-D-0002, CJ-D-0003, FF-D-0005, FF-D-0015, FF-D-1008, FF-S-0049, FF-S-1051, FW-D-0005, FW-D-0009, FW-D-1007, FW-D-1089, FW-S-0025, FW-S-1028, HW-D-0034, HW-D-0039, HW-D-0041, HW-D-0060, HW-D-0061, HW-D-0079, HW-D-0103, HW-D-0118, HW-D-0119, HW-D-0120, HW-D-0156, HW-D-0194, HW-D-0210, HW-D-0236, HW-D-0491, HW-D-0492, HW-D-0602, HW-D-0606, HW-D-0617, HW-D-0618, HW-D-0632, HW-D-0633, HW-D-0644, HW-D-0646, HW-D-0780, HW-D-0823, HW-D-0908, HW-D-1006, HW-D-1011, HW-D-1012, HW-D-1020, HW-D-1125, HW-D-1141, HW-S-0043, HW-S-0044, HW-S-0083, HW-S-0088, HW-S-0116, WW-D-0004, WW-D-0018, WW-D-0103, WW-D-1007, WW-D-1089, WW-D-1090, WW-D-1091, WW-S-0038, WW-S-0049, WW-S-0051, WW-S-0052, WW-D-0208.

SpecSeal Series SSS Sealant for use in Joint System Nos. HW-D-0003, HW-S-0088, HW-S-0116.

SpecSeal LC150 Sealant for use in Joint System Nos. BW-S-0003, BW-S-0020, BW-S-0063, BW-S-0065, CJ-D-0001, CJ-D-0002, CJ-D-0003, FF-D-1099, FW-D-1082, FW-D-1089, HW-D-0034, HW-D-0039, HW-D-0482, HW-D-0483, HW-D-0484, HW-D-0485, HW-D-0486, HW-D-0487, HW-D-0606, HW-D-0618, HW-D-0646, HW-D-0650, HW-D-1094, HW-S-0088, HW-S-0116, WW-D-1089, WW-D-1091, WW-S-0051, WW-S-0052.

SpecSeal LE600 Sealant for use in Joint System Nos. HW-D-0482, HW-D-0483, HW-D-0484, HW-D-0485, HW-D-0486, HW-D-0487, HW-S-0088, HW-S-0116, WW-S-0051, WW-S-0052.

Type WF300 Caulk for use in Joint System Nos. HW-S-0088, HW-S-0116.

SpecSeal Firestop Pillows for use in Joint System No. HW-D-0549.

Speed Flex Track Top Gasket for use in Joint System Nos. FF-S-0038, FW-S-0019, HW-D-0689, HW-D-0695, HW-D-0696, HW-D-0697, HW-D-0698, HW-D-0699, HW-D-0705, HW-D-0747, HW-D-0748, HW-D-0749, HW-D-0754, WW-D-0179, WW-D-0180, WW-S-0063, WW-S-0064, BW-S-0066, and BW-S-0067.

SpecSeal RED Wrap Strip for use in Joint System Nos. FF-D-0150, FF-S-0049, FF-S-1051, FW-D-0097, FW-S-0025, FW-S-1028.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

SpecSeal RED2 Wrap Strip for use in Joint System Nos. FF-D-0150, FF-S-0049, FF-S-1051, FW-D-0097, FW-S-0025, FW-S-1028.

SpecSeal BLU Wrap Strip for use in Joint System Nos. FF-D-0150, FF-S-0049, FF-S-1051, FW-D-0097, FW-S-0025, FW-S-1028.

SpecSeal BLU2 Wrap Strip for use in Joint System Nos. FF-D-0150, FF-S-0049, FF-S-1051, FW-D-0097, FW-S-0025, FW-S-1028.

SpecSeal CS Composite Sheet for use in Joint System Nos. FF-D-0150, FW-D-0097.

Marine Firestop Sealant for use in Joint System No. HW-S-0122.

SpecSeal CRP-2 intumescent gasket for use in Joint Systems.

SpecSeal AS200 Elastomeric Spray for use in Perimeter Fire Containment System Nos. CW-D-1002, CW-D-1004, CW-D-1007, CW-D-1008, CW-D-1009, CW-D-1010, CW-D-1011, CW-D-1012, CW-D-1013, CW-D-1014, CW-D-1024, CW-D-1025, CW-D-1026, CW-D-1027, CW-D-1033, CW-D-1034, CW-D-1035, CW-D-1036, CW-D-1037, CW-D-1038, CW-D-1039, CW-D-1040, CW-D-1044, CW-D-1045, CW-D-1046, CW-D-1047, CW-D-1053, CW-D-2001, CW-D-2002, CW-D-2003, CW-D-2004, CW-D-2005, CW-D-2006, CW-D-2007, CW-D-2008, CW-D-2009, CW-D-2010, CW-D-2011, CW-D-2012, CW-D-2013, CW-D-2020, CW-D-2021, CW-D-2022, CW-D-2023, CW-D-2024, CW-D-2031, CW-D-2032, CW-D-2033, CW-D-2039, CW-D-2040, CW-D-2041, CW-D-2042, CW-D-2056, CW-D-2057, CW-D-2058, CW-D-2066, CW-D-2070, CW-D-2071, CW-D-2074, CW-D-2075, CW-D-2076, CW-S-0001, CW-S-0002, CW-S-0003, CW-S-0004, CW-S-0005, CW-S-0006, CW-S-1002, CW-S-1003, CW-S-1006, CW-S-1008, CW-S-1009, CW-S-1010, CW-S-1012, CW-S-1013, CW-S-1014, CW-S-1015, CW-S-1017, CW-S-1019, CW-S-1020, CW-S-1021, CW-S-1022, CW-S-1023, CW-S-1024, CW-S-2003, CW-S-2006, CW-S-2008, CW-S-2009, CW-S-2010, CW-S-2011, CW-S-2013, CW-S-2014, CW-S-2021, CW-S-2022, CW-S-2023, CW-S-2025, CW-S-2026, CW-S-2034, CW-S-2035, CW-S-2036, CW-S-2039, CW-S-2040, CW-S-2041, CW-S-2044, CW-S-2045, CW-S-2046, CW-S-2047, CW-S-2048, CW-S-2049, CW-S-2050, CW-S-2051, CW-S-2052, CW-S-2055, CW-S-2056, CW-S-2057, CW-S-2058, CW-S-2059, CW-S-2060, CW-S-2061, CW-S-2062, CW-S-2064, CW-S-2065, CW-S-2066, CW-S-2068, CW-S-2071.

SpecSeal Fast Tack Spray for use in Perimeter Fire Containment System Nos. CW-D-1002, CW-D-1004, CW-D-1007, CW-D-1008, CW-D-1009, CW-D-1011, CW-D-1014, CW-D-1024, CW-D-1025, CW-D-1026, CW-D-1027, CW-D-1033, CW-D-1034, CW-D-1035, CW-D-1036, CW-D-1037, CW-D-1038, CW-D-1039, CW-D-1040, CW-D-1041, CW-D-1042, CW-D-1043, CW-D-1044, CW-D-1045, CW-D-1046, CW-D-1047, CW-D-1050, CW-D-1051, CW-D-1053, CW-D-2001, CW-D-2002, CW-D-2003, CW-D-2004, CW-D-2005, CW-D-2006, CW-D-2007, CW-D-2008, CW-D-2009, CW-D-2010, CW-D-2011, CW-D-2012, CW-D-2013, CW-D-2020, CW-D-2021, CW-D-2022, CW-D-2023, CW-D-2024, CW-D-2031, CW-D-2032, CW-D-2033, CW-D-2039, CW-D-2040, CW-D-2041, CW-D-2042, CW-D-2056, CW-D-2057, CW-D-2058, CW-D-2066, CW-D-2070, CW-D-2071, CW-D-2074, CW-D-2075, CW-D-2076, CW-S-0001, CW-S-0002, CW-S-0003, CW-S-



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

0004, CW-S-0005, CW-S-0006, CW-S-1002, CW-S-1003, CW-S-1006, CW-S-1008, CW-S-1009, CW-S-1010, CW-S-1012, CW-S-1013, CW-S-1014, CW-S-1015, CW-S-1017, CW-S-1019, CW-S-1020, CW-S-1021, CW-S-1022, CW-S-1023, CW-S-1024, CW-S-2003, CW-S-2006, CW-S-2008, CW-S-2009, CW-S-2010, CW-S-2011, CW-S-2013, CW-S-2014, CW-S-2021, CW-S-2022, CW-S-2023, CW-S-2025, CW-S-2026, CW-S-2034, CW-S-2035, CW-S-2036, CW-S-2039, CW-S-2040, CW-S-2041, CW-S-2044, CW-S-2045, CW-S-2046, CW-S-2047, CW-S-2048, CW-S-2049, CW-S-2050, CW-S-2051, CW-S-2052, CW-S-2055, CW-S-2056, CW-S-2057, CW-S-2058, CW-S-2059, CW-S-2060, CW-S-2061, CW-S-2062, CW-S-2064, CW-S-2065, CW-S-2066, CW-S-2068, CW-S-2071.

SpecSeal Safing Spray for use in Perimeter Fire Containment System Nos. CW-D-1002, CW-D-1004, CW-D-1007, CW-D-1008, CW-D-1009, CW-D-1010, CW-D-1011, CW-D-1012, CW-D-1013, CW-D-1014, CW-D-1024, CW-D-1025, CW-D-1026, CW-D-1027, CW-D-1033, CW-D-1034, CW-D-1035, CW-D-1036, CW-D-1037, CW-D-1038, CW-D-1039, CW-D-1040, CW-D-1041, CW-D-1042, CW-D-1043, CW-D-1044, CW-D-1045, CW-D-1046, CW-D-1047, CW-D-1050, CW-D-1051, CW-D-1053, CW-D-2001, CW-D-2002, CW-D-2003, CW-D-2004, CW-D-2005, CW-D-2006, CW-D-2007, CW-D-2008, CW-D-2009, CW-D-2010, CW-D-2011, CW-D-2012, CW-D-2013, CW-D-2020, CW-D-2021, CW-D-2022, CW-D-2023, CW-D-2024, CW-D-2031, CW-D-2032, CW-D-2033, CW-D-2039, CW-D-2040, CW-D-2041, CW-D-2042, CW-D-2056, CW-D-2057, CW-D-2058, CW-D-2066, CW-D-2070, CW-D-2071, CW-D-2074, CW-D-2075, CW-D-2076, CW-S-0001, CW-S-0002, CW-S-0003, CW-S-0004, CW-S-0005, CW-S-0006, CW-S-1002, CW-S-1003, CW-S-1006, CW-S-1008, CW-S-1009, CW-S-1010, CW-S-1012, CW-S-1013, CW-S-1014, CW-S-1015, CW-S-1017, CW-S-1019, CW-S-1020, CW-S-1021, CW-S-1022, CW-S-1023, CW-S-1024, CW-S-2003, CW-S-2006, CW-S-2008, CW-S-2009, CW-S-2010, CW-S-2011, CW-S-2013, CW-S-2014, CW-S-2021, CW-S-2022, CW-S-2023, CW-S-2025, CW-S-2026, CW-S-2034, CW-S-2035, CW-S-2035, CW-S-2039, CW-S-2040, CW-S-2041, CW-S-2044, CW-S-2045, CW-S-2046, CW-S-2047, CW-S-2048, CW-S-2049, CW-S-2050, CW-S-2051, CW-S-2052, CW-S-2055, CW-S-2056, CW-S-2057, CW-S-2058, CW-S-2059, CW-S-2060, CW-S-2061, CW-S-2062, CW-S-2064, CW-S-2065, CW-S-2066, CW-S-2068, CW-S-2071.

SpecSeal Firestop Pillows for use in Perimeter Fire Containment System Nos. CW-D-1011, CW-D-1027, CW-S-1019, CW-S-1021, CW-S-1022.

Pensil 300 Sealant for use in Perimeter Fire Containment System Nos. CW-S-0001, CW-S-2066, CW-S-2068.

SpecSeal Series SIL300 Sealant for use in Perimeter Fire Containment System Nos. CW-D-2066, CW-D-2076, CW-S-0001, CW-S-0007, CW-S-2068.

SpecSeal ES Sealant for use in Perimeter Fire Containment System Nos. CW-D-2066, CW-D-2076, CW-S-2066, CW-S-2068.

Speed Flex Track Top Gasket for use in Perimeter Fire Containment System No. CW-S-0007.

Pensil 100 Sealant for use in Through-Penetration Firestop System Nos. C-AJ-0006, C-AJ-1030, C-AJ-1045, C-AJ-1048, C-AJ-3023, C-AJ-6003, F-A-2022, W-J-7020, W-L-1033, W-L-1062.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

Pensil 300 Sealant for use in Through-Penetration Firestop System Nos. C-AJ-0006, C-AJ-0126, C-AJ-0135, C-AJ-1030, C-AJ-1045, C-AJ-1048, C-AJ-1198, C-AJ-1576, C-AJ-1614, C-AJ-2045, C-AJ-2089, C-AJ-2092, C-AJ-2104, C-AJ-2106, C-AJ-2126, C-AJ-2147, C-AJ-2166, C-AJ-2281, C-AJ-2364, C-AJ-2408, C-AJ-2527, C-AJ-2574, C-AJ-2578, C-AJ-2586, C-AJ-2594, C-AJ-2595, C-AJ-2633, C-AJ-3023, C-AJ-3280, C-AJ-3312, C-AJ-5311, C-AJ-5312, C-AJ-5332, C-AJ-5333, C-AJ-6003, C-AJ-7012, C-AJ-7018, C-AJ-7019, C-AJ-7021, C-AJ-7023, C-AJ-7027, C-AJ-7034, C-AJ-8182, C-AJ-7095, C-AJ-7098, C-AJ-7143, C-AJ-8022, C-AJ-8120, C-AJ-8168, C-AJ-8188, C-BJ-1058, C-BJ-1065, C-BJ-1066, F-A-0028, F-A-1063, F-A-1093, F-A-1094, F-A-1171, F-A-2022, F-A-2048, F-A-2138, F-A-2162, F-A-2186, F-B-2014, W-J-1073, W-J-1130, W-J-2020, W-J-2217, W-J-3096, W-J-3097, W-J-3099, W-J-3131, W-J-3181, W-J-3184, W-J-7020, W-J-7086, W-L-0032, W-L-0038, W-L-1033, W-L-1062, W-L-1174, W-L-1303, W-L-2059, W-L-2074, W-L-2115, W-L-2216, W-L-2496, W-L-2497, W-L-2498, W-L-2507, W-L-2552, W-L-3216, W-L-3217, W-L-3219, W-L-3256, W-L-3357, W-L-3374, W-L-7009, W-L-7193.

Pensil 300 S/L (Self Leveling) Sealant for use in Through-Penetration Firestop System Nos. C-AJ-0006, C-AJ-0126, C-AJ-1030, C-AJ-1045, C-AJ-1048, C-AJ-1198, C-AJ-1576, C-AJ-1614, C-AJ-2045, C-AJ-2089, C-AJ-2092, C-AJ-2104, C-AJ-2106, C-AJ-2126, C-AJ-2147, C-AJ-2166, C-AJ-2281, C-AJ-2364, C-AJ-2408, C-AJ-2527, C-AJ-2574, C-AJ-2578, C-AJ-2586, C-AJ-2594, C-AJ-2595, C-AJ-2633, C-AJ-3023, C-AJ-3280, C-AJ-5311, C-AJ-5312, C-AJ-5332, C-AJ-5333, C-AJ-6003, C-AJ-7023, C-AJ-7027, C-AJ-7143, C-AJ-8022, C-AJ-8120, C-AJ-8168, C-AJ-8182, C-AJ-8188, C-BJ-1058, C-BJ-1065, C-BJ-1066, F-A-0028, F-A-1093, F-A-1094, F-A-1171, F-A-2022, F-A-2048, F-A-2138, F-A-2162, F-A-2186, F-A-2203, F-A-2204 and F-B-2014.

SpecSeal Series SIL300 Sealant for use in Through-Penetration Firestop System Nos. C-AJ-0006, C-AJ-0126, C-AJ-0135, C-AJ-1030, C-AJ-1045, C-AJ-1048, C-AJ-1198, C-AJ-1240, C-AJ-1576, C-AJ-1614, C-AJ-2038, C-AJ-2045, C-AJ-2089, C-AJ-2092, C-AJ-2104, C-AJ-2106, C-AJ-2124, C-AJ-2125, C-AJ-2126, C-AJ-2147, C-AJ-2159, C-AJ-2166, C-AJ-2281, C-AJ-2282, C-AJ-2297, C-AJ-2364, C-AJ-2408, C-AJ-2527, C-AJ-2574, C-AJ-2578, C-AJ-2586, C-AJ-2594, C-AJ-2595, C-AJ-2633, C-AJ-2670, C-AJ-2772, C-AJ-2810, C-AJ-2814, C-AJ-2815, C-AJ-2816, C-AJ-2824, C-AJ-3023, C-AJ-3280, C-AJ-3312, C-AJ-5010, C-AJ-5103, C-AJ-5311, C-AJ-5312, C-AJ-5332, C-AJ-5333, C-AJ-5344, C-AJ-5345, C-AJ-5346, C-AJ-6003, C-AJ-7018, C-AJ-7023, C-AJ-7027, C-AJ-7034, C-AJ-7095, C-AJ-7098, C-AJ-7143, C-AJ-8022, C-AJ-8093, C-AJ-8120, C-AJ-8168, C-AJ-8181, C-AJ-8188, C-AJ-8288, C-BJ-1058, C-BJ-1065, C-BJ-1066, C-DM-1002, C-DM-3004, F-A-0028, F-A-0031, F-A-1063, F-A-1093, F-A-1094, F-A-1117, F-A-1118, F-A-1171, F-A-1180, F-A-1181, F-A-2022, F-A-2031, F-A-2048, F-A-2138, F-A-2162, F-A-2186, F-A-2203, F-A-2204, F-A-2207, F-A-2210, F-A-3037, F-A-3055, F-A-3063, F-A-3064, F-A-3068, F-A-5041, F-A-5045, F-A-7020, F-A-8036, F-B-1021, F-B-1036, F-B-2014, F-B-2047, F-B-2058, F-B-2059, F-B-2066, F-B-2070, F-B-2071, F-B-2074, F-B-3019, F-B-5011, F-B-5012, F-B-5014, F-B-7006, F-B-7008, F-B-7010, F-B-7011, F-B-8012, F-B-8014, W-J-1073, W-J-1130, W-J-2020, W-J-2217, W-J-3096, W-J-3097, W-J-3099, W-J-3131, W-J-3181, W-J-3184, W-J-3240, W-J-4097, W-J-5011, W-J-7020, W-J-7086, W-J-7170, W-L-0032, W-L-0034, W-L-0035, W-L-0038, W-L-1033, W-L-1062, W-L-1174, W-L-1303, W-L-2029, W-L-2048, W-L-2059, W-L-2074, W-L-2216, W-L-2243, W-L-2496, W-L-2497, W-L-2498, W-L-2507, W-L-2674, W-L-3216, W-L-3217, W-L-3219, W-L-3256, W-L-3357, W-L-3374, W-L-3435, W-L-4102 W-L-5051, W-L-7009, W-L-7145, W-L-7193, W-L-7280.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

SpecSeal Series SIL300SL (Self Leveling) Sealant for use in Through-Penetration Firestop System Nos. C-AJ-0006, C-AJ-0126, C-AJ-1030, C-AJ-1045, C-AJ-1048, C-AJ-1198, C-AJ-1240, C-AJ-1576, C-AJ-1614, C-AJ-2038, C-AJ-2045, C-AJ-2089, C-AJ-2092, C-AJ-2104, C-AJ-2106, C-AJ-2124, C-AJ-2125, C-AJ-2126, C-AJ-2147, C-AJ-2159, C-AJ-2166, C-AJ-2281, C-AJ-2282, C-AJ-2297, C-AJ-2364, C-AJ-2408, C-AJ-2527, C-AJ-2574, C-AJ-2578, C-AJ-2586, C-AJ-2594, C-AJ-2595, C-AJ-2670, C-AJ-2772, C-AJ-2810, C-AJ-2814, C-AJ-2815, C-AJ-2816, C-AJ-2824, C-AJ-3023, C-AJ-3280, C-AJ-5010, C-AJ-5103, C-AJ-5311, C-AJ-5312, C-AJ-5344, C-AJ-5345, C-AJ-5346, C-AJ-6003, C-AJ-7023, C-AJ-7027, C-AJ-7143, C-AJ-8022, C-AJ-8120, C-AJ-8168, C-AJ-8188, C-BJ-1058, C-BJ-1065, C-BJ-1066, F-A-0031, F-A-1093, F-A-1094, F-A-1110, F-A-1117, F-A-1118, F-A-1171, F-A-1180, F-A-1181, F-A-2022, F-A-2031, F-A-2048, F-A-2138, F-A-2162, F-A-2186, F-A-2203, F-A-2204, F-A-2207, F-A-3055, F-A-5041, F-A-5045, F-A-7020, F-A-8036, F-B-1021, F-B-2014, F-B-2047, F-B-2058, F-B-8012.

SpecSeal Series SSS Sealant for use in Through-Penetration Firestop System Nos. C-AJ-0014, C-AJ-0094, C-AJ-0113, C-AJ-0116, C-AJ-0135, C-AJ-1079, C-AJ-1080, C-AJ-1142, C-AJ-1217, C-AJ-1240, C-AJ-1259, C-AJ-1260, C-AJ-1298, C-AJ-1319, C-AJ-1354, C-AJ-1464, C-AJ-1506, C-AJ-1533, C-AJ-1614, C-AJ-1616, C-AJ-1673, C-AJ-1750, C-AJ-2031, C-AJ-2038, C-AJ-2045, C-AJ-2056, C-AJ-2057, C-AJ-2063, C-AJ-2064, C-AJ-2089, C-AJ-2092, C-AJ-2104, C-AJ-2105, C-AJ-2106, C-AJ-2108, C-AJ-2124, C-AJ-2125, C-AJ-2126, C-AJ-2137, C-AJ-2138, C-AJ-2139, C-AJ-2140, C-AJ-2142, C-AJ-2145, C-AJ-2146, C-AJ-2147, C-AJ-2159, C-AJ-2166, C-AJ-2267, C-AJ-2281, C-AJ-2282, C-AJ-2297, C-AJ-2362, C-AJ-2364, C-AJ-2408, C-AJ-2417, C-AJ-2471, C-AJ-2574, C-AJ-2576, C-AJ-2578, C-AJ-2586, C-AJ-2588, C-AJ-2594, C-AJ-2595, C-AJ-2633, C-AJ-2636, C-AJ-2651, C-AJ-2670, C-AJ-2810, C-AJ-2811, C-AJ-2814, C-AJ-2815, C-AJ-2816, C-AJ-2817, C-AJ-2824, C-AJ-2891, C-AJ-2914, C-AJ-3043, C-AJ-3128, C-AJ-3133, C-AJ-3154, C-AJ-3163, C-AJ-3167, C-AJ-3213, C-AJ-3214, C-AJ-3215, C-AJ-3231, C-AJ-3244, C-AJ-3245, C-AJ-3246, C-AJ-3312, C-AJ-5344, C-AJ-5345, C-AJ-5346, C-AJ-4060, C-AJ-4079, C-AJ-4088, C-AJ-4089, C-AJ-4090, C-AJ-5021, C-AJ-5029, C-AJ-5042, C-AJ-5058, C-AJ-5079, C-AJ-5087, C-AJ-5101, C-AJ-5102, C-AJ-5103, C-AJ-5112, C-AJ-5128, C-AJ-5132, C-AJ-5133, C-AJ-5165, C-AJ-5317, C-AJ-5318, C-AJ-5332, C-AJ-5333, C-AJ-5334, C-AJ-5349, C-AJ-5397, C-AJ-5437, C-AJ-5441, C-AJ-6008, C-AJ-6018, C-AJ-6038, C-AJ-7012, C-AJ-7019, C-AJ-7021, C-AJ-7023, C-AJ-7026, C-AJ-7027, C-AJ-7047, C-AJ-7048, C-AJ-7106, C-AJ-7107, C-AJ-7143, C-AJ-7160, C-AJ-2771, C-AJ-2772, C-AJ-7199, C-AJ-7207, C-AJ-8053, C-AJ-8054, C-AJ-8079, C-AJ-8093, C-AJ-8113, C-AJ-8114, C-AJ-8131, C-AJ-8132, C-AJ-8179, C-AJ-8181, C-AJ-8182, C-AJ-8288, C-AJ-8327, C-BJ-1065, C-BJ-1066, C-BJ-2046, C-BJ-3034, C-BJ-6001, C-BJ-6002, C-BK-6001, C-BK-6002, C-BK-1058, C-BK-6003, F-A-0009, F-A-1015, F-A-1063, F-A-1093, F-A-1094, F-A-1138, F-A-1169, F-A-1171, F-A-1179, F-A-1180, F-A-2022, F-A-2023, F-A-2031, F-A-2047, F-A-2048, F-A-2057, F-A-2073, F-A-2077, F-A-2106, F-A-2108, F-A-2117, F-A-2131, F-A-2138, F-A-2162, F-A-2186, F-A-2207, F-A-2210, F-A-3010, F-A-3015, F-A-3023, F-A-3037, F-A-3056, F-A-3057, F-A-3063, F-A-3064, F-A-3068, F-A-5012, F-A-8003, F-B-1023, F-B-1030, F-B-1036, F-B-1040, F-B-2014, F-B-2055, F-B-2059, F-B-2066, F-B-2070, F-B-2071, F-B-2074, F-B-3019, F-B-5011, F-B-5012, F-B-5014, F-B-7006, F-B-7008, F-B-7009, F-B-7010, F-B-7011, F-B-8012, F-B-8014, F-B-8015, F-C-1010, F-C-1013, F-C-1014, F-C-1148, F-C-2019, F-C-2020, F-C-2021, F-C-2022, F-C-2027, F-C-2032, F-C-2033, F-C-2034, F-C-2036, F-C-2044, F-C-2102, F-C-2156, F-C-2157, F-C-2158, F-C-2253, F-C-2342, F-C-2348, F-C-2355, F-C-2356, F-C-2357, F-C-2358, F-C-2392, F-C-2522, F-C-2523, F-C-3013, F-C-



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

3015, F-C-3016, F-C-3022, F-C-3041, F-C-3042, F-C-3045, F-C-3046, F-C-5014, F-C-5029, F-C-7057, F-C-7058, F-C-7002, F-C-7036, F-C-7037, F-C-7055, F-C-7059, F-C-8001, F-C-8004, F-C-8010, F-C-8011, F-C-8021, F-C-8043, F-C-8045, F-C-8052, F-E-1032, F-E-2004, F-E-2041, F-E-2045, F-E-8009, F-E-8010, W-J-0009, W-J-0011, W-J-1025, W-J-1033, W-J-1035, W-J-1053, W-J-1054, W-J-1055, W-J-1070, W-J-1071, W-J-1072, W-J-1100, W-J-1108, W-J-1121, W-J-1159, W-J-1185, W-J-1187, W-J-1217, W-J-2013, W-J-2018, W-J-2020, W-J-2021, W-J-2032, W-J-2043, W-J-2053, W-J-2059, W-J-2060, W-J-2061, W-J-2083, W-J-2085, W-J-2119, W-J-2193, W-J-2216, W-J-2217, W-J-2232, W-J-2233, W-J-2235, W-J-2257, W-J-2258, W-J-2259, W-J-2260, W-J-2261, W-J-2262, W-J-2289, W-J-2290, W-J-2291, W-J-3017, W-J-3022, W-J-3035, W-J-3037, W-J-3041, W-J-3043, W-J-3044, W-J-3047, W-J-3048, W-J-3049, W-J-3051, W-J-3053, W-J-3068, W-J-3090, W-J-3091, W-J-3094, W-J-3095, W-J-3099, W-J-3131, W-J-3140, W-J-3142, W-J-3145, W-J-3146, W-J-3181, W-J-3184, W-J-3240, W-J-4009, W-J-4061, W-J-4068, W-J-4097, W-J-5005, W-J-5006, W-J-5011, W-J-5012, W-J-5038, W-J-5046, W-J-5047, W-J-5072, W-J-5073, W-J-5074, W-J-5075, W-J-5124, W-J-5135, W-J-5148, W-J-5187, W-L-5370, W-L-5371, W-J-7005, W-J-7007, W-J-7011, W-J-7012, W-J-7013, W-J-7020, W-J-7037, W-J-7077, W-J-7078, W-J-7086, W-J-7088, W-J-7089, W-J-7100, W-J-7101, W-J-7108, W-J-7118, W-J-7166, W-J-7170, W-J-8005, W-J-8006, W-J-8014, W-J-8029, W-J-8037, W-J-8040, W-L-0016, W-L-0020, W-L-0032, W-L-0034, W-L-0035, W-L-0038, W-L-1028, W-L-1029, W-L-1049, W-L-1079, W-L-1093, W-L-1101, W-L-1127, W-L-1156, W-L-1168, W-L-1171, W-L-1172, W-L-1173, W-L-1251, W-L-1283, W-L-1344, W-L-1384, W-L-1432, W-L-1448, W-L-1461, W-L-1527, W-L-1602, W-L-2029, W-L-2046, W-L-2047, W-L-2048, W-L-2059, W-L-2074, W-L-2093, W-L-2100, W-L-2101, W-L-2114, W-L-2115, W-L-2144, W-L-2188, W-L-2194, W-L-2195, W-L-2198, W-L-2216, W-L-2257, W-L-2288, W-L-2293, W-L-2333, W-L-2334, W-L-2390, W-L-2440, W-L-2442, W-L-2478, W-L-2493, W-L-2496, W-L-2497, W-L-2498, W-L-2506, W-L-2507, W-L-2508, W-L-2517, W-L-2518, W-L-2548, W-L-2549, W-L-2552, W-L-2554, W-L-2585, W-L-2586, W-L-2587, W-L-2588, W-L-2589, W-L-2590, W-L-2629, W-L-2630, W-L-2631, W-L-2635, W-L-2636, W-L-2637, W-L-2674, W-L-3024, W-L-3025, W-L-3076, W-L-3100, W-L-3117, W-L-3124, W-L-3132, W-L-3134, W-L-3136, W-L-3137, W-L-3138, W-L-3141, W-L-3154, W-L-3172, W-L-3178, W-L-3210, W-L-3211, W-L-3214, W-L-3215, W-L-3218, W-L-3219, W-L-3256, W-L-3271, W-L-3280, W-L-3286, W-L-3306, W-L-3341, W-L-3357, W-L-3374, W-L-3427, W-L-3428, W-L-3435, W-L-4005, W-L-4063, W-L-4077, W-L-4078, W-L-4079, W-L-4102, W-L-5014, W-L-5033, W-L-5051, W-L-5054, W-L-5091, W-L-5100, W-L-5101, W-L-5130, W-L-5160, W-L-5158, W-L-5159, W-L-5239, W-L-5262, W-L-5278, W-L-5279, W-L-5290, W-L-5321, W-L-5327, W-L-5340, W-L-6001, W-L-6004, W-L-6020, W-L-7009, W-L-7019, W-L-7025, W-L-7026, W-L-7028, W-L-7029, W-L-7033, W-L-7066, W-L-7090, W-L-7099, W-L-7131, W-L-7132, W-L-7136, W-L-7137, W-L-7145, W-L-7148, W-L-7149, W-L-7178, W-L-7179, W-L-7186, W-L-7193, W-L-7202, W-L-7212, W-L-7244, W-L-7245, W-L-7246, W-L-7252, W-L-7253, W-L-7283, W-L-7270, W-L-7280, W-L-7304, W-L-7307, W-L-8003, W-L-8011, W-L-8026, W-L-8028, W-L-8050, W-L-8056, W-L-8067, W-L-8073, W-L-8076, W-L-8091, W-L-8117.

SpecSeal Series SSS Sealant for use in Fire-resistant Pipe-protection System Nos. FP-3 and FP-4.

SpecSeal LCI Sealant for use in Through-Penetration Firestop System Nos. C-AJ-0014, C-AJ-0094, C-AJ-0113, C-AJ-0116, C-AJ-0135, C-AJ-1079, C-AJ-1080, C-AJ-1142, C-AJ-1217, C-AJ-1240, C-AJ-1259, C-AJ-1260, C-AJ-1298, C-AJ-1319, C-AJ-1353, C-AJ-1354, C-AJ-1361, C-AJ-1464, C-AJ-1501, C-AJ-1506, C-AJ-



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

1533, C-AJ-1573, C-AJ-1614, C-AJ-1616, C-AJ-1673, C-AJ-1750, C-AJ-2031, C-AJ-2038, C-AJ-2045, C-AJ-2056, C-AJ-2057, C-AJ-2063, C-AJ-2064, C-AJ-2089, C-AJ-2092, C-AJ-2104, C-AJ-2105, C-AJ-2106, C-AJ-2108, C-AJ-2124, C-AJ-2125, C-AJ-2126, C-AJ-2137, C-AJ-2138, C-AJ-2139, C-AJ-2140, C-AJ-2142, C-AJ-2145, C-AJ-2146, C-AJ-2147, C-AJ-2159, C-AJ-2166, C-AJ-2267, C-AJ-2281, C-AJ-2282, C-AJ-2290, C-AJ-2291, C-AJ-2292, C-AJ-2297, C-AJ-2298, C-AJ-2362, C-AJ-2364, C-AJ-2408, C-AJ-2417, C-AJ-2471, C-AJ-2574, C-AJ-2576, C-AJ-2578, C-AJ-2586, C-AJ-2594, C-AJ-2595, C-AJ-2633, C-AJ-2636, C-AJ-2651, C-AJ-2670, C-AJ-2771, C-AJ-2772, C-AJ-2810, C-AJ-2811, C-AJ-2814, C-AJ-2815, C-AJ-2816, C-AJ-2817, C-AJ-2824, C-AJ-2891, C-AJ-2914, C-AJ-3043, C-AJ-3128, C-AJ-3133, C-AJ-3154, C-AJ-3163, C-AJ-3167, C-AJ-3177, C-AJ-3213, C-AJ-3214, C-AJ-3215, C-AJ-3231, C-AJ-3244, C-AJ-3245, C-AJ-3246, C-AJ-3259, C-AJ-3312, C-AJ-4060, C-AJ-4079, C-AJ-4088, C-AJ-4089, C-AJ-4090, C-AJ-5021, C-AJ-5029, C-AJ-5042, C-AJ-5058, C-AJ-5079, C-AJ-5087, C-AJ-5101, C-AJ-5102, C-AJ-5103, C-AJ-5112, C-AJ-5128, C-AJ-5132, C-AJ-5133, C-AJ-5138, C-AJ-5154, C-AJ-5155, C-AJ-5165, C-AJ-5317, C-AJ-5318, C-AJ-5332, C-AJ-5333, C-AJ-5334, C-AJ-5344, C-AJ-5345, C-AJ-5346, C-AJ-5349, C-AJ-5397, C-AJ-5437, C-AJ-5441, C-AJ-6008, C-AJ-6018, C-AJ-6038, C-AJ-7012, C-AJ-7023, C-AJ-7026, C-AJ-7027, C-AJ-7040, C-AJ-7041, C-AJ-7047, C-AJ-7048, C-AJ-7106, C-AJ-7107, C-AJ-7143, C-AJ-8053, C-AJ-8054, C-AJ-8079, C-AJ-8083, C-AJ-8084, C-AJ-8093, C-AJ-8113, C-AJ-8114, C-AJ-8131, C-AJ-8132, C-AJ-8179, C-AJ-8181, C-AJ-8182, C-AJ-8288, C-AJ-8327, C-BJ-1065, C-BJ-1066, C-BJ-2046, C-BJ-3034, C-BJ-6002, C-BK-1058, C-BK-6001, C-BK-6002, C-BK-6003, F-A-0009, F-A-1015, F-A-1063, F-A-1093, F-A-1094, F-A-1138, F-A-1169, F-A-1171, F-A-1179, F-A-1180, F-A-2022, F-A-2023, F-A-2031, F-A-2047, F-A-2048, F-A-2057, F-A-2073, F-A-2077, F-A-2106, F-A-2108, F-A-2117, F-A-2131, F-A-2138, F-A-2162, F-A-2186, F-A-2207, F-A-2210, F-A-3010, F-A-3015, F-A-3023, F-A-3037, F-A-3056, F-A-3057, F-A-3063, F-A-3064, F-A-3068, F-A-5012, F-A-8003, F-B-1023, F-B-1030, F-B-1036, F-B-1040, F-B-2014, F-B-2055, F-B-2059, F-B-2066, F-B-2070, F-B-2071, F-B-2074, F-B-3019, F-B-5011, F-B-5012, F-B-5014, F-B-7006, F-B-7008, F-B-7009, F-B-7010, F-B-7011, F-B-8012, F-B-8014, F-B-8015, F-C-1010, F-C-1013, F-C-1014, F-C-1074, F-C-1075, F-C-1148, F-C-2019, F-C-2020, F-C-2021, F-C-2022, F-C-2044, F-C-2027, F-C-2032, F-C-2033, F-C-2034, F-C-2036, F-C-2044, F-C-2102, F-C-2156, F-C-2157, F-C-2158, F-C-2252, F-C-2253, F-C-2342, F-C-2348, F-C-2355, F-C-2356, F-C-2357, F-C-2358, F-C-2392, F-C-2393, F-C-2522, F-C-2523, F-C-3013, F-C-3015, F-C-3016, F-C-3022, F-C-3041, F-C-3042, F-C-3045, F-C-3046, F-C-3057, F-C-5014, F-C-5029, F-C-5043, F-C-7002, F-C-7014, F-C-7023, F-C-7036, F-C-7037, F-C-7055, F-C-7057, F-C-7058, F-C-7045, F-C-7055, F-C-7059, F-C-7060, F-C-8001, F-C-8004, F-C-8010, F-C-8011, F-C-8021, F-C-8029, F-C-8043, F-C-8045, F-C-8052, F-E-1002, F-E-1003, F-E-1032, F-C-2003, F-C-2020, F-E-2004, F-E-2041, F-E-2045, F-E-3004, F-E-5018, F-E-7002, F-E-7010, F-E-8003, F-E-8009, F-E-8010, W-J-0009, W-J-0011, W-J-1025, W-J-1033, W-J-1035, W-J-1053, W-J-1054, W-J-1055, W-J-1070, W-J-1071, W-J-1072, W-J-1098, W-J-1099, W-J-1100, W-J-1101, W-J-1108, W-J-1121, W-J-1159, W-J-1185, W-J-1187, W-J-1217, W-J-2013, W-J-2018, W-J-2020, W-J-2021, W-J-2022, W-J-2032, W-J-2043, W-J-2053, W-J-2059, W-J-2060, W-J-2076, W-J-2077, W-J-2083, W-J-2085, W-J-2093, W-J-2119, W-J-2193, W-J-2216, W-J-2217, W-J-2232, W-J-2233, W-J-2235, W-J-2257, W-J-2258, W-J-2259, W-J-2260, W-J-2261, W-J-2262, W-J-2289, W-J-2290, W-J-2291, W-J-3017, W-J-3022, W-J-3035, W-J-3041, W-J-3043, W-J-3044, W-J-3047, W-J-3048, W-J-3049, W-J-3051, W-J-3053, W-J-3062, W-J-3063, W-J-3064, W-J-3068, W-J-3090, W-J-3091, W-J-3094, W-J-3095, W-J-3099, W-J-3131, W-J-3140, W-J-3142, W-J-3145, W-J-3146, W-J-3181, W-J-3240, W-J-4009, W-J-4061, W-J-4065, W-J-4068, W-J-4097, W-J-5005, W-J-5006, W-J-5011, W-J-



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

5012, W-J-5038, W-J-5046, W-J-5047, W-J-5054, W-J-5055, W-J-5056, W-J-5072, W-J-5073, W-J-5074, W-J-5075, W-J-5124, W-J-5135, W-J-5148, W-J-5187, W-J-7005, W-J-7007, W-J-7011, W-J-7012, W-J-7013, W-J-7020, W-J-7031, W-J-7032, W-J-7033, W-J-7037, W-J-7077, W-J-7078, W-J-7086, W-J-7088, W-J-7089, W-J-7100, W-J-7101, W-J-7108, W-J-7118, W-J-7166, W-J-7170, W-J-8005, W-J-8006, W-J-8011, W-J-8012, W-J-8013, W-J-8014, W-J-8029, W-J-8037, W-J-8040, W-L-0016, W-L-0020, W-L-0032, W-L-0034, W-L-0035, W-L-0038, W-L-1028, W-L-1029, W-L-1049, W-L-1079, W-L-1093, W-L-1101, W-L-1127, W-L-1156, W-L-1168, W-L-1171, W-L-1172, W-L-1173, W-L-1222, W-L-1223, W-L-1224, W-L-1251, W-L-1279, W-L-1283, W-L-1344, W-L-1384, W-L-1432, W-L-1448, W-L-1461, W-L-1527, W-L-1602, W-L-2029, W-L-2047, W-L-2048, W-L-2059, W-L-2074, W-L-2100, W-L-2101, W-L-2114, W-L-2115, W-L-2144, W-L-2188, W-L-2194, W-L-2195, W-L-2216, W-L-2237, W-L-2241, W-L-2242, W-L-2243, W-L-2257, W-L-2288, W-L-2293, W-L-2333, W-L-2334, W-L-2390, W-L-2440, W-L-2442, W-L-2478, W-L-2493, W-L-2496, W-L-2497, W-L-2498, W-L-2506, W-L-2507, W-L-2508, W-L-2517, W-L-2518, W-L-2548, W-L-2549, W-L-2552, W-L-2554, W-L-2585, W-L-2586, W-L-2587, W-L-2588, W-L-2589, W-L-2590, W-L-2629, W-L-2630, W-L-2631, W-L-2635, W-L-2636, W-L-2637, W-L-2674, W-L-3024, W-L-3025, W-L-3076, W-L-3100, W-L-3124, W-L-3132, W-L-3134, W-L-3136, W-L-3137, W-L-3138, W-L-3141, W-L-3154, W-L-3169, W-L-3170, W-L-3171, W-L-3172, W-L-3178, W-L-3210, W-L-3211, W-L-3214, W-L-3215, W-L-3218, W-L-3219, W-L-3256, W-L-3427, W-L-3271, W-L-3280, W-L-3286, W-L-3299, W-L-3306, W-L-3341, W-L-3357, W-L-3374, W-L-3428, W-L-3435, W-L-4005, W-L-4063, W-L-4074, W-L-4077, W-L-4078, W-L-4079, W-L-4102, W-L-5014, W-L-5033, W-L-5051, W-L-5054, W-L-5091, W-L-5100, W-L-5101, W-L-5121, W-L-5122, W-L-5123, W-L-5130, W-L-5160, W-L-5158, W-L-5159, W-L-5239, W-L-5239, W-L-7252, W-L-7253, W-L-5262, W-L-5278, W-L-5279, W-L-5290, W-L-5321, W-L-5327, W-L-5340, W-L-5370, W-L-5371, W-L-6001, W-L-6004, W-L-6020, W-L-7009, W-L-7019, W-L-7025, W-L-7026, W-L-7028, W-L-7029, W-L-7033, W-L-7060, W-L-7061, W-L-7062, W-L-7066, W-L-7090, W-L-7099, W-L-7131, W-L-7132, W-L-7136, W-L-7137, W-L-7145, W-L-7148, W-L-7149, W-L-7178, W-L-7179, W-L-7186, W-L-7193, W-L-7202, W-L-7212, W-L-7244, W-L-7245, W-L-7246, W-L-7270, W-L-7280, W-L-7304, W-L-7307, W-L-8003, W-L-8011, W-L-8025, W-L-8026, W-L-8027, W-L-8028, W-L-8050, W-L-8056, W-L-8067, W-L-8073, W-L-8076, W-L-8091, W-L-8117.

SpecSeal LCI Sealant for use in Fire-resistant Pipe-protection System Nos. FP-3 and FP-4.

Marine Firestop Foam for use in Through-Penetration Firestop System No. C-DM-8003.

Marine Firestop Sealant for use in Through-Penetration Firestop System Nos. C-AJ-1627, C-DM-1003, C-DM-2002, C-DM-2003, C-DM-8002, C-DM-8003, C-DM-8004, C-DM-8005 and F-D-2002.

MPU Marine Firestop Putty for use in Through-Penetration Firestop System Nos. C-DM-3009, CD-M-8004.

Marine Firestop Wrap Strip MWS125 and MWS250 for use in Through-Penetration Firestop System Nos. C-DM-8005 and F-D-2002.

SpecSeal AS200 Elastomeric Spray for use in Through-Penetration Firestop System Nos. C-AJ-1318, W-J-1092, W-J-7006, W-L-1208 and W-L-7024.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

SpecSeal Fast Tack Spray for use in Through Penetration Firestop System Nos. F-A-1068, F-A-3049, F-A-5040, F-A-6003 and F-B-1014.

SpecSeal Cable Spray for use in Through Penetration Firestop System Nos. C-AJ-8277.

SpecSeal Putty for use in Through-Penetration Firestop System Nos. C-AJ-0101, C-AJ-0113, C-AJ-0116, C-AJ-0135, C-AJ-1090, C-AJ-1228, C-AJ-1506, C-AJ-1533, C-AJ-1614, C-AJ-1750, C-AJ-2125, C-AJ-2136, C-AJ-2267, C-AJ-2297, C-AJ-2362, C-AJ-2364, C-AJ-2471, C-AJ-2594, C-AJ-2595, C-AJ-2814, C-AJ-2914, C-AJ-3042, C-AJ-3154, C-AJ-3214, C-AJ-3215, C-AJ-3219, C-AJ-3244, C-AJ-3245, C-AJ-4029, C-AJ-4030, C-AJ-4079, C-AJ-4088, C-AJ-4089, C-AJ-5437, C-AJ-6019, C-AJ-6038, C-AJ-7106, C-AJ-7107, C-AJ-7114, C-AJ-7131, C-AJ-7171, C-AJ-8052, C-AJ-8093, C-AJ-8114, C-AJ-8115, C-AJ-8181, C-BJ-1065, C-BJ-1066, C-BJ-3034, C-BJ-6002, C-BK-6001, C-BK-6002, C-BK-6003, F-A-1063, F-A-1093, F-A-1094, F-A-1110, F-A-1118, F-A-1171, F-A-1180, F-A-1181, F-A-2047, F-A-2131, F-A-2192, F-A-2193, F-A-3010, F-A-3015, F-A-3019, F-A-3023, F-A-3029, F-A-3032, F-A-3050, F-A-3055, F-A-3056, F-A-3063, F-A-3064, F-A-5041, F-A-5045, F-A-7020, F-B-1023, F-B-1030, F-B-2014, F-B-8012, F-C-8043, F-E-8009, W-J-0011, W-J-1025, W-J-1108, W-J-1121, W-J-1159, W-J-1187, W-J-2054, W-J-2193, W-J-2217, W-J-3110, W-J-3111, W-J-3112, W-J-3017, W-J-3023, W-J-3037, W-J-3041, W-J-3043, W-J-3045, W-J-3046, W-J-3047, W-J-3048, W-J-3049, W-J-3051, W-J-3068, W-J-3090, W-J-3140, W-J-3142, W-J-3145, W-J-3146, W-J-3150, W-J-3156, W-J-3157, W-J-3181, W-J-3240, W-J-4021, W-J-4022, W-J-4033, W-J-4061, W-J-4066, W-J-4068, W-J-4097, W-J-5124, W-J-5135, W-J-5187, W-J-6001, W-J-7037, W-J-8037, W-J-8040, W-L-0020, W-L-1029, W-L-1251, W-L-1283, W-L-1344, W-L-1384, W-L-1463, W-L-2178, W-L-2188, W-L-2257, W-L-2288, W-L-2333, W-L-2390, W-L-2442, W-L-2507, W-L-2552, W-L-2674, W-L-3024, W-L-3025, W-L-3084, W-L-3117, W-L-3124, W-L-3132, W-L-3134, W-L-3135, W-L-3136, W-L-3141, W-L-3172, W-L-3178, W-L-3210, W-L-3218, W-L-3230, W-L-3232, W-L-3233, W-L-3234, W-L-3271, W-L-3274, W-L-3275, W-L-3276, W-L-3280, W-L-3286, W-L-3287, W-L-3303, W-L-3304, W-L-3306, W-L-3357, W-L-3374, W-L-3376, W-L-3435, W-L-4008, W-L-4029, W-L-4043, W-L-4063, W-L-4076, W-L-4077, W-L-4078, W-L-4079, W-L-4102, W-L-5239, W-L-5262, W-L-5340, W-L-6006, W-L-6020, W-L-7066, W-L-7131, W-L-7132, W-L-7136, W-L-7193, W-L-7212, W-L-7304, W-L-7307, W-L-8050, W-L-8067, W-L-8073.

SpecSeal Putty Pad for use in Through-Penetration Firestop System Nos. C-AJ-1228, C-AJ-2136, C-AJ-3042, C-AJ-7114, C-AJ-8055, C-AJ-8115, W-L-1463, W-L-7304.

SpecSeal CS Composite Sheet for use in Through-Penetration Firestop System Nos. C-AJ-0113, C-AJ-0116, C-AJ-1533, C-AJ-3244, C-AJ-3245, C-AJ-4079, C-AJ-4088, C-AJ-6038, C-AJ-7106, C-AJ-7107, C-AJ-8181, C-BJ-3034, F-A-2210, F-A-3050, F-A-3051, F-A-3056, F-B-7008, F-B-8012, W-J-0011, W-J-1187, W-J-2193, W-J-3145, W-J-3146, W-J-4061, W-J-4068, W-J-5124, W-J-8037, W-J-8040, W-L-0020, W-L-1384, W-L-2442, W-L-3271, W-L-3280, W-L-4063, W-L-4077, W-L-4078, W-L-5239, W-L-6020, W-L-7131, W-L-7132, W-L-7136, W-L-8067 and W-L-8073.

SpecSeal Mortar for use in Through-Penetration Firestop System Nos. C-AJ-0015, C-AJ-0136, C-AJ-1089, C-AJ-1228, C-AJ-1613, C-AJ-2079, C-AJ-2093, C-AJ-2136, C-AJ-4020, C-AJ-4030, C-AJ-5051, C-AJ-5094, C-



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

AJ-5097, C-AJ-6009, C-AJ-7029, C-AJ-7030, C-AJ-7114, C-AJ-8016, C-AJ-8033, C-AJ-8035, C-AJ-8036, C-AJ-8055, C-AJ-8114, C-AJ-8115, C-AJ-8220, W-J-3099, W-J-3131.

SpecSeal BLU Wrap Strip for use in Through-Penetration Firestop System Nos. C-AJ-2408, C-AJ-2063, C-AJ-2064, C-AJ-2089, C-AJ-2092, C-AJ-2093, C-AJ-2104, C-AJ-2105, C-AJ-2106, C-AJ-2108, C-AJ-2125, C-AJ-2138, C-AJ-2146, C-AJ-2147, C-AJ-2267, C-AJ-2282, C-AJ-2297, C-AJ-2362, C-AJ-2364, C-AJ-2594, C-AJ-2595, C-AJ-2633, C-AJ-2772, C-AJ-2810, C-AJ-2815, C-AJ-2816, C-AJ-2817, C-AJ-2824, C-AJ-2896, , C-AJ-3213, C-AJ-3219, C-AJ-5042, C-AJ-5051, C-AJ-5058, C-AJ-5332, C-AJ-5333, C-AJ-5345, C-AJ-5346, C-AJ-5441, C-AJ-8033, C-AJ-8035, C-AJ-8036, C-AJ-8114, C-AJ-8115, C-AJ-8132, C-AJ-8181, C-AJ-8277, C-AJ-8288, C-AJ-8327, F-A-2022, F-A-2023, F-A-2031, F-A-2047, F-A-2048, F-A-2073, F-A-2077, F-A-2106, F-A-2108, F-A-2131, F-A-2138, F-A-2207, F-A-2210, F-A-2342, F-A-3023, F-B-2014, F-B-8012, F-B-8015, F-C-2019, F-C-2022, F-C-2044, F-C-2158, F-C-2253, F-C-2321, F-C-2342, F-C-2355, F-C-2356, F-C-2357, F-C-2358, F-C-2392, F-C-2393, F-C-8001, F-C-8052, F-E-2041, F-E-2045, W-J-2020, W-J-2053, W-J-2059, W-J-2060, W-J-2061, W-J-2085, W-J-2119, W-J-2193, W-J-2216, W-J-2217, W-J-2233, W-J-2257, W-J-2258, W-J-2259, W-J-2260, W-J-2262, W-J-5006, W-J-5047, W-J-5124, W-J-5148, W-J-5187, W-J-7011, W-J-7088, W-J-8014, W-J-8023, W-J-8029, W-J-8037, W-J-8040, W-L-2048, W-L-2059, W-L-2074, W-L-2079, W-L-2115, W-L-2175, W-L-2188, W-L-2194, W-L-2195, W-L-2198, W-L-2216, W-L-2243, W-L-2288, W-L-2293, W-L-2333, W-L-2334, W-L-2439, W-L-2440, W-L-2442, W-L-2478, W-L-2496, W-L-2497, W-L-2498, W-L-2506, W-L-2507, W-L-2517, W-L-2549, W-L-2585, W-L-2586, W-L-2587, W-L-2588, W-L-2589, W-L-2590, W-L-2636, W-L-2637, , W-L-5033, W-L-5101, W-L-5239, W-L-5290, W-L-5340, W-L-5370, W-L-5371, W-L-7028, W-L-7148, W-L-8028, W-L-8045, W-L-8056, W-L-8067, W-L-8073, W-L-8076, W-L-8117.

SpecSeal BLU220, BLU230 and BLU240 Wrap Strip for use in Through-Penetration Firestop System Nos. C-AJ-2282, F-A-2077 and F-C-2253.

SpecSeal RED Wrap Strip for use in Through-Penetration Firestop System Nos. C-AJ-2064, C-AJ-2092, C-AJ-2093, C-AJ-2106, C-AJ-2124, C-AJ-2125, C-AJ-2126, C-AJ-2136, C-AJ-2137, C-AJ-2138, C-AJ-2139, C-AJ-2142, C-AJ-2145, C-AJ-2159, C-AJ-2166, C-AJ-2281, C-AJ-2297, C-AJ-2408, C-AJ-2633, C-AJ-2810, C-AJ-2817, C-AJ-2896, , C-AJ-3213, C-AJ-3219, C-AJ-3246, C-AJ-5058, C-AJ-5094, C-AJ-5097, C-AJ-5318, C-AJ-5332, C-AJ-5333, C-AJ-5345, C-AJ-5346, C-AJ-6003, C-AJ-8035, C-AJ-8036, C-AJ-8055, C-AJ-8114, C-AJ-8115, C-AJ-8132, C-AJ-8181, C-AJ-8277, C-AJ-8288, C-AJ-8327, F-A-2031, F-A-2048, F-A-2056, F-A-2073, F-A-2106, F-A-2108, F-A-2117, F-A-2131, F-A-2138, F-A-2207, F-A-2210, F-A-2342, F-A-3023, F-A-8003, F-B-8012, F-B-8015, F-C-2019, F-C-2022, F-C-2033, F-C-2034, F-C-2035, F-C-2036, F-C-2037, F-C-2044, F-C-2158, F-C-2321, F-C-2342, F-C-2355, F-C-2356, F-C-2357, F-C-2358, F-C-2392, F-C-2393, F-C-8001, F-C-8010, F-C-8011, F-C-8021, F-C-8052, F-E-2041, F-E-2045, W-J-2020, W-J-2022, W-J-2119, W-J-2193, W-J-2233, W-J-5006, W-J-5047, W-J-5124, W-J-5148, W-J-7011, W-J-7088, W-J-8014, W-J-8029, W-J-8037, W-J-8040, W-L-2048, W-L-2059, W-L-2074, W-L-2101, W-L-2243, W-L-2333, W-L-2334, W-L-2439, W-L-2440, W-L-2478, W-L-2496, W-L-2497, W-L-2498, W-L-2517, W-L-2549, W-L-2636, W-L-2637, , W-L-5033, W-L-5101, W-L-5239, W-L-5290, W-L-7028, W-L-7148, W-L-8028, W-L-8056, W-L-8067, W-L-8073 and W-L-8076, W-L-8117.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

SpecSeal BLU2 Wrap Strip for use in Through-Penetration Firestop System Nos. C-AJ-2408, C-AJ-2063, C-AJ-2064, C-AJ-2089, C-AJ-2092, C-AJ-2104, C-AJ-2105, C-AJ-2106, C-AJ-2108, C-AJ-2125, C-AJ-2138, C-AJ-2146, C-AJ-2147, C-AJ-2267, C-AJ-2282, C-AJ-2297, C-AJ-2362, C-AJ-2364, C-AJ-2594, C-AJ-2595, C-AJ-2633, C-AJ-2670, C-AJ-2772, C-AJ-2810, C-AJ-2815, C-AJ-2816, C-AJ-2817, C-AJ-2824, C-AJ-2896, , C-AJ-3213, C-AJ-3219, C-AJ-5042, C-AJ-5332, C-AJ-5333, C-AJ-5344, C-AJ-5345, C-AJ-5346, C-AJ-5441, C-AJ-8114, C-AJ-8132, C-AJ-8181, C-AJ-8277, C-AJ-8288, C-AJ-8327, F-A-2022, F-A-2023, F-A-2031, F-A-2047, F-A-2048, F-A-2073, F-A-2077, F-A-2106, F-A-2108, F-A-2131, F-A-2138, F-A-2207, F-A-2210, F-A-2342, F-A-3023, F-B-2014, F-B-8012, F-B-8015, F-C-2019, F-C-2022, F-C-2044, F-C-2158, F-C-2253, F-C-2342, F-C-2355, F-C-2356, F-C-2357, F-C-2358, F-C-2392, F-C-2393, F-C-8001, F-C-8052, F-E-2041, F-E-2045, W-J-2020, W-J-2053, W-J-2059, W-J-2060, W-J-2085, W-J-2119, W-J-2193, W-J-2216, W-J-2217, W-J-2233, W-J-2235, W-J-2257, W-J-2258, W-J-2259, W-J-2260, W-J-2262, W-J-5124, W-J-5148, W-J-7011, W-J-7088, W-J-8014, W-J-8023, W-J-8029, W-J-8037, W-J-8040, W-L-2048, W-L-2059, W-L-2074, W-L-2079, W-L-2115, W-L-2175, W-L-2188, W-L-2194, W-L-2195, W-L-2216, W-L-2243, W-L-2288, W-L-2293, W-L-2333, W-L-2334, W-L-2439, W-L-2440, W-L-2442, W-L-2478, W-L-2496, W-L-2497, W-L-2498, W-L-2506, W-L-2507, W-L-2517, W-L-2549, W-L-2554, W-L-2585, W-L-2586, W-L-2587, W-L-2588, W-L-2589, W-L-2590, , W-L-5239, W-L-5290, W-L-2636, W-L-2637, W-L-5370, W-L-5371, W-L-7028, W-L-7148, W-L-8028, W-L-8045, W-L-8056, W-L-8067, W-L-8073, W-L-8076, W-L-8117.

SpecSeal RED2 Wrap Strip for use in Through-Penetration Firestop System Nos. C-AJ-2064, C-AJ-2106, C-AJ-2159, C-AJ-2166, C-AJ-2281, C-AJ-2297, C-AJ-2408, C-AJ-2633, C-AJ-2670, C-AJ-2810, C-AJ-2817, C-AJ-2896, , C-AJ-5332, C-AJ-5333, C-AJ-5344, C-AJ-5345, C-AJ-5346, C-AJ-8114, C-AJ-8181, C-AJ-8277, C-AJ-8288, C-AJ-8327, F-A-2031, F-A-2207, F-A-2210, F-A-2342, F-B-8012, F-B-8015, F-C-2158, F-C-2392, F-C-2393, F-C-8052, F-E-2041, W-J-2020, W-J-2233, W-J-5148, W-L-2048, W-L-2216, W-L-2243, W-L-2517, W-L-2549, W-L-2636, W-L-2637, , W-L-5290, W-L-8076, W-L-8117.

SpecSeal SSW125, SSW250 and SSW375 Wrap Strips for use in Through-Penetration Firestop System Nos. C-AJ-2297, C-AJ-2574, F-A-2138, F-A-2162, F-C-2123, F-E-2004, W-J-2083 and W-L-2243.

SpecSeal SSW1569 and SpecSeal SSW2538 Wrap Strips for use in Through-Penetration Firestop System Nos. C-AJ-2814 and W-L-2674.

SpecSeal SSW2538 Wrap Strips for use in Through-Penetration Firestop System No. C-AJ-2824.

SpecSeal SSW375-12 Wrap Strips for use in Through-Penetration Firestop System Nos. C-AJ-2811, C-AJ-2896.

SpecSeal SSW1000EX Wrap Strips for use in Through-Penetration Firestop System Nos. F-C-2522, F-C-2523.

SpecSeal EZP500 Wrap Strip for use in Through-Penetration Firestop System No. W-J-2083.

SpecSeal HR-2, HR-348, HR-361 Wrap Strip for use in Through-Penetration Firestop Systems.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

SpecSeal Firestop Pillows for use in Through-Penetration Firestop System Nos. C-AJ-0061, C-AJ-0100, C-AJ-3155, C-AJ-4029, C-AJ-4030, C-AJ-4089, C-AJ-6019, C-AJ-7131, C-AJ-7171, C-AJ-8052, C-AJ-8093, C-BJ-6002, C-BK-6001, C-BK-6002, C-BK-6003, F-A-2107, F-A-3051, F-C-8043, F-E-8009, W-J-0016, W-J-1121, W-J-2054, W-J-3023, W-J-3045, W-J-3140, W-J-4021, W-J-4022, W-J-4033, W-J-4066, W-J-6001, W-J-8023, W-L-0010, W-L-1283, W-L-2178, W-L-3084, W-L-3134, W-L-3274, W-L-4008, W-L-4029, W-L-4043, W-L-4076, W-L-4079, W-L-6005, W-L-6006, W-L-8045 and W-L-8050.

SpecSeal LC150 Sealant for use in Through-Penetration Firestop System Nos. C-AJ-0047, C-AJ-1208, C-AJ-1209, C-AJ-1210, C-AJ-1213, C-AJ-1214, C-AJ-1215, C-AJ-1232, C-AJ-1240, C-AJ-1315, C-AJ-1316, C-AJ-1614, C-AJ-3085, C-AJ-5313, C-AJ-7012, C-AJ-7026, C-AJ-7041, C-BJ-1065, C-BJ-1066, F-A-1093, F-A-1171, F-A-3037, F-A-3063, F-A-3064, F-A-3068, F-B-8012, F-C-7036, F-C-7037, F-C-7055, F-C-7059, F-C-7060, W-J-1030, W-J-1033, W-J-1054, W-J-1100, W-J-1121, W-J-1217, W-J-2353, W-J-3035, W-J-3043, W-J-3099, W-J-3131, W-J-3178, W-J-3179, W-J-3240, W-J-4097, W-J-5139, W-J-7020, W-J-7077, W-J-7086, W-J-7170, W-L-0034, W-L-0035, W-L-1078, W-L-1088, W-L-1090, W-L-1093, W-L-1127, W-L-1168, W-L-1283, W-L-1448, W-L-2774, W-L-3100, W-L-3132, W-L-3219, W-L-3256, W-L-3350, W-L-3351, W-L-3435, W-L-4102, W-L-5273, W-L-7009, W-L-7025, W-L-7026, W-L-7090, W-L-7136, W-L-7145, W-L-7193, W-L-7253, W-L-7280.

Type WF300 Caulk for use in Through-Penetration Firestop System Nos. F-B-1022, F-B-1025, F-C-1053, F-C-1074, F-C-1075, F-C-1148, F-C-2014, F-C-2020, F-C-2027, F-C-2032, F-C-2102, F-C-2157, F-C-2253, F-C-2319, F-C-2320, F-C-2321, F-C-2322, F-C-2348, F-C-2392, F-C-2393, F-C-2522, F-C-2523, F-C-3010, F-C-5043, F-C-7014, F-C-7023, F-C-7034, F-C-7045, F-C-7060, F-C-8021, F-C-8029, F-C-8036, F-C-8045, F-C-8052, F-E-2003, F-E-2041, F-E-7010, F-E-8010, W-L-1042, W-L-2241, W-L-2242, W-L-2423, W-L-2439, W-L-2493, W-L-2552, W-L-3036, W-L-5298, W-L-5299, W-L-7019, W-L-7193, W-L-8025, W-L-8027 and W-L-8074.

SpecSeal LE600 Sealant for use in Through-Penetration Firestop System Nos. C-AJ-0047, C-AJ-1208, C-AJ-1209, C-AJ-1210, C-AJ-1213, C-AJ-1214, C-AJ-1215, C-AJ-1232, C-AJ-1240, C-AJ-1315, C-AJ-1316, C-AJ-3085, C-AJ-5313, C-AJ-7026, C-AJ-7041, C-AJ-8113, F-A-1093, F-A-1171, F-C-7036, F-C-7037, F-C-7055, F-C-7059, W-J-1030, W-J-1033, W-J-1054, W-J-1100, W-J-1121, W-J-1217, W-J-3035, W-J-3043, W-J-3099, W-J-3131, W-J-3178, W-J-3179, W-J-5139, W-J-7020, W-J-7077, W-L-1078, W-L-1088, W-L-1090, W-L-1093, W-L-1127, W-L-1168, W-L-1448, W-L-3100, W-L-3132, W-L-3219, W-L-3256, W-L-3350, W-L-3351, W-L-5273, W-L-7009, W-L-7025, W-L-7026, W-L-7090 and W-L-7136.

SpecSeal FP Firestop Plugs for use in Through-Penetration Firestop System Nos. C-AJ-0135, C-AJ-3312, F-A-1144, F-A-2248, F-B-0006, W-J-0018, W-J-0019, W-J-0020, W-J-3181, W-J-3182, W-J-3184, W-L-0032, W-L-0033, W-L-0038, W-L-3357, W-L-3358, W-L-3374.

SpecSeal Closet Flange Gasket for use in Through-Penetration Firestop System Nos. F-A-1129, F-A-2216, F-C-1162 and F-C-2402.

FyreFlange™ Firestop Gasket for use in Through-Penetration Firestop System Nos. W-J-7092, W-L-7164 and W-L-7238.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221018-R14288
Report Reference R14288
Issue Date 2023-October 18

E-Wrap Endothermic Wrap for use in Through-Penetration Firestop System No. C-AJ-5437, C-BJ-6002, C-BK-6001, C-BK-6003, W-L-7307.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R14579
Report Reference R14579
Issue Date 2023-October-20

Issued to: SPECIFIED TECHNOLOGIES INC
210 Evans Way
Somerville, NJ 08876 United States

This is to certify that representative samples of Firestop Devices
Firestop Devices Certified for Canada

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/UL 1479, "Fire Tests of Penetration Firestops.", Fourth Edition
CAN/ULC-S115, "Standard Method of Fire Tests of Firestop Systems." , Fifth Edition

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

See addendum pages 2-6 for more details.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R14579
Report Reference R14579
Issue Date 2023-October-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

SpecSeal Firestop Collar for use in System Nos. C-AJ-2038, C-AJ-2045, C-AJ-2089, C-AJ-2104, C-AJ-2125, C-AJ-2147, C-AJ-2297, C-AJ-2588, C-AJ-2594, C-AJ-3213, C-AJ-3219, F-A-2048, F-A-2073, F-A-2207, F-A-2210, F-C-2020, F-C-2021, F-C-2034, F-C-2035, F-C-2158, F-C-2321, F-E-2004, W-L-2029, W-L-2059, W-L-2074, W-L-2115, W-L-2243, W-L-2257, W-L-2439.

SpecSeal LCC Collar for use in System Nos. C-AJ-2038, C-AJ-2045, C-AJ-2089, C-AJ-2104, C-AJ-2125, C-AJ-2147, C-AJ-2297, C-AJ-2298, C-AJ-2588, C-AJ-2594, C-AJ-3213, C-AJ-3219, F-A-2106, F-A-2020, F-A-2031, F-A-2048, F-A-2073, F-A-2106, F-A-2207, F-A-2210, F-A-3023, F-C-2021, F-C-2034, F-C-2035, F-C-2158, F-C-2321, F-E-2004, W-J-2217, W-L-2029, W-L-2049, W-L-2059, W-L-2074, W-L-2115, W-L-2237, W-L-2243, W-L-2257, W-L-2439, W-L-2507.

SpecSeal SSC Collar for use in System Nos. C-AJ-2038, C-AJ-2045, C-AJ-2089, C-AJ-2104, C-AJ-2125, C-AJ-2147, C-AJ-2297, C-AJ-2298, C-AJ-2594, C-AJ-3213, C-AJ-3219, F-A-2031, F-A-2048, F-A-2073, F-A-2207, F-A-2210, F-A-3023, F-C-2021, F-C-2034, F-C-2035, F-C-2158, F-C-2321, F-C-2519, F-C-2521, F-E-2004, W-J-2217, W-L-2029, W-L-2049, W-L-2059, W-L-2074, W-L-2237, W-L-2243, W-L-2257, W-L-2439, W-L-2507.

SpecSeal RTC Collar for use in System Nos. C-AJ-2588, F-C-2348 and W-L-2493.

SpecSeal CD200 Cast-In Device for use in System Nos. F-A-0028, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2046, F-A-2047, F-A-5007, F-A-2192, F-A-2193, F-A-2203, F-A-2204, F-A-3055, F-A-5041, F-A-5045, F-A-8036, F-B-1020, F-B-2046, F-B-2057, F-B-2058, F-B-2070, F-B-2071, F-B-5014.

SpecSeal CD201 Cast-In Device for use in System Nos. F-A-0031, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2193, F-A-2203, F-A-2204, F-A-2246, F-A-3055, F-A-5041, F-A-5045, F-A-8036, F-B-2070, F-B-2071, F-B-5014.

SpecSeal CD201C Cast-In Device for use in System Nos. F-A-1188, F-A-1110, F-A-2245, F-A-3055, F-A-5041, F-A-5045, F-B-1036, F-B-2058, F-B-2059, F-B-2066, F-B-2070, F-B-2071, F-B-3019, F-B-7006, F-B-5014.

SpecSeal CD201C, CD202C, CD203C, CD301C, CD302C or CD303C Cast-In Device for use in System Nos. F-B-2065.

SpecSeal CD201T Cast-In Device for use in System Nos. F-A-1172, F-A-2286.

SpecSeal CD23T Cast In Device Tub Box Kit for use in System Nos. F-A-1172, F-A-2286, F-B-2065.

SpecSeal CD201, CD201C, CD202, CD202C, CD203, CD203C, CD301, CD301C, CD302, CD302C, CD303, CD303C Cast-In Device for use in System Nos. F-A-1172, F-A-2286.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R14579
Report Reference R14579
Issue Date 2023-October-20

SpecSeal CD202 Cast-In Device for use in System Nos. F-A-0031, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2193, F-A-2203, F-A-2204, F-A-2246, F-A-3055, F-A-5041, F-A-5045, F-A-8036, F-B-2070, F-B-5014.

SpecSeal CD300 Cast-In Device for use in System Nos. F-A-0028, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2192, F-A-2203, F-A-3055, F-A-5041, F-A-5045, F-A-8036, F-B-1021, F-B-2047, F-B-5012, F-B-5014.

SpecSeal CD301 Cast-In Device for use in System Nos. F-A-0031, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2203, F-A-2246, F-A-3055, F-A-5041, F-A-5045, F-A-8036, F-B-1021, F-B-1036, F-B-2047, F-B-2065, F-B-2066, F-B-3019, F-B-5012, F-B-5014, F-D-7006

SpecSeal CD301C Cast-In Device for use in System Nos. F-A-1110, F-A-1172, F-A-1118, F-A-2246, F-A-2286, F-A-3055, F-A-5041, F-A-5045, F-B-1036, F-B-2059, F-B-2066, F-B-2071, F-B-3019, F-B-5012, F-B-5014.

SpecSeal CD302 Cast-In Device for use in System Nos. F-A-0031, F-A-1110, F-A-1172, F-A-1117, F-A-1118, F-A-1181, F-A-1188, F-A-2203, F-A-2246, F-A-2286, F-A-3055, F-A-5041, F-A-5045, F-A-8036, F-B-1021, F-B-1031, F-B-1036, F-B-2071, F-B-2047, F-B-2059, F-B-2066, F-B-2071, F-B-3019, F-B-5006, F-B-5007, F-B-5008, F-B-5012, F-B-5014, F-B-7006.

SpecSeal CD400 Cast-In Device for use in System Nos. F-A-0028, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2192, F-A-2203, F-A-3055, F-A-5041, F-A-5045, F-A-7020, F-A-8036, F-B-1021, F-B-2047, F-B-5011, F-B-5012, F-B-5014.

SpecSeal CD401 Cast-In Device for use in System Nos. F-A-0031, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2203, F-A-2246, F-A-3055, F-A-5041, F-A-5045, F-A-7020, F-A-8036, F-B-1021, F-B-2047, F-B-5011, F-B-5012, F-B-5014.

SpecSeal CD402 Cast-In Device for use in System Nos. F-A-0031, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2203, F-A-2246, F-A-3055, F-A-5041, F-A-5045, F-A-7020, F-A-8036, F-B-1021, F-B-2047, F-B-5011, F-B-5012, F-B-5014.

SpecSeal, CD200, CD201, CD202, CD300, CD301, CD302, CD400, CD401, CD402 Cast-In Device for use in System Nos. F-B-1031, F-B-1036, F-B-2059, F-B-2066, F-B-2071, F-B-3019, F-B-5006, F-B-5007, F-B-5008, F-B-7006, F-B-8014.

SpecSeal CD200, CD201, CD201C, CD202, CD200M, CD300, CD301, CD301C, CD302, CD300M, CD400, CD401, CD402, CD400M, CD600, CD601 or CD600M Cast In Firestop Device for use in System No. F-A-1188.

SpecSeal CD600 Cast-In Device for use in System Nos. F-A-1110, F-A-2192, F-A-5041, F-A-5045, F-B-7006

SpecSeal CD601 Cast-In Device for use in System Nos. F-A-1110, F-A-1188, F-A-2246, F-B-2059, F-B-7006



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R14579
Report Reference R14579
Issue Date 2023-October-20

SpecSeal CD200M Cast-In Device for use in System Nos. F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-3055, F-A-5041, F-A-5045, and F-A-8036.

SpecSeal CD300M Cast-In Device for use in System Nos. F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-3055, F-A-5041, F-A-5045, F-A-8036 and F-B-1021.

SpecSeal CD400M Cast-In Device for use in System Nos. F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-3055, F-A-5041, F-A-5045, F-A-7020, F-A-8036 and F-B-1021.

SpecSeal CD600M Cast-In Device for use in System Nos. F-A-1110, F-A-5041, F-A-5045, F-A-8036, F-B-7006

SpecSeal CD200DK Cast In Device Deck Adapter for use in System Nos. F-A-0028, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2192, F-A-2193, F-A-2203, F-A-2204, F-A-3055, F-A-5041, F-A-5045 and F-A-8036.

SpecSeal CD201 Cast-In Device for use in System Nos. F-A-0031, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2193, F-A-2203, F-A-2204, F-A-2246, F-A-3055, F-A-5041, F-A-5045, F-A-8036.

SpecSeal CD300DK Cast In Device Deck Adapter for use in System Nos. F-A-0028, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2192, F-A-2203, F-A-3055, F-A-5041, F-A-5045 and F-A-8036.

SpecSeal CD301 Cast-In Device Deck Adapter for use in System Nos. F-A-0031, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2203, F-A-2246, F-A-3055, F-A-5041, F-A-5045, F-A-8036, F-B-1021, F-B-2047.

SpecSeal CD400DK Cast In Device Deck Adapter for use in System Nos. F-A-0028, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2192, F-A-2203, F-A-3055, F-A-5041, F-A-5045 F-A-7020 and F-A-8036.

SpecSeal CD401 Cast-In Device Deck Adapter for use in System Nos. F-A-0031, F-A-1110, F-A-1117, F-A-1118, F-A-2203, F-A-2246, F-A-3055, F-A-5041, F-A-5045, F-A-7020, F-A-8036, F-B-1021, F-B-2047.

SpecSeal CD600DK Cast In Device Deck Adapter for use in System Nos. F-A-1110, F-A-2192, F-A-5041 and F-A-5045.

SpecSeal CD601DK Cast In Device Deck Adapter for use in System Nos. F-A-1110, F-A-1188, F-A-2246.

SpecSeal CD200DK, CD201DK, CD300DK, CD301DK, CD400DK, CD401DK or CD600DK Cast In Firestop Device Deck Adapter for use in System No. F-A-1188.

SpecSeal CD200X Cast In Device Extension for use in System Nos. F-A-0028, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2192, F-A-2193, F-A-2203, F-A-2204, F-A-3055, F-A-5041, F-A-5045 and F-A-8036.

SpecSeal CD300X Cast In Device Extension for use in System Nos. F-A-0028, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2192, F-A-2193, F-A-2203, F-A-3055, F-A-5041, F-A-5045 and F-A-8036.

SpecSeal CD400X Cast In Device Extension for use in System Nos. F-A-0028, F-A-1110, F-A-1117, F-A-1118, F-A-1181, F-A-2192, F-A-2193, F-A-2203, F-A-3055, F-A-5041, F-A-5045, F-A-7020 and F-A-8036.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R14579
Report Reference R14579
Issue Date 2023-October-20

SpecSeal CD600X Cast In Device Extension for use in System Nos. F-A-1110, F-A-2192, F-A-5041 and F-A-5045.

SpecSeal CD601X Cast In Device Extension for use in System Nos. F-A-1110, F-A-1188, F-A-2246.

SpecSeal CD200X, CD300X, CD400X or CD600X Cast In Firestop Device Extension for use in System No. F-A-1188.

SpecSeal CD200T Cast In Device Tub Box Kit for use in System Nos. F-B-1020 and F-B-2046.

SpecSeal CD201FD Floor Drain for use in System Nos. Cast In Firestop Device for use in System No. F-A-2342, F-A-2343.

SpecSeal Intumescent Sleeve for use in System Nos. C-AJ-1750 and C-AJ-2914.

EZ Path Series 33 Fire Rated Pathway device for use in System Nos. C-AJ-2471, C-AJ-3214, C-AJ-3231, C-AJ-8181, F-A-2128, F-A-3015, F-A-3021, F-A-3025, F-A-3026, F-A-3027, F-A-3048, F-A-3069, F-C-3103, F-E-3015, W-J-3098, W-J-3099, W-J-3124, W-J-3138, W-J-3145, W-J-3150, W-J-8040, W-K-3001, W-L-2390, W-L-3218, W-L-3219, W-L-3248, W-L-3265, W-L-3271, W-L-3286, W-L-3287, W-L-3377 and W-L-8073.

EZ Path Series 33 Extension device for use in System Nos. C-AJ-2471, C-AJ-3214, C-AJ-8181, F-A-3021, F-A-3048, F-A-3069, F-C-3103, F-E-3015, W-J-3098, W-J-3099, W-J-3124, W-J-3138, W-J-3145, W-J-8040, W-K-3001, W-L-2390, W-L-3218, W-L-3219, W-L-3248, W-L-3265, W-L-3271, W-L-3286, W-L-3377 and W-L-8073.

EZ Path Series 22 Fire Rated Pathway device for use in System Nos. C-AJ-8181, W-J-3130, W-J-3131, W-J-3145, W-J-3172, W-J-8040, W-L-3255, W-L-3256, W-L-3271, W-L-3339, W-L-3377 and W-L-8073, W-L-3380, W-L-3390, W-L-8073.

EZ Path Series 44+ Extension device for use in System Nos. C-AJ-3260, C-AJ-3317, C-AJ-3354, F-A-3037, F-A-3054, F-A-3056, F-A-3058, F-A-3059, F-A-3068, W-J-3158, W-J-3180, W-J-3186, W-J-3195, W-L-3306, W-L-3356, W-L-3377, W-L-3380, W-L-3390, W-L-8073

EZ Path Series 44 Fire Rated Pathway device for use in System Nos. C-AJ-3317, C-AJ-3354, F-A-3037, F-A-3056, F-A-3058, F-A-3068, W-L-8073.

EZ PATH Series 44 EZDG444, EZD444MB, EZG844 and EZG1644 devices for use in System Nos. C-AJ-3317, C-AJ-3354, F-A-3037, F-A-3056, F-A-3058, F-A-3068.

EZ PATH TRK444 Grid T Rating Kit device for use in System Nos. C-AJ-3317, C-AJ-3354, F-A-3037, F-A-3056, F-A-3068.

EZ Path Series 44+ Fire Rated Pathway device for use in System Nos. C-AJ-3260, C-AJ-3317, C-AJ-3354, CAJ-8181, C-DM-3005, F-A-3037, F-A-3054, F-A-3056, F-A-3058, F-A-3059, F-A-3068, W-J-3158, W-J-3180, W-J-3186, W-J-3195, W-L-3306, W-L-3356, W-L-3377, W-L-3380, W-L-3390, W-L-3459, W-L-3460.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R14579
Report Reference R14579
Issue Date 2023-October-20

Clinician Patient Access Device, for use in System No. W-L-8126.

EZDR200 and EZDR400 EZ-Path Retrofit Device for use in System Nos. F-A-3063, F-A-3064, W-J-3240, W-L-3435.

EZPR150 and EZPR300 EZ-Path Retrofit Device Plate Kit for use in System Nos. F-A-3063, F-A-3064, W-J-3240, W-L-3435.

EZCTR618, EZCTR616, EZCTR614, and EZCTR612 EZ-Path Cable Tray Retrofit Devices and optional EZCTR600P Mounting Plate Kit for use in System Nos. W-J-4097, W-L-4102.

EZ Firestop Grommet RFG1 for use in System Nos. W-L-3369 and W-L-3370.

EZ Firestop Grommet RFG2 for use in System Nos. W-L-1477, W-L-2577, W-L-3378 and W-L-3379.

FS100 SpecSeal Ready-Sleeve devices for use in System Nos. F-A-3029, W-J-3141, W-J-3142, W-L-3275, W-L-3276 and W-L-3376.

FS200, FS201, FS400 and FS401 SpecSeal Ready-Sleeve devices for use in System Nos. F-A-3029, W-J-0019, W-J-3141, W-J-3142, W-J-3182, W-L-0033, W-L-3275, W-L-3276, W-L-3358, W-L-3376.

FSR100 SpecSeal Ready Split Sleeve devices for use in System Nos. F-A-3032, W-J-3156, W-J-3157, W-L-3156, W-L-3303, W-L-3304 and W-L-3358.

FSR200 and FSR400 SpecSeal Ready Split Sleeve devices for use in System Nos. F-A-3032, W-J-0019, W-J-3156, W-J-3157, W-J-3182, W-L-0033, W-L-3156, W-L-3303, W-L-3304 and W-L-3358.

FyreFlange Firestop Angle, FyreFlange Corner Clip and FyreFlange Splice Angle devices for use in System Nos. F-B-7007, F-B-7010, W-J-7092, W-L-7164, W-L-7238

Marine Firestop Collar for use in System Nos. C-DM-1003, C-DM-2002, C-DM-2003, C-DM-8004.

Marine Firestop Transition Collar for use in System No. F-D-2001.

EZ PATH 150 Marine Fire Rated Pathway for use in System No. C-DM-3006.

EZ PATH 400 Marine Fire Rated Pathway for use in System No. C-DM-3007.

EZ PATH 300 Marine Fire Rated Pathway for use in System no. C-DM-3008.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R21596
Report Reference R21596
Issue Date 2022-November-02

Issued to: SPECIFIED TECHNOLOGIES INC
210 Evans Way
Somerville, NJ 08876 United States

**This is to certify that
representative samples of** Forming Materials

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/UL 1479, "Fire Tests of Penetration Firestops" - Fourth
Edition
ANSI/UL 2079, "Tests for Fire Resistance of Building Joint
Systems" - Fifth Edition
CAN/ULC-S115, "Standard Method of Fire Tests of Firestop
Systems." , Fifth Edition

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

See addendum pages 2- more details.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R21596
Report Reference R21596
Issue Date 2022-November-02

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

SPECSEAL SPEED FLEX JOINT PROFILE for use in Joint System Nos. HW-D-0099, HW-D-0252, HW-D-0363, HW-D-0365, HW-D-0371, HW-D-0456, HW-D-0548, HW-D-0617, HW-D-0618, HW-D-0619, HW-D-0642, HW-D-0644, HW-D-0645, HW-D-0846, HW-S-0083.

M-PACT Filler Blanket for use in Through-Penetration Firestop System Nos. C-DM-1003, C-DM-2003, C-DM-8005 and F-D-2002.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R27891
Report Reference R27891
Issue Date 2022-November-02

Issued to: SPECIFIED TECHNOLOGIES INC
210 Evans Way
Somerville, NJ 08876 United States

**This is to certify that
representative samples of** Batts and Blankets

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/UL 1479, "Fire Tests of Penetration Firestops" - Fourth Edition
ANSI/UL 1489, "Fire Tests of Fire Resistant Pipe Protection Systems Carrying Combustible Liquids,"- First Edition
STM E1725, "Standard Test Methods for Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components."

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

See addendum page 2 for more details.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R27891
Report Reference R27891
Issue Date 2022-November-02

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Thermal Barrier Wrap for use in System No. TB-9.

Thermal Barrier Wrap for use in Through-Penetration Firestop System Nos. C-BK-6001, C-BK-6002, W-L-7212.

E-Wrap Endothermic Wrap for use in Through-Penetration Firestop System Nos.: C-AJ-5437, C-BJ-6002, C-BK-6003, W-L-7307.

E-Wrap Endothermic Wrap for use in Fire-Resistant Pipe-Protection Materials System Nos.: FP-3, FP-4.

E-Wrap Endothermic Wrap for use in System No. TB-12.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R27891
Report Reference R27891
Issue Date 2022-November-02

Issued to: SPECIFIED TECHNOLOGIES INC
210 Evans Way
Sommerville, NJ 08876-3767 USA

**This is to certify that
representative samples of**

Electrical Circuit Protective Materials
Thermal Barrier Wrap for use in System No. 39.
Thermal Barrier Wrap for use in System No. 41.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL Subject 1724, "Outline of Investigation for Fire Tests for
Electrical Circuit Protective Systems."

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R14579
Report Reference R14579
Issue Date 2023-October-20

Issued to: SPECIFIED TECHNOLOGIES INC
210 Evans Way
Somerville, NJ 08876 United States

This is to certify that representative samples of Accessories for Use in Perimeter-fire-containment Systems

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/ASTM E2307, "Standard Test Method for Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-Scale, Multi-story Test Apparatus."

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

See addendum pages 2- more details.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20221102-R14579
Report Reference R14579
Issue Date 2023-October-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Accessory, SpecSeal® Connection Protection, for use in Perimeter Fire-Containment System No. CW-D-1032.

Quick Clip U-Bracket , for use in Perimeter Fire-Containment System No. CW-D-1041, CW-D-1050, CW-D-1051, CW-D-1053.

Quick Clip Z-Bracket, for use in Perimeter Fire-Containment System Nos. CW-D-1041, CW-D-1042, CW-D-1043, CW-D-1050, CW-D-1051, CW-D-1053

Quick Clip L-Bracket, for use in Perimeter Fire-Containment System No. CW-D-1041, CW-D-1042, CW-D-1043, CW-D-1050, CW-D-1051, CW-D-1053

SpecSeal Curtain Wall Mullion Plug for use in Perimeter Fire-Containment System No. CW-D-1041, CW-D-1042, CW-D-1043, CW-D-1044, CW-D-1053.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

