# Safety Data Sheet



Date of the latest revision of the safety data sheet: 01-05-2025

**Supercedes: 01-07-2025** 

# **KLONDIKE SAE 20W-50 API SP Automotive Engine Oil**

1 Identification

KLONDIKE SAE 20W-50 API SP Automotive Engine Oil **Product Identifier:** 

Stock Number:

No data available

Other means of identification:

Synonyms: Motor Oil

Recommended use and restrictions on use: Uses other than those described above

Recommended use: Restrictions on use:

**KLONDIKE Lubricants Corporation Initial Supplier Identifier:** 

> A330, 20161 86th Avenue Langley, BC V2Y 2C1

Canada

Tel No.: General information 1-877-293-4691

info@klondikelubricants.com Email:

**Emergency telephone number and any** 

restrictions on the use of that number,

Chemtrec (Within US) 1-800-424-9300 Chemtrec

(International) 1-703-527-3887

#### 2 Hazard identification

if applicable:

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

None known.

classified

Health hazards not otherwise classified None known.

## 3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Distillates, petroleum, solvent-dewaxed heavy paraffinic	No data available	64742-65-0	0.1 - 1

Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	No data available	EPA-ACC-17799	0.5 - 1.5
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	45 - 70

## 4 First-aid measures

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

**Eye contact:** Flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or

persists.

**Ingestion:** No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and effects, whether acute or delayed:

An indication of immediate medical

attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

## 5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

**Unsuitable extinguishing media:** No data available

Specific hazards arising from the

hazardous product, such as the nature of any hazardous combustion:

**Hazardous Combustion Products:** 

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Special protective equipment and

precautions for firefighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

SDS CAD

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

## 7 Handling and storage

Precautions for safe handling: Conditions for safe storage: Materials to Avoid/Chemical Incompatibility: Mildly irritating material. Avoid unnecessary exposure. Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents

# 8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

## Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent-	5 mg/m3 TWA	10 mg/m3 STEL	No data available
dewaxed heavy paraffinic			

#### Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	0.2 mg/m3 TWA (mildly refined); 1 mg/m3 TWA (severely refined)	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	No data available	No data available

Material name: KLONDIKE SAE 20W-50 API SP Automotive Engine Oil

# Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

# **Canada – New Brunswick – Occupational Exposure Limits:**

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
3 1	5 / O TIA/A	10 / 0.0751	
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

# Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

# **Canada – Northwest Territories – Occupational Exposure Limits:**

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

# Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic			

Chemical Name	Occupational Exposure Limits -	Occupational Exposure Limits -	Occupational Exposure Limits -
Canada – Saskatchewan – Occupatio	<u> </u>	Occum = 1! = = 1	0
dewaxed heavy paraffinic	<u> </u>		
Distillates, petroleum, solvent-	No data available	No data available	No data available
hydrotreated heavy paraffinic			
Petroleum distillates,	TWAEVs  No data available	STEVs  No data available	Ceiling  No data available
Chemical Name	Occupational Exposure Limits -	Occupational Exposure Limits -	Occupational Exposure Limits -
Canada – Quebec – Occupational Ex	oosure Limits:		
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	ino data available	No data available
hydrotreated heavy paraffinic	F mg/m2 T\\/\	No data available	No data available
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
Canada – Prince Edward Island – Occ Chemical Name	Occupational  Exposure Limits -  TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
dewaxed heavy paraffinic	yungtional Evnocura Limita		
Distillates, petroleum, solvent-	5 mg/m3 TWA	No data available	No data available
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Canada – Ontario – Occupational Ex	1	1	1
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Canada – Nunavut – Occupational Ex	<u>.</u>	T	T
dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

# Canada - Yukon - Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available

**Appropriate engineering controls:** 

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** 

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne

Respirator Type(s):

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection:

Wear chemically resistant safety glasses with side shields when handling

this product. Do not wear contact lenses.

Skin Protection:

Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Hand protection: Neoprene, Nitrile General hygiene conditions: No data available

## 9 Physical and chemical properties

Physical state: Liquid Colour: Brown Odour: Mild

Petroleum

No data available

No data available

Odour threshold:Not determinedpH:No data availableMelting point (°C):No data available

Initial boiling point and boiling range

(°C):

Freezing point (°C):

Flash point (°C): 237

**Evaporation rate:**No data available **Flammability, in the case of solids and**No data available

gases:

Upper flammable or explosive limit, %

in air:

ve limit, % Not established

Lower flammable or explosive limit, %

in air:

Not established

Vapour pressure:No data availableVapour density:No data available

Relative density: 0.87

**Solubility:** Negligible; 0-1% **Partition coefficient — n-octanol/water:** No data available

Auto-ignition temperature (°C): No data available Decomposition temperature (°C): Not determined

Viscosity: 107.3

10 Stability and reactivity

**Reactivity:** There are no known reactivity hazards associated with this product.

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** None expected under standard conditions of storage.

**Conditions to avoid, including static** Temperatures above the high flash point of this combustible material in

**discharge, shock or vibration:** combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

**Incompatible materials:** Strong oxidizing agents

**Hazardous decomposition products:** Carbon monoxide Sulfur containing gases Nitrogen containing gases

oxides of phosphorus Hydrogen sulfide

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

Eye contact, Ingestion, Inhalation, Skin contact

Material name: KLONDIKE SAE 20W-50 API SP Automotive Engine Oil

and eye contact):

Symptoms related to the physical,

chemical and toxicological

characteristics:

None known.

Immediate effects from short term exposure:

**Inhalation:** Likely to be practically non-toxic based on animal data. No hazard in

normal industrial use.

**Skin Contact:** This material is likely to be slightly irritating to skin based on animal data.

Can cause minor skin irritation, defatting, and dermatitis.

**Eye Contact:** This material is likely to be non-irritating to eyes based on animal data.

**Ingestion:** Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Delayed and chronic effects from long term exposure:

**Carcinogenicity:** Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

**Reproductive and Developmental** 

**Toxicity:** 

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial

use.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

**Numerical measures of toxicity, including ATEs** Based on available data, the classification criteria are not met.

# 12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

#### **Ecological Toxicity Data:**

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L		LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates,	64742-54-7	EC50 (48h) Daphnia	No data available	LC50 (96h)

Material name: KLONDIKE SAE 20W-50 API SP Automotive Engine Oil

hydrotreated heavy	magna > 1000 mg/L	Rainbow Trout >
paraffinic		5000 mg/L

**Persistence and degradability:**Biodegrades slowly.

**Bioaccumulative potential:** Bioconcentration may occur.

**Mobility in soil:** This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

## 13 Disposal considerations

Information on safe handling for

disposal and methods of disposal, including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

# 14 Transport information

## Transportation of Dangerous Goods by land (TDG):

**UN number:** Not regulated for road transport

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

**UN number**: Not regulated by IMDG

UN Proper shipping name:
Transport hazard class(es):
Not applicable
Packing group:
Not applicable
Not applicable
International carriage of dangerous goods by air (IATA):

**UN number:**Not regulated by IATA

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

**Environmental hazards according to the** No

International Maritime Dangerous Goods Code and the United Nations

**Model Regulations:** 

Transport in bulk (according to Annex II of the International Convention for the

Prevention of Pollution From Ships, 1973, as modified by the Protocol of

1978 (MARPOL 73/78) and the

No data available

International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)):

Special precautions in connection with transport or conveyance either within or outside the premises:

No data available

# 15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes
Distillates, petroleum, solvent-dewaxed	(4740 (5.0	V
heavy paraffinic	64742-65-0	Yes

# Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No

# **Canada - Controlled Drugs and Substances:**

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Petroleum distillates,								
hydrotreated heavy	64742-54-7	No	No	No	No	No	No	No
paraffinic								
Distillates, petroleum,								
solvent-dewaxed heavy	64742-65-0	No	No	No	No	No	No	No
paraffinic								

Material name: KLONDIKE SAE 20W-50 API SP Automotive Engine Oil

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No

# Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No

# Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

# Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-34-7	IVO

Distillates, petroleum, solvent-	64742.65.0	No
dewaxed heavy paraffinic	64742-65-0	INO

# Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

# **Stockholm Convention on Persistent Organic Pollutants:**

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

# Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

# (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Material name: KLONDIKE SAE 20W-50 API SP Automotive Engine Oil

## Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

# Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

# 16 Other information

Date of the latest revision of the safety

data sheet:

**Revision Number:** 

Reason for revision:

Disclaimer:

01-07-2025

Activated by Document Formulation Generation
The information in this document was written based on the best knowledge and experience currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation.