Safety Data Sheet



Date of the latest revision of the safety data sheet: 21-11-2020 Supercedes: 21-11-2020

KLONDIKE MV AW 46 Hydraulic Fluid

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

| Product identifier Product name | MV AW Hydraulic Fluids ISO 46 |
|--|----------------------------------|
| <u>Other means of identifica</u> Product Code(s) Synonyms | tion No information available |
| Recommended use of the | chemical and restrictions on us |
| Recommended Use | Lubricant. |
| Uses advised against | No information available |
| Details of the supplier of the supplice of the | |
| KLONDIKE Lubricants Corp | poration |
| 3078 275th Street | |
| Langley, BC, V4W 3L4 | |
| Canada | |
| General information 1-87 | 7-293-4691 |
| info@klondikelubricants.co | m |
| Emergency Contact: | |
| Chemtrec (Within US) | 1-800-424-9300 Chemtrec |

(International) 1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Label elements

EMERGENCY OVERVIEW

Appearance Transparent, yellow tinted fluid

Physical state Viscous Liquid

Odor Mild petroleum odor

Hazards not otherwise classified (HNOC) Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name Chemical Family Petroleum based lubricating fluid. Petroleum hydrocarbon mixture.

| Chemical name | CAS-No | Weight % | Trade secret |
|--|------------|----------|--------------|
| | | | |
| Petroleum distillates, hydrotreated light paraffinic | 64742-55-8 | 0-48 | * |

| Petroleum distillates, hydrotreated neavy paramilic 64742-54-7 0-96 | Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | 0-96 | * |
|---|--|------------|------|---|
|---|--|------------|------|---|

*The exact percentage (concentration) of composition has been withheld as a trade secret.

| 4. FIRST AID MEASURES | | |
|-----------------------------------|--|--|
| First aid measures | | |
| General advice | No hazards which require special first aid measures. | |
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, call a physician. | |
| Skin contact | Wash skin with soap and water. If skin irritation persists, call a physician. | |
| Inhalation | Move victim to fresh air. If symptoms persist, call a physician. | |
| Ingestion | Do NOT induce vomiting. If symptoms persist, call a physician. | |
| Most important symptoms and effe | ects, both acute and delayed | |
| Symptoms | No information available. | |
| Indication of any immediate medic | al attention and special treatment needed | |
| Notes to Physician | Treat symptomatically. | |

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Large Fires Contact emergency personnel.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

<u>Specific hazards arising from the chemical</u> Combustible material.

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO 2).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection Wear protective gloves/clothing and eye/face protection.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Soak up with inert absorbent material. Prevent product from entering drains. T. HANDLING AND STORAGE Precautions for safe handling Keep away from open flames, hot surfaces and sources of ignition. Conditions for safe storage, including any incompatibilities Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------------|--------------------------|--------------------------|------------------------------|
| Petroleum distillates, hydrotreated | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | IDLH: 2500 mg/m ³ |
| light paraffinic | | | TWA: 5 mg/m ³ |
| 64742-55-8 | | | STEL: 10 mg/m ³ |
| Petroleum distillates, hydrotreated | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | IDLH: 2500 mg/m ³ |
| heavy paraffinic | - | | TWA: 5 mg/m ³ |
| 64742-54-7 | | | STEL: 10 mg/m ³ |

Appropriate engineering controls

| Engineering Controls | Showers |
|----------------------|----------------------|
| | Eyewash stations |
| | Ventilation systems. |

Individual protection measures, such as personal protective equipment

| Eye/face Protection | Goggles. Safety glasses. |
|--------------------------------|--|
| Skin and body protection | Long sleeved clothing. Protective gloves. |
| Respiratory protection | In case of inadequate ventilation wear respiratory protection. |
| General Hygiene Considerations | Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance | Viscous Liquid Transparent, yellow tinted fluid | Odor | Mild petroleum odor |
|--|--|------------------|--------------------------|
| Color | light yellow | Odor threshold | No information available |
| <u>Property</u> pH Melting point/freezing point Boiling Point/Range Flash point Evaporation rate Flammability (solid, gas) | <u>Values</u> No information available No information available No information available > 162.8 °C / > 325 °F No information available No information available | Remarks • Method | |

| Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity | No information available No information available No information available No information available 0.86-0.88 No information available No information available No information available 21.0-70.0 @40C mm2/s No information available |
|--|---|
| Explosive properties Oxidizing properties | No information available No information available |
| Other information Softening point VOC Content Density Bulk density | No information available No information available No information available No information available |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | No data available | | | |
|---------------------|--------------------------------|--|-----------------|--|
| Inhalation | Inhalation of vapors in high c | Inhalation of vapors in high concentration may cause irritation of respiratory system. | | |
| Eye contact | May cause irritation. Avoid co | May cause irritation. Avoid contact with eyes. | | |
| Skin contact | Repeated exposure may cau | Repeated exposure may cause skin dryness or cracking. | | |
| Ingestion | Do NOT taste or swallow. | | | |
| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 | |

| Petroleum distillates, hydrotreated | > 24 g/kg (Rat) | - | = 3900 mg/m ³ (Rat) 4 h = 2062 |
|-------------------------------------|---------------------------------|-----------------------|---|
| light paraffinic | | | ppm (Rat)4 h |
| 64742-55-8 | | | |
| Petroleum distillates, hydrotreated | > 15 g/kg (Rat) > 24 g/kg (Rat) | > 5000 mg/kg (Rabbit) | = 2062 ppm (Rat) 4 h |
| heavy paraffinic | | | |
| 64742-54-7 | | | |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization |
|------------------------|
| Germ cell mutagenicity |
| Carcinogenicity |

No information available. No information available. Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--|----------|---------|-------|------|
| Petroleum distillates, hydrotreated light paraffinic 64742-55-8 | - | Group 1 | Known | Х |
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | <u>-</u> | Group 1 | Known | Х |

Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard No information available. No information available. No information available. No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|---|----------------------|---|---------------------------------------|
| Petroleum distillates, hydrotreated light paraffinic 64742-55-8 | - | 5000: 96 h Oncorhynchus mykiss mg/L LC50 | 1000: 48 h Daphnia magna mg/L EC50 |
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | - | 5000: 96 h Oncorhynchus mykiss mg/L LC50 | 1000: 48 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|-----------------|
| TSCA | Does not comply |
| DSL/NDSL | Does not comply |
| EINECS/ELINCS | Does not comply |
| ENCS | Does not comply |
| IECSC | Does not comply |
| KECL | Does not comply |
| PICCS | Does not comply |
| AICS | Does not comply |
| | |

Legend:

All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| SARA | 311/312 | Hazard | Categories |
|------|---------|--------|------------|
| | | | |

| Acute health hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Petroleum distillates, hydrotreated light paraffinic 64742-55-8 | Х | Х | Х |
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | Х | - | Х |

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

| 16. OTHER INFORMATION | | | | |
|--|-------------------------------|----------------|--------------------|------------------------------------|
| NFPA | Health hazards 0 | Flammability 1 | Instability 0 | Physical and Chemical Hazards - |
| HMIS | Health hazards 0 | Flammability 1 | Physical hazards 0 | Personal protection X |
| Issuing Date Revision Date Revision Note | 21-Nov-2020 | | | |
| SDS sections update Disclaimer | ed 1 3 4 5 6 7 8 9 10 11 14 1 | 16 | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.