## Beacon Hill 628 Seven-Layer Engineered Wood







#### **Species**

European Oak, Hickory

### **Large Planks**

Random lengths up to 75", premium sort: Over 60% of floor area is 75" boards Thickness: ½" (nominal) 12 mm Width: 7½" (nominal) 19 cm

### Structure

Seven-layer engineered wood (Acacia core layers)

2 mm Oak or Hickory face layer

#### Wire Brush Finish

Four-sided beveled edge Low luster gloss level UV-cured polyurethane with aluminum oxide

### Installation

T&G joint; stapled, glued, or floated
Oak colors compatible with hydronic heating

#### **Packaging**

8 layers per carton (50 lbs) 31.1 SF per carton 45 cartons per pallet 22 pallets per 40 HQ container (Dalton) 24 pallets per 40 HQ container (Ontario)

#### Certification

Floor Score Certified

### Warranties

30-Year Residential Wear Lifetime Structural See full warranty text at nextfloor.net

### **Coordinating Moldings**

Stair Nose, Reducer, and T-mold available See more details at nextfloor.net

## ½" is ideal beside: tile direct over subfloor



#### Sample SKUs

Strap Sets SS628NF 5 per carton (35 lbs)

# **Display** 7CARDS628NF-1

(003,007,009) 7CARDS628NF-2 (010,013) 7CARDS628NF-3 (103,114) FIXT628NF Packaged in 3 cartons (115 lbs)







# **Classic Hardwood**

 Millbrook Timbers engineered wood floors are made with classic finishing techniques.

Beautiful natural wood textures are enhanced with light wire brushing, refined edge bevels, and multiple rich stains.

# **Built to Last**

- The thick 2 mm European oak or hickory face stands up to years of wear.
- The durable aluminum oxide finish resists scratches and stays beautiful.
- The seven-layer construction is exceptionally stable, even in changing temperature and humidity.

# Large Luxurious **Planks**

**Wide Planks** 71/2" width

**Six Foot Planks** 

Long random lengths up to 75"

**Premium Sort** 

Over 60% of floor area is 75" boards



# Ideal 1/2" Thickness

 Beacon Hill's thick ½" construction creates beautiful, level transitions where hardwood meets tile flooring (when tile is adhered directly to the subfloor).





To show the seven layers of sturdy engineered wood



