

Acczent™

Twill

HETEROGENEOUS VINYL SHEET



Timeless textiles

For centuries, linen has been a cherished staple in both fashion and interior design, loved for its timeless weave and naturally worn texture. Its effortless warmth and softness bring a sense of comfort to any space. Inspired by this beloved fabric, Acczent Twill offers three distinctive patterns—Poplin, Fibre, and Lin—each protected by a 32-mil wear layer and Tarkett's advanced Techtonic® XD surface technology for exceptional resistance to stains, scratches, gouges, and scuffs. Designed with well-being in mind, the entire collection is also Certified **Asthma & Allergy Friendly®** to support better indoor air quality.

COVER:
Acczent Twill 604 Cool Grey POPLIN, 804 Cool Grey LIN, 806 Soft Seas LIN

LEFT:
Acczent Twill 605 Soft Green POPLIN, 705 Soft Green FIBRE, 805 Soft Green LIN

We've taken an extra step to protect your floors against stains.

Specifically formulated for Tarkett's vinyl sheet collections, Techtonic XD features excimer defense technology to provide superior resistance to stains and scratches, without requiring floor finish. By adding an excimer curing to our manufacturing process, we've made sure this ruggedly strong coating extends the life of your floor and maximizes your return on investment.

Immaculate stain defense

Based on third-party testing to ASTM F925, Techtonic XD provides superior stain resistance to the most challenging chemical and medical staining agents and performs better than a leading competitor against 65% of them.

Better scratch and scuff protection

When it comes to scratches, scuffs, gouges, and tears, Techtonic XD performs at the top of its class, so floors look better and last longer.

Easy to clean

Techtonic XD provides a durable matte finish that remains easy to clean.

No floor finish required

Floors do not require a traditional floor finish, saving time and money.





Accent Twill 800 Greige LIN, 803 Cape May LIN, 600 Greige POPLIN

Twill

3 patterns | 8 colors

POPLIN

A delicate sense of movement and texture with a tight weave and subtle detailing. Inspired by the fine craftsmanship of twill fabric, this pattern offers quiet complexity through its layered, tonal design.

600 Greige CB VK8 Sandstorm CB *	601 Thunder CB 31 Zephyr CB *	602 Camel WB 09 Clay WB *	603 Cape May WG 32 Pebble WG *	604 Cool Grey CG TG3 Iron Mountain CG *	605 Soft Green VM4 Green Smoke *	606 Soft Seas VN1 White Slipper W *	607 Soft Blue 71 Storm Cloud CG *

FIBRE

A tone-on-tone, deconstructed houndstooth that creates a soft, elegant texture underfoot. Its slightly larger scale and refined simplicity offer a versatile foundation for a wide range of interior styles.

700 Greige CB VK8 Sandstorm CB *	701 Thunder CB 31 Zephyr CB *	702 Camel WB 09 Clay WB *	703 Cape May WG 32 Pebble WG *	704 Cool Grey CG TG3 Iron Mountain CG *	705 Soft Green VM4 Green Smoke *	706 Soft Seas VN1 White Slipper W *	707 Soft Blue 71 Storm Cloud CG *

LIN

The most expressive take on twill-inspired texture with an irregular knit punctuated by high-contrast accent stitching. This organic grid pattern adds visual rhythm and dimension, making it a standout choice for dynamic, design-forward spaces.

800 Greige CB VK8 Sandstorm CB *	801 Thunder CB 31 Zephyr CB *	802 Camel WB 09 Clay WB *	803 Cape May WG 32 Pebble WG *	804 Cool Grey CG TG3 Iron Mountain CG *	805 Soft Green VM4 Green Smoke *	806 Soft Seas VN1 White Slipper W *	807 Soft Blue 71 Storm Cloud CG *



Wall base coordinates
* We've identified Color Foundations® neutrals in the following way: **WB** (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White).
* Suggested colors for finishing borders (wall base). Coordinated Johnsonite® accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.

Tarkett Solution SPEcTrum™

At Tarkett, we believe in placing people in the center of every space. So we’ve developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns, and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet, and performance.

- 1. Carpet tile & Powerbond® hybrid carpet
Collaborative™ Create Balance™ 11770 Destination 32803
- 2. Heterogeneous vinyl sheet
Acczent Chambray 504 Natural
- 3. Heterogeneous vinyl sheet
Acczent Chambray 517 Tides In
- 4. Heterogeneous vinyl sheet
Acczent Stones 020 Cool Grey CONCRETE
- 5. Homogeneous vinyl sheet & tile
iQ® Optima® 886 Grey White
- 6. Heterogeneous vinyl sheet
Acczent Twill 706 Soft Seas FIBRE
- 7. Heterogeneous vinyl sheet
Acczent Twill 606 Soft Seas POPLIN
- 8. Heterogeneous vinyl sheet
Acczent Twill 806 Soft Seas LIN
- 9. Heterogeneous vinyl sheet
Acczent Woods 042 Oak Tree Grey
- 10. Johnsonite wall base
Millwork Masquerade® Reveal® MW-MU6-F MU6 Cemento
- 11. Johnsonite wall base
Millwork Masquerade Reveal MW-ME3-F ME3 Seasoned Oak Scout
- 12. Johnsonite wall base
Millwork Masquerade Reveal MW-MU9-F MU9 Eucalypto
- 13. Luxury vinyl tile
iD Latitude™ Wood PLWD Mountain Maple 7534
- 14. Luxury vinyl tile
iD Latitude Wood PLWD Lacewood 7532
- 15. Carpet tile & Powerbond hybrid carpet
Layered Duality™ Grounded Harmony™ A0043 Coexist 24702



Color may vary from actual swatch. To order a sample and to learn more, please visit tarkett.com.



Every step matters

Tarkett's holistic approach to sustainability is woven into the fabric of how we do business and sits at the heart of our day-to-day decision making.

For decades, we've been scrutinizing every detail of our business for its impact on resources like soil, water, and air—because when you're trailblazing a more sustainable future, **every step matters**.

The **proof** is in the numbers.



Circular economy

94%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

69%

of raw materials are abundant, rapidly renewable, or recycled.

13

zero-waste-to-landfill manufacturing plants

2.1 million lb.

of flooring recycled in 2024 in North America



Certifications you can trust

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business

2013

first commercial flooring Certified **Asthma & Allergy Friendly**®

2022

Powerbond® RS is the first soft surface product in the industry to be Certified **Asthma & Allergy Friendly**®.



Transparency you can trust

100ppm

raw materials content revealed down to 100 parts per million

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.



Healthy impacts

99%

of flooring solutions have low VOC emission levels—10x lower than the most stringent world standards.

100%

ortho-phthalate-free vinyl production; first company to eliminate ortho-phthalates from all products



Global excellence

2010

first flooring manufacturer to join the UN Global Compact

2016

Began reporting to the Carbon Disclosure Project (CDP). In 2025, Tarkett scored A, the CDP management level.

2020

first assessment by EcoVadis. In 2025, Tarkett's score of 86/100 earned us a Platinum medal and placed us in the top 1% of rated companies.

2023

SBTi deemed our target ambition in line with a 1.5°C trajectory, currently the most ambitious designation available through the SBTi process.

Contributing to better indoor air quality

Asthma and allergies affect millions of people every year and have costly implications for people's health and wellness, finances, and school or work performance. While there is no cure for either condition, one of the best ways to manage them is to avoid triggers of asthma and allergy symptoms.



100 million+

people in the U.S. experience various types of allergies each year

1 in 12

people in the U.S. has asthma

\$50.3 billion

is spent annually for medical treatment of asthma

What does the **Asthma & Allergy Friendly**® certification mean?

Products that are Certified **Asthma & Allergy Friendly**® are scientifically proven to reduce exposure to asthma and allergy triggers and promote better indoor air quality.



VOC emissions

Emissions of Volatile Organic Compounds (VOCs) must be below strict certification limits, at 24 hours and 14 days after flooring is installed. If adhesive is used to fix the flooring in place, it is included in the VOC testing.

Note: Only the Asthma & Allergy Friendly Certification testing considers the entire flooring system—including flooring material, adhesive, cleaning supplies, and effective allergen removal.



Allergen removal

Using recommended cleaning methods, allergen removal must meet or exceed these thresholds:

75%

soft-surface flooring

90%

resilient flooring

Certified flooring solutions

Tarkett is proud to offer a variety of trusted flooring solutions that are Certified **Asthma & Allergy Friendly**®, including Powerbond® RS hybrid carpet, iQ® homogeneous vinyl collections (Granit™, Optima®, Eminent™), iD Latitude™ luxury vinyl tile, and all Acczent™ and Performa™ heterogeneous vinyl collections.



Powerbond RS



iQ Optima



iD Latitude




Acczent



Performa

Tailored by Tarkett™

To help you explore and specify flooring, Tarkett offers design tools and services that make it easier than ever to find inspiration, research product ideas, and try out personalized flooring concepts to help you create profoundly unique spaces. You can even co-create with one of our expert designers to help you fulfill your vision.



Design tools

Choose from an array of sophisticated design tools to help you tailor and preview each flooring layout. The **Tailored by Tarkett Visualizer Suite** is a user-friendly online platform to help you explore layouts and colorways. With the Visualizer suite, you can:

- Create **project boards** to effortlessly save swatches, collect room scenes, upload photos, and keep all your visuals organized in one convenient place;
- Complete your ideas with our **Wall Base Studio**, which enables you to preview an unlimited selection of high-definition digitally printed wall finishing borders that meet your exact needs.

Of course, your ideas aren't limited to just one type of flooring. That's why our online tools include visualizers for carpet tile, tufted broadloom, Powerbond® hybrid carpet, luxury vinyl tile, non-PVC plank and tile, and rubber tile.



Learn more and find your inspiration here.



Design services

Great flooring supports people, inspires creativity, and connects us to our environment. So does great service. That's why we offer a suite of end-to-end design services to help you. Want to add a logo to your floor or a custom corporate message? No problem. Or maybe you're looking for support in the form of professional renderings to help sell your flooring concept. No matter your need, Tarkett experts are here to help you solve your biggest flooring challenges and deliver personalized solutions.

- Let our **Designer on Demand** team create renderings for you. Simply submit your project online and our designers will create beautiful renderings you can proudly share with your clients.
- Our **Imaginations® Personalized Floor Design** program can help you implement more intricate and detailed designs—such as logos and messaging—adding shape, color, and texture into your floor design with tailored cutting and fabrication.

Weld rod and pattern details

Color #	Color name	Color Foundations*	Pattern	Solid weld rod	LRV **
600	Greige	CB	POPLIN	24806263	44.7
601	Thunder	CB	POPLIN	1292771	39.4
602	Camel	WB	POPLIN	1287012	43.7
603	Cape May	WG	POPLIN	1287530	35.6
604	Cool Grey	CG	POPLIN	1292859	36.9
605	Soft Green		POPLIN	1287964	43.2
606	Soft Seas		POPLIN	24806264	43.9
607	Soft Blue		POPLIN	24806265	35.0
700	Greige	CB	FIBRE	24806266	42.6
701	Thunder	CB	FIBRE	1287530	35.9
702	Camel	WB	FIBRE	1287012	41.1
703	Cape May	WG	FIBRE	1287170	33.7
704	Cool Grey	CG	FIBRE	1287831	34.5
705	Soft Green		FIBRE	1287964	39.9
706	Soft Seas		FIBRE	24806267	42.3
707	Soft Blue		FIBRE	1291210	32.3
800	Greige	CB	LIN	24806268	39.1
801	Thunder	CB	LIN	1287170	31.3
802	Camel	WB	LIN	1292762	37.9
803	Cape May	WG	LIN	1291847	29.1
804	Cool Grey	CG	LIN	24806269	30.4
805	Soft Green		LIN	24806270	35.3
806	Soft Seas		LIN	24806271	38.8
807	Soft Blue		LIN	24806272	29.8

* See the Color Foundations® key on page 5


** Light Reflectance Value (%)

Key attributes summary




Durable performance

Techtonic XD and 32-mil wear layer provide superior resistance to stains, scuffs, scratches, gouges, and tears




Broad portfolio

A full palette of colors designed to serve a variety of commercial spaces and coordinate with other Accent collections



Improved hygiene

Thermo-fused welding creates a monolithic surface



Static load limit

Static load limit of 2000 PSI (Modified ASTM Testing**)



Ease of maintenance

No floor finish required*, reducing maintenance costs and optimizing return on investment



Warranty protection

Backed by a top-of-class 15-year warranty



Immediate occupancy

Tarkett RollSmart™ adhesive is approved for use under hospital beds, shortens installation times, and allows immediate welding and traffic




Indoor air quality

Certified **Asthma & Allergy Friendly**®

* With the proper combination of cleaning products, pads, accessories, equipment, and frequency (based on the type of soil and volume), the floor can be easily maintained without the use of floor finish.

Heterogeneous sheet construction



Specifications

HETEROGENEOUS VINYL SHEET

Style name	Accent Twill
Warranty	15 years
Patterns	3
Colors available	8 Poplin, 8 Fibre, 8 Lin
Thickness	0.08" (2 mm)
Wear layer thickness	0.032" (0.8 mm)***
Formats	Roll
Roll size	Approx 76' (23 m) L x 6'6" (2 m) W
Roll weight	5.7 lb./ sq. yd. (3.1 kg/m²)
Installation type	Glue down

*** Wear layer thickness tested to ISO SPEC 24340

Testing

Technical Data	Standards	Accent	
Classification	ASTM F1303	Heterogeneous vinyl sheet	
Polyurethane Reinforced		Techtonic XD	
Static Load Resistance	ASTM F970	250 psi, ≤ 0.005" Modified 2000 psi: ≤ 0.005" **	** Static loads greater than 250 psi fall outside of the scope of the ASTM F970 test method. Modified static load testing does not provide information related to the long-term exposure and the residual indentation of an installed floorcovering system which includes the subfloor, adhesive, underlayment, and cementitious patching/leveling compounds. Residual indentation(s) may remain visible in any resilient flooring installation, however, overhead lighting, natural lighting and the application of a gloss floor finish may increase the appearance.
Residual Indentation	ASTM F1914	Passes	
Slip Resistance	ASTM D2047	≥ 0.5 SCOF	
Flammability	ASTM E648	Class 1 (≥ 0.45 W/cm²)	
Smoke Density	ASTM E662	Passes (<450)	
Canadian Fire Testing	CAN/ULC S102.2	FSR 145 / SDC 235	
Chemical Resistance	ASTM F925	Passes	
Resistance to Light	ASTM F 1515	ΔΣ ≤ 8	
Resistance to Heat	ASTM F 1514	ΔΣ ≤ 8	
Flexibility	ASTM F137	Passes	

Sustainability attributes

- HETEROGENEOUS VINYL SHEET**
- Product emissions decarbonization:**
ClimeCo Certified Product™ decarbonization program available upon request
- Healthy materials:**
94% raw materials third-party assessed; ortho-pththalate-free
- Indoor air quality:**
FloorScore® certified; CDPH 01350 v1.2; Certified **Asthma & Allergy Friendly**®*
- Transparency documents available:**
Product-specific EPD; Material Health Statement
- Responsible end of use management:**
Part of Tarkett's ReStart® take-back and recycling program



Transparency documentation

At Tarkett, transparency, social responsibility and environmental stewardship aren't add-ons—they're part of everything we do. By partnering with ecomedes and mindful MATERIALS, we make it easy for you to explore our sustainable flooring product options, their product certifications, green building systems and federal standards support documents. Visit tarkett.ecomedes.com to learn more.





ReStart is Tarkett's third-party certified reclamation program.



To learn more about the ReStart program, scan the QR code or go to commercial.tarkett.com/Restart

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

©Tarkett North America 21699000019 03/2026

Tarkett North America

30000 Aurora Road, Solon, Ohio 44139
800.899.8916 | [tarkett.com](https://www.tarkett.com)

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.