



PACIFIC
MAT & FLOORING

INSTALLATION SOLUTIONS GUIDE
MARCH 2026



TABLE OF CONTENTS

Stocking Program

ADHESIVE	03-05
Selector Guide	03
Carpet Adhesive	04
Cove Base	04
Hardwood	04
Resilient Adhesive	05
TILE & STONES	06-07
Mortar & Thinset	06
Grout, Silicone, Caulk	07
SUBFLOOR PREP	08-11
Patch & Ramp	08
Primer	10
Subfloor Shims & Leveling	11
SHOWER SYSTEMS	12-13
Crack Isolation & Anti-Fracture	12
Backer Board	13
IN-FLOOR HEAT	13
Uncoupling Mats	13
ALL TOOLS	14
Assorted Tools	14
Tools	14-15
UNDERLAYMENT	15
Sound Reduction Underlayment	15

SELECTOR GUIDE

CATEGORY	TEC	HENRY
CARPET BROADLOOM	Flexera High Tack	
CARPET TILE	Flexera High Tack	650 R
		351 Fast Pro
		356C MultiPro
LUXURY VINYL TILE	Flexera High Tack	647 Plum Pro
		695 High RH
		650 R
VINYL COMPOSITION TILE	Flexera High Tack	695 High RH
		430 ClearPro
SHEET VINYL	Flexera High Tack	647 Plum Pro
		695 High RH
		650 R
		356C MultiPro
QUARTZ TILE	Flexera High Tack	
HARDWOOD	Wood Secure	1171N SureLock
CORK	Wood Secure	
CRUMB RUBBER	Wood Secure	
COVE BASE	714 Cove Base	40 Cove Base Adhesive
OUTDOOR CARPET		263 Weather Pro

ADHESIVE

Stocking Program

CARPET ADHESIVE

	PRODUCT	SIZE	COVERAGE	RH	PH
	263 WEATHER PRO HE26335	3.5 Gallon	70-125 sf/gal	100%	
	263 WEATHER PRO HE2631	1 Gallon	70-125 sf/gal	100%	
	351 FAST PRO HE3514	4 Gallon	64-162 sf/gal	N/A	
	356C MULTIPRO HE356C4	4 Gallon	90-275 sf/gal	85%	>10
	356C MULTIPRO HE356C1	1 Gallon	90-275 sf/gal	85%	>10

COVE BASE

	PRODUCT	SIZE	COVERAGE	RH	PH
	440 COVE BASE ADHESIVE HE44030	30 oz	50 lf/30 oz		
	714 COVE BASE TE714W30	30 oz	30-70 lf/30 oz		

HARDWOOD



1171N SURELOCK

Item: HE1171N4
4 Gallon
44-125 sf/gal
RH: 85% | **PH:** >10



WOOD SECURE

Item: TESECURE4
4 Gallon
30-60 sf/gal
RH: 100%



WOOD ENDURE™ GLUE ASSIST ADHESIVE

Item: TEWOODENDURE20
TEWOODENDURE3
20 oz
50-60 lineal ft

RESILIENT ADHESIVE

	PRODUCT	SIZE	COVERAGE	RH	PH
	647 PLUM PRO HE6474	4 Gallon	300-400 sf/gal	99%	5-12
	647 PLUM PRO HE6471	1 Gallon	300-400 sf/gal	99%	5-12
	695 HIGH RH HE6954	4 Gallon	up to 1,000 sf/gal	99%	5-12
	695 HIGH RH HE6951	1 Gallon	up to 1,000 sf/gal	99%	5-12
	650 R HE650R4	4 Gallon	125-300 sf/gal	99%	5-12
	650 R HE650R1	1 Gallon	125-300 sf/gal	99%	5-12
	650 R HE650RQT	1 QT	125-300 sf/gal	99%	5-12
	430 CLEARPRO HE4304	4 Gallon	125-300 sf/gal	95%	5-11
	430 CLEARPRO HE4301	1 Gallon	125-300 sf/gal	95%	5-11
	FLEXERA HIGH TACK TEFLEXHT4	4 Gallon	125-250 sf/gal	99%	12
	FLEXERA HIGH TACK TEFLEXHT1	1 Gallon	125-250 sf/gal	99%	12
	FLEXERA PREM UNIVERSAL ADH TEFLEX4	4 Gallon	125-175 ft2/ga	99%	12
	FLEXERA PREM UNIVERSAL ADH	1 Gallon	125-175 ft2/ga	99%	12

TILE & STONES

Stocking Program

MORTAR & THINSET

	PRODUCT	SIZE	COLOR
	X 3 PLUS #AXX3PLUSW40 #AXX3PLUSG40	40 lb	WHITE GREY
	X 4 #AXX4W40 #AXX4G40	40 lb	WHITE GREY
	X 5 #AXX5G40	40 lb	GREY
	X 5 #AXX5W40	40 lb	WHITE
	X 77 MICROTEC #AXX77G40 #AXX77W40	40 lb	GREY WHITE
	X 90 #AXX90G40	40 lb	GREY
	X 7 R #AXX4W40 #AXX7RG40	40 lb	WHITE GREY

	PRODUCT	SIZE	COLOR
	ULTIMATE #TEULTIMATELTG	40 lb	GREY
	ULTIMATE #TEULTIMATELTW	40 lb	WHITE
	TOTAL FLEX 150 #TETOTFLEX150G	32 lb	GREY
	TOTAL FLEX 151 #TETOTFLEX150W	33 lb	WHITE
	D 16™ #AXD161 #AXD1635	1 Gal 3.5 Gal	WHITE
	AM 100™ #AXAM100	40 lbs	

GROUT, SILICONE, CAULK



ACCUCOLOR CAULK
Item #TECAULK9__S
10.5 fl. oz. cartridge
(310 mL)



ACCUCOLOR CAULK UNSANDED
Item #TECAULK912U
10.5 fl. oz. cartridge
(310 mL)



ACCUCOLOR SEALANT
Item #TESILIC9__
10.5 fl. oz. cartridge (310 mL)



POWER GROUT
Item #TETA5509__10
10 lb



POWER GROUT
Item #TETA5509__25
25 lb



SX SILICONE
#AXSXCAULK__19
10.1 fl. oz. (299 mL)



WA EPOXY GROUT
#AXWA__9
9 lb



FLEX CAULK
#AXFLEXCAULK__10
10.1 oz (299 ml)



FL SANDED GROUT
#AXFL__10
10 lb



FL SANDED GROUT
#AXFL__25
25 lb



DG 1™
#AXDG1XX1
1 Gal



SUBFLOOR PREP

Stocking Program

PATCH & RAMP

	PRODUCT	SIZE	COVERAGE	PSI (COMPRESSIVE)	APPLICATIONS
	FEATHER FINISH #AXFFG10	10 lb	up to 300 sq. ft. per bag		Self-Drying Cement-Based Finish Underlayment
	FEATHER FINISH XF #AXXFG10	10 lb	up to 300 sq. ft. per bag		Self-Drying, Cement-Based Finish Underlayment
	FORTI FINISH #AXFORTIF10	10 lb	20 sq. ft. per bag at 1/8"; 10 sq. ft. per bag at 1/4"	over 7800 psi	High-Strength Self-Drying Finishing Underlayment
	MRF #AXMRF10	10 lb	28 sq. ft. per bag at 1/8" (2.6 sq. m at 3 mm) 56 sq. ft. per bag at 1/16" (5.2 sq. m at 1.5 mm) 200 – 250 sq. ft. (18.6 – 23.2 sq. m) per bag at a skim coat Coverage will vary depending on the texture of the surface being smoothed.		Moisture Resistant, Rapid- Drying, Skimcoat Patching Underlayment
	SD-P #AXSDPLT40	40 lb	25 sq. ft. per 40 lb. (18 kg) bag at 1/4" (2.3 sq. m at 6 mm). 50 sq. ft. per 40 lb. (18 kg) bag at 1/8" (4.6 sq. m at 3 mm). Coverage will vary depending on the texture of the surface being smoothed.	4,200 psi	Self-Drying, Trowelable Concrete Underlayment
	SDP LT #AXSDPLT40	40 lb	25 sq. ft. per 40 lb. (18 kg) bag at 1/4" (2.3 sq. m at 6 mm) 50 sq. ft. per 40 lb. (18 kg) bag at 1/8" (4.6 sq. m at 3 mm)	4,500 psi	Self-Drying, Trowelable Concrete Underlayment
	CP #AXCP40	40 lb	22.5 sq. ft. per bag at 1/4 (2.1 sq. m at 6 mm)	3600 psi	Concrete Patch
	TWP #AXTWP10	10 lb	100 to 150 sq. ft. per bag at a skim coat 33.3 sq. ft. per bag at 1/8" 16.6 sq. ft. per bag at 1/4"		Tilt Wall Patch and Finishing Compound for Vertical Concrete Walls
	FEATHER EDGE #TEFEATHER	10 lb	1/8" (3 mm) 30-36 sq. ft. (2.8-3.3 m2) 1/4" (6 mm) 15-18 sq. ft. (1.4-1.7 m2) 1/2" (12 mm) 7.5-9 sq. ft. (0.7-0.8 m2) Embossing 300-500 sq. ft. (27.9-46.5 m2)	3,600	Feather Edge Skim Coat



FEATHER EDGE | #TEFEATHER

Features:

- 10 lb
- 1/8" (3 mm) 30-36 sq. ft. (2.8-3.3 m²) 1/4" (6 mm) 15-18 sq. ft. (1.4-1.7 m²) 1/2" (12 mm) 7.5-9 sq. ft. (0.7-0.8 m²) Embossing 300-500 sq. ft. (27.9-46.5 m²)
- Fast set. No primer on most surfaces



MULTI-PURPOSE PRIMER | #TEMP5605 | #TEMP5601

Features:

- 5 Gallon | 1 Gallon
- 300-410 sf/gal
- One primer, variety of uses. Easy to apply with brush or roller for non-porous surfaces, or push broom for porous surfaces. Low VOC. Contributes to LEED® project points



WOOD ENDURE™ GLUE ASSIST ADHESIVE | TEWOODENDURE20

Features:

- 20 oz
- 50-60 lineal ft
- Robust adhesion reduces floor squeaks and excessive flooring movement
- Excellent green grab holds flooring in place • Easy to clean off prefinished wood flooring
- 100% solids & fast curing • No width or length limitations



LIQUIDAM EZ MOISTURE BARRIER | #TELIQUIDAMEZ

Features:

- 5 Gallon
- 1st Coat 150 sf/gal / 2nd Coat 300 sf/gal
- 1-part blue emulsion for up to 100% RH; works on concrete and wood; also primes and blocks alkalinity; fast-drying, same-day install.



LEVEL SET 400HF | #TELS400HF

Features:

- 50 lb.
- 25 sf/50lb
- High flow distance and speed reduces labor and produces a super smooth surface. Once cured, no need for additional sanding or skim coating. For installations ranging from 1/16"-11/2" neat*. Applied up to 5" (12 cm) with proper aggregate. Can be featheredged to adjoining elevations. Up to 60 minutes of working time. Pourable or pumpable. Formulated for fast-track applications - walkable in 2-3 hours

SUBFLOOR PREP

Stocking Program

PRIMER

	PRODUCT	SIZE	COVERAGE	APPLICATION
	P 4 #AXP435	3.5 Gallon	300 sf/gal	Ideal for Tile over Tile installation
	P 4 #AXP41 #AXP435	1 Gallon 3.5 Gallon	301 sf/gal	Ideal for Tile over Tile installation
	P 51 #AXP514	4 Gallon	400-600 sf/gal	For absorbent concrete, wood, gypsum and non-water-soluble adhesive residue on concrete
	P 51 #AXP511	1 Gallon	400-600 sf/gal	For absorbent concrete, wood, gypsum and non-water-soluble adhesive residue on concrete
	EP 2000 #AXEP200010	10lb	150-200 sf/gal	Primer for concrete and non-porous substrates such as terrazzo and epoxy coatings
	MULTI-PURPOSE PRIMER #TEMP5605	5 Gallon	300-410 sf/gal	dry, porous concrete, gypsum cement underlayments and plywood.
	MULTI-PURPOSE PRIMER #TEMP5601	1 Gallon	300-410 sf/gal	dry, porous concrete, gypsum cement underlayments and plywood.
	LIQUIDAM EZ MOISTURE BARRIER # TELIQUIDAMEZ # TELIQUIDAMEZ1	5 Gallon 1 Gallon	1st Coat 150 sf/gal 2nd Coat 300 sf/gal	Can be applied to green concrete Dries in 3-4 Hours

SUBFLOOR SHIMS & LEVELING

	PRODUCT	SIZE	COVERAGE	PSI (COMPRESSIVE)
	K 10 #AXK1050	50 lb.	25 sf/50lb	4,700
	K 15 #AXK1555	55 lb.	30 sf/50lb	5,500
	K 22 F #AXK22F50	50 lb.	25 sf/50lb	1,600
	K 34 #AXK3440	40 lb.	25 sf/50lb	3,000
	V 1000 #AXV100050	50 lb.	25 sf/50lb	4,400
	V 1200 #AXV120050	50 lb.	25 sf/50lb	4,500
	V 1300 #AXV130050	50 lb.	29 sq. ft. per bag	5,500
	LEVEL SET 400HF #TELS400HF	50 lb.	25 sf/50lb	

MOISTURE MITIGATION



MC RAPID

Item: #AXMCRAPID22
1.65 Gal.
250 – 270 sq. ft.]



VB 100

Item: #AXVB1005 - # AXVB1001
5 Gallon - 1 Gallon
2Coats 225 sf/gal

SHOWER SYSTEMS

Stocking Program

CRACK ISOLATION & ANTI-FRACTURE

	PRODUCT	SIZE	COVERAGE	APPLICATION
	S 1-K AXS1K35	3.5 Gallon	195.5 sqft per 3.5 gal	Flexible, topside waterproofing for interior floors and walls.
	S 1-K AXS1K1	.7 Gallon	56.75 sqft per 1 gal	Flexible, topside waterproofing for interior floors and walls.
	8+9 AX89G1KIT	1 Gal Liq/ 9 lb Powder Kit	100 sq. ft. (2 coats) over drywall *Approx. 70 sq. ft. (2 coats) over concrete	Install tile in just 90 minutes and flood test in 4 hours. Zero water penetration via wind-driven rain
	8+9 AX89G27	27 lb Gray Powder	100 sq. ft. (2 coats) over drywall *Approx. 70 sq. ft. (2 coats) over concrete	Install tile in just 90 minutes and flood test in 4 hours. Zero water penetration via wind-driven rain
	8+9 AX89W27	27 lb White Powder	100 sq. ft. (2 coats) over drywall *Approx. 70 sq. ft. (2 coats) over concrete	Install tile in just 90 minutes and flood test in 4 hours. Zero water penetration via wind-driven rain
	8+9 AX893	3 Gal Liquid	100 sq. ft. (2 coats) over drywall *Approx. 70 sq. ft. (2 coats) over concrete	Install tile in just 90 minutes and flood test in 4 hours. Zero water penetration via wind-driven rain
	SK MESH AXSK25475	81.75'		Interior and exterior installations
	SK MESH AXSK50475	163.5'		Interior and exterior installations
	HYDRAFLEX TETA3165	5 Gallon	1/8" (3mm) 25 mils - 100 sqft 1/4" (6mm) 50 mils - 50 sqft Waterproofing 2 coats at 25 mils - 50 sqft Steam rooms 2 coats at 30 mils - 40 sq ft	Ready-to-use membrane for interior/external; waterproof, mold-resistant; isolates cracks up to 1/4; ideal for tile surfaces.

CRACK ISOLATION & ANTI-FRACTURE

	PRODUCT	SIZE	COVERAGE	APPLICATION
	HYDRAFLEX TEHYDRA35G	3.5 Gallon	1/8" (3mm) 25 mils - 100 sqft 1/4" (6mm) 50 mils - 50 sqft Waterproofing 2 coats at 25 mils - 50 sqft Steam rooms 2 coats at 30 mils - 40 sq ft	Ready-to-use membrane for interior/exterior; waterproof, mold-resistant; isolates cracks up to 1/4; ideal for tile surfaces.
	HYDRAFLEX TEHYDRA1G	1 Gallon	1/8" (3mm) 25 mils - 100 sqft 1/4" (6mm) 50 mils - 50 sqft Waterproofing 2 coats at 25 mils - 50 sqft Steam rooms 2 coats at 30 mils - 40 sq ft	Ready-to-use membrane for interior/exterior; waterproof, mold-resistant; isolates cracks up to 1/4; ideal for tile surfaces.

BACKER BOARD



HARDIE BOARD
Item JHHB3X514
1/4" x 3' x 5'



HARDIE BOARD
Item JHHB3X512
42" x 3' x 5'



TRITON BACKER BOARD
Item MITRITON123X5
1/2" x 3' x 5'



TRITON BACKER BOARD
Item MITRITON143X5
1/4" x 3' x 5'



TRITON BACKER BOARD
Item MITRITON183X5
1/8" x 3' x 5'

IN-FLOOR HEAT

Stocking Program

UNCOUPLING MATS



UI 740 FLEXBONE
Item AXUI740215
39" x 65.6' | 215 sf/roll



FLEXBONE HEAT MEMBRANE
Item AXUH900MAT41
39" x 41' | 134.5 sf/roll

ALL TOOLS

Stocking Program

ASSORTED TOOLS

	PRODUCT	SIZE	TOOL	FEATURES
	PACMAT PROTECTION PAPER PM20MILPROTECT	20 mil, 3' x 100'	Floor Protection & Repair	Flexible fiber paper engineered for temporary floor protection during construction and remodeling. This product is cost-effective and reusable.
	PACMAT PROTECTION PAPER PM35MILPROTECT	35 mil, 3' x 100'	Floor Protection & Repair	Flexible fiber paper engineered for temporary floor protection during construction and remodeling. This product is cost-effective and reusable.
	PACMAT PROTECTION PAPER PM42MILPROTECT	42 mil, 3' x 100'	Floor Protection & Repair	Flexible fiber paper engineered for temporary floor protection during construction and remodeling. This product is cost-effective and reusable.
	PACMAT TAPE PMTRPSP9203	3" x 180'	Floor Protection & Repair	SURFACE PROTECT TAPE
	MICROBIAL ACRYLIC ADHESIVE REMOVER TE10015574	2 Gallon	Cleaners	Ready to use solution which removes pressure sensitive adhesives from the substrate. Water based, easy clean up

TOOLS

	PRODUCT	SIZE	TOOL	FEATURES
	SAUSAGE GUN TANB420AL	10oz (300ml)	Caulking Guns & Nozzels	Project Type: Automotive Aftermarket, Solid Surface (flooring, countertop, landscaping, etc), Waterproofing & Restoration, Windows & Doors
	T-7 TILE SPONGE AXT7		Ceramic Hand Tools	Tile Sponge
	SELF LEVELING TOOL KIT AXTOOLKIT		Ceramic Hand Tools	For the Installation of ARDEX Self-Leveling Cements
	T-1E MIXING PADDLE AXT1E		Ceramic Hand Tools	Ardex T-1E Mixing Paddle is contoured to the inside of the mixing barrel for fast and thorough mixing of self-leveling cements

TOOLS

PRODUCT	SIZE	TOOL	FEATURES
 T-10 MIXING DRUM AXT10		Ceramic Hand Tools	The Ardex T-10 Black Mixing Barrel is used for easy mixing of two bag batches of self-leveling cements.
 T-2 MIXING PADDLE AXT2E		Ceramic Hand Tools	This specialty mixing paddle is for fast and thorough mixing of Ardex mortars and grouts.
 T-2E MIXING PADDLE AXT2M		Ceramic Hand Tools	This ring shaped mixing paddle has an extended shaft to facilitate mixing in 45 gallon drums or to make operation easier for taller users. The perfect solution for mixing up your Ardex mortars and grouts!
 T-2M MIXING PADDLE AXT4		Ceramic Hand Tools	The smaller size of this miniature mixing paddle make it perfect for use with a hand drill for small batch mortar and grout mixing.
 T-4 SPREADER AXT5		Ceramic Hand Tools	The Ardex T-4 Spreader is used for gauging the thickness of installed self-leveling cements. Supplied without handle.
 T-6 SPIKED ROLLER & FRAME AXT6	24" x 13/16"	Ceramic Hand Tools	This spiked roller is used after applying floor leveling compounds to remove trapped air and ensure a smooth finish.

UNDERLAYMENT

Stocking Program

SOUND REDUCTION UNDERLAYMENT



**FLOORMUFFLER
ULTRASEAL**
Item: FM264046
39" x 30.75' | 100 sf
Δ 25
Laminate, Hardwood



**FLOORMUFFLER
LVT**
Item: FM264075
35" x 34.3' | 100 sf
Δ 25
Glue Down LVT, SPC



**FLOORMUFFLER
ENCORE**
Item: FM265240
48" x 25' | 100 sf
Δ 22
Glue Down LVT, SPC



**FLOORMUFFLER
COMBOFOAM**
Item: FM264501
46" x 26' | 100 sf
Δ 54
Laminate, Hardwood

BRANCH LOCATIONS

Stocking Program

ANCHORAGE, AK

CALL 907-562-7751

TEXT "START" to:
907-562-7755

624 W Potter Dr
Anchorage, AK 99518

BELLEVUE, WA

CALL 425-641-3798

TEXT "START" to:
907-562-7755

1900 132nd Ave NE
Bellevue, WA 98005

BEND, OR

CALL 458-256-6894

TEXT "START" to:
458-256-6894

32543 NE 4th St Ste 120
Bend, OR 97701

SALT LAKE CITY, UT

CALL 385-215-7210

TEXT "START" to:
385-215-7210

1952 W 1500 S
Salt Lake City, UT 84104

PORTLAND, OR

CALL 503-286-8686

TEXT "START" to:
503-286-8686

6032 N Cutter Cir Ste 400
Portland, OR 97217

BILLINGS, MT

CALL 406-371-2731

TEXT "START" to:
406-248-2125

1400 S 24th St W
Billings, MT 59102

BOISE, ID

CALL 208-375-3695

TEXT "START" to:
208-375-3695

3920 E Lanark St Ste 120
Meridian, ID 83642

EUGENE, OR

CALL 208-375-3695

TEXT "START" to:
208-375-3695

191 Seneca Rd
Eugene, OR 97402

MISSOULA, MT

CALL 406-721-6639

TEXT "START" to:
406-721-6639

2409 Dearborn Ave
Missoula, MT 59801

RICHLAND, WA

CALL 509-783-3097

TEXT "START" to:
509-783-3097

2680 N Columbia Ctr Blvd
Richland, WA 99352

EVERETT, WA

CALL 425-252-9475

TEXT "START" to:
425-252-9475

2111 38th St
Everett, WA 98201

GREAT FALLS, MT

CALL 406-454-3985

TEXT "START" to:
406-454-3986

1117 7th St Bldg 4
Great Falls, MT 59405

TACOMA, WA

CALL 253-474-0536

TEXT "START" to:
253-474-2536

5211 S Washington
Tacoma, WA 98409

SPOKANE, WA

CALL 509-533-6638

TEXT "START" to:
509-533-6638

3904 E Ferry Ave
Spokane, WA 99202

MEDFORD, OR

CALL 541-779-2033

TEXT "START" to:
541-779-2033

3691 Brian Way
Medford, OR 97501

KALISPELL, MT

CALL 406-755-8022

TEXT "START" to:
406-755-8022

195 Kelly Rd
Kalispell, MT 59901

KENT, WA

CALL 206-352-3385

TEXT "START" to:
206-352-3385

18414 80th Ct S
Kent, WA 98032



DIGITAL BROCHURE



PACIFIC
MAT & FLOORING

INSTALLATION SUPPLY STOCKING PROGRAM

253-395-6287 | info@pacmat.com