



plu

matter




Woodflex™

Contents

5	Inspire movement with the Play Collection
7	Play for every space
10	Weight Rooms + Fitness
12	Domination™ and Domination™ Extreme
13	Combination Sport Tile
14	Decathlon
15	Decathlon Design
16	Spectation™
17	Activation Sport Tile
20	Multi-Purpose
22	Woodflex™ + Gameflex®
23	Bergo Ultimate
26	Locker Rooms + Pools
28	SaniPath™
29	Bergo Unique
32	Interior Solutions
34	Precision Inlay™ with Super Nop® 52
35	Pro Shield
36	Activ Turf Pro
38	Specifications



Bergo Ultimate



Activ Turf Pro




Inspire movement with the Play Collection

The confidence to add a new set of weights. The calm of natural-look materials. The comfort of striding across a dry floor after a sweat session. With the slip-resistant and impact-absorbent flooring options in our Play Collection, your fitness center and recreational areas will empower guests to move confidently.




Safety & Wellness

Create a healthy environment that promotes sure-footed motion and clean air with slip-resistant multi-purpose and pool and locker room flooring. Pair with our Arrival Collection entrance systems to improve indoor air quality.



Comfort

Holistic well-being you can feel, see, and hear begins with impact-absorbent, soothing wood-look multi-purpose flooring for aerobic, fitness, and yoga areas, then continues with rubber flooring in cardio & weight rooms that provides cushion underfoot and quiets the sound of heavy weight drops.



Durability

High heels, sneakers, cheer team, bleachers – all the elements of school life can play together on the same floor, thanks to our multi-purpose and rubber flooring picks that retain their color and integrity for long-lasting wear. You can even double the lifespan of some of our rubber tiles with reversible designs.



Performance

Our multi-purpose and rubber flooring picks compete with as much power as your athletes. High-intensity sports like basketball, volleyball, and Phys. Ed. get the home advantage on multi-purpose flooring, and high-density rubber tiles stand up to cleats, spikes, and skate blades.



Simple Maintenance

Skip conditioning day with multi-purpose flooring that never needs sanding or refinishing, antifungal pool and locker room flooring, and an entrance system that traps dirt and debris to minimize surface damage and cleaning.



Custom Rubber

Play for every space

The world is your playground – and Matter Surfaces has curated flooring with the stamina, performance, and aesthetic to execute your design for play in every space.

Weight Rooms & Fitness

A space of strength and confidence calls for durable rubber floors that absorb shocks, resist slips, and withstand heavy weights. Plus, the long-lasting flooring mutes the sound of weight drops so lifters and runners can focus on upping the intensity.

Interior Solutions

Play opens the door to creativity, and often to design challenges that call for creative thinking. Our collection includes turf for sled pushes, indoor soccer fields, protection for basketball gyms that double as auditoriums and dance halls, and customizable mats that serve as refined brand reflections or as bold champions of school spirit. Let your design – and athletes – run wild.

Multi-Purpose

The utility player of the Play Collection, multi-purpose flooring supports spaces that host all types of activity, like cafeteriums and gymnasiums. With vibrant colorways, natural-looking materials that mimic wood and stone, and hygienic properties, our multi-purpose picks are flexible enough to fit your space’s unique usage, environmental, and visual specs. Win-win-win.

Outdoor Solutions

With fresh air, natural light, and a crisp breeze, Mother Nature offers an invigorating invitation to play. Flooring that stands up to her more destructive elements – frost, rain, and UV rays– and provides impact absorption for playground safety is all the encouragement we need for year-round outdoor activity.



Bergo Ultimate

Locker Rooms & Pools

Water is the heart of wellness, yet its health & safety challenges make it an unwelcome addition to your floors. Minimize risk and maximize cleanliness with slip-resistant and easy-to-clean flooring that is antifungal and easy to clean. So water stays where you want it and drains where you don’t.



Outdoor Paver



Weight Rooms + Fitness

Activation Sport Tile

Weight Rooms + Fitness



Spikes, weights, and cardio machines are no sweat for durable rubber flooring.

Product Highlights:

- Impact absorption
- Sound reduction
- Spike and blade resistance
- Heavy weight durability
- Range of colors and patterns with customization available

Recommended Products:

- Domination™ & Domination™ Extreme
- Combination Sport Tile
- Decathlon
- Decathlon Design
- Spectation™
- Activation Sport Tile

Domination™ and Domination™ Extreme Tile



We recommend it because: it comes in a range of saturated colors for high impact, is durable enough to withstand heavy weights and fitness equipment, is shock absorbent and spike and blade resistant.



Scan code to learn more and order samples.



Rush Red Offense Orange Game Gold Goal Green



Blast Blue Blitz Blue Power Purple Grit Gray

Custom colors and designs are available. Please contact your Sales Representative.


Combination Sport Tile




We recommend it because: its waffle backing absorbs shock and reduces sound, it is extremely durable and long-lasting, and its surface is easy to clean.



Scan code to learn more and order samples.



Red Red/Gray Mohave Amazon Adriatic Blue



Blue / Gray Beige Beige/Brown Gray Black

Custom colors and designs are available. Please contact your Sales Representative.


Decathlon Roll + Tile



We recommend it because: its non-laminated surface offers outstanding slip-resistance even when wet, and is shock absorbent and resistant to spikes and blades.



Scan code to learn more and order samples.




Decathlon Design Roll + Tile



We recommend it because: its non-laminated surface offers the outstanding slip-resistance of Decathlon, yet also offers higher color concentrations to create designs that accent or enhance interior spaces.



Scan code to learn more and order samples.




Spectation™ Tile




We recommend it because: its hammered finish and multi-color speckle design offer a unique look in colorways, and it is shock absorbent.



Scan code to learn more and order samples.



Activation Sport Tile



We recommend it because: it is exceptionally durable for weight rooms with very heavy weights and weight-lifting platforms, and has a waffle backing for shock absorption and sound reduction.



Scan code to learn more and order samples.





Multi-Purpose

Woodflex™

Multi-Purpose



The MVPs of design that rise to your expectations for multi-use spaces.

Product Highlights:

- Natural-look and colorful designs
- Healthy properties
- Flexibility to support multiple uses

Recommended Products:

- Woodflex™ + Gameflex®
- Bergo Ultimate

Woodflex™ + Gameflex®



We recommend it because: it comes in both vibrant, fun colorways and realistic wood looks, with the hygienic properties of synthetic floor that make it an outstanding solution for multipurpose spaces.



Scan code to learn more and order samples.




Bergo Ultimate



We recommend it because: its bright color offering and is a FIBA-certified (Level 1 and 2) sport surface that withstands harsh outdoor environments, including sun, rain, and ice.



Scan code to learn more and order samples.





Locker Rooms + Pools

SaniPath™

Locker Rooms + Pools



Where water is a source of wellness,
not liability.

Product Highlights:

- Comfortable slip-resistance
- Will not promote microbial growth
- Easy to clean and store

Recommended Products:

- SaniPath™
- Bergo Unique


SaniPath™



We recommend it because: its slip-resistant, UV-resistant design provides instant 4-way water drainage and is comfortable for bare feet. Plus, it is easy to handle for storage and cleaning, and can be easily cleaned with an alkaline cleaning fluid.



Scan code to learn more and order samples.



Buff

Oxford Blue

Black


Bergo Unique



We recommend it because: its easy to install over existing hard surfaces without the need for adhesives, offers excellent drainage in wet areas like pools, hot tubs, and ice baths, and can be used in outdoor areas with extreme weather conditions, including sun, snow, and ice.



Scan code to learn more and order samples.



Stone Grey

Sand

Plain Red

Graphite Grey

Cedar Wood



Interior Solutions

Precision Inlay™ with Super Nop® 52



For designs and uses that aren't limited by four walls.

Product Highlights:

- Customizable designs
- Safe flooring protection for multi-use spaces
- Long-lasting turf with added comfort

Recommended Products:

- Precision Inlay™ with Super Nop® 52
- Pro Shield
- Activ Turf Pro

Precision Inlay™ with Super Nop® 52



We recommend it because: computer technology scans your logo or image, then cuts exact inlays to reproduce crisp, bold, and colorful designs on high-performance matting that withstands heavy foot traffic. Available in a range of sizes from small logo mats to wall-to-wall applications.



Scan code to learn more and order samples.



Additional colorways are available. See Page 46 for all colors in product lines.


Pro Shield



We recommend it because: giant-sized protective tiles are easy to handle for quick set-up and breakdown, and they lie flat on top of existing gym flooring to avoid unsightly wrinkles or potential trip-hazard ripples.



Scan code to learn more and order samples.



Activ Turf Pro



We recommend it because: this non-infill turf product is designed with a cushioned foam backing is less abrasive than nylon or polypropylene and provides superior wear resistance.




Scan code to learn more and order samples.



Specifications

	Domination™ & Domination™ Extreme Page 12
Features	<ul style="list-style-type: none"> -High color and high impact rubber flooring for supercharged training facilities -Block manufacturing produces high density top surface that is extremely durable and easy to clean -Endures the impact of heavy weights and fitness equipment -Shock absorbent, spike and blade resistant -More than 50% recycled rubber in each tile -Common Uses – strength training facilities, weight rooms, ice arenas, ski areas, fitness centers, health clubs
Material	Laminated rubber with 100% post-consumer black recycled rubber and EPDM rubber granules Also available with dual-density cushion backing
Tile Size	Square Edge: 38" x 38" Interlocking: 37" x 37"
Total Thickness	10 mm (approx 3/8") 12 mm (approx 1/2") 20 mm (approx 3/4")* 22 mm (approx 7/8")*
Wear Layer Thickness	4 mm (approx. 3/16") 6 mm (approx. 1/4")*
Weight	10 mm = Approximately 2.54 lbs/sq ft 12 mm = Approximately 2.99 lbs/sq ft 20 mm = Approximately 5.30 lbs/sq ft (Solid Black)* 20 mm = Approximately 5.60 lbs/sq ft (all colors except Solid Black)* 22 mm = Approximately 5.85 lbs/sq ft (Solid Black)* 22 mm = Approximately 6.20 lbs/sq ft (all colors except Solid Black)*
Custom	Colorful inlaid logos available, consult our Product Specialists for details


*Specifications for Domination™ Extreme



**Available in Domination™ Extreme

Custom colors and designs are available. Please contact your Sales Representative.


	Combination Sport Tile Page 13
Features	<ul style="list-style-type: none"> -Waffle backing for sound reduction and impact absorption -Easy-to-clean surface -Extremely durable and long lasting -Dowel connection system allows for free-floating installation -No adhesive necessary -Available in 1-1/2" thickness for free weight stations and 1" for cardio areas -Common Uses–strength training facilities, fitness centers
Material	100% post-consumer recycled SBR, EPDM rubber and polyurethane binder
Tile Size	24" x 24"
Total Thickness	1-1/2", also available in 1" for cardio equipment applications
Wear Layer Thickness	6 mm
Weight	1-1/2" – 5.75 lbs/sq ft (23 lbs/tile) 1" – 4.5 lbs/sq ft (18 lbs/tile)
Sound Insulation	(ASTM E492) FIIC 61
Slip Resistance	(ASTM C1028) 0.79 Dry and 0.81 Wet
Recycled Content	100% Black: 89% post-consumer 20% color: 0.5% pre-consumer, 87.4% post-consumer 50% color: 1.4% pre-consumer, 82.9% post-consumer 90% color: 3% pre-consumer, 74.9% post-consumer




Specifications

	Decathlon Page 14	Decathlon Design Page 15
Features	<ul style="list-style-type: none"> -Shock absorbent, spike and blade resistant -Non- laminated, through-color surface offers outstanding slip-resistance, even when wet -Colored EPDM rubber granules never wear away -Common Uses—health clubs, weight rooms, ice arenas, ski areas, retail stores, anti-fatigue work stations 	<ul style="list-style-type: none"> -Create colorful designs to accent or enhance any interior -Customize patterns and colors -Non- laminated, through-color surface offers outstanding slip resistance, even when wet -Common Uses—retail stores, office and commercial buildings, schools, entrances, sports facilities
Material	Black recycled rubber with EPDM colored granules	Black recycled rubber with EPDM colored granules
Roll Size	9mm = 4' x lengths up to 50 lin ft	4' x lengths up to 50 lin ft
Thickness	Standard: 9mm Additional: 4, 6, 8 or 12 mm	9 mm
Standard Weight	9 mm = 2 lbs/sq ft	2 lbs/sq ft
Slip Resistance	(ASTM D2047) 0.90	(ASTM D2047) 0.90
Recommended Installation	Glue down	Glue down
Recycled Content	Mochachino = 4.12% pre-consumer and 73% post-consumer All other colors = 2.09% pre-consumer and 81.9% post-consumer	9% pre-consumer and 56% post-consumer
Minimum Order	20 lin ft	20 lin ft


Decathlon




Red Tan Mochaccino



Yellow Green Blue



Gray/Blue Purple Gray




Black

Decathlon Design




Raspberry Splash Toasted Almond Clover



Tide Lunar Light

	Spectation™ Page 16
Features	<ul style="list-style-type: none"> -Hammered finish and multicolor speckle design -Shock absorbing backing -Common Uses—health clubs, weight rooms, ice arenas, ski areas, locker rooms, rest rooms, recreation and multipurpose facilities
Material	Dual durometer vulcanized rubber, made with 25% pre-consumer recycled rubber
Tile Size	Square Edge Tile = 39.37" x 39.37" Interlocking Tile = 38.58" x 38.58"
Top Layer Thickness	2.5 mm
Total Thickness	Square Edge Tile = 9 mm Interlocking Tile = 9 mm
Weight	Square Edge Tile = 2.4 lbs/sq ft Interlocking Tile = 2.2 lbs/sq ft
Critical Radiant Flux	(ASTM E648) Class 1
Chemical Resistance	(EN423) No Change
Minimum Order	Minimum order quantities of 250 tiles apply




Red Snapper Blaze Gatorade Nautical Blue Fin Pheasant



Trout Bunker Gray Cast Swordfish Georgetown Plankton

Specifications

	Activation Sport Tile Page 17
Features	<ul style="list-style-type: none"> -Waffle backing for sound reduction and shock absorption -Unique composite structure for superior durability and wear resistance -Extremely durable and long lasting -Dowel connection system allows for free floating installation -No adhesive necessary -Great solution for extremely heavy weights -Common Uses-fitness facilities, strength training facilities
Material	100% recycled SBR with either recycled SBR or EPDM top wear layer
Tile Size	24" x 24"
Weight	4.5 lbs/sq ft (18 lbs/tile)
Total Thickness	1"
Sound Insulation	(ASTM E492) FIIC 50
Critical Radiant Flux	(ASTM E648) Class 2: 0.22 – 0.44 w/cm ²
Accessories	Dowels: each tile contains 6 dowels to secure the tile in place. Dowels are inserted into factory molded holes and the tiles are driven together using a wooden block or mallet.
Recycled Content	Varies by color and SBR or EPDM intensity. Please contact our Product Specialists for more information.



	Woodflex™ + Gameflex® Page 22
Features	<ul style="list-style-type: none"> -Woodflex: Realistic wood look with benefits of a synthetic floor; hygienic, antibacterial properties -Gameflex: Vibrant, fun colors complement Woodflex -Low maintenance costs-never needs sanding or refinishing -Excellent shock absorbency to protect athletes -Extremely hygienic; non-porous surface has bactericidal and fungicidal treatment -Common Uses-multipurpose recreation facilities, gymnasiums, church/assembly halls, dance studios, yoga spaces, and aerobics/fitness studios
Material	High performance vinyl
Roll Size	6.7 mm: 6'7" x 65'7" 8.0 mm: 6'7" x 49'2"
Top Layer Thickness	1.3 mm
Total Thickness	6.7 mm, *Available in 8 mm
Weight	6.7 mm: 0.84 lbs/sq ft 8 mm: 0.88 lbs/sq ft
Game Lines	Use urethane paints for game line painting

Woodflex™




Gameflex®



	Bergo Ultimate Page 23
Features	<ul style="list-style-type: none"> -Durable, click-together tiles do not require adhesives or tools for installation -Tiles can be moved or repositioned -FIBA-certified (Level 1 and 2) sport surface ideal for temporary and permanent multi-courts, Basketball, Tennis, and more -Long-lasting and easy-to-maintain sports product -Tiles are 100% recyclable at end of life making them a sustainable flooring solution -Approved by ITF (International Tennis Federation) fully compliant with the EN14877 norm -Create colorful designs
Material	UV-stabilized polypropylene composite
Case Pack	28 tiles per case (18 cases per pallet)
Size	15" x 15" (380 mm x 380 mm)
Thickness	1/2" (12.4mm)
Weight	17.6 oz. per tile (31 lb. per case)
Warranty	15 years


Bergo Ultimate



Specifications


	SaniPath™ Page 28
Features	<ul style="list-style-type: none"> -Comfortable for bare feet -Provides slip resistance -Antimicrobial and antifungal additives are infused during production -UV-Resistant -Instant 4-way water drainage -Easy handling for cleaning and storage -Minimum 30% post-consumer recycled PVC content -Common Uses—rooftops, decks, locker rooms, saunas, showers/stalls, poolside, jacuzzis, docks, anywhere there is wet flooring
Material	Open grid PVC matting with slip-resistant surface, antibacterial/antifungal properties, and instant 4-way water drainage
Roll Sizes	2' x 33', 3' x 33', 4' x 33'
Thickness	3/8"
Weight	0.75 lbs/sq ft
Recycled Content	30% post-consumer

SaniPath™



	Bergo Unique Page 29
Features	<ul style="list-style-type: none"> -Provides comfort underfoot and slip resistance in wet environments -Easy-to-install interlocking click tile provides an effective solution to common floor problems, such as damp and cold subfloors -Open surface structure allows ventilation under the tile -Offers excellent drainage in wet areas like pools, hot tubs, and ice baths, balconies, outdoor cafés, and more -Can be used in outdoor areas with extreme weather conditions, including sun, snow, and ice
Material	UV-stabilized polypropylene composite
Case Pack	35 tiles per case (36 cases per pallet)
Size	15" x 15" (380 mm x 380 mm)
Thickness	3/8" (10.2mm)
Weight	14.5 oz. per tile (32 lb. per case)
Warranty	10 years

Bergo Unique



	Super Nop® 52 Page 34	Precision Inlay™ with Super Nop® 52 Page 34
Features	<ul style="list-style-type: none"> –Unbeatable resistance to wear, UV and staining (bleach, salt, permanent ink, coffee, red juice, betadine and more) –52 oz. heavy weight pile and large nop design provides outstanding scrubbing action –Needlepunch construction provides optimal crush resistance –Edges will not unravel or fray –Common Uses—corridors, entryways, vestibules, lobbies, sports facilities 	<ul style="list-style-type: none"> –Computer technology scans your logo or image, then cuts exact inlays to reproduce crisp, bold and colorful designs –Withstands high foot traffic –Inlay process accurately reproduces fonts and images –Common Uses—retail stores, malls, commercial settings, hotels, hospitals
Material	Solution-dyed UV stabilized polypropylene fibers	
Backing	High density rubber	
Roll Sizes	6' 7" x 101' 8" 13' 2" x 101' 8"	For custom sizes/artwork requirements, contact Customer Care at 1-800-628-7462
Total Weight	93 oz/sq yd	
Pile Weight	52 oz/sq yd	
Thickness	1/2"	

Super Nop® 52




Super Nop® 52 Bright



Specifications

	Pro Shield Page 35
Features	<ul style="list-style-type: none"> –Giant-sized tiles protect gym floors –Easy to handle for quick set up and break down –Plus Backing keeps floors clean –Common Uses—universities, multipurpose facilities, convention halls
Material	100% solution-dyed polypropylene
Tile Size	39-3/8" x 78-3/4"
Thickness	6 mm
Weight	91.4 oz/sq yd
Slip Resistance	(ASTM C1028) 0.61 Dry and 0.54 Wet

Pro Shield



	Activ Turf Pro Page 36
Features	<ul style="list-style-type: none"> –Non-infill turf product with cushioned foam backing ideal for indoor sports training facilities and gym applications –Textured polyethylene is less abrasive than nylon or polypropylene surface and provides superior wear resistance –Available in 8 color options and can be customized with logos and field markings
Fiber Material	Polyethylene
Secondary Backing	5.0mm urethane foam with scrim
Roll Sizes	15' x 50' 15' x 100'
Fiber Mass	5,600 denier
Pile Height	0.56"
Face Weight	40 oz/sq yd

Activ Turf Pro



