iD Latitude™ Wood

LUXURY VINYL TILE



Tarkett®

Ready to go—wherever your ideas take you

iD Latitude™ brings the full trifecta: great design, lasting performance, and practical affordability. Our latest updates to the collection offer forward-looking wood, stone, and abstract patterns that support your vision for every space. With quick installation, immediate occupancy and top-of-class Techtonic® protection, these 72 hard-working colorways are ready to support every step of your next project.

Because the collection is so expansive, we've divided iD Latitude Wood, Stone, and Abstract into three separate volumes.

Latitude Wood PLWD Golden Oak 7539, Parable 7541, Hazelwood 7542 | 6" x 48" custom installation

Latitude Wood PLWD Lacewood 7532 | 6" x 48" unidirectional installation



Latitude Wood PLWD Lacewood 7532

Latitude Wood PLWD Suntoned Teak 7523 | 6" x 48" custom installation



Latitude Wood PLWD Autumn Walnut 7538



Latitude Wood PLWD Butternut 7536



Latitude Wood PLWD Natural Teak 7524



Latitude Wood PLWD English Walnut 7537



Latitude Wood PLWD Black Walnut 3401



Latitude Wood PLWD Suntoned Teak 7523

Latitude Wood PLWD Silver Maple 7535 | 6" x 48" undirectional installation



Latitude Wood PLWD Silver Maple 7535



Latitude Wood PLWD Blanched Pine 5134



Latitude Wood PLWD Acadia Pine 5136



Latitude Wood PLWD Vintage Oak 3530



Latitude Wood PLWD Mountain Maple 7534



Latitude Wood PLWD Urban Oak 3603

Latitude Wood PLWD Parable 7541 | 6" x 48" unidirectional installation



Latitude Wood PLWD Golden Oak 7539



Latitude Wood PLWD Parable 7541



Latitude Wood PLWD Hazelwood 7542



Latitude Wood PLWD Millennium Oak 7540

Latitude Wood PLWD Geneva 7530 | 6" x 48" unidirectional installation



Latitude Wood PLWD Crème Oak 3522



Latitude Wood PLWD Laurel Oak 3523



Latitude Wood PLWD Geneva 7530



Latitude Wood PLWD Chamois Oak 3606



Color Grain PLCG Gilbralter 7514



Latitude Wood PLWD Chandler Oak 7531



Latitude Wood PLWD Taos Oak 3605

Latitude Wood PLWD Nordic 7533 | 6" x 48" herringbone installation



Latitude Wood PLWD Pearl Maple 7526



Latitude Wood PLWD American Cherry 3305



Latitude Wood PLWD Nordic 7533



Latitude Wood PLWD Hickory 3405



Latitude Wood PLWD Ash 3308



Latitude Wood PLWD European Cherry 3307

iD Latitude Abstract

26 colors | 6" x 36" | 18" x 18"




Color Zone PLCZ V1
Zinnia 7569
VM8 Mr Sunshine *




Color Zone PLCZ V1
Afterglow 7557
TG7 Canary *




Color Zone PLCZ V1
Coastline 7556
TH1 Glenhaven *




Color Zone PLCZ V1
Watermist 7554
28 Medium Grey CG *



Color Zone PLCZ V1
Gulfstream 7567
VM5 Dream Teal *




Color Zone PLCZ V1
Sunset 7558
VM1 Hot Spice *



Color Zone PLCZ V1
Paradise 7568
VN3 Gecko *




Color Zone PLCZ V1
Kingston 7555
VN4 Green Vista *




Color Zone PLCZ V1
Royale 7553
VN5 The Blues *



Color Zone PLCZ V1
Nightfall 7552
TH2 Blue Intensity *



Color Zone PLCZ V1
Star Crossed 7559
VM3 Misted Plum *



Color Zone PLCZ V1
Blossom 7570
VM3 Misted Plum *



Color Zone PLCZ V1
Palace 7551
VM2 Shoreline Purple *

VARIATION SCALE

Color and visual variation is inherent in all modular resilient products. As determined by design intent some patterns and colors can vary slightly or significantly from piece to piece within a pattern. Prior to installation, we recommend reviewing multiple tiles.




V1
slight variation




V2
moderate variation



V3
high variation



Color Zone PLCZ V1
Villa White 7563
31 Zephyr CB *



Color Zone PLCZ V1
Landmark 7565
29 Moon Rock WG *




Color Zone PLCZ V1
Overcast 7560
38 Pewter CG *



Color Zone PLCZ V1
Windfresh 7562
28 Medium Grey CG *



Fine Lines PLFL V1
Bisque 5101
49 Beige WB *



Color Zone PLCZ V1
Barley 7564
VL1 Harvest Time CB *



Color Zone PLCZ V1
Harbor 7566
TB1 Peppercorn *



Color Zone PLCZ V1
Vapor 7561
TA6 Bedrock CG *



Fine Lines PLFL V1
Taupe 5110
29 Moon Rock WG *



Fine Lines PLFL V1
Greige 5103
VL1 Harvest Time CB *



Texgrain PLTG V1
Cool Beige 3542
283 Toast *



Texgrain PLTG V1
Charcoal 3545
63 Burnt Umber B *



Stria Marble PLSM V2
Nimbus 5102
32 Pebble WG *



Color Name 000
000 Coordinating Color

Wall base coordinates key

* We've identified Color Foundations® neutrals in the following way:
WB (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White).

** Suggested colors for finishing borders (wall base).*
Coordinated Johnsonite® Accessories are a printed approximation.
Please refer to the Color Guide for accurate color representation.

iD Latitude Stone

16 colors | 12" x 24" | 18" x 18"




Latitude Stone PLST Cristallo 7235 V2
55 Silver Grey WG *



Concrete PLCN Alumin 3515 V2
32 Pebble WG *



Latitude Stone PLST Chateau 7547 V2
VL2 Whispering Mist CB *



Latitude Stone PLST Prairie 7244 V2
VK8 Sandstorm CB *




Latitude Stone PLST Luna 7214 V2
49 Beige WB *



Concrete PLCN Gypsum 3511 V2
31 Zephyr CB *




Latitude Stone PLST Weathered Glaze 7549 V3
29 Moon Rock WG *




Latitude Stone PLST Evening Shadow 7546 V2
29 Moon Rock WG *




Latitude Stone PLST Elbrus 7501 V2
32 Pebble WG *



Latitude Stone PLST Lunar Rock 7544 V2
23 Vapor Grey CG *




Latitude Stone PLST Lava Stone 7543 V2
TG3 Iron Mountain CG *




Latitude Stone PLST Hearthstone 7242 V2
TG6 Mink WG *



Latitude Stone PLST Iron Patina 7548 V3
48 Grey WG *



Latitude Stone PLST Gemstone 7550 V2
48 Grey WG *



Latitude Stone PLST Arctic Sky 7545 V2
VL4 Cool Metal CG *



Concrete PLCN Charcoal 3519 V2
20 Charcoal WG *



Color Name 000
000 Coordinating Color

Wall base coordinates key

* We've identified Color Foundations® neutrals in the following way:
WB (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White).

** Suggested colors for finishing borders (wall base).*
Coordinated Johnsonite® Accessories are a printed approximation.
Please refer to the Color Guide for accurate color representation.

iD Latitude Wood

30 colors | 6" x 48"



Latitude Wood PLWD V2
Laurel Oak 3523
TA1 Tannery WB *



Latitude Wood PLWD V2
Golden Oak 7539
TA1 Tannery WB *



Latitude Wood PLWD V2
Pearl Maple 7526
129 Silk WB *



Latitude Wood PLWD V3
Nordic 7533
09 Clay WB *



Latitude Wood PLWD V2
Butternut 7536
09 Clay WB *



Latitude Wood PLWD V2
American Cherry 3305
TA7 Rusty Nail *



Latitude Wood PLWD V2
Ash 3308
130 Sisal *



Latitude Wood PLWD V3
English Walnut 7537
TA1 Tannery WB *



Latitude Wood PLWD V2
Parable 7541
150 Wetlands *



Latitude Wood PLWD V3
Mountain Maple 7534
283 Toast *



Latitude Wood PLWD V2
Natural Teak 7524
TA2 Saddlebrook WB *



Latitude Wood PLWD V3
European Cherry 3307
TA7 Rusty Nail *



Latitude Wood PLWD V2
Hickory 3405
TA7 Rusty Nail *



Latitude Wood PLWD V3
Autumn Walnut 7538
TA2 Saddlebrook WB *



Latitude Wood PLWD V2
Black Walnut 3401
TA2 Saddlebrook WB *



Latitude Wood PLWD V2
Crème Oak 3522
22 Pearl CB *



Latitude Wood PLWD V3
Lacewood 7532
24 Grey Haze WG *



Latitude Wood PLWD V2
Chamois Oak 3606
TG5 Macadamia WG *



Latitude Wood PLWD V2
Blanched Pine 5134
32 Pebble WG *



Latitude Wood PLWD V3
Geneva 7530
469 Mystify CG *



Latitude Wood PLWD V2
Vintage Oak 3530
55 Silver Grey WG *



Latitude Wood PLWD V2
Acadia Pine 5136
150 Wetlands *



Latitude Wood PLWD V3
Silver Maple 7535
281 Grizzly CB *



Color Grain PLCG V1
Gibralter 7514
32 Pebble WG *



Latitude Wood PLWD V3
Suntoned Teak 7523
48 Grey WG *



Latitude Wood PLWD V2
Hazelwood 7542
283 Toast *



Latitude Wood PLWD V3
Chandler Oak 7531
80 Fawn CB *



Latitude Wood PLWD V2
Taos Oak 3605
80 Fawn CB *



Latitude Wood PLWD V3
Urban Oak 3603
63 Burnt Umber B *



Latitude Wood PLWD V2
Millennium Oak 7540
TA4 Gateway WG *



Color Name 000
000 Coordinating Color

Wall base coordinates key

* We've identified Color Foundations® neutrals in the following way:
WB (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White).

** Suggested colors for finishing borders (wall base).*
Coordinated Johnsonite® Accessories are a printed approximation.
Please refer to the Color Guide for accurate color representation.

Tailored by Tarkett™

To help you explore and specify flooring, Tarkett offers design tools and services that make it easier than ever to find inspiration, research product ideas, and try out personalized flooring concepts to help you create profoundly unique spaces. You can even co-create with one of our expert designers to help you fulfill your vision.




Learn more and find your inspiration here.

Design tools

Choose from an array of sophisticated design tools to help you tailor and preview each flooring layout.

The Tailored by Tarkett Visualizer Suite is a user-friendly online platform to help you explore layouts and colorways. With the Visualizer suite, you can:

- Create **project boards** to effortlessly save swatches, collect room scenes, upload photos, and keep all your visuals organized in one convenient place;
- Use our **LVT Studio** to explore our extensive line of colorways—including non-PVC plank and tile—in a variety of commercial environments;
- Complete your ideas with our **Wall Base Studio**, which enables you to preview an unlimited selection of high-definition digitally printed wall finishing borders that meet your exact needs.



Of course, your ideas aren't limited to just one type of flooring. That's why—in addition to our LVT and wall base visualizers—our online tools also include visualizers for carpet tile, tufted broadloom, Powerbond® hybrid carpet, and rubber tile.

Design services

Great flooring supports people, inspires creativity, and connects us to our environment. So does great service. That's why we offer a suite of end-to-end design services to help you. Want to add a logo to your floor or a custom corporate message? No problem. Or maybe you're looking for support in the form of professional renderings to help sell your flooring concept. No matter your need, Tarkett experts are here to help you solve your biggest flooring challenges and deliver personalized solutions.

- Let our **Designer on Demand** team create renderings for you. Simply submit your project online and our designers will create beautiful renderings you can proudly share with your clients.
- Our **Imaginations® Personalized Floor Design** program can help you implement more intricate and detailed designs—such as logos and messaging—adding shape, color, and texture into your floor design with tailored cutting and fabrication.



TECHTONIC® PROTECTION

Tarkett Techtonic® delivers unequaled resistance to scratches, abrasions and scuffs.

Every flooring product has a coating, but only Tarkett has Techtonic: a groundbreaking solution that strengthens the durability of LVT, giving you better performance for the price. By mixing rugged protection with a beautiful matte finish, Techtonic keeps your floors' surfaces looking better and lasting longer.



Resists scratches 40% better

You'll never have to choose between replacing a new floor or living with the damage.

Just one exposed nail in the foot of a chair can scratch a new floor and produce whitening. In a series of laboratory experiments utilizing a diamond-tipped Taber Scratch tool, Techtonic performed significantly better than the industry market leader—withstanding greater pressure without scratching or scratch whitening.



18% more protection against abrasions

Now you can move furniture with more freedom—and less concern.

Surface sheen is worn away by repetitive actions in high-traffic areas, such as the movement of chairs and tables. By protecting surfaces, Techtonic preserves not just their sheen, but your peace of mind.



Best-in-class scuff resistance

Spend less time cleaning black marks (and more years enjoying spotless surfaces).

Those black marks from dragging shoes and chair casters? They're scuff marks caused by friction. No product on the market fights them better than Techtonic—a solution that keeps your floors performing better, year after year.




Improved stain defense

Momentary mishaps shouldn't have permanent effects.

Techtonic's polyurethane coating provides an advanced level of security against stains, reducing the chances of damaged flooring (and expensive cleaning).

Techtonic outperforms the industry leader.


Applied to LVT made in Florence, Alabama, Techtonic offers performance in the top of its class. In a series of laboratory tests, Techtonic-protected LVT floors repeatedly outperformed our #1 market-leading competitor: matching their strength against scuffing and abrasion, while exceeding their resistance to scratching, slipping and dimensional stability.




Lab tests showed results—not scratches.

A diamond-tipped Taber Scratch tool was used to test the performance of Techtonic against that of the industry's leading product protection. After being subjected to equivalent Taber Scratch protocol, the competitor's sample displayed more and deeper visible scratches than Techtonic.*

TECHTONIC®



Competitor A



Scratch whitening is easier to see on dark surfaces than light ones. But even when we scratch-tested our darkest matte finish against the competitor's lighter wood grain pattern, Techtonic still performed better.

*Based on Tarkett internal testing of Techtonic against multiple competitors. To ensure accuracy, experiments were conducted in more than one laboratory.

Tarkett Solution SPECtrum™

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns, and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet, and performance.



1. Carpet tile
   Angled in Enrichment 11847 Routine Thought Arrange 56708
2. Carpet tile
   Engraved Traces 11886 Shift Print Converge 24204
3. Luxury vinyl tile
   iD Latitude PLWD Latitude Wood Lacewood 7532
4. Homogeneous sheet & tile
   iQ® Eminent™ 883 Sand
5. Luxury vinyl tile
   iD Latitude PLST Latitude Stone Lava Stone 7543
6. Luxury vinyl tile
   iD Latitude PLWD Latitude Wood Millennium Oak 7450
7. Luxury vinyl tile
   iD Latitude PLCZ Latitude Abstract Nightfall 7552
8. Luxury vinyl tile
   iD Latitude PLST Latitude Stone Iron Patina 7548
9. Johnsonite finishing accessories
   Millwork Chair Rail CHR-XX-C TJ7 Mystical
   (2025 Johnsonite® Colors of the Year)
10. Luxury vinyl tile
    iD Latitude PLCZ Latitude Abstract Landmark 7565
11. Johnsonite wall base
    Millwork Diplomat MW-179-A 179 Steel

Color may vary from actual swatch. To order a sample and to learn more, please visit tarkett.com.



Every step matters™

Tarkett's holistic approach to sustainability is woven into the fabric of how we do business and sits at the heart of our day-to-day decision making.

For decades, we've been scrutinizing every detail of our business for its impact on resources like soil, water, and air—because when you're trailblazing a more sustainable future, **every step matters**.

These three values help us stay the course when it comes to sustainability.

Transparency you can trust

We subject our products to relentless scientific scrutiny and third-party testing, then provide customers with radical transparency about our materials, operations, and corporate business practices.

Circular economy

We're committed to creating a circular economy where nothing goes to waste by designing products with their end of life in mind. This means always interrogating the health, safety, environmental, and social impacts of our materials.

Healthy impacts

We've made material choices across our entire portfolio that support better indoor air quality and better outcomes for every living thing. Responsible flooring design not only improves aesthetics; it directly impacts the health of the people who occupy interior spaces.

The **proof** is in the numbers.

Holistic approach

94%
of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

69%
of raw materials are abundant, rapidly renewable, or recycled.

13
zero-waste-to-landfill manufacturing plants

2.1 million lb.
of flooring recycled in 2024 in North America

Certifications you can trust

2011
started working with EPEA to integrate Cradle to Cradle principles into every facet of our business

2013
first commercial flooring Certified **Asthma & Allergy Friendly®**

2022
Powerbond® RS is the first soft surface product in the industry to be Certified **Asthma & Allergy Friendly®**.

Transparency you can trust

100 ppm
raw materials content revealed down to 100 parts per million

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.

Setting the standard

99%
of flooring solutions have low VOC emission levels—10x lower than the most stringent world standards.

100%
ortho-phthalate-free vinyl production; first company to eliminate ortho-phthalates from all products

Global excellence

2010
first flooring manufacturer to join the UN Global Compact


2016
Began reporting to the Carbon Disclosure Project (CDP). In 2025, Tarkett scored A, the CDP management level.

2020
first assessment by EcoVadis. In 2025, Tarkett's score of 86/100 earned us a Platinum medal and placed us in the top 1% of rated companies.

2023
Climate target approved by SBTi (Science Based Targets initiative). Targeting 30% GHG emissions reduction and increase of 30% recycled content across all products by 2030.

At Tarkett, social and environmental responsibility aren't add-ons. They're woven, stamped, and sealed into everything we do.
But more importantly, we don't just say this, we prove it.

Source: Tarkett 2023 Corporate Social and Environmental Responsibility Report



Transparency documentation

At Tarkett, transparency, social responsibility, and environmental stewardship aren't add-ons—they're part of everything we do. By partnering with ecomedes and mindful MATERIALS, we make it easy for you to explore our sustainable flooring product options, their product certifications, green building systems, and federal standards support documents. Visit **Tarkett.ecomedes.com** to learn more.

Sustainability attributes

LUXURY VINYL TILE

Healthy materials:
94% raw materials third-party assessed;
ortho-phthalate-free

Indoor air quality:
FloorScore® certified; meets CA DPH Section 01350,
Certified Asthma & Allergy Friendly®

Transparency documentation:
Product-specific EPD


Responsible end of use management:
Part of Tarkett's ReStart® take-back
and recycling program

ReStart is Tarkett's third-party certified reclamation program.

To learn more about the **ReStart** program, scan the QR code or go to **commercial.tarkett.com/Restart**

Specifications

Style name/number:	**iD Latitude Wood**
Classification:	ASTM F1700, Class III, Type B
Warranty:	20 years
Tile sizes:	6" x 48"
Sample sizes:	6" x 6", 6" x 48"
Carton size:	6" x 48"
Quantity:	18 planks per ctn, 36 sq. ft. per ctn
Weight:	36 lb. per ctn, 72 ctns per Pallet
Total thickness:	0.120" (3mm)
Wear layer thickness:	20 mil
Finish:	Techtonic
Edge treatment:	Square
Emboss:	Standard emboss
Colors available:	30
Installation method:	Glue down
Installation options:	6" x 48": unidirectional, herringbone


UNIDIRECTIONAL


HERRINGBONE

TECHTONIC®

Testing		
Static load:	ASTM F970	250 psi, ≤0.005 inches | Modified 2000 psi: ≤ 0.005" **
Residual indentation:	ASTM F1914	Passes
Slip resistance:	ASTM D2047	≥0.5 SCOF
Flammability:	ASTM E6 48	≥450
Smoke density:	ASTM E6 62	Passes
Chemical resistance:	ASTM F925	ΔE≤8
Resistance to light:	ASTM F1515	ΔE≤8
Resistance to heat:	ASTM F1514	Passes
Dimensional stability:	ASTM F2199	Passes
Flexibility:	ASTM F137	

** Static loads greater than 250 psi fall outside of the scope of the ASTM F970 test method. Modified static load testing does not provide information related to the long-term exposure and the residual indentation of an installed floorcovering system which includes the subfloor, adhesive, underlayment, and cementitious patching/leveling compounds. Residual indentation(s) may remain visible in any resilient flooring installation, however, overhead lighting, natural lighting and the application of a gloss floor finish may increase the appearance.

Construction option

LVT product	**Recycled content•**		**Ortho-phthalate-free**	**FloorScore certified**
	Overall	**Post-consumer**		
iD Latitude	45%		Yes	Yes

Adhesives for LVT products

A brief comparison of adhesive products recommended for use with Tarkett LVT, in multiple installation scenarios

Adhesive	**Moisture RH**	
RollSmart™	95%	Allows immediate occupancy
959 Vinyl Tile and Plank Adhesive	90%	
975 Two-Part Urethane Adhesive	90%	For install with heavy point loads, topical moisture, and extreme temperature variation
959 High Moisture Subfloor Adhesive	99%	New concrete
	95%	2+ Year-old concrete

On the cover:

Color Grain PLCG Gibralter 7514, **Color Zone PLCZ** Watermist 7554 | 6" x 36" undirectional installation
Latitude Stone PLST Gemstone 7550 | 12" x 24" vertical ashlar installation

Tarkett North America

30000 Aurora Road, Solon, Ohio 44139
800.899.8916 | **tarkett.com**

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

©Tarkett North America **2559210010** 02/2026

Tarkett North America

30000 Aurora Road, Solon, Ohio 44139
800.899.8916 | **tarkett.com**

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

©Tarkett North America **2559210010** 02/2026