



NOVOCORE

SPC | 7.5 MM, 22 MIL

TAS

CONTRACT

[TASCONTRACT.COM](https://tascontract.com)

NOVOCORE

SPC | 7.5 MM, 22 MIL



SUPERIOR ACOUSTICAL PERFORMANCE

As the quietest engineered vinyl flooring on the market, NovoCore Quiet features a proprietary sound-deadening core and a 1.0 mm hypoallergenic cork backing to reduce noise transmission. The SE+ Antibacterial finish further promotes a healthier environment.



SCRATCH SHIELD MAX PROTECTION

The advanced Scratch Shield Max finish makes this flooring highly scratch-resistant and pet-friendly, ensuring lasting durability and easy maintenance in high-traffic commercial areas.



SEAMLESS DESIGN OVER LARGE AREAS

NovoCore allows installation across large areas without the need for unsightly transition moldings, creating a clean, continuous look that enhances the visual appeal of any commercial space.



EFFORTLESS INSTALLATION

Designed for convenience, the NovoCore Collection can be installed directly over most existing hard surface subfloors, saving time and reducing labor costs.

TRIMS & TRANSITIONS

- T-Mold
- Reducer
- Endcap
- Stair Nose
- Quarter Round



CARMEL
LUXURY VINYL

CHNCQCW2602
7.5 MM | 22 MIL



CALIENTE
LUXURY VINYL

CHNCQCW2634
7.5 MM | 22 MIL



CAMDEN
LUXURY VINYL

CHNCQCW2780
7.5 MM | 22 MIL



CADENCE
LUXURY VINYL

CHNCQEW3783
7.5 MM | 22 MIL



CANON
LUXURY VINYL

CHNCQEW3781
7.5 MM | 22 MIL



CHOPIN
LUXURY VINYL

CHNCQEW2847
7.5 MM | 22 MIL



HANDEL
LUXURY VINYL

CHNCQEW2846
7.5 MM | 22 MIL



LOW KEY
LUXURY VINYL

CHNCQEW3782
7.5 MM | 22 MIL



FORTE
LUXURY VINYL

CHNCQEW7020
7.5 MM | 22 MIL



TEMPO
LUXURY VINYL

CHNCQEW7136
7.5 MM | 22 MIL



VIVALDI
LUXURY VINYL

CHNCQEW2367
7.5 MM | 22 MIL



TALLIS
LUXURY VINYL

CHNCQEW2761
7.5 MM | 22 MIL



RIGID CORE WATERPROOF VINYL FLOORING

Specifications

Construction: Rigid Core Luxury Vinyl

Dimensions: *7" x 48", **7.5" x 48", ***9" x 60"

Overall Thickness: 7.5 mm (includes 1.0 mm Cork Backing)

Wear Layer: 22 mil

Finish Coat: Matte Low Gloss, Polyurethane

Edge Profile: 4-Sided Painted Bevel

Texture: Embossed, ***Embossed In Register

Packaging

* 42.73 lb/ctn, 18.93 sf/ctn, 50 ctn/plt, 946.50 sf/plt

** 54.27 lb/ctn, 22.97 sf/ctn, 32 ctn/plt, 735.05 sf/plt

*** 54.60 lb/ctn, 22.96 sf/ctn, 36 ctn/plt, 826.55 sf/plt

41.87 lb/ctn, 18.56 sf/ctn, 33 ctn/plt, 612.48 sf/plt



Warranty

30 Year Residential, 10 Year Light Commercial,
10 Year Multi-Family

Installation

Tight Lock - Angle / Drop N Tap

NovoCore Quiet, an acoustical waterproof floor that reduces ambient noise transmission. Constructed with proprietary sound deadening core, 1.0 mm hypoallergenic cork backing, and specialty Scratch Shield Max & SE+ Anti-bacterial finish coat.



QUIET RIGID
CONSTRUCTION

ULTIMATE SCRATCH
RESISTANCE

INSTALL INTO ANY
ROOM OF THE HOME

EASY TO CLEAN
AND MAINTAIN

TOTALLY
WATERPROOF

UP TO **3X** QUIETER
THAN WPC

UP TO **6X** QUIETER
THAN SPC



TAS

CONTRACT

TASCONTRACT.COM

PLATFORMS
LUXURY VINYL



Scan the QR Code to view Platforms, our
TAS Contract custom flooring program.