



Johnsonite

Stairwell Management

ANGLE FIT™ RUBBER TREADS + VINYL TREADS + ACCESSORIES

improved solutions
at **every step**

 **Tarkett**




Well-rounded solutions

True flooring solutions improve every aspect of the experience, from aesthetics to safety and installation to maintenance. So Tarkett has made significant improvements to the design of its rubber stair treads that will minimize the time and cost of installation. Our new Angle Fit™ angled noses are available on all rubber treads—with or without risers—making every installation faster, easier and safer.




- STAIR NOSE**
New angled stair nose returns to the step, allowing it to overlap the riser and eliminate time-consuming cuts.
- NO CAULK**
If stairs are in good condition, no nose caulk is required.
- EASY RISER**
The riser's thickness is reduced at the top, allowing it to slip easily below the stair nose.
- SAFETY**
Slip-resistant rubber treads are available in a variety of colors, textures and safety inserts for the visually impaired.



One step at a time

The right stairwell management system improves both the safety and appearance of these critical spaces, helping reduce risk and improve mobility from top to bottom. With thousands of possible combinations, Tarkett's comprehensive stairwell management system provides no shortage of options. Choose between rubber and vinyl constructions to balance the needs of every project.





Tarkett Solution SPECtrum™

Design more brilliantly.

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns, and textures is coordinated to work together visually across product categories — creating the perfect balance for people, planet, and performance.

The BrillianceSM Digital Color System puts the entire TARKETT SOLUTION SPECtrum portfolio at your fingertips — no matter where you happen to be working. Within one digital tool, you can save favorite surfaces to project boards, visualize them in a space, and order samples. By getting the right color match every time, the tool reduces sample waste and shipping, helping us all design more responsibly and reduce our carbon footprints. Speak to your Tarkett sales representative to get started, or visit brilliance.tarkett.com.



Color may vary from actual swatch. To order a sample and to learn more, please visit tarkett.com.



Angle Fit® Rubber Stair Tread
OLIO MESTO PS5 Maiden Voyage



For years, Tarkett has raised the sustainability standards of our industry. We took the first steps and are determined to stay a step ahead.

And while inspirational words are great, we know impact is in the numbers — numbers subjected to intense third-party scrutiny. So, at Tarkett we don't just say it, **we prove it.**

These three values help us stay the course when it comes to sustainability.



Setting New Transparency Standards

What you begin with affects everything that comes after it. That's why we subject our products to relentless scientific scrutiny and third-party testing and offer radical transparency about our materials and operations.



Empowering the Next Step in the Value Chain

We make our business partners and customers more inherently sustainable with products and practices that consider every step in the value chain.



Creating Healthier Futures

We base all our sustainability initiatives on our commitment to create healthier environments indoors and out, today and for generations to come.

Sustainability Highlights

Feel confident in the numbers



A holistic approach you can count on...

95%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

70%

of raw materials are abundant, rapidly renewable or recycled.

14

zero-waste to landfill manufacturing plants.



...And certifications you can trust.

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business.

2013

first commercial flooring CERTIFIED **asthma and allergy friendly**®.

2022

Powerbond RS is the first soft surface product in the industry to be CERTIFIED **asthma and allergy friendly**®.



We're leaders in radical transparency.

100_{ppm}

raw materials content revealed down to 100 parts per million.

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.



Setting tomorrow's standards...

99%

of flooring solutions have low VOC emission levels — 10x lower than the most stringent world standards.

100%

ortho-phthalate-free vinyl production. First company to eliminate ortho-phthalates from all products.



...For globally recognized excellence.

2010

first flooring manufacturer to join the UN Global Compact.

2021

awarded the Gold medal by EcoVadis; now ranked among the top 2% of companies in our industry rated by EcoVadis.

2022

scored A-, the CDP management level, regarding the climate change performance assessment.

At Tarkett, social and environmental responsibility aren't add-ons. They're woven, stamped and sealed into everything we do. But more importantly, we don't just say this, **we prove it.**

Angle Fit™ Rubber Stair Treads with Integrated Riser

Rubber Tread with Integrated Riser



Raised Round Tread/Riser (RNRDTR)
S B Z

Rubber Tread with Integrated Riser for the Visually Impaired



Raised Round Tread/Riser Visually Impaired (VIRNRDTR)
S B Z +





Raised Square Tread/Riser (RNSQTR)
S B Z



Raised Square Tread/Riser Visually Impaired (VIRNSQTR)
S B Z +





Hammered Tread/Riser (HNTR)
S B Z



Hammered Tread/Riser Visually Impaired (VIHNTR)
S B Z +






Bamboo Tread/Riser (BMNTR)
S B Z X




Bamboo Tread/Riser Visually Impaired (VIBMNTR)
S B Z X +





Cubis Tread/Riser (CUBTR)
S B Z X




Cubis Tread/Riser Visually Impaired (VICUBTR)
S B Z X +






Fast Lane Tread/Riser (CFLNTR)
S B Z X



Fast Lane Tread/Riser Visually Impaired (VICFLNTR)
S B Z X +





Diamond Tread/Riser (CNNTR)
S B Z X



Diamond Tread/Riser Visually Impaired (VICNNTR)
S B Z X +





Rice Paper Tread/Riser (FRPANTR)
S B Z X



Rice Paper Tread/Riser Visually Impaired (VIFRPANTR)
S B Z X +



Angle Fit™ Rubber Stair Treads

Visually Impaired Color Solutions +

Grit Tape Color



Black



Brown



Grey



Tan



Yellow



White

Solid Color Rubber Insert



40 Black



47 Brown



55 Silver Grey



49 Beige



TG7 Canary

Black: 01, 21, 23, 24, 27, 28, 29, 31, 32, 38, 48, 55, 58, 62, 71, 84, 107, 121, 129, 150, 151, 163, 197, 199, 262, 280, 281, 282, TA1, TA5, TA7, TA8, TG2, TG3, TG5, TG6, TG7, TG8, TH1, VK7, VL1, VL4, VL8, VN1, VN3, VE5, VE7, VF2, VF3, VF4, VF6, VF7, VF8, VG5, VG6, VH2, VH4, VH5, VH6, VH7, VJ5, VJ6, VJ7, VJ8, VK3

Brown: 09, 11, 22, 34, 45, 49, 68, 79, 80, 130, 194, 461, 469, VK8, VM4, VL2, VM1, TA3, VE1, VE2, VE3, VE6, VE8, VE9, VF1

Grey: 08, 18, 20, 40, 50, 72, 85, 86, 92, 168, 460, TB3, TB6, TG1, VL7, VM2, VM5, VM8, VN2, VN4, VN5, VF5, VG1, VG2, VG3, VG4, VG7, VG8, VG9, VH1, VH3, VH8, VH9, VJ2, VJ3, VJ9, VK1, VK2, VK4, VK5

Tan: 44, 47, 63, 76, 101, 132, 167, 264, 283, 284, TA2, TB2, TG9, TH2, TH3, VE4, VF9, VJ1, VJ4, VL9, VM3

Yellow: TA4, TA6, TA9, TB1, TB4

White Grit Tape available by special order

Photoluminescent Tape available

40 Black: 01, 21, 23, 24, 27, 28, 29, 31, 32, 38, 48, 55, 58, 62, 71, 84, 107, 121, 129, 150, 151, 163, 197, 199, 262, 280, 281, 282, TA1, TA5, TA8, TG2, TG3, TG5, TG6, TG7, TG8, TH1, VK7, VL1, VL4, VL8, VN1, VN3, VN2, VE5, VE7, VF2, VF3, VF4, VF6, VF7, VF8, VG5, VG6, VH2, VH4, VH5, VH6, VH7, VJ5, VJ6, VJ7, VJ8, VK3

47 Brown: 09, 11, 22, 34, 45, 49, 68, 79, 80, 130, 194, 461, 469, TA3, VK8, VL2, VM1, VM4, VE1, VE2, VE3, VE6, VE8, VE9, VF1

55 Silver Grey: 08, 18, 20, 40, 50, 72, 85, 86, 92, 168, 460, TB3, TB6, VL7, VM2, VM5, VM8, VN4, VN5, VF5, VG1, VG2, VG3, VG4, VG7, VG8, VG9, VH1, VH3, VH8, VH9, VJ2, VJ3, VJ9, VK1, VK2, VK4, VK5

49 Beige: 44, 47, 63, 76, 101, 132, 167, 264, 283, 284, TA2, TB2, TG9, TH2, TH3, VL9, VM3, VE4, VE9, VJ1, VJ4

TG7 Canary: TA4, TA6, TA9, TB1, TB4

COLOR PALETTE AVAILABILITY

- S = Available in Solid Color Palette
- B = Color Splash Speckled colorways
- Z = Can be special ordered in Prima® Marbleized and Prima Olio® colorways. Visit tarkettna.com. Minimums may apply
- X = Can be special ordered in Speckled colorways.

Stair Tread Insert Color Combinations

+ = See chart above for recommended contrasting color combinations.

Sizes/Available Lengths

- X = 3'^Δ, 3.5'^Δ, 4', 4.5', 5', 6'
- Y = 3'^Δ, 3.5'^Δ, 4', 4.5', 5', 6', 7', 8'
- Z = 3'^Δ, 3.5'^Δ, 4', 4.5', 5', 6', 7', 8', 9'

^Δ Denotes special order.

Enlarged Textures Below

Indoor Air Quality
Low Emitting materials EQ 4.3
FloorScore™ certified and meets CA 01350

Angle Fit Rubber Stair Treads Textures



Raised Round



Raised Square



Hammered




Bamboo



Cubis



Fast Lane



Diamond



Rice Paper



Smooth

Angle Fit™ Rubber Stair Treads without Integrated Riser

Standard Rubber Stair Treads

Bamboo Tread (BMNT)
S X

Cubis Tread (CUBT)
S X

Fast Lane Tread (CFLNT)
S X

Raised Round Tread (RNRD)
S X Y

Raised Square Tread (RNSQ)
S X

Hammered Tread (HMNT) 12 1/4" deep (HMNTD) 14" deep
S X Z

Service Weight Smooth Tread (SN)
S X

Diamond Tread (CNN)
S X

Rice Paper Tread (FRPANT)
S X

Service Weight Safe-T-Grip Tread (SAN)
S X

Bamboo Tread Visually Impaired (VIBMNT)
S X

Cubis Tread Visually Impaired (VICUBT)
S X

Fast Lane Tread Visually Impaired (VICFLNT)
S X

Raised Round Tread without Riser Visually Impaired (VIRNRD)
S X Y

Raised Square Tread without Riser Visually Impaired (VIRSQ)
S X

Hammered Tread without Riser Visually Impaired (VIHMNT) 12 1/4" deep (VIHMNTD) 14" deep
S X Z

Service Weight Smooth Tread Visually Impaired (VISN)
S X

Diamond Tread Visually Impaired (VICNN)
S X

Rice Paper Tread Visually Impaired (VIFRPANT)
S X

Standard Rubber Stair Treads for the Visually Impaired

Vinyl Stair Treads

Vinyl Treads

Heavy Duty Square Nose (HD)
C W

Safe-T-Rib® Square Nose (HT)
C W

Safe-T-Rib Round Nose (HT)
C W

Service Weight Square Nose (ST)
C W

Service Weight Round Nose (ST)
C W

Vinyl Treads for the Visually Impaired

Heavy Duty Square Nose Visually Impaired (VIHD)
C X W

Safe-T-Rib Square Nose Visually Impaired (VIHT)
C X W

Safe-T-Rib Round Nose Visually Impaired (VIHT)
C X W

Safe-T-Grip Square Nose Visually Impaired (VIVG)
C X W

Heavy Duty (HD)

Safe-T-Rib® (HT)

Service Weight (ST)

Visually Impaired Color Solutions

Grit Tape Color +

Black

Brown

Grey

Tan

Yellow

White

Black grit tape contrasts with colors: 08, 21, 24, 28, 29, 31, 32, 38, 48, 55, 71, TA6, TA8
Brown Grit Tape contrasts with colors 01, 09, 11, 22, 45, 49, 80
Grey Grit Tape contrasts with colors 18, 20, 40, 86, TA4
Tan 44, 47, 63, 76, 167, 283, TB1
Yellow Grit Tape available by special order
White Grit Tape available by special order

Co-Extruded Vinyl insert X

40 Black

47 Brown

55 Silver Grey

49 Beige

40 Black Insert contrasts with colors 08, 21, 24, 28, 29, 31, 32, 38, 48, 55, 71 TA6, TA8
47 Brown Insert contrasts with colors 01, 09, 11, 22, 45 49, 80
55 Silver Grey Insert contrasts with colors 18, 20, 40, 86, TA4
49 Beige Insert contrasts with colors 44, 47, 63, 76, 167, 283, TB1

Rubber Landing Tile for Use with Vinyl Stair Treads

Tiles available in 24" x 24" and in 12" x 12".
Smooth (C)
S X

All tile textures can be used as landing tile.



COLOR PALETTE AVAILABILITY

C = ColorMatch® Palette

Stair Tread Insert Color Combinations

- + = See chart above for recommended contrasting color combinations.
- X = See chart above for recommended contrasting color combinations.
- S = Available in Solid Color Palette
- ▲ = Can be specially ordered in Prima Marbleized and Prima Olio colorways. Visit tarkettna.com. Minimums may apply.

Sizes / Available Lengths

W = 3', 3.5', 4', 6', 8', 12'

How to Order: Product Code – Color Number – Length – Nose Type
(Example: VIHD – 18 – 4' SQ Navy Blue)(Example: S/B VIHD – 18 – 4' SQ)

Stairwell Accessories

Rubber Stringers and Risers

ITEM	SIZE	GAUGE
Stringers Solid Color Stringers Marbleized	10" x 6' 10" x 6'	.080" 1/8"
Risers	6" x 4' 6" x 100"* 7" x 4' 7" x 5' 7" x 6'	1/8" 1/8" 1/8" 1/8" 1/8"



Stringers and risers are available in Color Palettes A and B. Speckled, Prima® Marbleized and Olio® are available by special order.

*Not available in Speckled or Marbleized.

Vinyl Stringers and Risers


ITEM	SIZE	GAUGE
Stringers	10" x 50'	.080"
Risers	6" x 4' 6" x 120' 7" x 4' 7" x 50'	.080" .080" .080" .080"



Vinyl stringers and risers are available to coordinate with vinyl or rubber treads in your choice of more than 30 colors including ColorMatch®.

Vinyl Tactile Warning Surface C

Reduce potential accidents by alerting the visually impaired that they’re approaching hazardous areas. Detectable tactile warning surface meets ANSI A117.1-1986 design requirements and is available in 36 attractive solid colors. Permanently co-extruded contrasting striping can also be ordered.



Tactile Warning Surface shown above.

Color Palette Availability

- S = Available in Solid Color Palette
- C = ColorMatch® Color Offering
- ▲ = Can be specially ordered in Prima Marbleized and Prima Olio colorways. Visit tarkettna.com. Minimums may apply.

Vinyl Stair Nosings

Flexible Vinyl Stair Nosings for the Visually Impaired

VIRCN-XX-B C * ✓ ✕		1/8" material w/lip or 3/16" w/o lip. 2" co-extruded visually impaired strip.
VIRCN-XX-B2 C +		1/8" material. 2" visually impaired grit tape insert.
VITSN-XX C ✕		Top set with 2" co-extruded visually impaired strip.
VIRCN-XX-A C * ✓ ✕		1/4" or 5/16" material. 2" co-extruded visually impaired strip.
VIVCD-XX C * ✓ ✕		1/4" or 5/16" material for step and riser. 2" co-extruded visually impaired strip.

Slim Line Stair Nosings

SLN-XX-A C M		1/4" materials on step to 1/4" material on riser.
SLN-XX-B C M		7/32" material on step to 1/4" material on riser
SLN-XX-C C M		3/8" material on step to 3/8" material on riser

Solid Color Flexible Vinyl Stair Nosings

VDL-XX-RD C		1/8" material.
VDL-XX-SQ C		1/8" material.
RCN-XX-B C		1/8" material w/lip or 3/16" w/o lip.
DTN-XX C		Top set stair nosing for residential use.
RCN-XX-A C *		1/4" or 5/16" material.
VCD-XX C		1/4" or 5/16" material on step and riser.
SVCD-XX-A C		3/8" material on step and riser.
SRCN-XX-C C		3/8" material on step.

Color Palette Availability

- C = ColorMatch® Color Offering
- M** = Metallic Color Offering. See tarkett.com for details.
- * = Also available in 50 White.
- ✓ = Available without contrasting strip.
- + = See chart on page 13 for recommended contrasting color combinations.
- ✕ = See chart on page 13 for recommended contrasting color combinations.

Angle Fit™ Rubber Stair Treads

TECHNICAL DATA	STANDARDS	RUBBER STAIR TREADS
Type of Floor Covering	ASTM F2169	Resilient Stair Treads
Classification	ASTM F2169	Type TS, Class 1 and 2, Group 1 and 2
Resistance to Heat	ASTM F1514	$\Delta \Sigma \leq 8.0$
Hardness	ASTM D2240	Min 85 Shore A
Slip Resistance	ASTM D2047	≥ 0.5 SCOF (ADA Compliant)
Flammability	ASTM E648	Class 1 (≥ 0.45 W/cm ²)
Smoke Density	ASTM E662	≤ 450
Chemical Resistance	ASTM E925	Passes
Limited Warranty		5 years
Colors		156
Size		3' to 9' wide
Colorways		More than 200
Surface Textures		9

Please visit tarkett.com for the most updated specifications, installation, cleaning and maintenance instructions.



Vinyl Stair Treads

TECHNICAL DATA	STANDARDS	VINYL STAIR TREADS
Type of Floor Covering	ASTM F2169	Resilient Stair Treads
Classification	ASTM F2169	Type TV, Class 2, Group 1 and 2
Resistance to Heat	ASTM F1514	$\Delta \Sigma \leq 8.0$
Hardness	ASTM D2240	Min 85 Shore A
Slip Resistance	ASTM D2047	≥ 0.5 SCOF (ADA Compliant)
Flammability	ASTM E648	Class 1 (≥ 0.45 W/cm ²)
Smoke Density	ASTM E662	≤ 450
Chemical Resistance	ASTM E925	Passes
Limited Warranty		5 years
Size		3' to 12' wide
Colors		32
Styles		5

Please visit tarkett.com for the most updated specifications, installation, cleaning and maintenance instructions.



Tarkett North America

30000 Aurora Rd
Solon, OH 44139
800.899.8916

tarkett.com

Tarkett North America 42399400075 05/2023