

## SAFETY DATA SHEET

### TEC® WOOD SECURE™

Version 1.0

Revision Date 09/19/2023

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TEC® WOOD SECURE™  
Product code : 100000026289

##### Manufacturer or supplier's details

Company : H.B. Fuller Construction Products

Address : 1105 South Frontenac  
Aurora, IL, 60504

Telephone : 1-800-552-6225

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

##### Recommended use of the chemical and restrictions on use

Recommended use : Adhesive

#### SECTION 2. HAZARDS IDENTIFICATION

##### Emergency Overview

Appearance	liquid
Color	tan
Odor	characteristic

##### GHS Classification

Skin irritation : Category 2  
Eye irritation : Category 2A

##### GHS label elements

Hazard pictograms :



Signal Word : Warning

##### Hazard Statements:

H315 Causes skin irritation. H319 Causes serious eye irritation.

##### Precautionary Statements:

**Prevention:** P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection.

**Response:** P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF

## SAFETY DATA SHEET

### TEC® WOOD SECURE™

Version 1.0

Revision Date 09/19/2023

IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

#### Potential Health Effects

##### Carcinogenicity:

<b>IARC</b>	Group 1: Carcinogenic to humans During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk. Quartz (SiO <sub>2</sub> ) 14808-60-7
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
<b>NTP</b>	Known to be human carcinogen During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk. Quartz (SiO <sub>2</sub> ) 14808-60-7

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
Calcium carbonate	471-34-1	30 - 50
2-Propenoic acid, polymer with butyl 2-propenoate and 2-propenenitrile	25686-45-7	10 - 20
Quartz (SiO <sub>2</sub> )	14808-60-7	0.1 - 1

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately.
If inhaled	: Move to fresh air in case of accidental inhalation of vapors or decomposition products.
In case of skin contact	: Wash off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	: Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.

**SAFETY DATA SHEET****TEC® WOOD SECURE™**

Version 1.0

Revision Date 09/19/2023

---

If swallowed : If conscious, drink plenty of water.  
Never give anything by mouth to an unconscious person.  
Consult a physician if necessary.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : None known.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods :

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.  
Should not be released into the environment.

Methods and materials for containment and cleaning up : Ventilate the area.  
Soak up with inert absorbent material.  
Shovel into suitable container for disposal.

---

**SECTION 7. HANDLING AND STORAGE**

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Use only with adequate ventilation/personal protection.  
Keep container closed when not in use.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Store in original container.

---

## SAFETY DATA SHEET

### TEC® WOOD SECURE™

Version 1.0

Revision Date 09/19/2023

Materials to avoid : Do not store together with oxidizing and self-igniting products.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Calcium carbonate	471-34-1	PEL (Total dust)	10 mg/m <sup>3</sup>	CAL PEL
		PEL (respirable dust fraction)	5 mg/m <sup>3</sup>	CAL PEL
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
Quartz (SiO <sub>2</sub> )	14808-60-7	TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup>	ACGIH
		TWA (total dust)	30 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3
		TWA (respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO <sub>2</sub> +5	OSHA Z-3
		TWA (Respirable fraction)	0.1 mg/m <sup>3</sup>	OSHA P0
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z-1
		PEL (Respirable dust)	0.05 mg/m <sup>3</sup>	CAL PEL
		TWA (respirable dust fraction)	0.1 mg/m <sup>3</sup>	OSHA P0

##### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

**SAFETY DATA SHEET****TEC® WOOD SECURE™**

Version 1.0

Revision Date 09/19/2023

---

Filter type	: Organic vapor Type
Hand protection Material	: Nitrile rubber
Eye protection	: Safety glasses with side-shields
Skin and body protection	: Skin should be washed after contact.
Protective measures	: Avoid contact with skin.
Hygiene measures	: Avoid contact with skin, eyes and clothing.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Color	: tan
Odor	: characteristic
Odor Threshold	: no data available
pH	: is not determined 8.4 - 8.9
	: is not determined
	: is not determined
Flash point	: is not determined
Evaporation rate	: is not determined
Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Vapor pressure	: is not determined
Density	: 9.95 lb/gal
Solubility(ies)	
Water solubility	: is not determined
Partition coefficient: n- octanol/water	: no data available
Autoignition temperature	: is not determined
Viscosity	
Viscosity, kinematic	: is not determined
VOC, less water, in g/l	: < 8

---

**SECTION 10. STABILITY AND REACTIVITY**

**SAFETY DATA SHEET****TEC® WOOD SECURE™**

Version 1.0

Revision Date 09/19/2023

Chemical stability : The product is chemically stable.

Hazardous decomposition products : No decomposition if stored and applied as directed.

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

No data available

**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**STOT-single exposure**

No data available

**STOT-repeated exposure**

No data available

**Aspiration toxicity**

No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

**SAFETY DATA SHEET****TEC® WOOD SECURE™**

Version 1.0

Revision Date 09/19/2023

No data available

**Bioaccumulative potential****Mobility in soil**

No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues

: Do not dispose of together with household waste. The hazard and precautionary statements displayed on the label also apply to any residues left in the container. Do not dispose of waste into sewer.

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION**

**SAFETY DATA SHEET****TEC® WOOD SECURE™**

Version 1.0

Revision Date 09/19/2023

- SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation
- SARA 302** : This material does not contain any components with a section 302 EHS TPQ.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**US State Regulations**

**California Prop 65** Please contact Supplier for more information.

**The ingredients of this product are reported in the following inventories:**

**TSCA** All substances listed as active on the TSCA inventory  
**Inventories Legend** TSCA (USA), DSL (Canada), REACH(Europe), AIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

**SECTION 16. OTHER INFORMATION**

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com



## SAFETY DATA SHEET


### TEC® WOOD SECURE™

Version 1.0

Revision Date 09/19/2023

#### Further information

##### NFPA:



##### HMIS III:

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.