

Window World®

DOOR SYSTEMS FEATURING
THERMA TRU®
DOORS



AMERICA'S EXTERIOR REMODELER™

Improving Homes. Changing Lives.®



Classic Craft.




Augustine.



Mahogany
CCR30027 (1W) / CCR3400XNSL ▲
Stained Driftwood

Zaha.



Canvas
CCV1851 / CCV1851SL ▲
(1D, 1C)
Painted Cypress

Satin Etch SDL



Fir
CCA2300XE-SDLF4 ▲ /
CCA2400XESL ▲
Stained Rustic Clay

Solid Panel



Fir
CCA1133-DDBF4
Stained New Earth

Solid Panel



Walnut
CCW903 / DRS2131SL-LE
Stained Acorn

Solid Panel



Mahogany
CCR205 / CCR3400SL-LE ▲
Stained Rustic Clay

Solid Panel



Canvas
CCV050
Painted Canyon

Fiber-Classic® & Smooth-Star.



Lucerna.



Mahogany
CCM2802 ▲ / CCR3412SL ▲
(1D, 1C)
Stained Raven

Low-E SDL



Mahogany
CCM2804-SDLF6LE ▲ /
CCR3400SL-LE ▲
Stained Mulberry

Arborwatch.




Mahogany
CCR1415 / CCR1423SL ▲
(1D, 1C)
Stained Autumn Harvest

Satin Etch SDL




Smooth
S3500LXE-SDLF2 ▲ / S2000XESL ▲
Painted Ruby Red

Chord SDL




Smooth
S3600LXC-SDLF2 ▲ / S2000XCSL ▲
Painted Golden Wheat

Low-E SDL



Smooth
S5700-SDLF2LE ▲ /
S5700SL-SDLF2LE ▲
Painted Elk

Low-E



Smooth
S2000-LE ▲ / S2000SL-LE ▲
Painted Estuary

Homeward™.



Fir
CCA211 ▲ / CCA3401SL ▲
(1D, 1C)
Stained New Earth

Granite



Fir
CCA210XN ▲ / CCA3400XNSL ▲
Stained Wildflower Honey

Solid Panel




Fir
CCA4905-DDBF3 / CCA2400SL-LE ▲
Stained Tumbleweed

Saratoga™.



Mahogany
FCM905 ▣ / FCM815SL ▣
(1D, 1C)
Stained New Earth

Calix



Smooth
S2223 ▣ / S2223SL ▣
(1D, 1C, 1A)
Painted Arctic Ice

Latitude



Oak
FC2213 ▣ / FC2213SL ▣
(1D, 1C, 1A)
Stained Acorn

Echelon



Smooth
S2233 ▣ / S2233SL ▣
(1D, 1C, 1A)
Painted Peregrine

- No Stile Lines
- ▲ Flush-Glazed Glass
- 1D Black Nickel Caming
- 1C Brushed Nickel Caming

- 1A Brass Caming
- 1W Wrought Iron
- XE Satin Etch
- XC Chord

- XN Granite
- LE Low-E
- ▣ Scrolled & Flat Advanta Lite Frame
- DDBF3 Door Divider Bars (4-1/4")

- DDBF4 Door Divider Bars (5-1/2")
- SDLF2 3-1/2" Flat SDL
- SDLF4 5-1/2" Flat SDL
- SDLF6 1-3/5" Flat SDL



Clear SDL



Smooth
S2104-SDLF1 ▲ / S2000SL ▲
Painted Arctic Ice

Wellesley™



Oak
FC147 ▣ / FC104SL ▣
(1D, 1C)
Stained Mulberry

Latitude



Oak
FC4525 ▣ / FC2382SL ▣
(1D, 1C, 1A)
Stained Tumbleweed

Low-E GBG



Smooth
S1089-GBGFKLE ▣ / S2000SL-LE ▲
Painted Alpine

Low-E




Mahogany
FCM4814-SDLF1LE ▲ /
FCM2000SL-LE ▲
Stained Raven

Maple Park.



Mahogany
FCM609 ▣ / FCM812SL ▣
(1D, 1C)
Stained Barley

Calix



Smooth
S3540-FF ▣ / S2389SL ▣
(1D, 1C, 1A)
Painted Golden Wheat

Solid Panel




Mahogany
FCM220 / FCM2000SL-LE ▲
Stained Wildflower Honey

Rainglass



Smooth
S3200XR ▲ / S2000XRSL ▲
Painted Cabernet

Clear SDL



Smooth
S4200-SDLF1 ▲ / S2000SL ▲
Painted Golden Wheat

Blackstone.



Smooth
S4314 ▣ / S4570SL ▣
(1D, 1C)
Painted Granite

Concorde™




Smooth
S426 ▣ / S416SL ▣
(1D, 1C, 1A)
Painted Indigo

Solid Panel



Smooth
S3301-DDBF2 / S2000SL-LE ▲
Painted Peregrine

Solid Panel



Smooth
S3501L-DDBF2 / S2000SL-LE ▲
Painted Canyon

Solid Panel



Mahogany
FCM205 / FCM2000SL-LE ▲
Stained Barley

Solid Panel



Smooth
S205
Painted Peregrine

Internal Blinds



Mahogany
FCM678-RT ▣
Stained Autumn Harvest

Saratoga™



Smooth
S6240 ▲ / S6240SL ▲
(1D, 1C)
Painted Ruby Red

Chord SDL



Smooth
S4813XC-SDLF1 ▲ / S4810XCSSL ▲
Painted Cypress

Chinchilla




Mahogany
FCM4810XJ ▲
Stained Driftwood

Solid Panel



Oak
FC60 / 2000SL-LE ▲
Stained Tumbleweed

Echelon




Pulse. Ari
Smooth, S2EC-FF ▣
(1D, 1C, 1A)
Painted Estuary

Granite



Pulse. Ari
Mahogany, FCM2XN ▣
Stained Mulberry

Low-E



Pulse. Echo
Smooth, S5RCL-FFLE ▣
Painted Obsidian

- ▣ No Stile Lines
- ▲ Flush-Glazed Glass
- 1D Black Nickel Caming
- 1C Brushed Nickel Caming

- 1A Brass Caming
- XC Chord
- XJ Chinchilla
- XR Rainglass


- XN Granite
- LE Low-E
- FF Flat Frame
- ▣ Scrolled & Flat Advanta Lite Frame

- ▣ Flat Advanta Lite Frame
- DDBF2 Door Divider Bars (3-1/2")
- SDLF1 1-1/8" Flat SDL
- GBG Grids Between Glass



PrismaGuard® Stain (Shown on Classic Craft Fir Grain).

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



PrismaGuard® Paint

Delivers a pop of color, allowing you to tailor the look to make a beautiful lasting impression. Reeb Finish applies colors to its own and Therma-Tru's color palette. Despite dual names, colors are identical; all finished with the PrismaGuard process.



Smooth-Star® Paint Options



Finished for Lasting Beauty



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard warranty and exclusions.

PanoLock® Plus Multi-Point Lock


Security. Performance. Standard.

Easy to live with.

Easy to work with.

- No dedicated hardware required.
- No need for dedicated panels.
- No difficult installation.
- No expensive templates.

Tested and proven.



A. Tapered bolt. Unlike other locks that tend to catch, PanoLock Plus's tapered bolts engage easily, even when the door is out of alignment.

B. Adjustable roller strike. Rollers lower operating force allowing the tapered bolt to gently snug the door panel against the weatherstrip.



Adjustable Strike Plate Finishes



Faceplate Finishes



Sizes
6/8
8/0

A Complete Door System

A Therma-Tru® door with genuine Therma-Tru parts is more than just a beautiful door. It's a complete door system - from the glass to the hinges - made to perform as good as it looks.



1 Rot Resistant Frame

Standard product features rot resistant frame. Composite frame offered as an option. The composite frame offers the strength and stability of wood but will not rot, warp or split, and is resistant to mold and mildew.



2 Removable Weatherstrip

Our resilient design compresses when closed and springs back when opened. It's protected by a durable jacket for long-lasting sealing power.



3 Hardware

Basic hardware included. Upgrade options available.



4 Ball-Bearing Hinges

Hinges with ball bearings protect each hinge pivot, offering added support and stability to help keep your door opening and closing smoothly.



5 7-Shape Corner Seal Pads

(Inswing Only) This innovative design creates a protective air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



6 Composite Adjustable Sill

Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



7 Dual-Bulb / Dual-Fin Bottom Sweep

(Inswing Only) Two bulbs compress to sit tight against the sill, while two fins act like walls to form barriers and a built-in rain deflector pushes moisture away.



8 Sill Pan

Fits between the sill and subfloor for an added layer of protection against moisture.

Engineered with sloped channels to help collect and drain moisture away.

9 Glass Options

10 Finish — Paint or Stain



11 Adjustable Security Strike Plate

(Not available on all configurations) Helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

Impressions™ Integrated Storm & Entry Door System

THERMATRU
DOORS

LARSON




The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



Available Sizes & Configurations

Choose Low-E or clear glass.
(Interchangeable screen included.)




IM100
3'0" x 6'8"
2'8" x 6'8"

IM8100
3'0" x 8'0"
2'8" x 8'0"

Single
Single with 1 Sidelite**
Single with 2 Sidelites**

Color Options

Features a maintenance-free finish.



White
Color matched to PrismaGuard Alpine.


Gray
Color matched to PrismaGuard Granite.

Brown
Color matched to PrismaGuard Elk and complements most stain options.


Black
Color matched to PrismaGuard Onyx.

Handlesets

Straight



Curved



Warranty Coverage

The Impressions integrated storm and entry door system is included in Therma-Tru's full-system limited warranty.



Window World

1-800 NEXTWINDOW | WindowWorld.com

REEB

an **S B P** brand

1000 Maloney Circle
Bethlehem, PA 18015
www.REEB.com

*Patent pending

**The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

Note: The Impressions storm and entry door system is for inswing entry doors only. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Above: Impressions Storm & Entry Door System - IM100, Finish - Black; Smooth-Star, Clear Glass with GBGs, Door - S2103, Handle - QuickFit Straight Matte Black; Finish - Onyx

On the Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors - CCM82804, Finish - Driftwood

See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options.

©2024 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC. are part of Fortune Brands Innovations, Inc. - an industry-leading home and security products company.

Window World International, LLC. (International). Window World®, the Window World logo, and the Window World Circle 'W' are registered trademarks, 'Improving Homes. Changing Lives.™' is a registered service mark, and AMERICA'S EXTERIOR REMODELER® is a service mark of International. Registered trademarks are registered in the U.S. and may be registered internationally. All trademarks are property of their respective owners. Usage of International's referenced marks is limited to authorized licensees of International or franchisees of Window World, Inc., an authorized licensee of International. This Window World® franchise location is independently owned and operated under license from Window World, Inc. Specifications subject to change without notice. Colors are reproduced by lithographic process and may vary slightly from colors of actual product. MET24-3076/GTY JULY 2024 TT-WWi-725