

Fiberglass Hinged Patio Door Systems, Screens & Storm Doors

THERMA TRU[®]
DOORS



Extend the beauty.

Connect with nature, inside and out.

Outdoor living made easy.

Families can connect with the outdoors through fresh air and sunlight, all from the comfort of home. Explore a variety of entry solutions designed for seamless indoor-outdoor living, including patio and storm doors, retractable screen doors and vented sidelites.



Hinged Patio Doors



Retractable Screen Doors



Storm Doors

Table of Contents

- Door Selections** 4-5
- Glass Options** 6-9
- Finish Options** 10-11
- Patio System Components** 12-17
 - Multi-Point Locking Systems 14
 - Vented Sidelites 15
 - Composite Door Frames 16
 - Patio Configurations 17
- Patio Doors** 18-26
 - EnLiten Flush-Glazed Designs 18-20
 - Lite Frames 21-26
- Screened Options** 27-31
 - Vented Sidelites 27-29
 - Retractable Screen Doors 30-31
- Impressions Integrated Storm & Entry Door System** 32-35

Left Page: Fiber-Classic Oak Collection, Clear Glass, Doors - 8000, Finish - Driftwood
 Right Page Top: Smooth-Star, Clear Glass, Doors - S2000, Finish - Alpine, Retractable Screen - White
 Right Page Bottom: Impressions Storm & Entry Door System - IM100, Finish - Gray; Smooth-Star, Clear Glass with GBGs, Door - S2103, Finish - Granite

Hinged Patio Door Systems

Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns and let fresh air into the home.




The Beauty of Choice




Door Selections

Find choices in design, texture and material with many available configurations to make the ideal door system.



Finish Options

Complete the desired look with paint or stain from our portfolio of PrismaGuard® premium finishes.



Glass Options

Tailor the look of the patio with a variety of glass options all built directly into the door for a seamless look with our EnLiten™ flush-glazed designs.




Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications.

Door Selections


Fiber-Classic® & Smooth-Star® Doors

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value.



Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic® Oak Collection™


Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.


Tough when you need it. Beautiful always.



*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions and details on limited warranties and exclusions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

EnLiten™ Flush-Glazed Designs

All door and sidelite options in this brochure feature EnLiten flush-glazed designs. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.




Create a clean look with maximum views.

With glass built directly into the door during manufacturing, there's no need for a lite frame and screw plugs, which delivers a seamless, consistent finish. EnLiten™ flush-glazed designs also offer up to a 16% increase in visible glass area as compared to conventional lite frames, creating an airy, open feeling in the home with larger daylight openings.

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*




Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)



Flush-Glazed Glass



Lip-Lite Frame

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass



Lip-Lite Frame

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing.

Left Page Top Left: Smooth-Star, Low-E Glass, Doors – S2000

Left Page Top Middle: Smooth-Star, Internal Blinds, Door – S82600

Left Page Top Right: Smooth-Star, Satin Etch Glass, Doors – S8000XE


Glass Options

Create the perfect entrance to the outdoors with an assortment of glass options that includes energy-efficient Low-E glass, privacy and textured designs, divided lite options and more – all built directly into the door for a seamless look.




Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

EnLiten™ Flush-Glazed Internal Blinds


Available for Smooth-Star only.

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Low-E glass for improved energy efficiency.



NEW Impact Flush-Glazed Glass Options



Offers clean style and an increased daylight opening.

Available Q3 2024 for WBDR applications.*


Divided Lites**

Enhance the beauty of any home with a variety of divided lite options. Tailor the look with different texture, profile, width and color choices designed to complement window grid patterns.



Simulated Divided Lite (SDL) Bar Options


Available with privacy and textured, or clear glass.



Smooth SDL bars are color matched to PrismaGuard Alpine.

Grilles Between Glass (GBG) Bar Options

Available with clear glass only.



*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval.

**See your Therma-Tru seller for a complete list of bars and configurations available for each door collection.

***Almond and Bronze GBGs available in flat bars only.

****Black GBGs available in select grid patterns for Smooth-Star only.

Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.

Left Page: Smooth-Star, Internal Blinds, Doors – S2600

Right Page: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine





Finished for lasting beauty.

With an inspirational palette of stain and paint colors, PrismaGuard finish allows you to express your unique style while complementing your home's overall look. A high-end, low-maintenance finish protects your door from everyday wear and tear and is designed for optimal performance with Therma-Tru fiberglass doors.

10 YEAR
LIMITED WARRANTY

Fiber-Classic, Smooth-Star, Profiles, Traditions, Pulse



Durable Topcoat



Professional Application



Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

PrismaGuard® Premium Stain

Bring the authentic look of wood to life. PrismaGuard premium stain is designed with rich tones that add dimension to enhance the realistic styling of Therma-Tru wood-grained fiberglass doors.

Swatches shown in Fiber-Classic Mahogany.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard warranty and exclusions.

PrismaGuard® Premium Paint

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen for a beautiful lasting impression.



Patio System Components

Engineered to work together.

When it comes to choosing a durable, long-lasting entrance, why settle for a door system assembled with parts from multiple sources?

From the door slab and glass to the sill and door frame, Therma-Tru specifies all of the components to work together at the most critical points where an ordinary door system's performance can fail, letting in air and moisture.



9 Screens not shown.

1

Multi-point locking system (recommended) engages the **door** and **frame** at three points from top to bottom, to enhance stability and your sense of security.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



Heirloom

Venture

Millennium

2

Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home.



Composite Adjustable Sill



Composite Outswing Sill

3

Dual-bulb / dual-fin bottom sweep (inswing only) helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



4

Sill pan fits between the sill and subfloor for an added layer of protection against moisture.



5

Corner seal pads (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.



7-Shape Pads




Medium-Reach Weatherstrip



Long-Reach Weatherstrip

6

Hinges position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



Self-Aligning Ball-Bearing Hinge
(Inswing doors)




Self-Aligning Hinge
with Non-Removable Pin
(Outswing doors)

7


Rot-free composite door frame features Tru-Guard™ composite technology and has a matte finish with a protective layer with UV inhibitors to help resist yellowing and fading.



Jamb



Mullion



Brickmould

8

Astragal (French door configurations) covers the margin between double doors to help complete the seal against air and moisture infiltration.

Note: Coastal option available with thicker aluminum construction and a longer shootbolt to provide improved resistance to wind-driven moisture infiltration.*




Bronze White

9

Screens Optional screens available. See page 31 for details.



*To confirm code requirements in your jurisdiction, always check with your local building code authority.



Vented Sidelites

Enjoy the view and a fresh breeze with vented sidelites. Constructed to provide ventilation without sliding screens covering the entry, vented sidelites work as small swinging doors with convenient removable screens.

- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.
- Screens available in bronze and white.



Vented Sidelites

- 1 Multi-Point Locking System (Included)
- 2 Removable Screens


Multi-Point Locking Systems (MPLS)

Three points are better than one.

A multi-point locking system engages the door and frame at three points from top to bottom, rather than only at the strike plate like traditional deadbolt assemblies. This provides enhanced stability and security, while also helping to preserve the door's seal, even under wind pressure.

Lever-Style MPLS

Backplates: Wide, Narrow
Locking: Active, Inactive



Available Finishes



Shootbolt
(For door systems with an astragal.)
Heights: 6'6" | 6'8" | 8'0"
Configurations: Inswing | Outswing



Tongue
(Included in vented sidelite units.)
Heights: 6'6" | 6'8" | 8'0"

Available Configurations




Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Vented Sidelite MPLS



Tongue
(Included in vented sidelite units.)
Heights: 6'6" | 6'8" | 8'0"

Composite Door Frame* featuring Tru-Guard™ Composite Technology

Therma-Tru composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Tru-Advantages

Delivers extra protection from the damaging effects of moisture for peace of mind.

- Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free.
- Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.



LIFETIME LIMITED WARRANTY

Fiber-Classic, Smooth-Star and Pulse Fiberglass

Included in the Therma-Tru fiberglass door system lifetime limited warranties.

10-Year Transferable Full-System Rider

Available for Therma-Tru door systems with full-system Therma-Tru components.

TRU GUARD
COMPOSITE TECHNOLOGY

Available Textures



Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.



Ready to install.
Ready to finish.



White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.



Patio Configurations

Configure a beautiful look to suit your home. Find the door swing and handing that fits your entry. Options include inswing and outswing for right- and left-handed operation.



Single Patio Door





French Patio Door (Dual Active)





Double Patio Door (Single Active)



Triple Patio Door (Single Active)



Vented Sidelite Patio Unit



	Single Patio Door	French Patio Door (Dual Active)	Double Patio Door (Single Active)	Triple Patio Door (Single Active)	Vented Sidelite Patio Unit	Standard Sidelite Patio Unit
Fiber-Classic Mahogany Collection	■	■	■	■	■	■
Fiber-Classic Oak Collection	■	■	■	■		■
Smooth-Star	■	■	■	■	■	■

Key

L = Left R = Right A = Active F = Fixed S = Sidelite


*See your Therma-Tru seller for details on product availability.
Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions and Riders. Frame-only warranty option for customers without a Therma-Tru door system.

EnLiten™ Flush-Glazed



Internal Blinds


Clear Glass with Divided Lites



Smooth
S2600
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Oak
FC1205
 ▲ ★ E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"




Oak
FC1206
 ▲ ★ E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Oak
FC1207
 ▲ ★ E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"




Oak
2010
 ▲ ★ E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"




Oak
FC1204
 ▲ ★ E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Oak
2050
 ▲ ★ E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Oak
8000-12
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak
8000-18
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak
2009
 ▲ ★ E
 2'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Oak
FC5700
 ▲ ★ E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"




Oak
FC85700
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC5710
 ▲ ★ E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

FC85710
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak
FC5720
 ▲ ★ E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Smooth
FC85720
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth
S1205
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲




Smooth
S1206
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Smooth
S1207
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲




Smooth
S2010
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲




Smooth
S1204
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 3'0" x 6'8" ▲

S2050
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Smooth
S8000-12
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth
S8000-18
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Smooth
S5705
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Smooth
S85705
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth
S5715
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Smooth
S85715
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S5725
 ▲ ★ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85725
 ▲ ★ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"







S2009
 ▲ ★ E
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲






S8000-9
 ▲ ★ E
 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Key




- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ▲ Low-E Glass (LE)
- ▲ Simulated Divided Lites (SDL)
- ▲ Simulated Divided Lites (SDLF1)
- ▲ Simulated Divided Lites (SDLF2)
- ▲ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ▲ Flat Almond Grilles Between Glass (GBGF)
- ▲ Flat Bronze Grilles Between Glass (GBGF)
- ▲ WBDR Options
- ▲ Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

Clear Glass with Divided Lites

					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S5700 ▲★E6 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85700 ▲★E6 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S5710 ▲★E6 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85710 ▲★E6 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S5720 ▲★E6 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85720 ▲★E6 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲

					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2105 ▲★E6 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S82105 ▲★E6 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S2250 ▲★E6 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S82250 ▲★E6 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S82106 ▲★E6 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S82107 ▲★E6 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲






Clear Glass

			
Oak	Smooth	Smooth	Smooth
2000 ▲★ 2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 3'0" x 6'8" ▲	8000 ▲★ 2'0" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S2200 ▲★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S82200 ▲★ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲

Lite Frames





Internal Blinds


				
Mahogany	Mahogany	Oak	Oak	Smooth
FCM141 ▲★E6 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	FCM8115 ▲★E6 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	FCM1286 ▲★E6 2'4" x 6'8" ▲ 2'6" x 6'8" (7'0") ▲ 2'8" x 6'8" (7'0") ▲ 2'10" x 6'8" (7'0") ▲ 3'0" x 6'8" (7'0") ▲	FCM81225 ▲★E6 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	FC141 ▲★E6 2'6" x 6'8" ▲ 2'8" x 6'8" (7'0") ▲ 2'10" x 6'8" (7'0") ▲ 3'0" x 6'8" (7'0") ▲

Key




- ▲★ Flush-Glazed Glass with Detailed Sticking (FG)
- No Stile Lines
- ☀ Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- E Elevated 10" Bottom Rail Options



Clear Glass





Clear Glass with Divided Lites



Key

- No Stile Lines
- ★ Low-E Glass (LE)
- 🐢 Turtle Glass
- 🏠 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options
- ⚠️ 6'6" Height Available
- ⚠️ Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



Clear Glass

Fresh air, inside and out.

Explore entry and patio door solutions designed for convenience and ease with built-in options for ventilation.




Vented Sidelite Options

Note: Product images show exterior side of door.

Available to pair with a wide variety of entry doors, including solid-panel styles. Coordinating entry door styles shown here for representation.




Clear Glass with Divided Lites







Key








- ★ Flush-Glazed Glass with Detailed Sticking (FG)
- ☆ Low-E Glass (LE)
- 🐢 Turtle Glass
- 🏠 Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- 🏠 Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🏠 WBDR Options
- ⚠️ 6'6" Height Available

Clear Glass with Divided Lites









		
Smooth	Smooth	Smooth
S5710SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S5720SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S2000SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")





Internal Blinds

			
Mahogany	Oak	Smooth	
FCM1286SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM81225SL 12" x 8'0" Δ 14" x 8'0" Δ	1286SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81225SL 12" x 8'0" Δ 14" x 8'0" Δ









						
Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC06186SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC1289SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S1201SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S1202SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S1200SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S1170SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S6124SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")







Clear Glass with Divided Lites

							
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
FCM1201SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM1202SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM1200SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM12102SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM81208SL 12" x 8'0" Δ 14" x 8'0" Δ	FCM6124SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM6125SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM6126SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

			
Smooth	Smooth	Smooth	Smooth
S6125SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85925SL 12" x 8'0" Δ 14" x 8'0" Δ	S6126SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S6062SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

Clear Glass

							
Mahogany	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FCM1289SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC1201SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC1202SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC1200SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	12102SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81208SL 12" x 8'0" Δ 14" x 8'0" Δ	FC06184SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC06185SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

					
Mahogany	Oak	Smooth	Smooth	Smooth	Smooth
FCM12101SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM81200SL 12" x 8'0" Δ 14" x 8'0" Δ	12101SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81200SL 12" x 8'0" Δ 14" x 8'0" Δ	S601SL 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S81086SL 12" x 8'0" Δ 14" x 8'0" Δ


Key

No Stile Lines	Flat or Contour White Grilles Between Glass (GBGF / GBGC)	Flat or Contour Black Grilles Between Glass (GBGF / GBGC)	Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	WBDR / HVHZ Options
Flush-Glazed Glass with Detailed Sticking (FG)	Flat Almond Grilles Between Glass (GBGF)	Fixed Grilles (FXG)	Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	6'6" Height Available
Low-E Glass (LE)	Flat Bronze Grilles Between Glass (GBGF)	Vented Sidelite Options	Flat Lite Frame	
Simulated Divided Lites (SDL)				

Retractable Screen Doors


Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru entry door systems.

See it in action.




Available Sizes

(Available for most inswing units.)



Single Door System

Widths: 32"–36"
Heights: 6'6", 6'8", 8'0"



French Door System

Widths: 68"–73"
Heights: 6'6", 6'8", 8'0"

Available Color Options

Coordinates with exterior trim.**



White




Brown



Black

Available Configurations



See your Therma-Tru seller for details on product availability and ordering.

Warranty Coverage

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Fiber-Classic, Smooth-Star, Pulse Fiberglass



Profiles, Traditions, Pulse Steel



*Adjusts quickly for 32"–36" doors. If less than 32" a hacksaw is required for one cut to each track.

**Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep children or pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Impressions™ Integrated Storm & Entry Door System

Enjoy natural light and a fresh breeze in the entry with a storm and entry door system designed as a cohesive unit. From Therma-Tru, in partnership with Larson, the Impressions integrated storm and entry door system features a streamlined look with full glass or screen options that let in fresh air and keep insects and debris out.

See it in action.

Discover an advanced technology storm and entry door solution* from the **entry door brand building professionals choose most**** and the **#1 storm door company.*****



Therma-Tru received a Good Design Award for the innovative Impressions door system.



*Patent pending.

**Brand Use Study, 2023 *Builder* magazine.

***Based on U.S. market data 2023.

Bottom: Impressions Storm & Entry Door System – IM100, Finish – Black; Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4814, Finish – Shale
 Right Page: Impressions Storm & Entry Door System – IM100, Finish – Black; Fiber-Classic Mahogany Collection Door – FCM220; Calix Glass, Sidelites – FCM2389SL, Finish – Raven



Purposeful design.


The first of its kind, the Impressions™ storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



1 Choose a **Therma-Tru. entry door** to create an entry that complements your home's architectural style.






2 The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring Tru-Guard™ composite technology.**



3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould.**

The storm door is easy to install at the jobsite.

The concealed hinges featuring retractable pins **4** and the revolutionary hidden closer with Click&Hold™ technology **5** enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job. **Scan the QR code to learn more about storm door panel installation.**




6 Aluminum Storm Door Options

Available Sizes & Configurations
Choose Low-E or clear glass.
Interchangeable screen panel included.




IM100
3'0" x 6'8"
2'8" x 6'8"


IM8100
3'0" x 8'0"
2'8" x 8'0"



Color Options
Features a maintenance-free finish.



7 QuickFit™ Handlesets***



*Patent pending.
**The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.
***Not suitable for use with Therma-Tru grip-style handlesets.
Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.



thermatru.com/extendthebeauty

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle
Maumee, OH 43537



#thermatru




Veris™

COLLECTION



Experience open-air living.

The Veris™ Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.



Visit veriscollection.com for details.