

# Novacoat<sup>®</sup> 4060 matt varnish

Matt varnish for the best rub protection

### K+E® Novacoat® oil-based overprint varnishes for sheetfed offset

#### **Product Features**

- Novacoat<sup>®</sup> 4060 is a matt oil-based overprint varnish with increased oxidative drying. This enables rapid further processing as well as excellent rub protection.
- Novacoat® 4060 matt varnish is ideally suited for straight-line printing on all multi-colour printing presses.
- Novacoat<sup>®</sup> 4060 matt varnish is particularly well suited for wet on wet applications, good results are also achieved with wet on dry applications.


#### Advantages of Novacoat® 4060 matt varnish

- Excellent rub protection.
- Suitable for wet on wet and wet on dry applications.
- Very fast setting.
- Fastest oxidative drying.
- Ideally suited for straight-line printing on all multi-colour printing presses.
- Ideal for coated and uncoated papers and board.





## Novacoat<sup>®</sup> 4060 matt varnish



Drying properties	Oxidative drying.
Substrates	Coated and uncoated paper and board.
Remarks	Printing inks varnished with an oil-based overprint varnished don't need any specific fastness properties.
	Optimal application quantity: 1.5 – 1.8 g/m <sup>2</sup> If the quantity remains within this range, optimal rub protection and matt effect can be achieved.
Exceptions	Don't use Novacoat® 4060 on food packaging without functional barrier.

#### More products. Streamlined access. Greater results.

Flint Group offers a uniquely powerful combination of products, services and expertise; giving you access to the industry's broadest range of pressroom products.

#### Inks & Coatings. Pressroom Chemicals. Blankets. Sleeves. Consumables.

Rely on us for consistency, reliability and customer focus. Our aim is to make it easier for you to achieve your business goals. With Flint Group products in your pressroom, you can run your business with confidence and peace of mind.

You are welcome to contact us for further information.

The aim of our technical documents is to inform and advise our customers. The information provided herein is correct to the best of Flint Group's knowledge. No liability for any errors, facts or opinions is accepted. Customers must satisfy themselves as to the suitability of this product for their application. No responsibility for any loss as a result of any person placing reliance on any material contained herein will be accepted.

Flint CPS Inks Germany GmbH Commercial, Publication & Sheetfed Inks Sieglestrasse 25 70469 Stuttgart, Germany

T +49 711 98 16-0 F +49 711 98 16-700 sheetfed@flintgrp.com www.flintgrp.com

Product names followed by  $\circledast$  are trademarks registered by Flint Group (represented by Flint CPS Inks Holdings LLC or Flint CPS Inks Germany GmbH).