

# **XCURA Lac Stampable Gloss OPV**

**UV LED ductable litho gloss overprint varnish for commercial applications** 

## EC coating for sheetfed offset and web offset

### **Product Features**

- XCURA Lac Stampable Gloss OPV is a gloss offset UV LED varnish, which has been developed to for commercial
  applications.
- XCURA Lac Stampable Gloss OPV is ideally suited for paper and board as well as PVC, PE, PP, ABS, etc.
- XCURA Lac Stampable Gloss OPV is suitable for wet and dry offset applications.

## Advantages of XCURA Lac Stampable Gloss OPV

- High Gloss.
- Hot Foil stampable.
- Fast curing properties with UV LED systems.
- Good rub resistance.
- Wide range of suitable substrates.
- Suitable for wet and dry offset.



## **XCURA Lac Stampable Gloss OPV**

**Shelf life and storage** Shelf life in unopened packages is 18 months.

Product should be stored cool, dry and in a dark place.

Special notes To get optimal results, we recommend an accurate control of the polymerization process under

the low energy or LED lamps.

Packaging 2,5 kg pails

Substrates Paper and board. Synthetic materials such as PVC, PE, PP, ABS etc. can also be used.

Printing Process Printing unit.

**Exceptions** Not for use on food packaging without functional barrier.

Codes VW72-004D-X1BJ XCURA Lac Stampable Gloss OPV; 2,5kg

### More products. Streamlined access. Greater results.

Flint Group offers a uniquely powerful combination of products, services and expertise; giving you access to the industry's broadest range of pressroom products.

### Inks & Coatings. Pressroom Chemicals. Blankets. Sleeves. Consumables.

Rely on us for consistency, reliability and customer focus. Our aim is to make it easier for you to achieve your business goals. With Flint Group products in your pressroom, you can run your business with confidence and peace of mind.

You are welcome to contact us for further information.

The aim of our technical documents is to inform and advise our customers. The information provided herein is correct to the best of Flint Group's knowledge. No liability for any errors, facts or opinions is accepted. Customers must satisfy themselves as to the suitability of this product for their application. No responsibility for any loss as a result of any person placing reliance on any material contained herein will be accepted.