


The final year

Where and how we die

PLACE OF DEATH



HOME

42% of Patients died at Home

Summary of the final month:

\$4,760

17 conditions

8.3 medications

Prevalent Conditions*:

Lower Respiratory Disease (10%)
Arthritis (8%)
Accident/Injury (5%)
Sprain/Strain (5%)
Cancer (5%)
Heart Failure (5%)
Genital/Urinary Condition (4%)
Hypertension (4%)
Diabetes (3%)
Liver Disease (3%)

HOSPITAL

40% of Patients died in the Hospital

Summary of the final month:

\$32,379

24.6 conditions

8.6 medications

Prevalent Conditions:

Lower Respiratory Disease (54%)
Accident/Injury (31%)
Arthritis (31%)
Respiratory Arrest (27%)
Gastrointestinal Disorder (24%)
Heart Failure (23%)
Genital/Urinary Condition (22%)
Cancer (19%)
Cardiac Dysrhythmia (16%)
Diabetes (15%)

HOSPICE

7% of Patients died in Hospice

Summary of the final month:

\$17,845

24.4 conditions

9.6 medications

Prevalent Conditions:

Cancer (33%)
Lower Respiratory Disease (30%)
Nervous System Disorder (24%)
Diabetes (18%)
Liver Disease (16%)
Joint Disorders (15%)
Arthritis (13%)
Genital/Urinary Condition (12%)
Alcohol Dependence (8%)
COPD (7%)

NURSING FACILITY

7% of Patients died in a Nursing Facility

Summary of the final month:

\$21,221

25.7 conditions

9.5 medications

Prevalent Conditions:

Lower Respiratory Disease (47%)
Arthritis (30%)
Liver Disease (24%)
Heart Failure (24%)
Gastrointestinal Disorder (24%)
Nervous System Disorder (23%)
Genital/Urinary Condition (22%)
Chest Pain (19%)
Cancer (14%)
Asthma (11%)

EMERGENCY DEPT

5% of Patients died in a the Emergency Dept.

Summary of the final month:

\$7,969

11.6 conditions

5.8 medications

Prevalent Conditions:

Cardiac Arrest (23%)
Accident/Injury (16%)
Sprain/Strain (14%)
Lower Respiratory Disease (13%)
Respiratory Arrest (11%)
Fractures (9%)
Genital/Urinary Condition (9%)
Arthritis (9%)
Seizures/Convulsions (5%)
Allergic Reactions (5%)

*Based on primary diagnoses from all events in the final 30 days. Not necessarily related to cause of death.

ARCADIA™