

ELITE DEFENSE

V-CROWN

CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	VELOCITY IN FPS <small>MUZZLE 25 YDS 50 YDS 100 YDS</small>	ENERGY IN FT.-LBS <small>MUZZLE 25 YDS 50 YDS 100 YDS</small>	TRAJECTORY IN INCHES <small>25 YDS 50 YDS 100 YDS</small>	PRODUCT SKU
380 Automatic	90	980	192	0.148	980 947 921 871	192 180 169 152	1 0 -9.8	E380A1
38 Special +P (2" barrel)	125	900	225	0.140	900 876 853 811	225 213 202 183	1.2 0 -11.5	E38SP1
9mm Luger	115	1050	282	0.140	1050 1008 972 912	282 259 241 212	0.8 0 -8.7	E9MMA1-365
9mm Luger	115	1185	359	0.160	1185 1126 1076 1000	359 324 296 255	0.6 0 -7	E9MMA1
9mm Luger	124	1165	374	0.137	1165 1102 1051 973	374 334 304 261	0.6 0 -7.3	E9MMA2
9mm Luger +P	124	1198	395	0.137	1198 1129 1073 989	395 351 317 269	0.6 0 -7	E9MMA2P-M17
9mm Luger	147	985	317	0.171	985 958 934 891	317 300 285 259	0.9 0 -9.5	E9MMA3
357 S	125	1356	510	0.158	1356 1271 1197 1080	511 449 398 324	0.4 0 -5.6	E357S1
357 Magnum	125	1450	583	0.133	1450 1346 1252 1106	584 503 435 340	0.3 0 -5.1	E357M1
38 Super Automatic +P	125	1230	420	0.137	1230 1156 1095 1004	420 371 333 280	0.6 0 -6.7	E38SU1
40 Smith & Wesson	165	1090	435	0.172	1090 1048 1013 954	435 403 376 334	0.7 0 -8	E40SW1
40 Smith & Wesson	180	985	388	0.170	985 958 934 890	388 367 348 317	0.9 0 -9.4	E40SW2
10mm Automatic	180	1250	624	0.140	1250 1174 1111 1017	624 551 493 413	0.5 0 -6.5	E10MM1
10mm Automatic	200	1050	490	0.150	1050 1012 978 922	490 454 425 377	0.81 0 -8.57	E10MM200
44 Smith & Wesson Special	200	700	218	0.171	700 685 671 643	218 208 200 184	2.1 0 -18.8	E44SP1
44 Remington Magnum	240	1300	900	0.172	1300 1231 1171 1075	901 807 730 615	0.5 0 -5.8	E44MA1
45 Automatic	185	995	407	0.110	995 953 917 855	407 373 345 300	0.9 0 -9.8	E45AP0
45 Automatic	200	918	374	0.208	918 900 884 853	374 360 347 323	1.09 0 -10.62	E45AP1
45 Automatic	230	830	352	0.141	830 810 791 755	352 335 319 291	1.4 0 -13.4	E45AP2
45 Colt	230	850	369	0.141	850 829 809 771	369 351 334 304	1.3 0 -12.7	E45LC1

FMJ HANDGUN

FMJ

CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	VELOCITY IN FPS <small>MUZZLE 25 YDS 50 YDS 100 YDS</small>	ENERGY IN FT.-LBS <small>MUZZLE 25 YDS 50 YDS 100 YDS</small>	TRAJECTORY IN INCHES <small>25 YDS 50 YDS 100 YDS</small>	PRODUCT SKU
380 Auto	100	910	184	0.117	910 879 859 800	184 172 161 142	1.2 0 -11.5	E380B1
38 Special	125	900	225	0.180	900 881 863 829	225 215 207 191	1.2 0 -11.2	E38SB1
9mm Luger	115	1050	282	0.155	1050 1011 978 922	282 261 244 217	0.8 0 -8.6	E9MMB1-365
9mm Luger	115	1185	359	0.155	1185 1125 1076 999	359 323 296 255	0.6 0 -7	E9MMB1
9mm Luger	124	1165	374	0.165	1165 1111 1065 993	374 340 312 272	0.6 0 -7.1	E9MMB2
9mm Luger	124	1198	395	0.165	1198 1140 1091 1014	395 358 327 283	0.6 0 -6.8	E9MMB2P-M17
9mm Luger	147	985	317	0.185	985 960 936 895	317 301 286 261	0.9 0 -9.4	E9MMB3
357 SIG	125	1356	510	0.112	1356 1245 1153 1024	510 430 369 291	0.5 0 -6	E357B1
357 Magnum	125	1450	584	0.115	1450 1330 1225 1072	584 491 417 319	0.4 0 -5.3	E357MB
38 Super Automatic +P	125	1230	420	0.160	1230 1166 1111 1026	420 377 343 292	0.5 0 -6.5	E38SUB
40 Smith & Wesson	180	985	388	0.175	985 959 935 893	388 367 349 319	0.9 0 -9.4	E40SB2
10mm Automatic	180	1250	624	0.165	1250 1185 1129 1042	624 561 510 434	0.5 0 -6.3	E10MB1
45 Automatic	230	830	352	0.205	830 816 803 777	352 340 329 308	1.4 0 -12.9	E45BA3

FMJ RIFLE	FMJ	CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	VELOCITY IN FPS <small>MUZZLE 100 YDS 200 YDS 300 YDS</small>	ENERGY IN FT.-LBS <small>MUZZLE 100 YDS 200 YDS 300 YDS</small>	TRAJECTORY IN INCHES <small>100 YDS 200 YDS 300 YDS</small>	PRODUCT SKU
		300 Blackout	125	2145	1277	0.313	2145 1899 1672 1469	1277 1001 776 598	0 -6.7 -25.89	E300B1
308 Winchester	150	2900	2801	0.398	2900 2667 2447 2236	2801 2370 1993 1665	0 -1.9 -9.62	E308B1		
277 SIG Fury (16" barrel)	135	2750	2267	0.475	2750 2561 2379 2205	2267 1965 1697 1457	0 -2.31 -10.77	E277SFB135 16" BBL		
277 SIG Fury (24" barrel)	135	3000	2697	0.475	3000 2800 2609 2425	2697 2350 2039 1763	0 -1.44 -8	E277SFB135 24" BBL		

MARKSMAN & MARKSMAN ELITE	OTM	CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	PRODUCT SKU	VELOCITY IN FPS <small>MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS</small>	ENERGY IN FT.-LBS <small>MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS</small>	TRAJECTORY IN INCHES <small>100 YDS 200 YDS 300 YDS 400 YDS 500 YDS</small>
		300 Blackout	125	2200	1343	0.338	E300A1	2200 1964 1752 1554 1379 1231	1343 1071 852 670 528 421	0 -6 -23.4 -55.3 -105.5
300 Blackout	220	1000	488	0.608	E300A2	1000 968 940 915 892 870	488 458 432 409 389 370	0 -35.5 -110.2 -226.5 -386.6		
223 Remington	77	2750	1293	0.362	E223M1	2750 2499 2262 2038 1828 1633	1293 1068 875 710 571 456	0 -4.1 -15 -34.3 -64.1		
5.56mm	77	2750	1293	0.362	E556M4	2816 2566 2329 2104 1893 1696	1356 1125 927 757 613 492	0 -2.3 -11.03 -27.64 -53.99		
6mm CREEDMOOR	107	2950	2067	0.527	E6MMCM2	2950 2771 2600 2434 2273 2118	2067 1824 1605 1407 1227 1066	0 -1.53 -8.21 -20.78 -40.08		
6.5 CREEDMOOR	140	2690	2249	0.535	E65CM1	2690 2524 2364 2209 2060 1918	2249 1980 1736 1517 1320 1143	0 -2.46 -11.16 -26.99 -51.02		
308 Winchester	168	2700	2719	0.462	E308M1	2700 2505 2318 2138 1967 1805	2719 2340 2003 1705 1443 1215	0 -4.1 -14.6 -32.8 -59.9		
308 Winchester	175	2600	2626	0.496	E308M2	2600 2424 2256 2094 1939 1791	2626 2284 1977 1703 1460 1246	0 -2.92 -12.69 -30.4 -57.38		
30-06 Springfield	175	2700	2832	0.496	E3006M2	2700 2521 2348 2182 2023 1872	2832 2469 2142 1851 1591 1361	0 -2.48 -11.28 -27.38 -52		
300 Winchester Magnum	190	2850	3426	0.533	E3WMM1	2850 2674 2505 2343 2186 2035	3426 3017 2648 2315 2016 1748	0 -3.4 -12.3 -27.5 -50.1		

ELITE SERIES VARMINT & PREDATOR	TIPPED	CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	VELOCITY IN FPS <small>MUZZLE 100 YDS 200 YDS 300 YDS</small>	ENERGY IN FT.-LBS <small>MUZZLE 100 YDS 200 YDS 300 YDS</small>	TRAJECTORY IN INCHES <small>100 YDS 200 YDS 300 YDS</small>	PRODUCT SKU
		223 Remington	40	3650	1183	0.196	3650 3089 2570 2093	1183 847 587 389	0 -0.7 -6.7	E223V1
223 Remington	55	3340	1362	0.271	3340 2968 2625 2308	1362 1075 842 650	0 -0.97 -7.01	E223V2		
22-250 Remington	40	3975	1403	0.196	3975 3390 2844 2346	1403 1021 718 489	0 -0.1 -4.5	E225V1		
243 Winchester	55	3880	1838	0.225	3880 3377 2928 2496	1838 1393 1047 761	0 -0.1 -4.2	E243V1		

ELITE SERIES COPPER	HT	CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	VELOCITY IN FPS <small>MUZZLE 100 YDS 200 YDS 300 YDS</small>	ENERGY IN FT.-LBS <small>MUZZLE 100 YDS 200 YDS 300 YDS</small>	TRAJECTORY IN INCHES <small>100 YDS 200 YDS 300 YDS</small>	PRODUCT SKU
		223 Remington	60	3100	1280	0.240	3100 2704 2340 2006	1280 974 730 536	0 -1.79 -9.98	E223H1
243 Winchester	80	3425	2083	0.320	3425 3101 2801 2520	2083 1708 1393 1128	0 -0.63 -5.7	E243H1		
6mm CREEDMOOR	80	3375	2024	0.340	3375 3073 2779 2499	2024 1678 1372 1109	0 -0.7 -5.9	E6MMCH1		
6.5 CREEDMOOR	120	2825	2126	0.380	2825 2586 2359 2143	2126 1781 1482 1224	0 -2.21 -10.7	E65CH1		
270 Winchester	130	3050	2685	0.380	3050 2798 2560 2335	2685 2260 1892 1573	0 -1.4 -8.2	E270H1		
300 Blackout	120	2250	1349	0.290	2250 1977 1726 1501	1349 1042 794 600	0 -5.95 -23.64	E300H1		
308 Winchester	150	2900	2801	0.400	2900 2669 2449 2239	2801 2372 1997 1670	0 -1.89 -9.6	E308H1		
30-06 Springfield	150	2920	2839	0.400	2920 2649 2394 2153	2839 2337 1909 1544	0 -1.2 -10	E3006H1		
300 Winchester Magnum	165	3110	3543	0.410	3110 2873 2649 2435	3543 3024 2570 2172	0 -1.2 -7.4	E3WMH1		

MATCH	V-CROWN	CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	VELOCITY IN FPS <small>MUZZLE 25 YDS 50 YDS 100 YDS</small>	ENERGY IN FT.-LBS <small>MUZZLE 25 YDS 50 YDS 100 YDS</small>	TRAJECTORY IN INCHES <small>25 YDS 50 YDS 100 YDS</small>	PRODUCT SKU
		9mm Luger	147	880	254	0.171	880 860 842 807	254 243 233 214	0.8 0 -11.4	E9MMA3-COMP

ELITE SERIES TIPPED	LEAD CORE TIPPED	CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	VELOCITY IN FPS	ENERGY IN FT.-LBS	TRAJECTORY IN INCHES	PRODUCT SKU
							MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	
		6mm Creedmoor	100	2970	1958	0.515	2970 2786 2610 2441 2277 2120	1958 1724 1512 1322 1151 998	0 -1.48 -8.08 -20.51 -39.66	E6MMCTH2
		243 Winchester	90	3115	1939	0.490	3115 2916 2725 2543 2367 2199	1939 1699 1484 1292 1120 966	0 -1.09 -6.88 -18.04 -35.42	E243TH2
		6.5 Creedmoor	130	2850	2344	0.510	2850 2670 2496 2329 2169 2015	2344 2057 1798 1566 1357 1171	0 -1.88 -9.36 -23.25 -44.54	E65CMTH1
		270 Winchester	140	2950	2705	0.508	2950 2765 2587 2416 2252 2093	2705 2376 2080 1814 1576 1362	0 -1.55 -8.31 -21.03 -40.62	E270TH2
		7mm Remington Magnum	150	3000	2997	0.575	3000 2834 2674 2520 2371 2227	2997 2675 2381 2115 1872 1651	0 -1.33 -7.53 -19.21 -37.08	E7RMTH2
		277 SIG Fury	140	3000	2797	0.508	3000 2813 2633 2460 2294 2134	2797 2459 2155 1881 1636 1416	0 -1.4 -7.82 -19.99 -38.78	H277SFTH1
		308 Winchester	165	2840	2955	0.530	2840 2667 2500 2339 2184 2035	2955 2605 2289 2004 1747 1517	0 -1.89 -9.36 -23.19 -44.32	E308TH2
		30-06 Springfield	165	2950	3188	0.530	2950 2772 2601 2437 2278 2126	3188 2815 2479 2175 1902 1655	0 -1.53 -8.2 -20.73 -39.97	E3006TH2
		300 Winchester Magnum	180	2960	3501	0.515	2960 2777 2601 2432 2269 2112	3501 3081 2703 2363 2057 1783	0 -1.51 -8.17 -20.72 -40.03	E3WMTH3

ELITE HUNTER ACCUBOND	ACCUBOND	CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	VELOCITY IN FPS	ENERGY IN FT.-LBS	TRAJECTORY IN INCHES	PRODUCT SKU
							MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	
		6.5 Creedmoor	140	2650	2183	0.509	2650 2477 2311 2150 1997 1850	2183 1907 1659 1437 1239 1064	0 -2.67 -11.87 -28.6 -54.06	E65CMAB140
		270 Winchester	150	2860	2724	0.500	2860 2676 2499 2328 2165 2008	2724 2384 2079 1805 1560 1342	0 -1.86 -9.3 -23.17 -44.46	E270AB150
		277 SIG Fury (16" barrel)	150	2830	2667	0.500	2830 2647 2471 2302 2139 1983	2667 2333 2033 1764 1524 1310	0 -1.97 -9.64 -23.89 -45.74	H277SFAB150 16" BBL
		277 SIG Fury (24" barrel)	150	3120	3242	0.500	3120 2924 2737 2558 2385 2219	3242 2848 2495 2179 1895 1640	0 -1.07 -6.79 -17.82 -34.98	H277SFAB150 24" BBL
		308 Winchester	165	2840	2955	0.475	2840 2647 2462 2284 2114 1951	2955 2567 2220 1912 1637 1395	0 -1.97 -9.68 -24.07 -46.26	E308AB165
		30-06 Springfield	180	2760	3044	0.507	2760 2582 2411 2246 2088 1937	3044 2664 2323 2017 1742 1499	0 -2.22 -10.43 -25.54 -48.64	E3006AB180
		300 Winchester Magnum	180	3050	3717	0.507	3050 2860 2678 2503 2335 2174	3717 3269 2866 2505 2179 1888	0 -1.25 -7.36 -19.03 -37.07	E3WMAB180
		7mm Remington Magnum	160	2950	3091	0.531	2950 2773 2602 2438 2280 2127	3091 2731 2405 2111 1846 1607	0 -1.53 -8.2 -20.72 -39.95	E7RMAB160

VENARI	SOFT POINT	CALIBER	Weight (gr)	V (ft/sec)	KE (ft-lbs)	G1 BC	VELOCITY IN FPS	ENERGY IN FT.-LBS	TRAJECTORY IN INCHES	PRODUCT SKU
							MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	
		6.5 Creedmoor	100	2960	1945	0.405	2960 2728 2508 2299 2099 1910	1945 1653 1397 1173 978 810	0 -1.68 -8.9 -22.72 -44.46	V243SP100
		270 Winchester	130	2710	2120	0.409	2710 2493 2286 2089 1902 1726	2120 1794 1508 1259 1044 860	0 -2.61 -11.89 -29.16 -56.07	V277SFSP130
		277 SIG Fury (16" barrel)	150	2900	2801	0.338	2900 2627 2371 2128 1901 1690	2801 2299 1872 1509 1204 951	0 -2.05 -10.32 -26.29 -51.93	V308SP150
		277 SIG Fury (24" barrel)	165	2900	3081	0.387	2900 2661 2434 2219 2014 1822	3081 2594 2171 1803 1486 1216	0 -1.92 -9.73 -24.62 -48.11	V3006SP165
		308 Winchester	129	2820	2277	0.445	2820 2615 2419 2232 2053 1883	2277 1959 1676 1427 1207 1015	0 -2.09 -10.14 -25.18 -48.49	V65CMSP129
		30-06 Springfield	130	3140	2846	0.409	3140 2901 2674 2459 2254 2058	2846 2429 2064 1745 1466 1223	0 -1.14 -7.15 -18.92 -37.56	V270SP130
		300 Winchester Magnum	154	3045	3170	0.433	3045 2824 2613 2412 2220 2037	3170 2726 2335 1989 1685 1418	0 -1.37 -7.84 -20.3 -39.83	V7MMSP154
		7mm Remington Magnum	180	3050	3717	0.425	3050 2824 2610 2405 2210 2024	3717 3188 2722 2312 1952 1637	0 -1.37 -7.85 -20.35 -39.99	V300WMSP180