

# XM250

## MAN PORTABLE, BELT-FED, LIGHTWEIGHT MACHINE GUN

With an emphasis on significant reductions in soldier load and enhanced combat performance, SIG SAUER® designed the SIG LMG to be 40% lighter than current systems, and dramatically reduce felt recoil while maintaining traditional belt-fed operation to increase down range capability. The SIG LMG 6.8mm machine gun features ambidextrous M4style ergonomics, quick detach magazines, ambidextrous side charging handle increased M1913 rail space, quick detach suppressor and vastly improves upon the operation and function of legacy weapon systems.



### BELT FED MAGAZINE

▲ Quick Change Starter Belts Available in 50 and 100 Round Configurations

Shown with MG-Suppressor  
Quick Change Starter Belt

### SIG LMG

- ▲ Lightweight Man Portable, Contact for Weights
- ▲ Reduced Felt Recoil
- ▲ Simple Caliber Conversion
- ▲ Complete Weapon Solution (SIG ROME08 Optic, Suppressor and Ammo)
- ▲ Optimized for High Pressure High Velocity Ammunition
- ▲ Side Folding Feed cover, Side ejecting Brass-Links
- ▲ Mounts in Standard 249 Cradle Mount

6.8X51 HYBRID / 7.62X51NATO / 6.5 CREEDMOOR



### SIG LMG

ACTION TYPE	Safe / Full-Auto / Semi-Auto
CALIBER	6.8x51 Hybrid / 7.62x51NATO / 6.5 Creedmoor
OPERATING SYSTEM	Gas Piston, Open Bolt
RECEIVER MATERIAL	Aluminum
RECEIVER FINISH	Hard Coat Anodized
BARREL MATERIAL	Hammer Forged Steel
FIRE CONTROL / SIGHTS	ROME08T / BUIS
GAS SETTING	Normal and Adverse
LENGTH COLLAPSED	940mm / 37"
HEIGHT WITH BI-POD	298mm / 11.7"
WIDTH WITH BI-POD	234mm / 9.2"
BARREL LENGTH	406mm / 16"
TWIST RATE	1:10 in Right Hand / 1:254mm Right Hand
FELT RECOIL	@ 2 ft. lbs. / 2.7 N m
BELT FED MAGAZINE	50 RD, 100 RD

# SIG MMG

## MAN PORTABLE, BELT-FED, MEDIUM MACHINE GUN

The SIG SAUER® MMG is a belt-fed, lightweight, man portable medium machine gun chambered in 338 Norma Mag. The SIG MMG features a short-stroke gas piston system and a proprietary recoil mitigation system, with a free-floating, quick-change barrel, ambidextrous controls, switchable feed tray, charging handle that can be alternated to either side depending on operator preference, and as a modern, multi-caliber, modular system the new SIG MMG is convertible to 7.62x51.



### BELT FED MAGAZINE

▲ Quick Change Starter Belts Available in 50, and 100 Round Configurations



### SIG MMG

- ▲ Lightweight Man Portable, Contact for Weights
- ▲ Reduced Felt Recoil
- ▲ Caliber Conversion
- ▲ Complete Weapon Solution (SIG Romeo8 Optic, Suppressor and Ammo)
- ▲ Optimized for High Pressure High Velocity Ammunition
- ▲ Side Folding Feed cover, Side ejecting Brass-Links
- ▲ Mounts in any Existing 240 Cradle

338 NORMA MAG / 7.62X51NATO / 338 NORMA HYBRID



CALIBER  
338 NORMA MAG

CALIBER  
7.62X51 NATO

SIG MMG	
ACTION TYPE	Safe / Full-Auto / Semi-Auto
CALIBER	338 Norma Mag / 7.62x51NATO / 338 Norma Hybrid
OPERATING SYSTEM	Gas Piston, Open Bolt
RECEIVER MATERIAL	Aluminum
RECEIVER FINISH	Hard Coat Anodized
BARREL MATERIAL	Hammer Forged Steel
FIRE CONTROL / SIGHTS	ROME08T / BUIS
GAS SETTING	Normal and Adverse
LENGTH COLLAPSED	1270mm / 50"
HEIGHT WITH BI-POD	368mm / 14.5"
WIDTH WITH BI-POD	305mm / 12.0"
BARREL LENGTH	24" (338 Nm) 22" (7.62) / 610 mm (338Nm) 559 mm (7.62)
TWIST RATE	1:9.4 in. right hand / 1:239mm (338 Nm) 9 Kg (7.62)
FELT RECOIL	@ 3 ft. lbs. / 4.07 N m
BELT FED MAGAZINE	50 RD, 100 RD, Flex Chute-Ammo Can




# SIG LMG

## MAN PORTABLE, BELT-FED, MEDIUM MACHINE GUN


With an emphasis on significant reductions in soldier load and enhanced combat performance, SIG SAUER® designed the World SIG LMG to be 40% lighter than current systems, and dramatically reduce felt recoil while maintaining traditional belt-fed operation to increase down range capability. The World SIG LMG can be chambered in 7.62x51, 6.5 Creedmoor or the newly selected 6.8x51 Hybird ammunition. The world Machine gun features quick detach magazines, quick change barrels with carry handle, increased M1913 rail space and quick detach suppressor. The Sig LMG also features ambidextrous M4 style ergonomics, ambidextrous no reincorporating side charging handle and vastly improves upon the operation and function of legacy weapon systems.



Shown with SLX-Suppressor  
ROME08T Red Dot and Quick Change Starter Belt



QD Handle on Barrel



Ambidextrous Chargeing Handle



Collapsible Folding Stock

### SIG LMG BLACK

- ▲ Lightweight Man Portable, Contact for Weights
- ▲ Reduced Felt Recoil
- ▲ Simple Caliber Conversion
- ▲ Complete Weapon Solution (SIG ROME08 Optic, Suppressor and Ammo)
- ▲ Optimized for High Pressure High Velocity Ammunition
- ▲ Side Folding Feed cover, Side ejecting Brass-Links
- ▲ Mounts in Standard 249 Cradle Mount

6.8X51 HYBRID / 7.62X51NATO / 6.5 CREEDMOOR



CALIBER  
6.5 CREEDMOOR  
HYBRID

CALIBER  
6.8X51 HYBRID

CALIBER  
7.62X51 NATO

#### SIG LMG

ACTION TYPE	Safe / Full-Auto / Semi-Auto
CALIBER	6.8x51 Hybrid / 7.62x51NATO / 6.5 Creedmoor
OPERATING SYSTEM	Gas Piston, Open Bolt
RECEIVER MATERIAL	Aluminum
RECEIVER FINISH	Hard Coat Anodized
BARREL MATERIAL	Hammer Forged Steel
FIRE CONTROL / SIGHTS	ROME08T / BUIS
GAS SETTING	Normal and Adverse
LENGTH COLLAPSED	940mm / 37"
HEIGHT WITH BI-POD	298mm / 11.7"
WIDTH WITH BI-POD	234mm / 9.2"
BARREL LENGTH	406mm / 16"
TWIST RATE	1:10 in Right Hand / 1:254mm Right Hand
FELT RECOIL	@ 2 ft. lbs. / 2.7 N m
BELT FED MAGAZINE	50 RD, 100 RD

# HYBRID AMMUNITION



## SIG FURY ACCUBOND®

H277SFAB150-20 277 SIG FURY 150GR

277FURY

### SHARED FEATURES

- ▲ FURY hybrid case technology delivers greater velocity for increased on-target performance
- ▲ Utilizes the Nosler Accubond 150 grain big game bullet
- ▲ Hybrid case designed for higher muzzle velocity in shorter barrel length
- ▲ Loaded to exacting standards for consistency and reliability

## SIG FURY ACCUBOND® AMMUNITION

SIG FURY Hybrid case ammunition represents the biggest innovation in ammunition technology in more than 100 years, and now SIG SAUER® is pairing this revolutionary case design with the advanced Accubond bullet from Nosler®. SIG FURY Accubond hunting ammunition delivers increased speed and greater energy on target for maximum effectiveness.

## NEXT GENERATION

### FURY REVOLUTIONARY HYBRID AMMUNITION

Developed for the U.S. Military's Next Generation Weapons System, the new SIG FURY™ hybrid-case ammunition outperforms standard ammunition in similar calibers, with greater velocity, decreased bullet drop and increased energy on target. SIG FURY hybrid-case ammunition, the next generation of ammunition is here.

# FURY



### FEATURES

1. Projectiles manufactured to exacting standards for consistency and accuracy
2. Hybrid brass and stainless steel shell case allows for higher pressure loading for increased velocity from short barrels



**ACCUBOND**  
**277 SIG FURY**  
150 grain



# ROME08T™

## MIL-SPEC RED DOT SIGHT

With it's wide field of view and forgiving eye-box, the battle hardened ROME08T is ideal for rapid target engagement in any environment.



Assembled in the U.S.A.



Available in FDE




### ROME08T 1X38MM

- ▲ Unlimited Eye-Relief
- ▲ Ultra-Efficient Red LED Illumination System
- ▲ Dependable IPX-8 Waterproof: Submersible to 20m for 30 Minutes
- ▲ Lightweight 7075 Aluminum Main Housing and Components
- ▲ Assembled in the U.S.A.

### Standard Features

- ▲ High Performance Coatings for Excellent Light Transmittance and Red Dot Contrast in all Situations
- ▲ Quad Ballistic Circle Dot reticle with ballistic holds and 10 Daytime and 2 NV Settings
- ▲ MOTACT™ (Motion Activated Illumination Systems) Powers Up When it Senses Motion and Powers Down when it does not
- ▲ 1.53" Optical Center Height for Optical Device Compatibility
- ▲ 38mm Rectangular Viewing Window for Unmatched Situational Awareness and Target Identification
- ▲ .5MOA Adjustments for Zeroing, with Ballistic Drops Built into the Reticle for Distance Shooting without Dialing
- ▲ 1/2" Hex Bolt Provides Retention of Zero During Extreme Conditions
- ▲ CR123A Battery Provides 100,000 Hours at High-Brightness Setting

## RETICLES



2 MOA Red Dot Ballistic Circle Dot



# JULIET<sup>®</sup>

## MAGNIFIERS

Easily transition between close quarters and medium range targets with a flip of our JULIET magnifier. The JULIET features a quick-release PowerCam mount that flips easily to one side when not in use. Built-in recoil lugs ensure zero hold even after removing and reinstalling.



Assembled in the U.S.A.

### JULIET6™ 6X24MM

- ▲ Designed for Carbines and SMG
- ▲ Power and Versatility of a 1-6X Scope, in a Modular System that is Lighter Weight
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▲ Assembled in the U.S.A.

#### Standard Features

- ▲ Quick Release Mount with Built-In Recoil Lugs for a Repeatable Zero
- ▲ PowerCam 90° Mount Pivots to the Side When not Needed
- ▲ Adjustable Height Using Included Spacers
- ▲ Aerospace Grade 6061 Aluminum Housing Ensures a Lifetime of Reliable Service
- ▲ Waterproof Rated IPX-8 (20 Meters for 1 Hour)



### JULIET4™ 4X24MM

- ▲ Designed for Carbines and SMG
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▲ STEALTH ID™ Trapezoidal Design Breaks up the Optic Shape and Visibility Profile
- ▲ Power and Versatility of a 1-4X Scope, in a Modular System that is a Lighter Weight
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▲ Assembled in the U.S.A.



### JULIET4™ 3X24MM

- ▲ Designed for Carbines and SMG
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▲ STEALTH ID™ Trapezoidal Design Breaks up the Optic Shape and Visibility Profile
- ▲ Power and Versatility of a 1-3x Scope, in a Modular System That is a Lighter Weight
- ▲ Adjustable base Mount Provides Customization for Red Dot Sight Combination
- ▲ Assembled in the U.S.A.



PowerCam 90° Mount



Quick Release Mount with Built-in Recoil Lugs



# SLX RIFLE

## SUPPRESSORS

The next generation of suppressor technology has arrived. The SLX series of rifle suppressors from SIG SAUER was born out of today’s military requirements and is designed to deliver cutting edge performance. The new Clutch-LOK QD mounting system is easy to use, repeatable, and extremely durable. The cross flow baffle design delivers an entirely new shooting experience while reducing harmful toxic gases to the user, allowing gases to expand and cool at a faster rate than the traditional baffle design, while minimizing increase in bolt speed.



### SLX762-QD

- ▲ 7.62mm
- ▲ 5/8x24 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback
- ▲ 7.4" L x 1.09" W

7.62 NATO



7.62 NATO

### SLX762 DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



7.62 NATO

### SLX762C QD

- ▲ 5/8x24 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



7.62 NATO

### SLX762C DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



5.56 NATO

### SLX556 DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



5.56 NATO

### SLX556 QD

- ▲ 1/2x28 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



5.56 NATO

### SLX556C DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



5.56 NATO

### SLX556C QD

- ▲ 1/2x28 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback

	CALIBER	LENGTH	WIDTH	WEIGHT	MATERIAL
SLX556	5.56 NATO	7.4 in / 188 mm	1.67 in / 42 mm	1.09 lbs / 17.4 oz	Inconel and Stainless Steel
SLX556-QD	5.56 NATO	7.4 in / 188 mm	1.67 in / 42 mm	1.2 lbs / 19.2 oz	Inconel and Stainless Steel
SLX556C	5.56 NATO	5.2 in / 132 mm	1.67 in / 42 mm	0.79 lbs / 12.6 oz	Inconel and Stainless Steel
SLX556C-QD	5.56 NATO	5.2 in / 132 mm	1.67 in / 42 mm	0.91 lbs / 14.6 oz	Inconel and Stainless Steel
SLX762	7.62 NATO	7.4 in / 188 mm	1.67 in / 42 mm	1.09 lbs / 17.4 oz	Inconel and Stainless Steel
SLX762-QD	7.62 NATO	7.4 in / 188 mm	1.67 in / 42 mm	1.2 lbs / 19.2 oz	Inconel and Stainless Steel
SLX762C	7.62 NATO	5.2 in / 132 mm	1.67 in / 42 mm	0.79 lbs / 12.6 oz	Inconel and Stainless Steel
SLX762C-QD	7.62 NATO	5.2 in / 132 mm	1.67 in / 42 mm	0.91 lbs / 14.6 oz	Inconel and Stainless Steel

# SIG MMG

MAN PORTABLE, BELT-FED, MEDIUM MACHINE GUN

The **SIG SAUER® MMG** is a belt-fed, lightweight, man portable medium machine gun chambered in 338 Norma Mag. The SIG MMG features a short-stroke gas piston system and a proprietary recoil mitigation system, with a free-floating, quick-change barrel, ambidextrous controls, configurable left/right side feed, charging handle that can be alternated to either side depending on operator preference, and as a modern, multi-caliber, modular system the new SIG MMG is convertible to 7.62x51.



## INCREASED MAX EFFECTIVE RANGE

■ 240B ■ SIG MMG ■ M2



800M

1830m