



SRCPIPE

NEW SOUTH WALES



RCPA, the Australian Pipe Company,
is the leading manufacturer of
Vertically Cast Concrete Pipes
in Australia.


The dry-cast pipe making process was introduced to Australia by RCPA and has been in use for two decades. Vertically casting is the most efficient method of pipe manufacture available.

Benefits of RCPA SRC Pipes;

- Rapid production rates
- Pipes comply with AS/NZS 4058:2007
- Precision Manufacturing technology
- Low impact and sustainable process

SRCPIPE

Rubber Ring Joint



Somersby

Nom. ID (mm)	Pipe ID (mm)	Socket OD (mm)	Pipe OD (mm)			Weight (kg)		
			Class 2	Class 3	Class 4	Class 2	Class 3	Class 4
375	372	546	-	-	449	-	-	316
450	447	643	-	-	540	-	-	467
525	522	734	-	621	621	-	580	586
600	597	825	700	700	700	698	701	718
675	671	913	781	781	781	832	836	846
750	746	1004	870	870	870	1026	1030	1039
825	821	1093	951	951	951	1174	1181	1197
900	896	1184	1038	1038	1038	1394	1407	1435
1050	1046	1345	1188	1188	1188	1641	1656	1691

Thornton

Nom. ID (mm)	Pipe ID (mm)	Socket OD (mm)	Pipe OD (mm)			Weight (kg)		
			Class 2	Class 3	Class 4	Class 2	Class 3	Class 4
900	896	1184	1044	1044	1044	1434	1466	1488
1050	1046	1345	1198	1198	1198	1726	1756	1792
1200	1196	1527	1400	1400	1400	2547	2583	2630
1350	1345	1690	1570	1570	1570	3137	3169	3188
1500	1495	1910	1730	1730	1730	3795	3824	3872
1650	1645	2053	1840	-	-	3638	-	-
1800	1794	2223	1996	-	-	4148	-	-
2100	2094	2553	2300	-	-	5041	-	-

*Dimensions and weights subject to change

- Effective length = 2340mm
- Rubber rings supplied with all pipes
- Other classes available on request
- Pipes listed above conform with AS/NZS 4058:2007 for normal environment exposure conditions
- Marine environment pipes available on request



1800 88 7272

www.rcpa.com.au

Issue: November 2024