









Engineering and Craftsmanship

We've been designing European-inspired windows and doors for over 30 years, catering to custom luxury residential and commercial projects.

Our dedicated team of engineers focuses on innovation and excellence, delivering industry-leading, premiumgrade products.

Extrusions and Hardware

We source only the finest materials from the leading suppliers around the world. Products are made from abundantly available, highly recyclable, and sustainable materials.

Our hardware is designed in-house and features patented innovations, guaranteeing exceptional product fidelity and performance.





Bespoke and Innovative

Choose from over 80 state-of-the-art products, including sliding, folding, stacking, swinging, and pivoting options, all customizable to your exact specifications.

We offer select premium features such as automation, smart home integration, biometric smart locks, smart glass technology, and much more.

Tailored and Reliable Support

An experienced team is just a call or a click away. So whether you need onsite support, a replacement part, or guidance over the phone, we're committed to resolving the issue quickly.

You can count on our exceptional customer support backed by a 10-year Warranty. Enjoy your windows, your doors, and your peace of mind.







Highlights

Panda's Multi-Slide doors are the perfect choice for exceptionally large spaces or views that can't be compromised. Systems can be tailored for every climate and configuration, and panels can smoothly slide into hidden pockets.

Performance

Panda's multi-slides are available in a variety of thermal efficiencies, structural ratings, and impact resistance to meet the most stringent commercial and residential building codes.

Effortless Operation

Industry-leading non-corrosive rolling hardware ensures silky smooth onehand operation, even with exceptionally heavy panels.

Product Lines

Panda offers multi-slides at three price points: the budget-friendly PandaSelect line, the core product line, and the high-end XO Slim-Line premium quality for every budget.



TS.X0 Multi-Slide

Winner of Window + Door Magazine's 2019 Award for Most Innovative Patio, Multi-Slide, or Multi-Panel System



Highlights at a Glance

Max. Panel Height		240"
Max. Panel Width		200"
Max. Frame Width		Unlimited
Max. # of Panels	5 Single Direction of Unlimited on Reces	ANALY NEW YOR DUE NUMBER OF
Impact Rated Options		Available
ADA-Compliant Options		Available



Specifications

								B	
Model	TS.XO	Tavi.X0	SIS.81	STS.83	SS.90	S.30	TS.30	WS.31	WTS.31
Material	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum Wood Clad	Aluminum Wood Clad
Thermally Broken	Yes	Yes	-	Yes	-	-	Yes	-	Yes
Impact Rated	Yes	-	Yes	-	-	-	-	-	-
Style	Modern	Modern	Modern	Modern	Modern	Modern	Modern	Modern to Traditional	Modern to Traditional
Maximum Panel Height	240"	180"	144"	144"	96"	144"	144"	120"	120"
Maximum Panel Width	200"	120"	96"	96"	60"	60"	60"	60"	60"
Maximum Frame Width	Unlimited	Unlimited	Unlimited	Unlimited	60"	Unlimited	Unlimited	Unlimited	Unlimited
Maximum Panel Weight	2000 lbs	700 lbs	700 lbs	400 lbs	400 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Maximum Panel Count	Unlimited	5 Surface* Unlimited Recessed	Unlimited	5 Surface* Unlimited Recessed	12 Bipart	5 Surface* Unlimited Recessed	5 Surface* Unlimited Recessed	5 Surface* Unlimited Recessed	5 Surface* Unlimited Recesse
Panel Depth	2 ⁵⁄16"	2 5/16"	1¹⁵⁄₁₄" Rail 2 ⅓₄" Stile	1 7⁄8"	1¼" Rail 1¾" Stile	2 3/8"	2 ³⁄в"	2 3⁄8"	2 ³⁄8"
Interlock Thickness	15/16"	15/16"	111/16"	3 15/16"	1 7⁄8"	3 3/16"	3 3/16"	3 3/16"	3 3/16"
Stile	2¼" Lead Panel ¹⁵ ‰" Stile	2 %16"	2 5⁄8"	3 5/16"	2 3/4"	3 3/16"	3 3⁄16"	3 3/16"	3 ¾s"
Rail	¹⁵ /16"	¹⁵ ⁄1₄" Top 1¹⁵∕1₄" Bottom	2 ³ /4" Top 3 ³ /4" Bottom	3 5/16"	2 5/8"	3 3/16"	3 3/16"	3 3⁄16"	3 3/16"
Lock Type	Concealed Two-Point	Concealed Two-Point	Concealed Two-Point	Concealed Two-Point	Concealed Two-Point	Concealed Two-Point	Concealed Two-Point	Concealed Two-Point	Concealed Two-Point
U-Factor ⁺	0.42	-	-	0.44	Ξ.	0.52	0.45	0.37	0.32
SHGC	0.24	-	-	0.21	-	0.22	0.21	0.22	0.21
Screen Options	Retractable, Sliding	Retractable, Sliding	Retractable, Sliding	Retractable, Sliding	Retractable, Sliding	Retractable, Sliding	Retractable, Sliding	Retractable, Sliding	Retractable, Sliding

* Surface tracks can accommodate 5 panels in one direction, or 10 panels total for bi-parting systems (5 in each direction).

⁺ U-Factors are based on Cardinal 366 Low-E glass unless stated otherwise.





Unavailable to SS.90 systems.

Unavailable to SS.90 systems.

Unavailable to SS.90 systems.

Exclusive to SS.90 systems.



Exclusive to X0 Slim-Line systems.

Exclusive to PandaSelect systems. Optional key cylinder add-on available.

Configurations





3 Right / Fixed

Pocket / 2 Left / 2 Right

/ Fixed

Pocket / 6 Left

FlexCounter

Inverse 135° Corner

Configuration with

Pockets

POCKET

1 Right / Fixed





Pocket / 4 Left










Pocket / 5 Left








Corner Configuration with Pockets



Inverse 135° Corner







4 Right / Fixed

Fixed / 2 Left / 2 Right

/ Fixed

Pocket / 2 Left / 4 Right /

Pocket

ROCKE

Corner Configuration

True Radius

Fixed / 5 Left

4

Inverse Corner

Configuration with Pockets





Pocket / 2 Left / 2 Right / Pocket

Pocket/1Left/

POCKET



Pocket/3Left





Fixed / 4 Left

135° Corner

Configuration with Pockets



Right / Fixed




Fixed / 1 Left / 1




Fixed / 5 Left

POCKET



Pocket / 4 Left / 4 Right / Pocket




Inverse Corner Configuration





True Radius Pocket / 3 Left / 3 Right / Pocket



True Radius Fixed / 2 Left / 2 Right / Fixed





The illustrations on this page are just a few examples of the configurations available for Multi-Slide Doors.


Illustrations viewed from the exterior. Hardware is shown for illustration purposes.







Pocket / 1 Left / 5 Right / Pocket






135° Corner

Configuration





Track Color Options





Clear Anodized




Dark Bronze Anodized












2 ½" ADA Recessed Drainage Track (Retention Track)

TS.XO Exclusive Tracks





Standard Automation



Our multi-slide doors seamlessly integrate with advanced automation systems, providing effortless operation and a seamless transition between indoor and outdoor living spaces.

With the touch of a button, effortlessly glide these expansive doors open to create a spacious and inviting atmosphere.

Our reliable and innovative technology ensures smooth and quiet operation, enhancing both convenience and the overall aesthetic appeal of your home.

SmartSlide Automation

The SmartSlide system comes with a factoryinstalled motor seamlessly integrated into the side jamb, simplifying installation and eliminating the need for complex framing or access panels.

Designed for convenience, SmartSlide offers versatile control options, maintains full reveal dimensions, and allows easy motor access directly from the side jamb for maintenance.


SmartSlide is compatible with all PandaSelect Multi-Slide systems featuring three or more panels, and accommodating panel sizes up to 12 feet tall and 9 feet wide.



Motor Exposed

Motor Hidden






9-in-1Touchscreen

9-in-1 Touchscreen: Offers a user-friendly interface with features like timer functions, custom backlighting, and custom security settings.

Smartphone App: Control your systems via the intuitive app. Available on both iOS and Android platforms.

Voice Command: Control your automated doors with your smart home ecosystem by using voice commands through platforms like Google Home, Alexa, and Siri.

Wall Switch: Control your doors with wall switches, offering features like self-close, auto-open, speed control, and security codes. Available in black or white.



Smartphone App

Remote Fob: Enjoy the convenience of remote control for your systems with a range of up to 75 feet.

Fingerprint Scanner: Enhance security and convenience with biometric access control.

Exterior Keypad: This durable and weatherproof keypad provides secure exterior access with a user-defined code.

Motion Sensor: This exterior motion sensor, mounted on the lead panel, offers hands-free entry and provides an added layer of safety. Can be activated by motion (head track) or by approaching the system (flush mount).



Tailored to You

At Panda Windows and Doors, we understand that every project is unique. Our commitment to customization extends beyond standard product offerings to encompass project-specific testing and engineering.

Whether you're facing the relentless winds of a coastal region or the extreme temperature fluctuations of a high-altitude environment, our team can design and test systems to meet your exact needs.

Engineered Solutions

By leveraging advanced engineering techniques and rigorous testing protocols, we ensure that our products deliver optimal performance in even the most demanding conditions.

Test Results

Panda Windows and Doors prioritizes rigorous testing and certification, with nearly all products independently verified by the NFRC and AAMA, including six HVHZ-approved options. This commitment to quality ensures superior performance, energy efficiency, and security for homeowners and builders alike.

TS.X0 All Aluminum Thermally Broken Slim Multi-Slide

AAMA / WDMA / CSA 101 / I.S.2 / A440-17

Performance Grade	70
Design Pressure	+3360/-6119Pa(+70.18/-127.80psf)
AirInfiltration	<0.1L/s/m ² (0.01 cfm/ft ²)
Water Penetration Resistance	580 Pa(12.11 psf)
Structural Test Pressure	+5040/-9179 Pa (+105.27/-191.70 psf)
Florida Approval Number	FL 41732.1

SIS.81 All Aluminum IMPACT Muli-Slide

AAMA / WDMA / CSA 101 / I.S.2 / A440-17

Performance Grade	60
Design Pressure	±4309 Pa (±90.0 psf)
Air Infiltration	<0.1L/s/m ² (0.21 cfm/ft ²)
Water Penetration Resistance	431 Pa (9.0 psf)
Structural Test Pressure	±6464 Pa (±135 psf)
Florida Approval Number	FL 29104.1



Glass

All Panda Multi-Slide Systems come standard with Dual glazed, Low-E, Tempered glass for improved energy efficiency and security.

Additional glass options include:


• Low-E	 Triple-Glazed
 Tempered 	• Tinted
 Gas Filled 	 Obscured
 Laminated 	 Spandrel
 Impact Resistant 	Switchable Glass

Standard Glass Thicknesses

1/2"	3/4"	1"] 3/4"	17/16"
72	-/4		-74	1.716


Other glass OA sizes available upon request


SDL Shapes




Consult with your Panda representative for SDL compatibility.

Grilles










Ladder





Double Prairie

Grille patterns can be customized to feature more or less dividing lites.



Materials

Unparalleled quality matched with incredible durability

All products are made with abundantly available, highly recyclable, and sustainable materials - Aluminum, Steel, Stainless Steel, Bronze, and Wood.

Aluminum

A highly versatile material capable of a wide range of shapes and finishes

- Affordable and low-maintenance
- Durable and highly customizable
- Thermally broken and energy efficient
- Superior thermal efficiency

Steel

Sleek and incredibly thin profiles that deliver unmatched durability and timeless elegance

- Exceptional strength and structural support
- Industrial and contemporary design aesthetic
- Forced entry and fire resistant
- Superior thermal efficiency

Stainless Steel

The luxurious and ultra-modern alternative to steel, providing unparalleled elegance and allure

- Exceptional strength and structural support
- Forced entry and fire resistant
- Outstanding rust and corrosion resistance
- e resistant Superior thermal efficiency

Architectural Bronze

A warm and inviting aesthetic with many of the same benefits of steel

- Exceptional strength and structural support
- Durable and low-maintenance
- Unparalleled rust and corrosion resistance
- Energy efficient and thermally broken

Wood

Naturally beautiful and full of character without compromising performance

- Durable and highly customizable
- Natural thermal and sound insulation
- Timeless and naturally inviting character
- Sustainable and highly recyclable







Finishes

Tailored finish options to perfectly suit your climate and vision

These high-quality finishes are designed to provide lasting beauty and robust protection that you can rely on.



Powder Coat

Choose from five standard AAMA 2604 / 2605 colors or upgrade to a palette of 20 premium colors.

FEATURED





Anodized

For best-in-class corrosion resistance and durability, ideal for coastal applications.

FEATURED





Kynar Paint

Renowned for its exceptional color retention and sun-resistance, Kynar Paint stays vibrant even in the harshest climates.





Faux Wood

Enjoy the rich texture and natural look of real wood, with the strength and durability of aluminum.

FEATURED






Wood

Select from timeless classics like Pine or Poplar, or exotic species like Cherry, Mahogany, Maple, and more.

FEATURED











Made in America 30+ years experience









Last updated 2/17/2025