



# 200 Barangaroo Avenue, Sydney

## People with mobility impairment

The lift control panel has a raised access button for easy use, marked with the international symbol of accessibility.

When the access button is pressed the following functions are activated:

- Additional time is provided to move from the PORT ('Personal Occupant Requirement Terminal) to the allocated lift.

The designated plate for the allocated lift illuminates and activates voice guidance, announcing the number and its status.

The PORT System identifies the most suitable lift, considering the need for additional space in the lift for wheelchairs, caregivers or walking aids to prevent overcrowding.

Extra time for lift door opening ensures there is adequate time for entry.

## People with hearing impairment

The method of operation follows a similar pattern to people with vision impairment detailed above. The system and speakers are designed to identify one lift at a time.

## People with vision impairment

The lift control panel includes the international symbol of access in raised tactile and braille, with luminance for visibility. (If control panels are a bollard type or in other locations, there remains an option to provide a tactile path to the control panel.)

Once the destination location is indicated, the location of the lift is identified by a visual and audible cue which will enable the user to move toward the relevant lift. When the lift arrives, an audible and visual cue identifies the lift number and its arrival will assist the user find and enter the lift.

The designated plate illuminates and flashes as soon as the destination call is registered, accompanied by voice guidance announcing the lift's status.

The PORT System also identifies the bank of lifts to go to if there is more than one.

## People with vision and hearing impairment

Individuals with vision and hearing impairments may require direct assistance. Please contact reception for further support +61 2 9263 4000.