



BLIS7.R39952 - Caulking and Sealants Certified for Canada

Caulking and Sealants Certified for Canada

[See General Information for Caulking and Sealants Certified for Canada](#)

AEROSEAL LLC

R39952

225 Byers Rd

Miamisburg, OH 45342 USA

"Aerobarrier X1" acrylic sealant Listed in accordance with CAN/ULC-S102 as indicated.

Applied to Inorganic Reinforced Cement Board+

Flame spread	0
Smoke developed	5

+ Tested as applied as two 28 mm wide strips spaced 200 mm OC at a coverage rate of 1.34 m²/L and covering 12.4 percent of the exposed test sample area.

Last Updated on 2019-12-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"