

FULL LINE RTV ACCESSORIES & ATTACHMENTS

RTV520 | RTV-XG850 | RTV-X / RTV-X CAB / RTV-X CREW / RTV-X1130





TABLE OF CONTENTS

KUBOTA RTV LINEUP



RTV520

RTV-XG850 SIDEKICK **Accessories & Attachments**

FULL-SIZE UTILITY VEHICLES

MID-SIZE UTILITY VEHICLES

Accessories & Attachments

Cab Components 4 Winches / Guard / Bed Lift.....8 Cab Accessories.....9 Storage / Snow Removal10 Tires & Wheels......11 Lights......12

RTV520





RTV-XG850 SIDEKICK

RTV-X1130



RTV-X CAB



RTV-X



RTV-X CREW

RTV-X SERIES Accessories & Attachments

Cab Components	26
Winches / Bed Lift / Hitch	30
Guards	31
Cargo / Storage	32
Cab Accessories	33
Rapid Access Cargo (RAC System)	34
_ights / Harnesses	36
_ights / Engine	37
Snow Removal	38
Snow Removal: K-Connect	40
Spreaders	44
Tires & Wheels	46
RTV Accessories	47

RTV520 SERIES

CAB COMPONENTS



Poly Cab Enclosure

77700-11821 **RTV520**

Poly cab enclosure bundled all together to keep the operator and passenger out of the elements

Includes:

- Hard Cab Component Mounting Kit (V4310A)
- Poly Windshield (V4368)
- Plastic Canopy (V4312)
- Acrylic Rear Panel (77700-11822)
- Plastic Door Kit (77700-11823)

Poly Cab Component Mounting Kit V4310A

RTV520

- Slotted design mounting kit for quicker installation
- Included with Hard Cab Enclosure (77700-11821)
- Only one mounting kit required to install the Hard Cab Enclosure (77700-11821) components in any combination

The following 4 Cab Components are available as part of the 77700-11821, and can also be purchased individually.



Poly Windshield V4368

RTV520

- Steel framed hard coated poly windshield featuring 30X more scratch resistance than the typical acrylic windshields
- Superior scratch resistance for longer lasting glare-free optics
- Recommend adding Wiper Kit (V4367)
- Requires Hard Cab Component Mounting Kit (V4310A)





Plastic Canopy

V4312

RTV520

- Steel reinforced plastic canopy to keep the operator and passenger out of the elements
- Requires Hard Cab Component Mounting Kit (V4310A)





Acrylic Rear Panel 77700-11822

RTV520

- Steel framed acrylic rear panel to prevent wind, dust, and rain from entering into the operator's area
- Requires Hard Cab Component Mounting Kit (V4310A)



RTV520

- · Steel reinforced black plastic doors and sliding acrylic side windows
- Requires Hard Cab Component Mounting Kit (V4310A)



Rear Cargo Screen

Black K7311-99590

RTV520

· Rear net mounts directly to the ROPS and prevents objects from entering the operator area from behind



Metal canopy

- Poly carbonate windshield
- Soft-sided rear panel with zipper window
- · Soft-sided steel framed doors with zipper windows & Locks

Soft Side Cab Enclosure





CAB COMPONENTS

Wiper Kit V4367

RTV520

- Keep mud, rain, dust, and everyday grime off the front windshield
- Compatible with Poly Windshield (V4368), Soft Cab Enclosure (77700-12652), and Hard Cab Enclosure (77700-11821),
- Not compatible with Upper Glass Windshield (V4316)

Front Heavy Load Strut V4309

RTV520

• Optional for Cab and required for V4308B Front Blade.

The following 3 Components are not compatible with Cab Enclosure Systems.



A1

Upper Glass Windshield V4316

RTV520

- Upper glass windshield to provide a top front barrier from wind, dust, and rain
- Recommend adding Lower Poly Windshield (V4315) for complete full coverage



В1

Lower Poly Windshield V4315

RTV520

- Lower Poly windshield to provide a lower front barrier from wind, dust, and rain
- Folds up to allow access to the bonnet
- Recommend adding Upper Glass Windshield (V4316) for complete full coverage



Plastic Canopy V4321 RTV520

 Plastic canopy to keep the operator and passenger out of the elements



6 — $\overline{}$

WINCHES / GUARD / BED LIFT

Warn VRX Winch Kit **3.500 lb. Steel Cable** 77700-11552

RTV520

- IP68 waterproofing system standard
- Redesigned & improved brake system
- Improved and redesigned clutch system
- Engineered system which outperforms the competition
- Comes with winch remote for operation outside of cabin
- Limited lifetime mechanical & 3 year electrical warranty
- Requires K7321-97300 Winch Mounting Kit for RTV520





Black Front Grill Guard

K7321-99210

RTV520

- With this stylish heavy duty grill guard, you can keep the front of the RTV520 protected while looking great
- Comes equipped on deluxe models

2" Trailer Hitch Ball Mount V5300 **RTV520**

- SAE Class II approved
- Max Tongue/Towing 350/3500 lbs
- Glass black finish
- · Trailer ball not included



Electric Bed Lift 77700-11958

RTV520

• Convert a manual dumping bed lift to an electric dumping bed lift



CAB ACCESSORIES

Backup Beeper

K7321-99640

RTV520

• Alert the surrounding people when operating in reverse



Headrest

K7811-99550

RTV520

- Provides head support
- Sold individually
- Requires Headrest Stay Kit (Black K7311-99580)



Side Mirror ROPS V4338

RTV520

CAB V5059

RTV520

- Increases operator visibility
- Shatter resistant tempered convex mirror with an impact-resistant housing
- Sold individually



Speedometer

V4333

RTV520

• Displays speeds up to 30 mph (50 km/h)



Headrest Stay Kit

Black K7311-99580

RTV520

- Sold individually
- Required to install Headrest (K7811-99550)





STORAGE / SNOW REMOVAL

Front Accessory Box K7321-99560

• Mounts under the hood to hold small items securely



Cargo Box Mat V4352

RTV520

• Durable, polyurethane cargo box pad designed to protect all types of cargo



60" Front Blade

V4308B *

RTV520

- 60" wide (straight) snow blade with trip spring
- 52" plow width @ 30° max angle
- · Electric lift with manual angle adjustment
- · Includes adjustable skid shoes and dedicated hitch
- Now compatible with the Electric Angle Kit (V4303)



Glove Box Kit

K7321-99570

RTV520

- Mounts under dash on driver's side
- Not compatible with cab heater kit



Electric Angle Kit

V4303 **RTV520**

- Converts a manual angle blade to an electric angle blade making snow removal even easier
- Requires 60" Front Blade (V4308B)

Snow Deflector

V4307 *

RTV520

- Rubber deflector mounted to the top of the 60" Front Blade (V4308B) to reduce the throw of snow and debris from the front blade
- Requires 60" Front Blade (V4308B)

Heavy Duty Cutting Edge V4306 *

RTV520

- Upgraded cutting edge constructed of heavy duty mild
- Cutting edge is reversible for extended wear
- Requires 60" Front Blade (V4308B)

Standard Cutting Edge

V4305 * **RTV520**

- Replacement standard cutting edge which is standard on 60" Front Blade (V4308B)
- · Cutting edge is reversible for extended wear
- Requires 60" Front Blade (V4308B)

TIRES & WHEELS

HDWS Steel Tire & Wheel Assembly

Front ARTV5003 Rear ARTV5004

RTV520

- Includes 1 OEM tire and steel wheel
- Front 24x9-12 6-ply tire
- Rear 24x11-12 6-ply tire
- HDWS tread design are non-directional



ATV Alloy Tire & Wheel Assembly

Front Left K7321-99850 **Front Right** K7321-99860 **Rear Left** K7321-99870 **Rear Right** K7321-99880

- **RTV520**
- Includes 1 OEM tire and alloy wheel
- Front 24x9-12 6-ply tire
- Rear 24x11-12 6-ply tire
- ATV tread design are directional (left or right)

ATV Steel Tire & Wheel Assembly

Front Left ARTV5001L Front Right ARTV5001R Rear Left ARTV5002L Rear Right ARTV5002R **RTV520**

- Includes 1 OEM tire and steel wheel
- Front 24x9-12 6-ply tire
- Rear 24x11-12 6-ply tire
- ATV tread design are directional (left or right)

HDWS Alloy Tire & Wheel Assembly

Front K7321-99800 **Rear** K7321-99810

RTV520

- Includes 1 OEM tire and allov wheel
- Front 24x9-12 6-ply tire
- Rear 24x11-12 6-ply tire
- HDWS tread design are non-directional



LIGHTS

Strobe Light Kit

V4318

RTV520

- Strobe light with rubber base and polycarbonate lens
- On/off toggle switch included
- Not compatible with Plastic Canopy (V4321)
 Requires Plastic Canopy (V4312), Hard Cab Enclosure (77700-11821) or Soft Cab Enclosure (77700-12652)





Turn Signal/Hazard Light Kit K7321-99610 RTV520

- Includes two front hazard/indicator lamps and two rear combination hazard/indicator/tail lamp assemblies
- Not compatible with V4368 Windshield, Hard Cab Enclosure 77700-11821 or Soft Cab Enclosure (77700-12652)

LED Work Light Kits Front LED Work Light Kit (2) 77700-11933

RTV520

Rear LED Work Light Kit (1) 77700-11934 **RTV520**

- Six high intensity LEDs
- Ideal for off-road driving only
- Measured lumen: 1,000 lm
- Multivolt 10-30V DC
- Mounting: upright or flush
- Dimensions: 1.8"W x 6.3"H x 2.5"D 2.4"W x 7.7"H x 1.8"D





Side Mirror Kit

Increases operator visibility

· ROPS mirrors sold individually

Cab VP0815

RTV-XG850 SIDEKICK

CAB COMPONENTS

Poly Windshield VP0804A

- Fixed hard coated poly windshield to provide a front barrier from wind, dust, and rain
- Includes 4 quick clamps preinstalled for a quick and easy install

Poly Flip Windshield VP0805

- Flip hard coated poly windshield to provide a front barrier from wind, dust, and rain
- Includes 4 quick clamps preinstalled for a quick and easy install

Glass Windshield VP0802

- Fixed laminated glass windshield to provide a front barrier from wind, dust, and rain
- Includes 4 quick clamps preinstalled for a quick and easy install
- Recommend adding Wiper Kit (VP0817) and Washer Kit (VP0818)

Premium Roof VP0801A

• Twin sheet vacuum formed black plastic roof with plug & play connections for electrical accessories and Premium Audio System (VP0897)

> **Premium** Roof

Premium Audio

System

• Keep the operator and passenger out of the elements

Premium Audio System VP0897

- Rugged Jensen Bluetooth audio system offers AM/FM. USB, and Auxiliary inputs
- Includes two Jensen speakers & antenna
- Not compatible with the Sport Roof (VP0800A)
- Requires Accessories Wiring Harness (V0881)

Sport Roof

VP0800A

- Single sheet vacuum formed black plastic roof
- Keep the operator and passenger out of the elements

Sport Roof Seal Panel Kit

- Not compatible with Premium Roof (VP0801A)
- Required when using Heater Kit (V5247) to create a fully sealed cab

77700-04762

• Optional antenna for the Premium Audio System (VP0897) for AM/FM

Poly Rear Panel VP0806

Antenna

- Poly rear panel to prevent wind, dust, and rain from entering into the operator's area
- · Features a louver vent to allow airflow through the cabin

Glass Rear Panel VP0803

• Glass rear panel to prevent wind, dust, and rain from entering into the operator's area



Poly Windshield

Poly Flip Windshield





Wiper Kit VP0817

- Includes a single wiper to keep the glass windshield clear from dust and rain
- · Compatible only with Glass Windshield
- Requires Accessory Wiring Harness (V0881)

Washer Kit

VP0818

- Upgrade the wiper kit with a washer kit to help keep the glass windshield clear
- Compatible only with Glass Windshield (VP0802)
- Requires Wiper Kit (VP0817) and Accessory Wiring Harness (V0881)

Underhood Seal Kit VP0808

ROPS V4358 or 77700-10706

• Cab mirrors sold in a pair (left & right)

• Required when using Heater Kit (77700-V5247) to create a fully sealed cab

Heater Kit V5247

- Add an integrated heater with an in-dash adjustable temperature
- Requires an Underhood Seal Kit (VP0808) for a fully sealed cab
- Requires a Sport Roof Seal Panel Kit (VP0807) when used with a Sport Roof (VP0800A)

Front Heavy Duty Strut Kit

- A pair of preassembled front struts with heavy duty springs
- No special tools required to install
- · Required when installing an enclosed cab or front implement

2" ROPS Quick Clamp **VP0819**

- Quick and easy ROPS clamp to attach an assortment of RTV accessories
- Sold individually

Door Insert Kits Orange VP0820 **Camo** VP0821 Black VP0823

 Add matching accent door panels to match the body color of the hood and rear cargo bed panels

· Rear hinged thermoformed doors with steel frame for increased rigidity

Large roll down glass windows

Door Set

VP0810A

Door Insert Kits

- Features a storage pocket with an integrated bottle holder
- Requires Front Heavy Duty Strut Kit (V5219) when installing an enclosed cab or front attachment

Door Set

LIGHTS / HARNESSES

Switches for the lighting accessories below are included with their respective mounting kit.

6" LED Worklight

VP0892

- Equipped with 6 LEDs and produces 1,000 lumens
- Features a quick connector for an easy front or rear worklight install
- Sold individually
- Requires Front Worklight Mounting Kit (VP0893) or Rear Worklight Mounting Kit (VP0894)
- Requires Sport Roof Worklight Supports (VP0890) when used with a Sport Roof (VP0800A)
- Requires two 2" ROPS Quick Clamps (VP0819) when installing 2 worklights onto the ROPS



13.5" LED Light Bar VP0891

- Features a low and high setting equipped with 12 LEDs capable of producing 2,200 lumens (High setting)
- Requires Light Bar Mounting Kit (VP0895)
- Requires two 2" ROPS Quick Clamps (VP0819) when installed onto the ROPS



Strobe Light

77700-08686

- LED strobe light features a magnetic base
- 70 flashes per minute
- 11 flash patterns
- Requires Strobe Mounting Kit (77700-VP0896) and Accessory Wiring Harness (V0881)
- Requires one 2" ROPS Quick Clamps (VP0819) when installed onto the ROPS



Powering any of the 3 lights above will require a switch panel and accessory wiring harness. Add a ROPS wiring harness to add plug & play connections to a ROPS or Sport Roof configuration.

Switch Panel

77700-10732

- Centralized accessory switches into one convenient location
- Required for 13.5" LED Light Bar (VP0891), 6" LED Worklights (VP0892), Strobe Light (77700-08686), Wiper Kit (VP0817), and Washer Kit (VP0818)



ROPS Wiring Harness

- Includes plug & play connections for 13.5" LED Light Bar (VP0891) and two front 6" LED Worklights (VP0892)
- Requires Accessory Wiring Harness (V0881)

Accessory Wiring Harness

- Main harness to provide power to the Premium Roof (VP0801A) or ROPS Wiring Harness (V0882)
- Includes plug & play connections for a rear 6" LED Worklight (VP0892), Strobe Light (08686), Wiper Kit (VP0817), and Washer Kit (VP0818)





LIGHTS / CAB ACCESSORIES

Need more lights? Check out these additional lighting kits, which include everything necessary to light the way to cross over to more.

LED Headlight

K7811-99680

• Add an optional 2nd set LED headlight to give the machine that unique quad LED look



Front Worklight Kit

K7811-99650

- Add optional front worklights to the Sidekick front guard
- Sold in a pair (left &right)
- Requires Sidekick Front Guard (V5264)





Reverse Alarm K7811-99640

• Alert the surrounding people when operating in reverse



Turn Signal / Hazard Light Kit K7811-99610

• Includes two front hazard/indicator lamps and two rear combination hazard/indicator/tail lamp assemblies



Interior Rearview Mirror VP0816

- Convex wide mirror and mounts to the ROPS
- Easy to install on a ROPS or Cab



Headrest

K7811-99550

- Provides extra head support with a stylish design
- Sold individually
- Requires Headrest Stay Kit K7591-99540



Soft Grip Handle

- Steel handle wrapped with a rubber grip
- Kubota branded heavy duty velcro strap
- Easy to install and remove



Headrest Stay Kit

K7591-99540



Premium Side Mirror

77700-10706

- · Enhanced field of view
- Dual axis breakaway
- Three-way adjustment
- Adjustable blindspot mirror
- Anti-vibration technology
- ROPS Mounted
- Fits left or right side



• Easily return mirror to your preset position each time it breaks away for consistent viewing alignment

WINCHES / BED LIFT









Warn VRX & Axon Winches

Winch Kit VRX 3,500 lb. Steel Cable 77700-11552

Winch Kit VRX 4,500 lb. Synthetic Rope 77700-11554

Winch Kit AXON 4,500 lb. Synthetic Rope 77700-11558

- IP68 waterproofing system standard
- Redesigned & improved braking system
- New manual clutch for improved durability & sealing
- Engineered to outperform the competition
- The Axon line of winches provides class-leading electronics that help prevent motor failure and offer half the installation time compared to the VRX
- Limited lifetime mechanical & 3 year electrical warranty
- Dash-mounted switch and remote standard
- Fits 2-seater units only

Electric Over Hydraulic Bed Lift K7811-99670

• Convert a manual bed lift to an electric over hydraulic bed lift











GUARDS

Sidekick Front Guard

V5264

- Replacement RTV-XG850 Sidekick front guard
- Upgrade the front appearance of a General Purpose



Rear Bumper

K7811-99250

- Upgrade the visual appearance while guarding the cargo bed
- Includes Tail Lamp Guards (K7811-99660)



Plastic Bumper

K7811-99220

• Upgrade the visual appearance of the front bumper



Tail Lamp Guard

K7811-99660

- Upgrade the visual appearance while protecting the tail lamps
- Sold in a pair (left & right)



Front Under Guard

K7811-99240

 Upgrade the visual appearance while guarding the front underside



A-Arm Guard Front K7811-99150 Rear K7811-99160

- Metal guards to guard against debris
- Sold in a pair (left & right)



Bush Guard K7811-99230

 Upgrade the visual appearance while guarding the front



Mud Guard

Front V5225 Rear K7811-99510

- Add a visual appeal while guarding against debris
- Sold in a pair (left & right)




CARGO/STORAGE

Deluxe RTV Cargo Box

77700-08760

- Features 4.5 cu. ft. of cargo capacity in a tough and durable polyethylene construction to resist corrosion, water, and dust
- Lockable latches to secure your cargo
- Transport your tools and equipment into some of the most extreme terrain and conditions
- Easy-to-lift covers providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Great for outdoor enthusiasts non-reflective surfaces
- Requires 2 pairs of Cargo Clamps (K7811-99560) and Plastic Cargo Box Mounting Kit (77700-V0838)
- Requires 2 additional Plastic Cargo Box Mounting Kits (77700-V0838) when installed with RTV Rubber Cargo Bed Mat (V0830)

Cargo Clamp K7811-99560



• Sold in a pair



Tuboto - Tub

Cargo Bed Rail

K7811-99590

- Increase cargo bed capacity
- Sold in a pair (left & right)
- Not compatible with Deluxe RTV Cargo Box (77700-08760)

Bed Extender

K7811-99570

- Drill-less design and can be positioned along the length of the cargo bed
- Can be positioned to extend or divide the cargo bed capacity



RTV Rubber Cargo Bed Mat

- Rubber compression molded rubber with integrated Kubota branding
- Protects the cargo bed from scratches and scuff marks
- Prevent objects from sliding around the cargo bed

Rack Over Hood

V0831

- Mounts to the front guard to add additional storage over the front hood
- Designed to be removed quickly without tools
- Can be pivoted to access the components under the front hood for general service and maintenance
- Not compatible with Plastic Bumper (K7811-99220)

22 ______ 23

SNOW REMOVAL

74" General Duty Front Blade V0840

- 72" wide general purpose snow blade with 19" moldboard height and 12 gauge moldboard thickness
- 64.5" plow width @ 30° max angle
- Electric lift with manual angle adjustment
- Requires Front Heavy Duty Strut Kit (V5219) and steel cable VRX winch (77700-11552)





TIRES & WHEELS

Tire & Alloy Wheel Assembly

Black ATV Left ARTV5212L Black ATV Right ARTV5212R Black HDWS ARTV5214 Silver ATV Left ARTV5211L Silver ATV Right ARTV5211R Silver HDWS ARTV5213

- Includes 1 OEM tire and alloy wheel
- 25x10-12 6-ply tire
- ATV tread design are directional (left or right)
- HDWS tread design are non-directional
- Requires alloy Wheel Hardware Kit (black V5203) or (silver V5205)





HDWS Tire & Wheel Assembly

K7811-19410

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- HDWS tread design are non-directional



ATV Tire & Wheel Assembly

Left K7811-19210 **Right** K7811-19260

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- ATV tread design are directional (left or right)



24 — 25



Ride through tough terrain, and take on everyday chores with rugged utility. The XG850 is built to be your tough workhorse on the farm, around pasture or in the woods with best-in-class handling, acceleration and cargo.

Speeds up to 64 kph

Conquer big hills and distant destinations with a powerful 54 HP gas engine.

Superb Steering

Speed sensitive electronic steering delivers great handling and comfort.

Outdoor-Ready

Comes with Flip windshield, sport roof, poly rear panel and soft grip handles for comfort. Front guards for extra protection.

Outdoor Utility

Features a cargo bed extender with Cargo bed rails, and a VRX3500 winch.

RANCHER PACKAGE INCLUDES

Soft Grip Handles

RTV-XG850 Interior Rear-View Mirror RTV Side View Mirror Kit (ROPS) RTV-XG850 Plastic Bumper RTV-XG850 Bush Guard RTV-XG850 Rear Bumper **Under Guard** RTV-XG850 Rear Mud Flaps **Front Mud Guards** Flip Windshield Polycarbonate Rear Panel w/ Vent

Sport Roof **RTV-X Bed Extender** RTV-X Cargo Bed Rail VRX35 3500 lbs Steel Cable Single Row Rancher Badge The Kubota RTV-XG850 Nordik package is crafted for cold-weather utility. Decked out with a complete cab to shield you from the elements and climate control for added comfort. Tested to keep you going in winter conditions — because we know the work must go on even if the snow won't stop.

Quality and Convenience

Twin sheet vacuum formed black plastic roof for warmth with plug & play connections for accessories such as a radio and more.

Climate Comforts

Loaded with a proper heater for defrosting and venting to keep riders warm and visibility high in cold temperatures.

Rugged Durability

Built with quality materials to outlast the seasons ahead.

Winter-ready Utility

Comes with a rear bumper for added protection and a warn winch to ensure this UTV can keep working and not get stuck in tough terrain or conditions.

NORDIK PACKAGE INCLUDES

RTV-XG850 Accessory Harness

Switch Panel Box

Premium Roof w/ Electrical Harness

Glass Windshield

Wiper Kit

Windshield Washer Kit

Glass Rear Panel

Door Set

Heater and Vent Kit for RTV X Poly Cab

Under Hood Closeout

VRX35 3500lbs Steel Cable Single Row

Block Heater

RTV-XG850 Rear Bumper

Nordik Badge

Front HD Load Dampener

Door Strut Kit

MAINTENANCE

≥**50** HOURS*

Air cleaner element:

Inspect & clean as needed

Engine oil:

Change - XG850 only

Pre cleaner element:

Inspect & clean as needed - 520 only

Fuel filter element:

Inspect & clean as needed

Brake pads & fluid:

Inspect & clean as needed

General Iubrication:

All fittings, pivots, linkages & cables, etc.

100 HOURS

Engine oil & filter:

Change - 20 hour interval for XG850

Transmission oil filters:

Change

Wheel fastener torque:

Inspect

Tire wear:

Inspect

CVT belt:

Inspect - XG850 only

Brake pads & fluid:

Inspect & clean as needed

General lubrication:

All fittings, pivots, linkages & cables, etc.

- Every 50

200 HOURS

Air cleaner element:

Replace

Engine oil & filter:

Change

Pre cleaner element:

Inspect & clean as needed - 520 only

Transmission oil filters:

Replace

Hydraulic tank oil:

Change

Fuel filter element:

Inspect & clean as needed

Brake pads & fluid:

Inspect & clean as needed

General lubrication:

All fittings, pivots, linkages & cables, etc.

300 HOURS

Air cleaner element:

Inspect & clean as needed

Engine oil:

Change - XG850 only

Pre cleaner element:

Inspect & clean as needed - 520 only

Fuel filter element:

Inspect & clean as needed

Brake pads & fluid:

Inspect & clean as needed

General Iubrication:

All fittings, pivots, linkages & cables, etc.

400 HOURS

Air cleaner element:

Inspect & clean as needed

Engine oil & filter: Change

Pre cleaner element:

Inspect & clean as needed - 520 only

Transmission oil filters & fluid:

Replace

Hydraulic tank oil:

Change

Cab air filter:

Inspect & clean as needed - X CAB

Front knuckle case oil:

Change - X CAB

Front axle case oil:

Change

Fuel filter element:

Inspect & clean as needed

Brake pads & fluid:

Inspect & clean as needed

General lubrication:

All fittings, pivots, linkages & cables, etc.

28 _____

^{*}Break-in period is 50 hours

RTV-X SERIES

CAB COMPONENTS



A1

Poly Windshield VC5023

RTV-X, X1130, X CREW

- Steel framed, hard coated poly windshield to provide a front barrier from wind, dust, and rain
- Features latches to allow airflow through the cabin
- Compatible with Wiper Kit (VC5030)

A3

Tempered Glass Windshield (AS2)

VC5025

RTV-X, X1130, X CREW

- Steel framed, tempered glass windshield to provide a front barrier from wind, dust, and rain
- Designed to crumble into small granular chunks instead of sharp jagged shards
- Features latches to allow airflow through the cabin
- Compatible with Wiper Kit (VC5030)

A2

Laminated Glass Windshield (AS1)

RTV-X, X1130, X CREW

- Steel framed, laminated glass windshield to provide a front barrier from wind, dust, and rain
- Designed to hold together when shattered and prevents glass from breaking into large sharp pieces
- Features latches to allow airflow through the cabin
- Compatible with Wiper Kit (VC5030)

В

Wiper Kit

VC5030

RTV-X, X1130, X CREW

- Includes a single 16" wiper to keep glass & poly windshields clear from dust and rain
- Compatible only with Poly Windshield (VC5023), Laminated Glass Windshield (VC5020), & Tempered Glass Windshield (VC5025)



Alternative windshields for a windshield & canopy configuration only.

Poly Windshield

Clear V5258

Tinted V5259 **RTV-X, X1130**

- Alternative, crack-resistant poly windshield for those who do not require the compatibility of a full cab enclosure
- Not compatible with Wiper Kit (VC5030)
- Compatible only with Plastic Canopy (V5221)



Acrylic Windshield

Clear V5027 Tinted V5028

RTV-X, X1130, X CREW

- Alternative, scratch-resistant acrylic windshield for those who do not require the compatibility of a full cab enclosure
- Not compatible with Plastic Canopy (V5221) & Wiper Kit (VC5030)





Metal FOPS Canopy

Black VC5000 Orange VC5001 RTV-X, X1130

Black VC5044

X CREW

- Metal canopies are FOPS certified to provide additional protection while keeping the operator and passenger out of the elements
- Not compatible with Poly Windshield (clear - V5258) or (tinted - V5259)



Plastic Canopy Black VC5011

RTV-X, X1130

Black VC5043 X CREW

- Plastic canopy to keep the operator and passenger out of the elements
- Not compatible with Poly Windshield (clear V5258) or (tinted - V5259)



Alternative canopy for a windshield & canopy configuration only.

Black Plastic Canopy

V5221

RTV-X, X1130

- Alternative plastic canopy for those who do not require the compatibility of a full cab enclosure
- Compatible only with Poly Windshield (clear V5258) or (tinted - V5259)





Glass Rear Panel VC5040

RTV-X, X1130

 Steel framed, glass rear panel to prevent wind, dust, and rain from entering into the operator's area



D2

Rear Screen Black K7731-99280

X CAB

 Optional rear screen mounts to the RTV-X CAB's ROPS structure acting as a barrier between the bed and rear window



CAB COMPONENTS

E1 /

Metal Door Set Black VC5090

Orange VC5091 RTV-X, X1130

- Steel doors featuring an upper sliding window and a lower pocket window
- Convenient heavy duty hinges allow for doors to be removed and stored away
- Requires Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)



E2

Vinvl Door Set VC5095

RTV-X, X1130

- · Vinyl doors featuring clear vinyl window
- Windows can be zipped open and rolled up
- Convenient heavy duty hinges allow for doors to be removed and stored away
- Requires Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)



E3

4 Metal Door Set w/ Rear Panel VC5045A

X CREW

- 4 steel doors featuring an upper sliding window and a lower pocket window
- Includes a rear panel to fully enclose the RTV-X CREW in a two row configuration when combined with a compatible canopy and windshield
- · Convenient heavy duty hinges allow for doors to be removed and stored away
- Recommend adding a mid-panel to fully enclose the front row of the RTV-X CREW when combined with a compatible canopy and windshield

Mid-Panel

Steel w/ Sliding Window VC5046 Vinyl VC5047

X CREW

- · Add an optional mid-panel to completely enclose the front row of the RTV-X CREW
- Requires 4 Metal Door Set with Rear Panel (VC5045)



Steel with Sliding Window

Front Heavy Duty Spring Kit

V5218

RTV-X (X1130, X CAB & X CREW - Standard)

- Reuse the front struts and upgrade the front springs to heavy duty springs
- Required when installing an enclosed cab and/ or front attachment

Front Heavy Duty Strut Kit

V5219

RTV-X (X1130, X CAB & X CREW - Standard)

- A pair of preassembled front struts with heavy duty springs
- · No special tools required to install
- · Required when installing an enclosed cab and/or front attachment

Half **Door Kit**

K712199250 **RTV-X, RTV-X1130**

- Poly half doors with levers allow for easy access in and out of the machine
- Added piece of mind and helps keep debris from entering machine



Side Mirror Kit Cab VC5076 **ROPS** V4358

RTV-X, X1130, X CREW

- Increases operator visibility
- Cab mirrors sold in a pair (left & right)
- ROPS mirror sold individually)



Heavy Duty AM/FM/WB Radio E9300A

RTV-X CAB

- 160-watt max output (40W x 4)
- Seven-channel NOAA weatherband tuner
- Segmented, high-visibility LCD display with clock
- Two-wire hook-up prevents battery drain when vehicle is off



Premium Side Mirror

77700-10706

RTV-X, RTV-X1130, RTV-X CREW, RTV-XG850

- Enhanced field of view
- Dual axis breakaway
- Three-way adjustment
- Adjustable blindspot mirror
- Anti-vibration technology
- ROPS Mounted
- Fits left or right side
- Easily return mirror to your preset position each time it breaks away for consistent viewing alignment

Heavy Duty AM/FM/WB/ USB/iPhone®/iPod®/SiriusXM Ready® Radio

E9276D

RTV-X CAB

- 180-watt max output (45W x 4)
- iPod/iPhone controls and charging via front USB
- SiriusXM Ready (requires SiriusXM tuner and antenna) Seven-channel NOAA weatherband tuner and
- "Weather Alert"
- Microphone sold separately



Side Mirror

V5059

RTV-X CAB

- Shatter resistant tempered convex glass for increased durability
- Impact resistant ABS housing for lasting durability
- Ball socket joint provides easy adjustment and wide range view
- Sold individually



Heater Kit VC5083A

RTV-X, X1130, X CREW

- Add an integrated cab heater with well-placed vents to stay warm during frigid winters
- Requires Wire Harness (Multiple - VC5080) or (Single - VC5081)



WINCHES / BED LIFT / HITCH



Warn VRX & Axon Winches

Winch Kits for: RTV-X. X CAB

VRX 3,500 lb. Steel Cable 77700-11552

VRX 4,500 lb. Synthetic Rope 77700-11554

AXON 4,500 lb. Synthetic Rope 77700-11558

- IP68 waterproofing system standard
- Redesigned & improved braking system
- New manual clutch for improved durability & sealing
- Engineered to outperform the competition
- The Axon line of winches provides class-leading electronics that help prevent motor failure and offer half the installation time compared to VRX
- Limited lifetime mechanical & 3 year electrical warranty
- Dash-mounted switch and remote standard



Winch Kits for: X1130, X CREW

VRX 3,500 lb. Steel Cable 77700-11553

VRX 4,500 lb. Synthetic Rope 77700-11555

• 4-Seater winches for RTV-X CREW only



Cargo Bed Winch

K792199580

RTV-X1130

- Installs in the cargo box to conveniently load with up to 750lbs of pull capacity
- Recommended to use in conjunction with tailgate extender (K792199590) to load items directly from ground level



Tailgate Extender

K792199590

RTV-X1130

- Tailgate extender unfolds to add extra length to the tailgate
- Allows tailgate reach ground level with the cargo box in the tipped position
- Recommended to use in conjunction with cargo bed winch (K792199580)winch (*K)



Hvdraulic Bed Lift V5242

Basic RTV-X (X CAB, X1130 and X





2" Trailer Hitch Ball Mount V5300

RTV-X, X1130, X CAB, X CREW

• Towing is easy with this 2" Trailer Ball Mount Kit (does not include hitch ball)



GUARDS

Basic **Front Guard** Black K7591-97900

· Replacement general purpose front guard

RTV-X



Standard Front Guard

Black K7591-97910 **RTV-X, X1130, X CREW**

• Replacement worksite front guard



Premium Front Guard

Black K7421-97900

RTV-X, X1130, X CAB, X CREW

• Replacement deluxe front guard



Tail Lamp Guard Kit

V5227

RTV-X, X1130, X CAB, X CREW

 Protect your tail light from damaging debris by installing this Tail Lamp Guard Kit





CV Joint Guard

Front V5238

Rear V5239

RTV-X, X1130, X CAB, X CREW

- Help protect your front CV Joint from rocks and stumps with this CV Joint Guard
- Reduce potential damage to the rear CV Joint with this CV Joint Guard

Mud Guard Front V5225

Rear V5226

RTV-X, X1130, X CAB, X CREW

- Cut down on flying mud by installing this Mud Guard Kit
- Decrease mud spatter off the rear wheels with this Mud Guard Kit





CARGO/STORAGE

Deluxe RTV Cargo Box 77700-08760

RTV-X, X CAB, X CREW

- Features 4.5 cu. ft. of cargo capacity in a tough and durable polyethylene construction to resist corrosion, water,
- Lockable latches to secure your cargo
- Transport your tools and equipment into some of the most extreme terrain and conditions
- Easy-to-lift covers providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Great for outdoorsmen non-reflective surfaces
- Requires 2 pairs of Cargo Clamps (K7811-99560) and Plastic Cargo Box Mounting Kit (77700-V0838)
- Requires 2 additional Plastic Cargo Box Mounting Kits (77700-V0838) when installed with RTV Rubber Cargo Bed Mat (V0830)

Storage Box

K792199560

RTV-X1130

- Kit includes storage box for driver and passenger side
- Adds additional on board storage and protects items from debris



RTV Rubber Cargo Bed Mat V0830

RTV-X, X CAB

- Rubber compression molded rubber with integrated
- Protects the cargo bed from scratches and scuff marks
- Prevent objects from sliding around the cargo bed





2 Cargo Clamps K7811-99560

RTV-X, X CAB, X CREW

- Drill-less cargo bed clamp with interchangeable rubber inserts
- · Sold in a pair



Plastic Bed Liner V5229

RTV-X, X CAB

• Prevent bed dents and dings with this high-quality plastic

CAB ACCESSORIES

Sun Visor Kit

V5286

RTV-X CAB

- Match the interior of the RTV-X CAB with sun visors to block the sun
- Sold in a pair (left & right)



Interior Rearview Mirror VP0816

RTV-X, RTV-X1130, RTV-X CREW

- Convex wide mirror and mounts to the ROPS
- Easy to install on ROPS



Headrest

Black K7811-99550

RTV-X, X1130

- Add comfort and support to your day with this Headrest from Kubota
- Sold individually
- Requires Headrest Stay Kit (black -K7591-99540)



Headrest Bracket Kit Black K7591-99540

RTV-X. X1130

- Required to install headrest (black - K7811-99550)
- Sold individually



Backup Alarm Kit

V5236

RTV-X, X1130, X CAB, X CREW

 Alert the surrounding people when operating in reverse



Hand Throttle Kit D1105 Engine V5243 RTV-X, X CAB

• Hold engine speed at a constant RPM regardless of vehicle speed



LIGHTS / HARNESSES

2 Front LED Work Light Kit

RTV-X. X1130. X CREW

- Six high intensity LEDs on each light
- · Illuminated, high quality rocker switch
- Sold in a pair (left & right)
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple VC5080) or (Single - VC5081)



Dome Light VC5053

RTV-X. X1130. X CREW

- Built-in on/off rocker switch
- Bright 1-watt LED light
- Adjustable 40-degree swivel and spin
- Convenient for pre-dawn or working late into the night
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple - VC5080) or (Single - VC5081)



Rear LED Work Light Kit VC5051A

RTV-X, X1130, X CREW

- · Six high intensity LEDs on each light
- · Illuminated, high quality rocker switch
- Sold individually
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple VC5080) or (Single - VC5081)



Strobe Light VC5056

RTV-X, X1130, X CREW

VC5058

RTV-X CAB

- Amber beacon features 70 FPM pulse, 8 ash patterns
- Illuminated, high quality rocker switch
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple - VC5080) or (Single - VC5081)



4-Way Strobe-type Flashers

VC5057A

RTV-X. X1130. X CREW

- Black and weatherproof housing for indoor or outdoor use
- 18 different flash patterns to choose from
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple VC5080) or (Single VC5081)



Select either wiring harness setup below to power the 5 lights above individually or together.

Wire Harness - Multiple VC5080

RTV-X, X1130, X CREW

- For multiple electrical accessories or lights
- In-line fuse for circuit protection
- Automotive relay included(VP0818)

Wire Harness - Single

RTV-X, X1130, X CREW

- For single electrical accessory or light
- In-line fuse for circuit protection
- Automotive relay included

LIGHTS / ENGINE

Additional lighting options available with all the required.

Halogen Front Work Lights

V5222

RTV-X, X1130

RTV-X CAB

V5282

Halogen front work light


- kit includes 2 work lights
- For RTV-X CAB, the lights mount to the top with everything necessary for installation
- For RTV-X and X1130, lights mount to the ROPS or Plastic Canopy (K7591-99390) with everything necessary for installation


Halogen Rear Work Light

V5223

RTV-X, X1130 V5283

RTV-X CAB





• For RTV-X900 and RTV-X1120, lights mount to the ROPS or Plastic Canopy (K7591-99390) with everything necessary for installation

Hazard Light Kit

K774199610 RTV-X CAB

K712199610 RTV-X, RTV-X CREW

 Includes two front hazard/ indicator lamps and two rear combination hazard



LED Cargo Bed Lights

K792199570 RTV-X1130

- Includes 2 LED lights that mount in the cargo box
- Easy to access on/ off switch mounted on exterior
- Includes all wiring and switches



Block Heater

72000-03259

X1120. X CAB. X CRI

 Makes starting in cold climates less demanding on the engine



Extended Oil Dipstick

D1105 Engine V5204A RTV-X, X1130, X CAB, X CREW

 Check oil regularly and precisely without having to raise the dump bed



38 ______ 39

SNOW REMOVAL

ELECTRIC POWERED ATTACHMENTS

72" General Duty Front Blade V5008

RTV-X, X1130, X CAB, X CREW

- 72" wide general purpose snow blade with 19" moldboard height and 12 gauge moldboard thickness
- 64.5" plow width @ 30° max angle
- · Electric lift with manual angle adjustment
- Recommend optional Hydraulic Angle Kit (V5007) to convert to hydraulic angle
- Requires Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218) for RTV-X



HYDRAULIC POWERED ATTACHMENTS

72" Commercial **Straight Blade** V5290

RTV-X. X CAB

- 72" wide commercial snow blade with 21.75" moldboard height and 10 gauge moldboard thickness
- 62.4" plow width @ 30° max angle
- · Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with adjustable blade trip springs
- Recommend optional Markers (V5250)
- Requires Front Quick Hitch (V5289), Electro-Hydraulic Valve Kit (V5232), Auxiliary Hydraulic Pump (X900 - V5271) or (X1120/X1100 - V5272), & Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)

72" V-Plow Blade

V5291

- 72" wide V-Blade (straight) with moldboard height 19 1/8" @ center. 20 1/2" @ ends. and 3/8"
- 66" V position width and 59" scoop position width
- Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with built-in
- Trip cutting edges
- Recommend optional Markers (V5250)
- Requires Front Quick Hitch (V5289). Electro-Hydraulic Valve Kit (V5232) & (3rd function - V5233), Auxiliary Hydraulic Pump or (RTV-X/X1100 - V5272), & Front

60" Rotary Broom

V5260

RTV-X, X CAB

- 60" wide rotary broom with 18" diameter poly brushes
- 50 1/2" width @ 25° max angle
- · Reversible broom rotation
- Hydraulic lift and angle adjustment
- Recommend optional Markers (V5250)
- Requires Front Quick Hitch (V5289), Electro-Hydraulic Valve Kit (V5232) & (3rd function - V5233), Auxiliary Hydraulic Pump (RTV-X/X1100 - V5272), Hydraulic Oil Cooler (V5240), Hand Throttle Kit (V5245), & Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)

RTV-X, X CAB

- moldboard thickness
- relief valves to protect against impact
- and Curb Guards (V5256)
- Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)

HYDRAULIC POWERED MOUNTING SYSTEM

Front Quick Hitch

V5289

RTV-X, X CAB

· Required quick hitch system designed for 72" Commercial Straight Blade (V5290), 72" V-Plow Blade (V5291), and 60" Rotary Broom (V5260) for easy implement changes



Front Guard Adapter Kit V5255

RTV-X, X CAB

 Optional front guard adapter for Front Quick Hitch (V5289) to reinstall front guard when front quick hitch implements are put away for the season

HYDRAULIC POWERED ATTACHMENTS

Hydraulic Angle Kit

V5007

RTV-X, X1130, X CAB, X CREW

- Optional hydraulic angle kit to upgrade 72" General Duty Front Blade (V5008) to hydraulic angle adjustment
- Requires Auxiliary Hydraulic Pump, (RTV-X/X1100 V5272), or (X1130 & X CREW - V5262) and Auxiliary Hydraulic Valve: One Valve (RTV-X/X1100 - V5273), Two Valve (RTV-X/X1100 - V5274), or One Valve (X1130/X CREW - V5263)

Auxiliary Hydraulic Valve Kit One Valve V5273

RTV-X. X CAB

One Valve V5263 X1130. X CREW

Two Valve V5274 RTV-X, X CAB

• Required for Hydraulic Angle Kit (V5007) and aftermarket implements

Hydraulic Oil Cooler V5240

RTV-X, X CAB

• Required for 60: Rotary Broom (V5260)

Hand Throttle Kit

V5245

RTV-X, X CAB

• Required for 60" Rotary Broom (V5260)

Markers

V5250

RTV-X, X CAB

• Optional markers to increase visibility for 72" Commercial Straight Blade (V5290), 72" V-Plow Blade (V5291), or 60" Rotary Broom (V5260)

Auxiliary Hydraulic Pump D1105 Engine V5272

RTV-X, X CAB

D1105 Engine V5262 X1130, X CREW

 Required for Hydraulic Angle Kit (V5007), hydraulic powered implements, and aftermarket implements

Electro-Hydraulic Valve Kit

Two Function V5232

RTV-X, X CAB

3rd Function V5233 RTV-X, X CAB

• Required for 72" Commercial Straight Blade (V5290), 72" V-Plow Blade (V5291), and 60" Rotary Broom (V5260)

Hydraulic Coupler Outlet V5276

RTV-X, X CAB, X CREW


- Stationary applications only, optional coupler to power aftermarket implements
- Cannot be used to power hydraulic motor applications

Curb Guards for V-Blade V5256

RTV-X, X CAB

• Optional curb guards to protect the corners of 72" V-Plow Blade (V5291) from incidental curb damage

K-CONNECT SYSTEM



SNOW REMOVAL: K-CONNECT

4 POINT K-CONNECT ATTACHMENTS

78" Straight Blade V5294A

RTV-X, X1130, X CAB, X CREW

- 78" wide K-connect snow blade with 24" moldboard height and 0.075" moldboard thickness
- 68" plow width @ 30° max angle covers the width of the RTV-X
- · Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with two spring trip protection
- Reinforced with 4 vertical ribs, 2 diagonal ribs, and
- New curvature allows for rolling of snow eliminating the need for a deflector and includes markers and skid shoes standard
- Recommend optional Curb Guards (V5281)
- Requires 4 Point K-Connect (V5293B) and Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)
- Compatible with PTO Drive K-Connect (V5299B)

78" V-Blade

V5295A

RTV-X, X1130, X CAB, X CREW

- 78" wide K-connect V-blade (straight) with moldboard height 20" @ center, 25 3/4" @ ends, and 0.075" moldboard thickness
- 69 1/2" V position width and 66" scoop position width
- Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with built-in relief valves to protect against impact
- Trip cutting edges
- Reinforced with 3 vertical ribs, 1 diagonal ribs, and C-channel on each wing
- New curvature allows for rolling of snow eliminating the need for a deflector and includes markers and skid shoes standard
- Recommend optional Curb Guards (V5281)
- Requires 4 Point K-Connect (V5293B) and Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)
- Compatible with PTO Drive K-Connect (V5299B)



4 POINT K-CONNECT MOUNTING SYSTEM & ATTACHMENTS

4 Point K-Connect

V5293B

RTV-X, X1130, X CAB, X CREW

- 4 point quick hitch system with a power unit to provide an independent 3 function hydraulic system
- Used to guick attached 78" Straight Blade (V5294A) or 78" V-Blade (V5295A)



4 Point Upgrade Kit

V5298

RTV-X, X1130, X CAB, X CREW

- Add a brush bar and 2 rectangular LED worklights to the 4 Point K-Connect (V5293B)
- Requires 4 Point K-Connect (V5293B)



Front Guard Adapter Kit

V5278

RTV-X, X1130, X CAB, X CREW

 Optional front guard adapter for 4 Point K-Connect (V5293) to reinstall front guard when front K-Connect implements are put away for the season

Rubber Cutting Edge

RTV-X, X1130, X CAB, X CREW

• Optional rubber cutting edge for 78" Straight Blade (V5294A)

Plastic Cutting Edge V5288

RTV-X, X1130, X CAB, X CREW

• Optional plastic cutting edge for 78" Straight Blade (V5294A)

Plastic Cutting Edge V5284

RTV-X, X1130, X CAB, X CREW

· Optional plastic cutting edge for 78" V-Blade (V5295A)

Curb Guards

V5281

RTV-X, X1130, X CAB, X CREW

• Optional curb guards to protect the corners of 78" Straight Blade (V5294A) and 78" V-Blade (V5295A) from incidental curb damage

Skid Shoes

V5285

RTV-X, X1130, X CAB, X CREW

• Replacement skid shoes for 78" Straight Blade (V5294A) and 78" V-Blade (V5295A)

PTO DRIVE ATTACHMENTS

PTO DRIVE K-CONNECT ATTACHMENTS

66" Rotary Broom V5266

RTV-X, X CAB

- 66" wide PTO driven rotary broom with 24" diameter poly brushes
- 59 1/2" width @ 25° max angle
- Hydraulic lift and angle adjustment with 8 1/2 degree oscillation
- Floating wheels and markers standard
- Requires 4 Point K-Connect (V5293B), PTO Drive K-Connect (V5299B), and Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)

66" Commercial Snowblower V5296

RTV-X, X CAB

- 66" wide PTO driven 2-stage commercial snowblower with hydraulic chute rotation and deflection
- 16" fan with 4 blades
- Skid shoes and drift cutters are standard
- Requires 4 Point K-Connect (V5293B), PTO Drive K-Connect (V5299B), and Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)



Debris Blower

V5279

RTV-X, X CAB

- The perfect addition to your X-Series, makes clean up and debris removal a breeze
- Generates over 214 mph of velocity, with 225° of hydraulically driven nozzle rotation with a standard parking stand included
- Estimated 30-minute installation time, so you can swap out snow removal implements and prepare for warmer weather quickly
- Requires 4 Point Hitch (V5293B), PTO Kit (V5299B), and Hand Throttle Kit (V5245)
- NOT compatible with 4 Point Hitch (V5293A & V5293) and PTO Kit (V5299A & V5299)



PTO DRIVE K-CONNECT MOUNTING SYSTEM & ATTACHMENT

PTO Drive K-Connect

V5299B

RTV-X, X CAB

- Used in conjunction with 4 Point K-Connect (V5293B) to operate 66" Rotary Broom (V5266) or 66" Commercial Snowblower (V5296)
- For RTV-X1120, requires Water Pump Pulley (16241-74250) and Engine Fan Belt (1E270-97010)
- Requires 4 Point K-Connect (V5293B)

50/50 Poly & Steel Brush Kit V5269

RTV-X, X CAB

• Optional 24" diameter 50/50 poly and steel brush kit for 66" Rotary Broom (V5266)

Plastic Cutting Edge with Skid Shoes

V5297

RTV-X, X CAB

 Optional plastic cutting edge and skid shoes for 66" Commercial Snowblower(V5296)





46 - 47

SPREADERS

Rock Salt Spreader V5002-A

RTV-X, X CAB

- Ideal for winter applications with 3 cubic feet capacity (240 lbs) and spreading width up to 25 ft
- Electric powered motor and transmission controlled by a variable speed weatherproof controller
- Heavy duty poly hopper construction
- Top screen and fitted cover included



Tailgate Spreader V5003-A

RTV-X, X CAB

- Ideal for year round use with 3 cubic feet capacity (240 lbs) and spreading width up to 20 ft
- Easy-to-calibrate for various materials (e.g. seed, fertilizer, bagged ice melt, and more)
- Electric powered motor and transmission controlled by a variable speed weatherproof controller
- Heavy duty poly hopper construction
- Top screen and fitted cover included



Cargo Box Spreader V5005

RTV-X, X CAB

- 11 cubic feet capacity (800 lbs) and spreading width up to 30 ft
- Electric powered motor and transmission with a dual controller for independent material and spread width control
- Heavy duty poly hopper construction
- Top screen and heavy duty vibrator included

Flow Control Tube V4407

RTV-X, X CAB

- Optional stainless adjustable flow regulator helps prevent leaking issues when handling fine pellet and flake materials
- Requires Cargo Box Spreader (V5005)



36" Drop Spreader V5004

RTV-X, X CAB

- Ideal for precise snow and ice management applications
- 6 cubic foot (480 lb) material capacity and 36" drop pattern is perfect for sidewalk maintenance
- Electric powered motor and vibrator with cab mounted digital, variable speed controller
- Features a gateless design to help improve material efficiency and reduce turf damage
- Heavy duty poly hopper construction
- Top Screen and Molded Hopper Cover included



Spreading Materials	V5002A	V5003A	V5004	V5005
Bagged Rock Salt	X		X	X
Bagged Ice Melters		x	x	(w/ V4407)
Calcium Chloride Pellets		x	X	(w/ V4407)
Calcium Flakes		X	X	(w/ V4407)
Bulk Salt			X	X
50/50 Sand Salt Mix			X	X
Granular Fertilizer & Turf Care Materials		x		(w/ V4407)



TIRES & WHEELS

Compatibility	ility RTV-X,RTV-X CAB, RTV-X CREW, RTV-X1130					
Tire	НДМР	ATV	HDWS	Turf		
Benefit	Heavy duty multi- purpose tire - Unmatched hybrid tire for on and offroad conditions	ATV - Ultimate traction for offroad use, not well suited for sensitive areas	Heavy duty worksite - Long lasting tire with low road noise. Great on jobsites and hard surfaces	Turf Tire - Turf tread and wide width reduces ground pressure and turf damage		
Specifications	- 25x10-12 6 ply tire - HDMP tread design are non-directional - Available in steel wheel and black alloy	- 25x10-12 6 ply tire - ATV tread design are directional (left or right) - Available in steel wheel, black alloy and silver alloy	- 25x10-12 6 ply tire - HDWS tread design are non-directional - Available in steel wheel, black alloy and silver alloy	- 25x12-12 6 ply tire - TURF tread design are non-directional - Available with steel wheel		
	w/ Steel Wheel: K712119301	w/ Steel Wheel: ARTV5201L (Left) ARTV5201R (Right)	w/ Steel Wheel: ARTV5203	w/ Steel Wheel: ARTV5205		
Available Option	w/ Black Alloy Wheel: K712199800	w/ Black Alloy Wheel: ARTV5212L (Left) ARTV 5212R (Right)	w/ Black Alloy Wheel: ARTV5214			
		w/ Silver Alloy Wheel: ARTV5211L (Left) ARTV 5211R (Right)	w/ Silver Alloy Wheel: ARTV5213			
Notes:		Requires: Black whe (V5203) or Silver whe (V5205)				



Black Alloy Wheels





50 — 5



Kubota Canada Ltd. 1155 Kubota Drive, Pickering, Ontario L1X 0H4

Part No.: RTVACCEN-2025

