



# FULL LINE RTV ACCESSORIES & ATTACHMENTS

RTV520 | RTV-XG850 SIDEKICK | RTV-X / RTV-X1100C / RTV-X1130 / RTV-X1140





## KUBOTA RTV LINEUP



RTV520



RTV-XG850  
SIDEKICK



RTV-X1130



RTV-X1100C



RTV-X



RTV-X1140

## MID-SIZE UTILITY VEHICLES

### RTV520

#### Accessories & Attachments

- Cab Components ..... 4
- Winches / Guard / Bed Lift ..... 8
- Cab Accessories ..... 9
- Storage / Snow Removal ..... 10
- Tires & Wheels ..... 11
- Lights ..... 12

## FULL-SIZE UTILITY VEHICLES

### RTV-XG850 SIDEKICK

#### Accessories & Attachments

- Cab Components ..... 14
- Lights / Harnesses ..... 16
- Lights / Cab Accessories ..... 17
- Winches / Bed Lift ..... 19
- Guards ..... 20
- Cargo / Storage ..... 22
- Snow Removal / Tires & Wheels ..... 23

### RTV-X SERIES

#### Accessories & Attachments

- Cab Components ..... 26
- Winches / Bed Lift / Hitch ..... 30
- Guards ..... 31
- Cargo / Storage ..... 32
- Cab Accessories ..... 33
- Rapid Access Cargo (RAC System) ..... 34
- Lights / Harnesses ..... 36
- Lights / Engine ..... 37
- Snow Removal ..... 38
- Snow Removal: K-Connect ..... 40
- Spreaders ..... 44
- Tires & Wheels ..... 46
- RTV Accessories ..... 47



### A Poly Cab Enclosure

77700-11821  
RTV520

Poly cab enclosure bundled all together to keep the operator and passenger out of the elements

**Includes:**

- Hard Cab Component Mounting Kit (V4310A)
- Poly Windshield (V4368)
- Plastic Canopy (V4312)
- Acrylic Rear Panel (77700-11822)
- Plastic Door Kit (77700-11823)

### Poly Cab Component Mounting Kit

V4310A  
RTV520

- Slotted design mounting kit for quicker installation
- Included with Hard Cab Enclosure (77700-11821)
- Only one mounting kit required to install the Hard Cab Enclosure (77700-11821) components in any combination

The following 4 Cab Components are available as part of the 77700-11821, and can also be purchased individually.

### B Poly Windshield

V4368  
RTV520

- Steel framed hard coated poly windshield featuring 30X more scratch resistance than the typical acrylic windshields
- Superior scratch resistance for longer lasting glare-free optics
- Recommend adding Wiper Kit (V4367)
- Requires Hard Cab Component Mounting Kit (V4310A)



### C Plastic Canopy

V4312  
RTV520

- Steel reinforced plastic canopy to keep the operator and passenger out of the elements
- Requires Hard Cab Component Mounting Kit (V4310A)



### D Acrylic Rear Panel

77700-11822  
RTV520

- Steel framed acrylic rear panel to prevent wind, dust, and rain from entering into the operator's area
- Requires Hard Cab Component Mounting Kit (V4310A)

### E Plastic Door Kit

77700-11823  
RTV520

- Steel reinforced black plastic doors and sliding acrylic side windows
- Requires Hard Cab Component Mounting Kit (V4310A)



### Rear Cargo Screen

Black K7311-99590  
RTV520

- Rear net mounts directly to the ROPS and prevents objects from entering the operator area from behind



### Soft Side Cab Enclosure

77700-12652  
RTV520

- Metal canopy
- Poly carbonate windshield
- Soft-sided rear panel with zipper window
- Soft-sided steel framed doors with zipper windows & Locks



## Wiper Kit

V4367

RTV520

- Keep mud, rain, dust, and everyday grime off the front windshield
- Compatible with Poly Windshield (V4368), Soft Cab Enclosure (77700-12652), and Hard Cab Enclosure (77700-11821),
- Not compatible with Upper Glass Windshield (V4316)



## Front Heavy Load Strut

V4309

RTV520

- Optional for Cab and required for V4308B Front Blade.

The following 3 Components are not compatible with Cab Enclosure Systems.



A1

## Upper Glass Windshield

V4316

RTV520

- Upper glass windshield to provide a top front barrier from wind, dust, and rain
- Recommend adding Lower Poly Windshield (V4315) for complete full coverage



B1

## Lower Poly Windshield

V4315

RTV520

- Lower Poly windshield to provide a lower front barrier from wind, dust, and rain
- Folds up to allow access to the bonnet
- Recommend adding Upper Glass Windshield (V4316) for complete full coverage



C1

## Plastic Canopy

V4321

RTV520

- Plastic canopy to keep the operator and passenger out of the elements



**Warn VRX Winch Kit**  
3,500 lb. Steel Cable 77700-11552  
RTV520

- IP68 waterproofing system standard
- Redesigned & improved brake system
- Improved and redesigned clutch system
- Engineered system which outperforms the competition
- Comes with winch remote for operation outside of cabin
- Limited lifetime mechanical & 3 year electrical warranty
- Requires K7321-97300 Winch Mounting Kit for RTV520



**Backup Beeper**  
K7321-99640  
RTV520

- Alert the surrounding people when operating in reverse



**Speedometer**  
V4333  
RTV520

- Displays speeds up to 30 mph (50 km/h)



**Black Front Grill Guard**  
K7321-99210  
RTV520

- With this stylish heavy duty grill guard, you can keep the front of the RTV520 protected while looking great
- Comes equipped on deluxe models


**Headrest**  
K7811-99550  
RTV520

- Provides head support
- Sold individually
- Requires Headrest Stay Kit (Black - K7311-99580)



**Headrest Stay Kit**  
Black K7311-99580  
RTV520

- Sold individually
- Required to install Headrest (K7811-99550)



**2" Trailer Hitch Ball Mount**  
V5300  
RTV520

- SAE Class II approved
- Max Tongue/Towing 350/3500 lbs
- Glass black finish
- Trailer ball not included




**Electric Bed Lift**  
77700-11958  
RTV520

- Convert a manual dumping bed lift to an electric dumping bed lift



**Side Mirror**  
ROPS V4338  
RTV520  
CAB V5059  
RTV520

- Increases operator visibility
- Shatter resistant tempered convex mirror with an impact-resistant housing
- Sold individually



**Front Accessory Box**

K7321-99560

RTV520

- Mounts under the hood to hold small items securely



**Cargo Box Mat**

V4352

RTV520

- Durable, polyurethane cargo box pad designed to protect all types of cargo



**60" Front Blade**

V4308B \*

RTV520

- 60" wide (straight) snow blade with trip spring
- 52" plow width @ 30° max angle
- Electric lift with manual angle adjustment
- Includes adjustable skid shoes and dedicated hitch
- Now compatible with the Electric Angle Kit (V4303)



**Glove Box Kit**

K7321-99570

RTV520

- Mounts under dash on driver's side
- Not compatible with cab heater kit



**Electric Angle Kit**

V4303

RTV520

- Converts a manual angle blade to an electric angle blade making snow removal even easier

**Snow Deflector**

V4307 \*

RTV520

- Rubber deflector mounted to the top of the 60" Front Blade (V4308B) to reduce the throw of snow and debris from the front blade
- Requires 60" Front Blade (V4308B)

**Heavy Duty Cutting Edge**

V4306 \*

RTV520

- Upgraded cutting edge constructed of heavy duty mild carbon steel
- Cutting edge is reversible for extended wear
- Requires 60" Front Blade (V4308B)

**Standard Cutting Edge**

V4305 \*

RTV520

- Replacement standard cutting edge which is standard on 60" Front Blade (V4308B)
- Cutting edge is reversible for extended wear
- Requires 60" Front Blade (V4308B)

**HDWS Steel Tire & Wheel Assembly**

Front ARTV5003

Rear ARTV5004

RTV520

- Includes 1 OEM tire and steel wheel
- Front - 24x9-12 6-ply tire
- Rear - 24x11-12 6-ply tire
- HDWS tread design are non-directional



**ATV Alloy Tire & Wheel Assembly**

Front Left K7321-99850

Front Right K7321-99860

Rear Left K7321-99870

Rear Right K7321-99880

RTV520

- Includes 1 OEM tire and alloy wheel
- Front - 24x9-12 6-ply tire
- Rear - 24x11-12 6-ply tire
- ATV tread design are directional (left or right)

**ATV Steel Tire & Wheel Assembly**

Front Left ARTV5001L

Front Right ARTV5001R

Rear Left ARTV5002L

Rear Right ARTV5002R

RTV520

- Includes 1 OEM tire and steel wheel
- Front - 24x9-12 6-ply tire
- Rear - 24x11-12 6-ply tire
- ATV tread design are directional (left or right)

**HDWS Alloy Tire & Wheel Assembly**

Front K7321-99800

Rear K7321-99810

RTV520

- Includes 1 OEM tire and alloy wheel
- Front - 24x9-12 6-ply tire
- Rear - 24x11-12 6-ply tire
- HDWS tread design are non-directional



## Strobe Light Kit

V4318  
RTV520

- Strobe light with rubber base and polycarbonate lens
- On/off toggle switch included
- Not compatible with Plastic Canopy (V4321)
- Requires Plastic Canopy (V4312), Hard Cab Enclosure (77700-11821) or Soft Cab Enclosure (77700-12652)



## Turn Signal/Hazard Light Kit

K7321-99610  
RTV520

- Includes two front hazard/indicator lamps and two rear combination hazard/indicator/tail lamp assemblies
- Not compatible with V4368 Windshield, Hard Cab Enclosure 77700-11821 or Soft Cab Enclosure (77700-12652)



## LED Work Light Kits

Front LED Work Light Kit (2) 77700-11933  
RTV520

Rear LED Work Light Kit (1) 77700-11934  
RTV520

- Six high intensity LEDs
- Ideal for off-road driving only
- Measured lumen: 1,000 lm
- Multivolt 10-30V DC
- Mounting: upright or flush
- Dimensions: 1.8"W x 6.3"H x 2.5"D  
2.4"W x 7.7"H x 1.8"D



## RTV-XG850 SIDEKICK

### Poly Windshield VP0804A


- Fixed hard coated poly windshield to provide a front barrier from wind, dust, and rain
- Includes 4 quick clamps preinstalled for a quick and easy install

### Poly Flip Windshield VP0805

- Flip hard coated poly windshield to provide a front barrier from wind, dust, and rain
- Includes 4 quick clamps preinstalled for a quick and easy install

### Glass Windshield VP0802

- Fixed laminated glass windshield to provide a front barrier from wind, dust, and rain
- Includes 4 quick clamps preinstalled for a quick and easy install
- Recommend adding Wiper Kit (VP0817) and Washer Kit (VP0818)



### Wiper Kit VP0817

- Includes a single wiper to keep the glass windshield clear from dust and rain
- Compatible only with Glass Windshield (VP0802)
- Requires Accessory Wiring Harness (V0881)

### Premium Roof VP0801A

- Twin sheet vacuum formed black plastic roof with plug & play connections for electrical accessories and Premium Audio System (VP0897)
- Keep the operator and passenger out of the elements

### Premium Audio System VP0897

- Rugged Jensen Bluetooth audio system offers AM/FM, USB, and Auxiliary inputs
- Includes two Jensen speakers & antenna
- Not compatible with the Sport Roof (VP0800A)
- Requires Accessories Wiring Harness (V0881)

### Sport Roof VP0800A

- Single sheet vacuum formed black plastic roof
- Keep the operator and passenger out of the elements

### Sport Roof Seal Panel Kit VP0807

- Not compatible with Premium Roof (VP0801A)
- Required when using Heater Kit (V5247) to create a fully sealed cab



### Antenna 77700-04762

- Optional antenna for the Premium Audio System (VP0897) for AM/FM

### Poly Rear Panel VP0806

- Poly rear panel to prevent wind, dust, and rain from entering into the operator's area
- Features a louver vent to allow airflow through the cabin

### Glass Rear Panel VP0803

- Glass rear panel to prevent wind, dust, and rain from entering into the operator's area

Poly Windshield

Poly Flip Windshield

Glass Windshield

Premium Roof

Premium Audio System

Sport Roof

Sport Roof Seal Panel Kit

Poly Rear Panel

Glass Rear Panel

Door Set

Door Insert Kits

### Door Set VP0810A

- Rear hinged thermoformed doors with steel frame for increased rigidity
- Large roll down glass windows
- Features a storage pocket with an integrated bottle holder
- Requires Front Heavy Duty Strut Kit (V5219) when installing an enclosed cab or front attachment

### Side Mirror Kit Cab VP0815 ROPS V4358 or 77700-10706

- Increases operator visibility
- Cab mirrors sold in a pair (left & right)
- ROPS mirrors sold individually

### Underhood Seal Kit VP0808

- Required when using Heater Kit (77700-V5247) to create a fully sealed cab

### Heater Kit V5247

- Add an integrated heater with an in-dash adjustable temperature
- Requires an Underhood Seal Kit (VP0808) for a fully sealed cab
- Requires a Sport Roof Seal Panel Kit (VP0807) when used with a Sport Roof (VP0800A)

### Front Heavy Duty Strut Kit V5219

- A pair of preassembled front struts with heavy duty springs
- No special tools required to install
- Required when installing an enclosed cab or front implement

### 2" ROPS Quick Clamp VP0819

- Quick and easy ROPS clamp to attach an assortment of RTV accessories
- Sold individually

### Door Insert Kits

- Orange VP0820
- Camo VP0821
- Black VP0823

- Add matching accent door panels to match the body color of the hood and rear cargo bed panels



Switches for the lighting accessories below are included with their respective mounting kit.

## 6" LED Worklight

VP0892


- Equipped with 6 LEDs and produces 1,000 lumens
- Features a quick connector for an easy front or rear worklight install
- Sold individually
- Requires Front Worklight Mounting Kit (VP0893) or Rear Worklight Mounting Kit (VP0894)
- Requires Sport Roof Worklight Supports (VP0890) when used with a Sport Roof (VP0800A)
- Requires two 2" ROPS Quick Clamps (VP0819) when installing 2 worklights onto the ROPS



## 13.5" LED Light Bar

VP0891

- Features a low and high setting equipped with 12 LEDs capable of producing 2,200 lumens (High setting)
- Requires Light Bar Mounting Kit (VP0895)
- Requires two 2" ROPS Quick Clamps (VP0819) when installed onto the ROPS



## Strobe Light

77700-08686

- LED strobe light features a magnetic base
- 70 flashes per minute
- 11 flash patterns
- Requires Strobe Mounting Kit (77700-VP0896) and Accessory Wiring Harness (V0881)
- Requires one 2" ROPS Quick Clamps (VP0819) when installed onto the ROPS



Powering any of the 3 lights above will require a switch panel and accessory wiring harness. Add a ROPS wiring harness to add plug & play connections to a ROPS or Sport Roof configuration.

## Switch Panel

77700-10732

- Centralized accessory switches into one convenient location
- Required for 13.5" LED Light Bar (VP0891), 6" LED Worklights (VP0892), Strobe Light (77700-08686), Wiper Kit (VP0817), and Washer Kit (VP0818)



## ROPS Wiring Harness

V0882

- Includes plug & play connections for 13.5" LED Light Bar (VP0891) and two front 6" LED Worklights (VP0892)
- Requires Accessory Wiring Harness (V0881)

## Accessory Wiring Harness

77700-V0881

- Main harness to provide power to the Premium Roof (VP0801A) or ROPS Wiring Harness (V0882)
- Includes plug & play connections for a rear 6" LED Worklight (VP0892), Strobe Light (08686), Wiper Kit (VP0817), and Washer Kit (VP0818)



Need more lights? Check out these additional lighting kits, which include everything necessary to light the way to cross over to more.

## LED Headlight K7811-99680

- Add an optional 2nd set LED headlight to give the machine that unique quad LED look



## Front Worklight Kit K7811-99650

- Add optional front worklights to the Sidekick front guard
- Sold in a pair (left & right)
- Requires Sidekick Front Guard (V5264)



## Reverse Alarm K7811-99640

- Alert the surrounding people when operating in reverse



## Turn Signal / Hazard Light Kit K7811-99610

- Includes two front hazard/indicator lamps and two rear combination hazard/indicator/tail lamp assemblies



## Interior Rearview Mirror VP0816

- Convex wide mirror and mounts to the ROPS
- Easy to install on a ROPS or Cab



## Headrest K7811-99550

- Provides extra head support with a stylish design
- Sold individually
- Requires Headrest Stay Kit K7591-99540



## Soft Grip Handle V0834

- Steel handle wrapped with a rubber grip
- Kubota branded heavy duty velcro strap
- Easy to install and remove



## Headrest Stay Kit K7591-99540

- Sold individually
- Required to install Headrest (K7811-99550)



## Premium Side Mirror 77700-10706

- Enhanced field of view
- Dual axis breakaway
- Three-way adjustment
- Adjustable blindspot mirror
- Anti-vibration technology
- ROPS Mounted
- Fits left or right side
- Easily return mirror to your preset position each time it breaks away for consistent viewing alignment





## Warn VRX & Axon Winches

**Winch Kit VRX 3,500 lb. Steel Cable 77700-11552**

**Winch Kit VRX 4,500 lb. Synthetic Rope 77700-11554**

**Winch Kit AXON 4,500 lb. Synthetic Rope 77700-11558**

- IP68 waterproofing system standard
- Redesigned & improved braking system
- New manual clutch for improved durability & sealing
- Engineered to outperform the competition
- The Axon line of winches provides class-leading electronics that help prevent motor failure and offer half the installation time compared to the VRX
- Limited lifetime mechanical & 3 year electrical warranty
- Dash-mounted switch and remote standard
- **Fits 2-seater units only**



## Electric Over Hydraulic Bed Lift

**K7811-99670**

- Convert a manual bed lift to an electric over hydraulic bed lift

## Sidekick Front Guard

V5264

- Replacement RTV-XG850 Sidekick front guard
- Upgrade the front appearance of a General Purpose



## Rear Bumper

K7811-99250

- Upgrade the visual appearance while guarding the cargo bed
- Includes Tail Lamp Guards (K7811-99660)



## Plastic Bumper

K7811-99220

- Upgrade the visual appearance of the front bumper



## Tail Lamp Guard

K7811-99660

- Upgrade the visual appearance while protecting the tail lamps
- Sold in a pair (left & right)



## Front Under Guard

K7811-99240

- Upgrade the visual appearance while guarding the front underside



## A-Arm Guard

Front K7811-99150  
Rear K7811-99160


- Metal guards to guard against debris
- Sold in a pair (left & right)



## Bush Guard

K7811-99230

- Upgrade the visual appearance while guarding the front



## Mud Guard

Front V5225  
Rear K7811-99510

- Add a visual appeal while guarding against debris
- Sold in a pair (left & right)



## Deluxe RTV Cargo Box

77700-08760

- Features 4.5 cu. ft. of cargo capacity in a tough and durable polyethylene construction to resist corrosion, water, and dust
- Lockable latches to secure your cargo
- Transport your tools and equipment into some of the most extreme terrain and conditions
- Easy-to-lift covers providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Great for outdoor enthusiasts - non-reflective surfaces
- Requires 2 pairs of Cargo Clamps (K7811-99560) and Plastic Cargo Box Mounting Kit (77700-V0838)
- Requires 2 additional Plastic Cargo Box Mounting Kits (77700-V0838) when installed with RTV Rubber Cargo Bed Mat (V0830)



## Cargo Clamp

K7811-99560


- Drill-less cargo bed clamp with interchangeable rubber inserts
- Sold in a pair



## Bed Extender

K7811-99570

- Drill-less design and can be positioned along the length of the cargo bed
- Can be positioned to extend or divide the cargo bed capacity



## Cargo Bed Rail

K7811-99590

- Increase cargo bed capacity
- Sold in a pair (left & right)
- Not compatible with Deluxe RTV Cargo Box (77700-08760)



## Rack Over Hood

V0831

- Mounts to the front guard to add additional storage over the front hood
- Designed to be removed quickly without tools
- Can be pivoted to access the components under the front hood for general service and maintenance
- Not compatible with Plastic Bumper (K7811-99220)



## RTV Rubber Cargo Bed Mat

V0830

- Rubber compression molded rubber with integrated Kubota branding
- Protects the cargo bed from scratches and scuff marks
- Prevent objects from sliding around the cargo bed



## 74" General Duty Front Blade V0840

- 72" wide general purpose snow blade with 19" moldboard height and 12 gauge moldboard thickness
- 64.5" plow width @ 30° max angle
- Electric lift with manual angle adjustment
- Requires Front Heavy Duty Strut Kit (V5219) and steel cable VRX winch (77700-11552)



## Tire & Alloy Wheel Assembly

- Black ATV Left** ARTV5212L
- Black ATV Right** ARTV5212R
- Black HDWS** ARTV5214
- Silver ATV Left** ARTV5211L
- Silver ATV Right** ARTV5211R
- Silver HDWS** ARTV5213

- Includes 1 OEM tire and alloy wheel
- 25x10-12 6-ply tire
- ATV tread design are directional (left or right)
- HDWS tread design are non-directional
- Requires alloy Wheel Hardware Kit (black - V5203) or (silver - V5205)



## HDWS Tire & Wheel Assembly

K7811-19410

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- HDWS tread design are non-directional



## ATV Tire & Wheel Assembly

**Left** K7811-19210  
**Right** K7811-19260

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- ATV tread design are directional (left or right)



# RTV-XG RANCHER PACKAGE

All-around utility for the all-terrain workhorse.



Ride through tough terrain, and take on everyday chores with rugged utility. The XG850 is built to be your tough workhorse on the farm, around pasture or in the woods with best-in-class handling, acceleration and cargo.

### Speeds up to 64 kph

Conquer big hills and distant destinations with a powerful 54 HP gas engine.

### Superb Steering

Speed sensitive electronic steering delivers great handling and comfort.

### Outdoor-Ready

Comes with Flip windshield, sport roof, poly rear panel and soft grip handles for comfort. Front guards for extra protection.

### Outdoor Utility

Features a cargo bed extender with Cargo bed rails, and a VRX3500 winch.

# RTV-XG NORDIK PACKAGE

Challenge the Canadian seasons with power, performance, and all-weather comfort.



The Kubota RTV-XG850 Nordik package is crafted for cold-weather utility. Decked out with a complete cab to shield you from the elements and climate control for added comfort. Tested to keep you going in winter conditions — because we know the work must go on even if the snow won't stop.

### Quality and Convenience

Twin sheet vacuum formed black plastic roof for warmth with plug & play connections for accessories such as a radio and more.

### Climate Comforts

Loaded with a proper heater for defrosting and venting to keep riders warm and visibility high in cold temperatures.

### Rugged Durability

Built with quality materials to outlast the seasons ahead.

### Winter-ready Utility

Comes with a rear bumper for added protection and a warn winch to ensure this UTV can keep working and not get stuck in tough terrain or conditions.

## RANCHER PACKAGE INCLUDES

- Soft Grip Handles
- RTV-XG850 Interior Rear-View Mirror
- RTV Side View Mirror Kit (ROPS)
- RTV-XG850 Plastic Bumper
- RTV-XG850 Bush Guard
- RTV-XG850 Rear Bumper
- Under Guard
- RTV-XG850 Rear Mud Flaps
- Front Mud Guards
- Flip Windshield
- Polycarbonate Rear Panel w/ Vent
- Sport Roof
- RTV-X Bed Extender
- RTV-X Cargo Bed Rail
- VRX35 3500 lbs Steel Cable Single Row
- Rancher Badge

## NORDIK PACKAGE INCLUDES

- RTV-XG850 Accessory Harness
- Switch Panel Box
- Premium Roof w/ Electrical Harness
- Glass Windshield
- Wiper Kit
- Windshield Washer Kit
- Glass Rear Panel
- Door Set
- Heater and Vent Kit for RTV X Poly Cab
- Under Hood Closeout
- VRX35 3500lbs Steel Cable Single Row
- Block Heater
- RTV-XG850 Rear Bumper
- Nordik Badge
- Front HD Load Dampener
- Door Strut Kit

## ≥50 HOURS\*

**Air Cleaner Element:**  
Inspect & Clean  
as Needed

**Engine Oil:**  
Change - XG850 Only

**Pre Cleaner Element:**  
Inspect & Clean as  
Needed - 520 Only

**Fuel Filter Element:**  
Inspect & Clean  
as Needed

**Brake Pads & Fluid:**  
Inspect & Clean  
as Needed

**General Lubrication:**  
All Fittings, Pivots,  
Linkages & Cables, Etc.

## 100 HOURS

**Engine Oil & Filter:**  
Change - 20 Hour Interval  
for XG850

**Transmission Oil Filters:**  
Change

**Wheel Fastener Torque:**  
Inspect

**Tire Wear:**  
Inspect

**CVT Belt:**  
Inspect - XG850 Only

**Brake Pads & Fluid:**  
Inspect & Clean  
as Needed

**General Lubrication:** All  
Fittings, Pivots, Linkages  
& Cables, Etc. - Every 50

## 200 HOURS

**Air Cleaner Element:**  
Replace

**Engine Oil & Filter:**  
Change

**Pre Cleaner Element:**  
Inspect & Clean as  
Needed - 520 Only

**Transmission Oil Filters:**  
Replace

**Hydraulic Tank Oil:**  
Change

**Fuel Filter Element:**  
Inspect & Clean  
as Needed

**Brake Pads & Fluid:**  
Inspect & Clean  
as Needed

**General Lubrication:**  
All Fittings, Pivots,  
Linkages & Cables, Etc.

## 300 HOURS

**Air Cleaner Element:**  
Inspect & Clean as Needed

**Engine Oil:**  
Change - XG850 Only

**Pre Cleaner Element:**  
Inspect & Clean as Needed - 520 Only

**Fuel Filter Element:**  
Inspect & Clean as Needed

**Brake Pads & Fluid:**  
Inspect & Clean as Needed

**General Lubrication:**  
All Fittings, Pivots, Linkages & Cables, Etc.

## 400 HOURS

**Air Cleaner Element:**  
Inspect & Clean as Needed

**Engine Oil & Filter:** Change

**Pre Cleaner Element:**  
Inspect & Clean as Needed - 520 Only

**Transmission Oil Filters & Fluid:**  
Replace

**Hydraulic Tank Oil:**  
Change

**Cab Air Filter:**  
Inspect & Clean as Needed - X1100C

**Front Knuckle Case Oil:**  
Change - X1100C

**Front Axle Case Oil:**  
Change

**Fuel Filter Element:**  
Inspect & Clean as Needed

**Brake Pads & Fluid:**  
Inspect & Clean as Needed

**General Lubrication:**  
All Fittings, Pivots, Linkages & Cables, Etc.

\*Break-in period is 50 hours



**A1**

### Poly Windshield

VC5023

RTV-X, X1130, X1140

- Steel framed, hard coated poly windshield to provide a front barrier from wind, dust, and rain
- Features latches to allow airflow through the cabin
- Compatible with Wiper Kit (VC5030)



**A2**

### Laminated Glass Windshield (AS1)

VC5020

RTV-X, X1130, X1140

- Steel framed, laminated glass windshield to provide a front barrier from wind, dust, and rain
- Designed to hold together when shattered and prevents glass from breaking into large sharp pieces
- Features latches to allow airflow through the cabin
- Compatible with Wiper Kit (VC5030)



**A3**

### Tempered Glass Windshield (AS2)

VC5025

RTV-X, X1130, X1140

- Steel framed, tempered glass windshield to provide a front barrier from wind, dust, and rain
- Designed to crumble into small granular chunks instead of sharp jagged shards
- Features latches to allow airflow through the cabin
- Compatible with Wiper Kit (VC5030)



**B**

### Wiper Kit

VC5030

RTV-X, X1130, X1140

- Includes a single 16" wiper to keep glass & poly windshields clear from dust and rain
- Compatible only with Poly Windshield (VC5023), Laminated Glass Windshield (VC5020), & Tempered Glass Windshield (VC5025)



Alternative windshields for a windshield & canopy configuration only.

### Poly Windshield

Clear V5258

Tinted V5259

RTV-X, X1130

- Alternative, crack-resistant poly windshield for those who do not require the compatibility of a full cab enclosure
- Not compatible with Wiper Kit (VC5030)
- Compatible only with Plastic Canopy (V5221)



### Acrylic Windshield

Clear V5027

Tinted V5028

RTV-X, X1130, X1140

- Alternative, scratch-resistant acrylic windshield for those who do not require the compatibility of a full cab enclosure
- Not compatible with Plastic Canopy (V5221) & Wiper Kit (VC5030)



**C1**

### Metal FOPS Canopy

Black VC5000


Orange VC5001

RTV-X, X1130

Black VC5044

X1140

- Metal canopies are FOPS certified to provide additional protection while keeping the operator and passenger out of the elements
- Not compatible with Poly Windshield (clear - V5258) or (tinted - V5259)



**C2**

### Plastic Canopy

Black VC5011

RTV-X, X1130

Black VC5043

X1140

- Plastic canopy to keep the operator and passenger out of the elements
- Not compatible with Poly Windshield (clear - V5258) or (tinted - V5259)



Alternative canopy for a windshield & canopy configuration only.

### Black Plastic Canopy

V5221

RTV-X, X1130

- Alternative plastic canopy for those who do not require the compatibility of a full cab enclosure
- Compatible only with Poly Windshield (clear - V5258) or (tinted - V5259)



**D1**

### Glass Rear Panel

VC5040

RTV-X, X1130

- Steel framed, glass rear panel to prevent wind, dust, and rain from entering into the operator's area




**D2**

### Rear Screen

Black K7731-99280

X1100C

- Optional rear screen mounts to the RTV-X1100's ROPS structure acting as a barrier between the bed and rear window






**A1**

### Metal Door Set

**Black VC5090**  
**Orange VC5091**  
**RTV-X, X1130**

- Steel doors featuring an upper sliding window and a lower pocket window
- Convenient heavy duty hinges allow for doors to be removed and stored away
- Requires Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)


**A2**

### Vinyl Door Set

**VC5095**  
**RTV-X, X1130**

- Vinyl doors featuring clear vinyl window
- Windows can be zipped open and rolled up
- Convenient heavy duty hinges allow for doors to be removed and stored away
- Requires Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)



### Mid-Panel

**Steel w/ Sliding Window VC5046**  
**Vinyl VC5047**  
**X1140**

- Add an optional mid-panel to completely enclose the front row of the RTV-X1140
- Requires 4 Metal Door Set with Rear Panel (VC5045)



Steel with Sliding Window

**A3**

### 4 Metal Door Set w/ Rear Panel

**VC5045A**  
**X1140**

- 4 steel doors featuring an upper sliding window and a lower pocket window
- Includes a rear panel to fully enclose the RTV-X1140 in a two row configuration when combined with a compatible canopy and windshield
- Convenient heavy duty hinges allow for doors to be removed and stored away
- Recommend adding a mid-panel to fully enclose the front row of the RTV-X1140 when combined with a compatible canopy and windshield



### Front Heavy Duty Spring Kit

**V5218**

**RTV-X (X1130, X1100 & X1140 - Standard)**

- Reuse the front struts and upgrade the front springs to heavy duty springs
- Required when installing an enclosed cab and/or front attachment

### Front Heavy Duty Strut Kit

**V5219**

**RTV-X (X1130, X1100 & X1140 - Standard)**

- A pair of preassembled front struts with heavy duty springs
- No special tools required to install
- Required when installing an enclosed cab and/or front attachment

### Half Door Kit

**K712199250**

**RTV-X, RTV-X1130**

- Poly half doors with levers allow for easy access in and out of the machine
- Added piece of mind and helps keep debris from entering machine



### Side Mirror Kit

**Cab VC5076**  
**ROPS V4358**  
**RTV-X, X1130, X1140**

- Increases operator visibility
- Cab mirrors sold in a pair (left & right)
- ROPS mirror sold individually



### Premium Side Mirror

**77700-10706**  
**RTV-X, RTV-X1130,**  
**RTV-X1140, RTV-XG850**

- Enhanced field of view
- Dual axis breakaway
- Three-way adjustment
- Adjustable blindspot mirror
- Anti-vibration technology
- ROPS Mounted
- Fits left or right side
- Easily return mirror to your preset position each time it breaks away for consistent viewing alignment



### Side Mirror

**V5059**  
**X1100**

- Shatter resistant tempered convex glass for increased durability
- Impact resistant ABS housing for lasting durability
- Ball socket joint provides easy adjustment and wide range view
- Sold individually



### Heavy Duty AM/FM/WB Radio

**E9300A**  
**X1100**

- 160-watt max output (40W x 4)
- Seven-channel NOAA weatherband tuner
- Segmented, high-visibility LCD display with clock
- Two-wire hook-up prevents battery drain when vehicle is off



### Heavy Duty AM/FM/WB/USB/iPhone®/iPod®/SiriusXM Ready® Radio

**E9276D**  
**X1100**

- 180-watt max output (45W x 4)
- iPod/iPhone controls and charging via front USB
- SiriusXM Ready (requires SiriusXM tuner and antenna)
- Seven-channel NOAA weatherband tuner and "Weather Alert"
- Microphone sold separately



### Heater Kit

**VC5083A**

**RTV-X, X1130, X1140**

- Add an integrated cab heater with well-placed vents to stay warm during frigid winters
- Requires Wire Harness (Multiple - VC5080) or (Single - VC5081)






## Warn VRX & Axon Winches

- Winch Kits for:**  
**RTV-X, X1100**  
**VRX 3,500 lb. Steel Cable 77700-11552**  
**VRX 4,500 lb. Synthetic Rope 77700-11554**  
**AXON 4,500 lb. Synthetic Rope 77700-11558**

- IP68 waterproofing system standard
- Redesigned & improved braking system
- New manual clutch for improved durability & sealing
- Engineered to outperform the competition
- The Axon line of winches provides class-leading electronics that help prevent motor failure and offer half the installation time compared to VRX
- Limited lifetime mechanical & 3 year electrical warranty
- Dash-mounted switch and remote standard

## Cargo Bed Winch

- K792199580**  
**RTV-X1130**
- Installs in the cargo box to conveniently load with up to 750lbs of pull capacity
  - Recommended to use in conjunction with tailgate extender (K792199590) to load items directly from ground level



- Winch Kits for:**  
**X1130, X1140**  
**VRX 3,500 lb. Steel Cable 77700-11553**  
**VRX 4,500 lb. Synthetic Rope 77700-11555**

- 4-Seater winches for RTV-X1140 only




## Tailgate Extender

- K792199590**  
**RTV-X1130**
- Tailgate extender unfolds to add extra length to the tailgate
  - Allows tailgate reach ground level with the cargo box in the tipped position
  - Recommended to use in conjunction with cargo bed winch (K792199580) winch (\*K)



## 2" Trailer Hitch Ball Mount

- V5300**  
**RTV-X, X1130, X1100, X1140**
- Towing is easy with this 2" Trailer Ball Mount Kit (does not include hitch ball)



## Hydraulic Bed Lift

- V5242**  
**Basic RTV-X**  
**(X1100, X1130 and X1140 - Standard)**
- Upgrade a manual bed lift on a basic RTV-X



## General Purpose Front Guard

- Black K7591-97900**  
**RTV-X**
- Replacement general purpose front guard



## Worksite Front Guard

- Black K7591-97910**  
**RTV-X, X1130, X1140**
- Replacement worksite front guard



## Deluxe Front Guard

- Black K7421-97900**  
**RTV-X, X1130, X1100, X1140**
- Replacement deluxe front guard




## Tail Lamp Guard Kit

- V5227**  
**RTV-X, X1130, X1100, X1140**
- Protect your tail light from damaging debris by installing this Tail Lamp Guard Kit



## CV Joint Guard

- Front V5238**  
**Rear V5239**  
**RTV-X, X1130, X1100, X1140**
- Help protect your front CV Joint from rocks and stumps with this CV Joint Guard
  - Reduce potential damage to the rear CV Joint with this CV Joint Guard



## Mud Guard

- Front V5225**  
**Rear V5226**  
**RTV-X, X1130, X1100, X1140**
- Cut down on flying mud by installing this Mud Guard Kit
  - Decrease mud spatter off the rear wheels with this Mud Guard Kit

## Deluxe RTV Cargo Box

77700-08760

RTV-X, X1100, X1140

- Features 4.5 cu. ft. of cargo capacity in a tough and durable polyethylene construction to resist corrosion, water, and dust
- Lockable latches to secure your cargo
- Transport your tools and equipment into some of the most extreme terrain and conditions
- Easy-to-lift covers providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Great for outdoorsmen - non-reflective surfaces
- **Requires** 2 pairs of Cargo Clamps (K7811-99560) and Plastic Cargo Box Mounting Kit (77700-V0838)
- **Requires** 2 additional Plastic Cargo Box Mounting Kits (77700-V0838) when installed with RTV Rubber Cargo Bed Mat (V0830)



## Storage Box

K792199560

RTV-X1130

- Kit includes storage box for driver and passenger side
- Adds additional on board storage and protects items from debris



## RTV Rubber Cargo Bed Mat

V0830

RTV-X, X1100

- Rubber compression molded rubber with integrated Kubota branding
- Protects the cargo bed from scratches and scuff marks
- Prevent objects from sliding around the cargo bed



## 2 Cargo Clamps

K7811-99560

RTV-X, X1100, X1140

- Drill-less cargo bed clamp with interchangeable rubber inserts
- Sold in a pair



## Plastic Bed Liner

V5229

RTV-X, X1100

- Prevent bed dents and dings with this high-quality plastic bed liner

## Sun Visor Kit

V5286

X1100

- Match the interior of the RTV-X1100 with sun visors to block the sun
- Sold in a pair (left & right)



## Headrest

Black K7811-99550

RTV-X, X1130

- Add comfort and support to your day with this Headrest from Kubota
- Sold individually
- Requires Headrest Stay Kit (black -K7591-99540)



## Backup Alarm Kit

V5236

RTV-X, X1130, X1100, X1140

- Alert the surrounding people when operating in reverse



## Interior Rearview Mirror

VP0816

RTV-X, RTV-X1130, RTV-X1140

- Convex wide mirror and mounts to the ROPS
- Easy to install on a ROPS or Cab



## Headrest Bracket Kit

Black K7591-99540

RTV-X, X1130

- Required to install headrest (black - K7811-99550)
- Sold individually



## Hand Throttle Kit

D1105 Engine V5243

RTV-X, X1100

- Hold engine speed at a constant RPM regardless of vehicle speed





**A**  
**Full RAC Frame System**  
 V5012CA  
 RTV-X, X1100

- Heavy-duty powder-coated steel construction
- Wide selection of easy to use compatible attachments
- Exterior mounted risers provide greater carrying capacity
- Works with or without cab
- RAC Structure weighs approx. 85lbs




**B**  
**Long Handle Tool Carrier**  
 V5018CA  
 RTV-X, X1100

- High-strength steel construction
- Each scabbard has seven handle slots
- Two Scabbards can be combined to hold tools in-line
- Designed to minimize reach-over when loading & unloading tools
- Requires Full RAC Frame System (V5012CA)



**C**  
**Extender Basket**  
 V5015CA  
 RTV-X, X1100

- Large basket that can be positioned horizontally and stacked
- High-strength steel construction but light enough for carrying by hand
- Free large elastic cargo net included - 32" L x 14" W
- Dimensions - 46" W x 14" D x 3.75" H
- Weight Capacity 125lbs
- Requires Full RAC Frame System (V5012CA)




**D**  
**RTV String Trimmer Holder**  
 V4419CA  
 RTV-X, X1100

- High-strength steel forks over-molded with durable rubber
- Patented non-binding rubber fins cushion objects being carried
- Heavy-duty rubber straps secure items to forks
- Forks rotate 360 degrees and lock into place for multiple angles
- Forks adjust from 1.5" to 3.5" wide to hold a wide range of shapes & sizes
- Requires Full RAC Frame System (V5012CA)



**E**  
**Half Clip Basket**  
 V5016CA  
 RTV-X, X1100

- Shorter version of the Full Clip Basket for smaller loads
- Dimensions - 24.15"L x 12.5"W x 4.3"H
- Weight Capacity 75lbs
- Elastic cargo net included
- Requires Full RAC Frame System (V5012CA)



**F**  
**Full Clip Basket**  
 V5017CA  
 RTV-X, X1100

- High-strength steel construction but light enough to carry by hand
- Multiple mounting locations inside or outside RAC Structure
- Dimensions - 37.75"L x 12.5"W x 4.3"H
- Elastic cargo net included- 11"L x 14"W
- Weight Capacity 75lbs
- Requires Full RAC Frame System (V5012CA)




## 2 Front LED Work Light Kit

VC5050

RTV-X, X1130, X1140

- Six high intensity LEDs on each light
- Illuminated, high quality rocker switch
- Sold in a pair (left & right)
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple - VC5080) or (Single - VC5081)



## Dome Light

VC5053

RTV-X, X1130, X1140

- Built-in on/off rocker switch
- Bright 1-watt LED light
- Adjustable 40-degree swivel and spin
- Convenient for pre-dawn or working late into the night
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple - VC5080) or (Single - VC5081)



## 4-Way Strobe-type Flashers

VC5057A

RTV-X, X1130, X1140

- Black and weatherproof housing for indoor or outdoor use
- 18 different flash patterns to choose from
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple - VC5080) or (Single - VC5081)



## Rear LED Work Light Kit

VC5051A

RTV-X, X1130, X1140

- Six high intensity LEDs on each light
- Illuminated, high quality rocker switch
- Sold individually
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple - VC5080) or (Single - VC5081)



## Strobe Light

VC5056

RTV-X, X1130, X1140

VC5058

X1100

- Amber beacon features 70 FPM pulse, 8 ash patterns
- Illuminated, high quality rocker switch
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple - VC5080) or (Single - VC5081)



Additional lighting options available with all the required.

## Halogen Front Work Lights

V5222

RTV-X, X1130

V5282

X1100

- Halogen front work light kit includes 2 work lights
- For RTV-X1100, the lights mount to the top with everything necessary for installation
- For RTV-X900 and RTV-X1120, lights mount to the ROPS or Plastic Canopy (K7591-99390) with everything necessary for installation



## Halogen Rear Work Light

V5223

RTV-X, X1130

V5283

X1100

- Halogen rear work light kit includes 1 work light
- For RTV-X1100, the lights mount to the top with everything necessary for installation
- For RTV-X900 and RTV-X1120, lights mount to the ROPS or Plastic Canopy (K7591-99390) with everything necessary for installation



## Hazard Light Kit

V5237

X1140

V5257

X1100

K712199610

RTV-X

- Includes two front hazard/indicator lamps and two rear combination hazard



## Block Heater

72000-03259

X1120, X1100, X1140

- Makes starting in cold climates less demanding on the engine



## LED Cargo Bed Lights

K792199570

RTV-X1130

- Includes 2 LED lights that mount in the cargo box
- Easy to access on/off switch mounted on exterior
- Includes all wiring and switches



## Extended Oil Dipstick

D1105 Engine V5204A

RTV-X, X1130, X1100, X1140

- Check oil regularly and precisely without having to raise the dump bed



Select either wiring harness setup below to power the 5 lights above individually or together.

## Wire Harness - Multiple

VC5080

RTV-X, X1130, X1140

- For multiple electrical accessories or lights
- In-line fuse for circuit protection
- Automotive relay included (VP0818)

## Wire Harness - Single

VC5081

RTV-X, X1130, X1140

- For single electrical accessory or light
- In-line fuse for circuit protection
- Automotive relay included

## ELECTRIC POWERED ATTACHMENTS

### 72" General Duty Front Blade V5008

RTV-X, X1130, X1100, X1140

- 72" wide general purpose snow blade with 19" moldboard height and 12 gauge moldboard thickness
- 64.5" plow width @ 30° max angle
- Electric lift with manual angle adjustment
- Recommend optional Hydraulic Angle Kit (V5007) to convert to hydraulic angle
- Requires Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218) for RTV-X



## HYDRAULIC POWERED ATTACHMENTS

### 72" Commercial Straight Blade V5290

RTV-X, X1100

- 72" wide commercial snow blade with 21.75" moldboard height and 10 gauge moldboard thickness
- 62.4" plow width @ 30° max angle
- Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with adjustable blade trip springs
- Recommend optional Markers (V5250)
- Requires Front Quick Hitch (V5289), Electro-Hydraulic Valve Kit (V5232), Auxiliary Hydraulic Pump (X900 - V5271) or (X1120/X1100 - V5272), & Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)



### 72" V-Plow Blade V5291

RTV-X, X1100

- 72" wide V-Blade (straight) with moldboard height 19 1/8" @ center, 20 1/2" @ ends, and 3/8" moldboard thickness
- 66" V position width and 59" scoop position width
- Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with built-in relief valves to protect against impact
- Trip cutting edges
- Recommend optional Markers (V5250) and Curb Guards (V5256)
- Requires Front Quick Hitch (V5289), Electro-Hydraulic Valve Kit (V5232) & (3rd function - V5233), Auxiliary Hydraulic Pump or (RTV-X/X1100 - V5272), & Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)



### 60" Rotary Broom V5260

RTV-X, X1100

- 60" wide rotary broom with 18" diameter poly brushes
- 50 1/2" width @ 25° max angle
- Reversible broom rotation
- Hydraulic lift and angle adjustment
- Recommend optional Markers (V5250)
- Requires Front Quick Hitch (V5289), Electro-Hydraulic Valve Kit (V5232) & (3rd function - V5233), Auxiliary Hydraulic Pump (RTV-X/X1100 - V5272), Hydraulic Oil Cooler (V5240), Hand Throttle Kit (V5245), & Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)



## HYDRAULIC POWERED MOUNTING SYSTEM

### Front Quick Hitch V5289

RTV-X, X1100

- Required quick hitch system designed for 72" Commercial Straight Blade (V5290), 72" V-Plow Blade (V5291), and 60" Rotary Broom (V5260) for easy implement changes



### Front Guard Adapter Kit V5255

RTV-X, X1100

- Optional front guard adapter for Front Quick Hitch (V5289) to reinstall front guard when front quick hitch implements are put away for the season

## HYDRAULIC POWERED ATTACHMENTS

### Hydraulic Angle Kit V5007

RTV-X, X1130, X1100, X1140

- Optional hydraulic angle kit to upgrade 72" General Duty Front Blade (V5008) to hydraulic angle adjustment
- Requires Auxiliary Hydraulic Pump, (RTV-X/X1100 - V5272), or (X1130 & X1140 - V5262) and Auxiliary Hydraulic Valve: One Valve (RTV-X/X1100 - V5273), Two Valve (RTV-X/X1100 - V5274), or One Valve (X1130/X1140 - V5263)

### Auxiliary Hydraulic Valve Kit

One Valve V5273

RTV-X, X1100

One Valve V5263

X1130, X1140

Two Valve V5274

RTV-X, X1100

- Required for Hydraulic Angle Kit (V5007) and aftermarket implements

### Hydraulic Oil Cooler V5240

RTV-X, X1100

- Required for 60" Rotary Broom (V5260)

### Hand Throttle Kit V5245

RTV-X, X1100

- Required for 60" Rotary Broom (V5260)

### Markers V5250

RTV-X, X1100

- Optional markers to increase visibility for 72" Commercial Straight Blade (V5290), 72" V-Plow Blade (V5291), or 60" Rotary Broom (V5260)

### Auxiliary Hydraulic Pump D1105 Engine V5272

RTV-X, X1100

D1105 Engine V5262

X1130, X1140

- Required for Hydraulic Angle Kit (V5007), hydraulic powered implements, and aftermarket implements

### Electro-Hydraulic Valve Kit

Two Function V5232

RTV-X, X1100

3rd Function V5233

RTV-X, X1100

- Required for 72" Commercial Straight Blade (V5290), 72" V-Plow Blade (V5291), and 60" Rotary Broom (V5260)

### Hydraulic Coupler Outlet V5276

RTV-X, X1100, X1140

- Stationary applications only, optional coupler to power aftermarket implements
- Cannot be used to power hydraulic motor applications

### Curb Guards for V-Blade V5256

RTV-X, X1100

- Optional curb guards to protect the corners of 72" V-Plow Blade (V5291) from incidental curb damage

## 4 POINT K-CONNECT IMPLEMENTS

### 78" Straight Blade

V5294A

RTV-X, X1130, X1100, X1140

- 78" wide K-connect snow blade with 24" moldboard height and 0.075" moldboard thickness
- 68" plow width @ 30° max angle covers the width of the RTV-X
- Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with two spring trip protection
- Reinforced with 4 vertical ribs, 2 diagonal ribs, and C-channels
- New curvature allows for rolling of snow eliminating the need for a deflector and includes markers and skid shoes standard
- Recommend optional Curb Guards (V5281)
- Requires 4 Point K-Connect (V5293B) and Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)
- Compatible with PTO Drive K-Connect (V5299B)



### 78" V-Blade

V5295A

RTV-X, X1130, X1100, X1140

- 78" wide K-connect V-blade (straight) with moldboard height 20" @ center, 25 3/4" @ ends, and 0.075" moldboard thickness
- 69 1/2" V position width and 66" scoop position width
- Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with built-in relief valves to protect against impact
- Trip cutting edges
- Reinforced with 3 vertical ribs, 1 diagonal ribs, and C-channel on each wing
- New curvature allows for rolling of snow eliminating the need for a deflector and includes markers and skid shoes standard
- Recommend optional Curb Guards (V5281)
- Requires 4 Point K-Connect (V5293B) and Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)
- Compatible with PTO Drive K-Connect (V5299B)



## 4 POINT K-CONNECT MOUNTING SYSTEM & ATTACHMENTS

### 4 Point K-Connect

V5293B

RTV-X, X1130, X1100, X1140

- 4 point quick hitch system with a power unit to provide an independent 3 function hydraulic system
- Used to quick attached 78" Straight Blade (V5294A) or 78" V-Blade (V5295A)



### 4 Point Upgrade Kit

V5298

RTV-X, X1130, X1100, X1140

- Add a brush bar and 2 rectangular LED worklights to the 4 Point K-Connect (V5293B)
- Requires 4 Point K-Connect (V5293B)



### Front Guard Adapter Kit

V5278

RTV-X, X1130, X1100, X1140

- Optional front guard adapter for 4 Point K-Connect (V5293) to reinstall front guard when front K-Connect implements are put away for the season

### Rubber Cutting Edge

V5287

RTV-X, X1130, X1100, X1140

- Optional rubber cutting edge for 78" Straight Blade (V5294A)

### Plastic Cutting Edge

V5288

RTV-X, X1130, X1100, X1140

- Optional plastic cutting edge for 78" Straight Blade (V5294A)

### Plastic Cutting Edge

V5284

RTV-X, X1130, X1100, X1140

- Optional plastic cutting edge for 78" V-Blade (V5295A)

### Curb Guards

V5281

RTV-X, X1130, X1100, X1140

- Optional curb guards to protect the corners of 78" Straight Blade (V5294A) and 78" V-Blade (V5295A) from incidental curb damage

### Skid Shoes

V5285

RTV-X, X1130, X1100, X1140

- Replacement skid shoes for 78" Straight Blade (V5294A) and 78" V-Blade (V5295A)

## PTO DRIVE K-CONNECT IMPLEMENTS

### 66" Rotary Broom

V5266

RTV-X, X1100

- 66" wide PTO driven rotary broom with 24" diameter poly brushes
- 59 1/2" width @ 25° max angle
- Hydraulic lift and angle adjustment with 8 1/2 degree oscillation
- Floating wheels and markers standard
- Requires 4 Point K-Connect (V5293B), PTO Drive K-Connect (V5299B), and Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)



### 66" Commercial Snowblower

V5296

RTV-X, X1100

- 66" wide PTO driven 2-stage commercial snowblower with hydraulic chute rotation and deflection
- 16" fan with 4 blades
- Skid shoes and drift cutters are standard
- Requires 4 Point K-Connect (V5293B), PTO Drive K-Connect (V5299B), and Front Heavy Duty Strut Kit (V5219) or Front Heavy Duty Spring Kit (V5218)



### Debris Blower

V5279

RTV-X, X1100

- The perfect addition to your X-Series, makes clean up and debris removal a breeze
- Generates over 214 mph of velocity, with 225° of hydraulically driven nozzle rotation with a standard parking stand included
- Estimated 30-minute installation time, so you can swap out snow removal implements and prepare for warmer weather quickly
- Requires 4 Point Hitch (V5293B), PTO Kit (V5299B), and Hand Throttle Kit (V5245)
- NOT compatible with 4 Point Hitch (V5293A & V5293) and PTO Kit (V5299A & V5299)



## PTO DRIVE K-CONNECT MOUNTING SYSTEM & ATTACHMENT

### PTO Drive K-Connect

V5299B

RTV-X, X1100

- Used in conjunction with 4 Point K-Connect (V5293B) to operate 66" Rotary Broom (V5266) or 66" Commercial Snowblower (V5296)
- For RTV-X1120, requires Water Pump Pulley (16241-74250) and Engine Fan Belt (1E270-97010)
- Requires 4 Point K-Connect (V5293B)



### 50/50 Poly & Steel Brush Kit

V5269

RTV-X, X1100

- Optional 24" diameter 50/50 poly and steel brush kit for 66" Rotary Broom (V5266)

### Plastic Cutting Edge with Skid Shoes

V5297

RTV-X, X1100

- Optional plastic cutting edge and skid shoes for 66" Commercial Snowblower(V5296)





## Rock Salt Spreader

V5002-A

RTV-X, X1100

- Ideal for winter applications with 3 cubic feet capacity (240 lbs) and spreading width up to 25 ft
- Electric powered motor and transmission controlled by a variable speed weatherproof controller
- Heavy duty poly hopper construction
- Top screen and fitted cover included



## Tailgate Spreader

V5003-A

RTV-X, X1100

- Ideal for year round use with 3 cubic feet capacity (240 lbs) and spreading width up to 20 ft
- Easy-to-calibrate for various materials (e.g. seed, fertilizer, bagged ice melt, and more)
- Electric powered motor and transmission controlled by a variable speed weatherproof controller
- Heavy duty poly hopper construction
- Top screen and fitted cover included



## Cargo Box Spreader

V5005

RTV-X, X1100

- 11 cubic feet capacity (800 lbs) and spreading width up to 30 ft
- Electric powered motor and transmission with a dual controller for independent material and spread width control
- Heavy duty poly hopper construction
- Top screen and heavy duty vibrator included



## Flow Control Tube

V4407

RTV-X, X1100

- Optional stainless adjustable flow regulator helps prevent leaking issues when handling fine pellet and flake materials
- Requires Cargo Box Spreader (V5005)



## 36" Drop Spreader

V5004

RTV-X, X1100

- Ideal for precise snow and ice management applications
- 6 cubic foot (480 lb) material capacity and 36" drop pattern is perfect for sidewalk maintenance
- Electric powered motor and vibrator with cab mounted digital, variable speed controller
- Features a gateless design to help improve material efficiency and reduce turf damage
- Heavy duty poly hopper construction
- Top Screen and Molded Hopper Cover included



Spreading Materials	V5002A	V5003A	V5004	V5005
Bagged Rock Salt	X		X	X
Bagged Ice Melters		X	X	X (w/ V4407)
Calcium Chloride Pellets		X	X	X (w/ V4407)
Calcium Flakes		X	X	X (w/ V4407)
Bulk Salt			X	X
50/50 Sand Salt Mix			X	X
Granular Fertilizer & Turf Care Materials		X		X (w/ V4407)



## HDWS Tire & Wheel Assembly

ARTV5203

**RTV-X, X1100, X1140**

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- HDWS tread design are non-directional



## ATV Tire & Wheel Assembly

**Left** ARTV5201L

**Right** ARTV5201R

**RTV-X, X1100, X1140**

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- ATV tread design are directional (left or right)



## TURF Tire & Wheel Assembly

ARTV5205

**RTV-X, X1100**

- Includes 1 OEM tire and steel wheel
- 25x12-12 6 ply tire
- TURF tread design are non-directional



## HDMP Tire and Wheel Assembly

K712119301

**RTV-X, X1130, X1120, X1100**

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- HDMP tread design are non-directional



## Tire & Alloy Wheel Assembly

**Black ATV Left** ARTV5212L

**Black ATV Right** ARTV5212R

**Black HDWS** ARTV5214

**Silver ATV Left** ARTV5211L

**Silver ATV Right** ARTV5211R

**Silver HDWS** ARTV5213

**RTV-X, X1100, X1140**

- Includes 1 OEM tire and alloy wheel
- 25x10-12 6-ply tire
- ATV tread design are directional (left or right)
- HDWS tread design are non-directional
- Requires Alloy Wheel Hardware Kit (black - V5203) or (silver - V5205)





**Kubota Canada Ltd.**  
1155 Kubota Drive, Pickering, Ontario L1X 0H4

**Part No.: RTVACCEN-2024**

