#### **Specifications**

Model		ZG222	ZG227		ZG327			
			ZG222A-48	ZG227A-54	ZG227LA-60	ZG327PA-60	ZG327RPA-60	
Engine	Model		Kubota KGZ770-E2-MA3 Kubota KGZ770-E2-MA2 Kubot		Kubota KGZ	770-E2-MA1		
	Туре		Gasoline, air-cooled V-Twin with heavy-duty canister air filter					
	Max. horsepower* (Gross) HP		21.1@3600 rpm 26.0@3600 rpm					
Total displacement cu.in. (cc) Starting system		46.9 (768)						
		Key switch						
Dimensions	Overall length in. (mm)		82.5 (2096)		83.7 (2126)	87.8(	2230)	
	Overall (w/ mower)	) in. (mm)	61.1 (1552)	67.3 (1710)	75.2 (1911)	75.2 (1911)	63.1 (1604)	
	width (w/o mower) in. (mm)		47.7 (1210)			57.5 (1460)		
	Overall (w/ ROPS upright) in. (mm)		69.9 (1775)			75.4 (1915)		
	height (w/ ROPS folded) in. (mm)		52.8 (1340)			61.2 (1555)		
Wheel base in. (mm)		51.0 (1295) 52.2 (1325)		52.2 (1325)	55.5 (1410)			
Tread	ead Front in. (mm) Rear in. (mm)				35.6 (905)	38.4 (975)		
			36.6 (930)			45.3 (1150)		
Tire size	Front		13 x 5.0-6 Pneumatic			15 x 6.0-6 Not-flat		
Rear		23 x 10.5-12			26 x 12.0-12			
Weight (w/ mo	wer) (without fuel)	lbs. (kg)	1168 (530)	1190 (540)	1235 (560)		(710)	
Transmission system			2-HST w/ Gear reduction					
Speed control		2-hand lever						
Travel speed Forward mph (km/h)		0-9.0 (0-14.5) 0-10.6 (0-17.0)						
range .	Reverse mph (km/h)		0-5.0 (0-8.0)			0-5.3 (0-8.5)		
Brake type		Wet multi disks, foot applied, released						
PTO Type		Shaft drive						
	Clutch type		Hydraulic independent PTO clutch with wet multi disks					
PTO brake		Wet single disk						
Mower deck	Model		RCK48P-222Z	RCK54P-227Z	RCK60P-227Z	RCK60P-327Z	RCK60R-331Z	
	Mower lift system			Hydi	raulic			
	Mower deck type		Pro commercial – Fabricated deck					
	Deck depth in. (mm)		6.0 (152) 6.5 (165)			5.5 (140)		
	Belt type		Multi-Belt					
	Deck steel thickness in. (mm)		0.15 (3.8)	0.17 (4.2)				
	Anti-scalp roller			Rigid		Swivel		
	Cutting width of mower		48 in.	54 in.		60 in.		
	Number of blades			3 bl	ades			
	Cutting height		1 in. ~ 5 in. / 1/4 in. increments					
Mounting system of mower		Quick joint, parallel linkage						
	Blade tip speed (max.) FPM				16700			
Engine stop system			Key stop					
Fuel tank capacitygals. ( l )			7.1 (27) 12.7 (48)					
Battery			U1L-10 (12 V, RC: 22 min., CCA: 300, CA: 365)					
Battery			13.4 A at 12 Volts					
Battery Alternator cap	acity	Amps		13.4 A a	t 12 Volts			
-	acity	Amps			t 12 Volts Idard			

\* Power(HP) specifications for individual gasoline engine models are rated pursuant to Society of Automobile Engineers(SAE) J1940 based on gross output testing performed in accordance with SAE J1995 without the air cleaner and muffler. Kubota Canada Ltd. reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were used to set forth the containce with Aut Tress without notice. This brochure is for descriptive purposes only and reasonable efforts were used to set forth the containce with Aut Tress without notice. This brochure is for descriptive purposes only and reasonable efforts were used to set forth the containce with Aut Tress shown may be optional and some products shown may not be available at all dealerships. Kubota disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, safety and product information, consult your local Kubota dealer and the operator's manual. Power (HP/KW) and other specifications are based on various standards or recommended practices. For your safety, Kubota strongly recommends the use of a Rollover Protective STUCture (ROPS) and set being applications, This brochure is intended for Canada only. For information regording Kubota these areas, see Kubota Corporation's global web site. Kubota does not provide parts, warranty or service for any Product which is re-sold or retailed in any country other than the country for which the Product(s) were designed or manufactured.



#### KUBOTA CANADA LTD.

Head Office: 1155 Kubota Drive, Pickering, Ontario L1X 0H4 TEL: (905) 294-7477

Visit our web site at: www.kubota.ca

©2019 Kubota Corporation





Cat.No.2392-01-CA Printed in Japan.D.REX.'19-JUL.





**ZG Series** 



### For Earth, For Life Kubota

## **KUBOTA ZERO-TURN MOWER**

The ZG-Series gasoline zero-turn mowers are built with Kubota-quality components to provide the very best in lawn care.

## Kubota's ZG mowers make lawn care so comfortable, easy and productive, you won't want to stop.

If you're looking for an efficient, easy-to-use, highperformance mower that produces immaculate results every time, then Kubota's ZG-Series zero-turn mowers were made for you. With the ZG-Series' main components, the state-of-the-art Kubota gasoline engine, the reliable Kubota HST transmission and Kubota Pro Commercial mower decks, made by a single manufacturer, these zeroturn mowers are truly one-of-a-kind in the industry. This solid combination of commercial-quality components is what makes the ZG-Series deliver the performance you've been looking for.

ZG222 with 48" deck

ZG227/L with 54", 60" deck

ZG SERIES

ZG327 with 60" deck

Top to bottom, front to back, and inside and out, Kubota's ZG-Series of zero-turn mowers are engineered for quality. Built right here in the United States, these premium mowers incorporate the best of Kubota's advanced technology in every detail and function to ensure both superior mowing performance and supreme operator comfort. No matter how you measure quality, the ZG-Series delivers.

# Kubota Qua

KGZITOZW



The V-Twin Kubota gasoline engine delivers durability and productivity like nothing else. Available in 21.1HP or 26HP, this reliable, air-cooled engine offers outstanding performance and guiet operation. Specifically designed for mowing, it features Kubota's clean-flow structure, which virtually eliminates the likelihood of grass clippings clogging the wide cooling air passage. And Kubota makes maintenance simple-the engine cover can be removed so you can perform routine maintenance. Plus, a unique carburetor drain cock allows you to drain out residual gasoline, to keep fuel lines clean and making the transportation or long-term storage of the mower safer.




Clean-flow Structure



**Carburetor Drain Cock\*** \*When in use, consult operator manual and handle with care



Removable Engine Cover



Kubota Reliable

**Hydrostatic Transmission** 

The large-capacity HST brings performance to a new

level. Regulated by an efficient gear hydraulic charge

operation and a quick response. Plus, the durable

copper metal cylinder block ensures transmission

pump, the HST delivers smooth control, quiet

HST capacity: High volume/low pressure for long life

tractor technology/durability

Strong casting rear shaft cover for durability

Replaceable, large suction paper cartridge filter keeps the transmission clean

External, gear-hydraulic charge pump keeps the pumps primed



Enclosed hvdraulic control valves for mower deck lifting requires no external hoses

Durable copper metal cylinder face promotes smooth pump operations

Wet-type multi-disk brakes tractor technology (on parking brake) for added durability

Final gear reduction for improved efficiency and torque

## **Performance and outstanding operability**

(1) 53h

### Indicator Panel

The ergonomically angled control panel enables easy viewing and keeps most major controls and indicators within close reach. It includes fuel and oil gauges, cutting height adjustment dial, locking PTO lever and more.





1/4" Increment Cutting Height Adjustment

### Hands-free Parking Brake/Deck Lift Pedals

With the ZG327, you only need to depress a single pedal to park the mower. And, thanks to the 2-pedal hydraulic deck lift system, you can easily raise and lower the deck to keep mowing in spite of obstacles. All three pedals are placed directly in front of you on the angled footboard for easy access.



Z327 model



### Flexible Cover

The ZG-Series employs a flexible-yetsturdy discharge cover to help prevent damage to shrubs and landscaping.



Kubola

The ZG327 features a heavy-duty, 60" Pro Commercial mower deck for superior cutting performance. With a deck depth of 6.5 inches-the deepest in the industry-it features a unique baffling system that improves airflow to discharge grass clippings, and an anti-overflow system, which reduces grass spillage. The deck utilizes a flexible-but-sturdy discharge cover, which helps prevent damage to shrubs and landscaping. It's the ideal mower deck-for any mowing job.

Our steel rod reinforced, 60" rear discharge mower provides exceptional performance. This professional 5.5" deep deck gives you a fast and clean cut even in tall grass or weeds.





### **Pro Commercial Mower Deck**

### 60" Rear Discharge Mower (ZG327 Only)



### Semi-pneumatic (Flat-free) Front Tires (ZG327 Only)

An industry first for this size, the 15", flat-free caster tires were created to absorb impacts with the rigidity of their structural thickness. This feature greatly reduces the worry of downtime from flat tires, so you can spend more time working.



## **Comfort and maintenance**

### High-back Deluxe Suspension Seat (ZG327 Only)

When you're mowing all day long, comfort is a necessity. And Kubota's standard deluxe link-type suspension seat takes comfort to a whole new level. The extrawide seat features adjustable armrests, lumbar support, weight adjustment, and much more, to give the operator a custom fit.







Full-Flat Operator

Platform

<u>(</u>)

### Easy Maintenance

Maintenance doesn't get any easier. The seat panel lifts up for quick access to the HST, the hood opens for routine maintenance (adding oil, etc.), an operator platform hatch makes upper mower access a snap—and all three can be opened at once. Plus, Kubota's optional tilt-up lift feature is also available for routine maintenance underneath the mower.



### **Mower Access**

The ZG-Series features a special maintenance hatch, with a built-in storage pocket, on the full-flat operator platform. It allows easy access to the upper mower, mower belt, gearbox case and universal joint.



Cup Holder

### Adjustable Speed Control Levers



### Instrument Panel

With the user-friendly instrument panel, Kubota keeps essential controls and indicators close for easy access and viewing. They're all here-warning indicator, fuel gauge and more.

The Z200 Series provides the convenience and versatility of a compact mower with professional performance and power.

### Kubota's rugged ZG327 gasoline-engine mower easily tackles the toughest mowing jobs.





- 21.1HP Kubota gasoline engine
- 6"-deep, 48"-wide mower deck
- High-performance HST transmission
- Full-flat operator platform
- Comfortable seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)



### **Optional Attachments**



Grass catchers, mulch kits, maintenance lift kit, work light kit, and canopy's are available for selected models. See dealer for details.



### **GASOLINE ENGINE MODELS** ZG227/L

- 26HP Kubota gasoline engine
- 6"-deep, 54"/60"-wide mower deck
- High-performance HST transmission
- Full-flat operator platform
- Comfortable seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)

### ZGB 26HP Kubota gasoline engine • 6.5"-deep, 60"-wide mower deck Semi-pneumatic (flat-free) front caster tires High-performance HST transmission Full-flat operator platform

- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)

#### "CATCH ALL" 2-BAG STYLE GRASS CATCHER (GCK60-331ZA/GCK54-200ZB)



The large capacity catcher allows the operator to mow longer over a larger area without stopping as often to empty clippings. For the quick removal of grass clippings, the lid is simply

These Pro Commercial mower decks are perfect for mulching. even on thick grass. Kubota's unique flow plate design optimizes airflow to allow repeated cutting, and the special mulching blades

#### Options

- Grass catcher
- Mulch kit
- Maintenance lift kit
- Work light kit
- Canopy