HEAT SEALED POWDER COAT STEEL 10 SCOPE CAPACITY CABINET, KEY LOCK

SureDry SCOPE CABINETS

SC8030DRDP

Scopes not included

Optional dimmable LED lighting also available!

Scope Cabinet Features:

- Meets or exceeds Joint commission, AORN, SGNA, and AAMI guidelines.
- Positive pressure fully redundant fan system
- Industries only unit with two intake fans and one exhaust fan
- Fan run time is fully adjustable and activated each time cabinet is closed
- HEPA filter removes 99.7% of particulates, .03 Microns
- Industry first replaceable HEPA Filter system without removal of scopes
- Holds 10, 8 or 5 scopes with secure adjustable mounting system
- Medical grade electrical system
- Tempered glass double doors
- Easy to clean removable drip tray
- Overall cabinet dimensions: 93” H x 30” W x 24” D

Available in 10-scope, 8-scope & 5-scope versions.

Simple “Plug and Play” upgradeable with Dri-Scope Aid®, industry leading internal lumen drying system

HARLOFF CLINICAL STORAGE BY CAPSA HEALTHCARE

Engineered & Manufactured in the U.S.

The SureDry Scope Cabinet includes the industry best Positive Pressure HEPA Filtered Drying system. Inside air is replaced inside the cabinet 4 times per minute.

View similar products online at
https://www.harloff.com/suredry-scope-cabinets/

Toll Free: (800) 433-4064 • medicalsales@harloff.com
www.harloff.com • Ph: (719) 637-0300

STAINLESS STEEL 10 SCOPE CAPACITY CABINET, KEY LOCK

SureDry SCOPE CABINETS

SCSS8030DRDP

Scopes not included

Scope Cabinet Features *(continued)*:

- Multiple locking options available including badge entry
- Scope cabinets are delivered fully assembled
- Harloff has Industry Best 12 year manufacturers warranty for Sales to US and Canada
- Overall cabinet dimensions: 93”H x 30”W x 24”D

Color Options:

- Stainless Steel
- Heat sealed powder coat low carbon steel, available in over twenty color options
- View colors online: https://www.harloff.com/finish-options/

Timer:

- Timer sets drying time with both doors closed, and resets when doors open.
- Default is 90 minute runtime, but can be set from 10 minutes to 180 hours.

HARLOFF
CLINICAL STORAGE BY CAPSA HEALTHCARE

Engineered & Manufactured in the U.S.

View similar products online at
https://www.harloff.com/suredry-scope-cabinets/

Toll Free: (800) 433-4064 • medicalsales@harloff.com
www.harloff.com • Ph: (719) 637-0300

Why is a positive pressure system important?



The unique design of the SureDry Scope Cabinet includes both top fans for intake and lower fans for exhaust. This push/pull design creates a vortex of air that flows through the cabinet ensuring maximum drying efficiency.

Intake: Intake airflow comes through separate HEPA filters (which remove 99.7% of particulates, .03 Microns) driven by fully redundant fans producing a positive pressure vortex from the cabinet top. This creates an even circular motion of airflow over all scopes.

Exhaust: The lower exhaust fans pull the circulated air out of the cabinet ensuring the flow of air is consistent from top to bottom, providing a complete drying system for the entire scope. This push/pull multiple fan system (an industry first) ensures a positive pressure system to meet all major guidelines and it ensures forced drying and equal drying levels across the full length of each and every scope.

ST91:2021

SureDry Cabinets are a Smart Choice to Meet and Exceed ANSI/AAMI ST91:2021 and Other Guidelines

The references below are taken from these guidelines. Channel drying available only with the addition of the Dri-Scope Aid® system.

✓ **Scopes Stored Vertically**	**11.2.1** "stored vertically, the insertion tube should be as straight as possible, with the distal tip hanging freely." **11.2.1** "When flexible and semi-rigid endoscopes are hung in the vertical position, coiling or kinking is prevented."
✓ **Hanging Freely Without Coiling**	**11.2.2** "should be stored in a cabinet that is of sufficient height, width, and depth to allow flexible endoscopes to hang vertically without coiling and without any components touching the bottom of the cabinet."
✓ **Channel Drying + Forced Air**	**8.2.5.1** "Flexible endoscopes with channels should be dried for a minimum of 10-minutes with pressure-regulated forced instrument air or a minimum of HEPA-filtered air." | **8.2.5.2** Use pressure-regulated instrument air or HEPA-filtered air to dry the channels in accordance with the manufacturer's written IFU.
✓ **HEPA Filtered Positive Pressure**	**11.2.2.2** Cabinets that enable circulation of HEPA-filtered or instrument air through the cabinet at… positive pressure. **NOTE:** SureDry cabinets feature an industry leading 3 intake and 2 exhaust fan system.
✓ **Easy Scope Identification***	**11.2.3** "Protocols should be developed to help ensure that users can readily identify an endoscope that has been processed and is ready for patient use." * *Available with Tracker-equipped SureDry scope cabinets*
✓ **Single-Use Connectors**	Use of single use connectors ensures no cross-contamination as well as simplifies staff efficiency.
✓ **Clinical Documentation**	**ASGE** "Drying the interior of an endoscope should use a sufficiently prolonged flow of medical air through all accessible channels, ideally simultaneously and for at least 10 minutes, for greatest efficiency." *Per the study, "Multisociety guideline on reprocessing flexible GI endoscopes: 2016 update."* **NOTE:** SureDry cabinets are the only clinically proven vertical drying cabinet.

Toll Free: (800) 433-4064 • medicalsales@harloff.com • www.harloff.com • Ph: (719) 637-0300

10 Reasons to Choose HARLOFF for Your Scope Cabinets

CLINICAL STORAGE BY CAPSA HEALTHCARE

A Smart Choice to Meet & Exceed Current SGNA, AORN and AAMI Guidelines

1

SureDry SCOPE CABINETS

Industry Best Positive Pressure HEPA Filtered Drying System. Designed to add Dri-Scope Aid® now or later with easy "Plug & Play installation.

2

Dri-Scope Aid®

Fully Retrofittable in Field

All SureDry scope cabinets are fully designed to be field installed with the industry best Dri-Scope Aid® lumen drying system, which provides HEPA filtered air to each internal scope channel.

3

LED Lighting Option

Brighten your cabinet and easily inspect scopes with fully dimmable optional overhead LED lighting which triggers on door open/close.

4

Hooks and Holders for Specialized Scopes

Major brands to include ***Fuji, Olympus, Pentax, Karl Storz and others.***

5

12 Year Warranty

Our Manufacturer's Warranty is Unmatched in the industry. We build our cabinets to last and we stand behind them.

6

Proudly Made in the USA

Harloff products are proudly ***Designed, Engineered and Manufactured in the United States*** at our Colorado Springs, CO facility.

7

Easy Access to HEPA Filters



Change HEPA filters ***without opening the cabinet.*** Save time and ensure no cycle interruptions.

8

Keyed or Keyless Locks

Options include key locks, basic electronic push button locks, advanced keypads and proximity readers. View locking options online at www.harloff.com/locking-options/

9

Scope Cabinet Finish Options

Choose Stainless Steel, Heat Sealed Powder Coat in High Gloss or Textured Low Gloss, or upgrade to an ***antimicrobial finish.***

10

Superior Color Choices

Over 20 Colors to choose from. Cabinets have a heat sealed powder coat finish inside and out. View color options online at www.harloff.com/finish-options/

Toll Free: (800) 433-4064 • medicalsales@harloff.com • www.harloff.com • Ph: (719) 637-0300