

## ICD-10-CM Updates

Updated February 2026

The [Centers for Medicare and Medicaid Services](#) published [ICD-10 CM updates](#) effective **October 1<sup>st</sup>, 2025** through **September 30<sup>th</sup>, 2026**. Additional changes have been made for patient encounters occurring April 1, 2026 – September 30, 2026.

A full list of changes can be found in the “Addendum” files on [the ICD-10 CM updates page](#). Questions about ICD-10 CM codes may be sent to ASCO at [practice@asco.org](mailto:practice@asco.org).

### ICD-10 CM Code Set

#### Additions

Reference Code Family	New/Added Codes
C50 Malignant Neoplasm of breast	C50.A0 Malignant inflammatory neoplasm of unspecified breast
	C50.A1 Malignant inflammatory neoplasm of right breast
	C50.A2 Malignant inflammatory neoplasm of left breast
E11 Type 2 diabetes mellitus	E11.A Type 2 diabetes mellitus without complications in remission Excludes1: type 2 diabetes mellitus, with complications (E11.0-E11.8) Type 2 diabetes mellitus, without complications not in remission (E11.9)
R10 Abdominal and Pelvic Pain	R10.20 Pelvic and perineal pain, unspecified side
	R10.21 Pelvic and perineal pain, right side
	R10.22 Pelvic and perineal pain, left side
	R10.23 Pelvic and perineal pain, bilateral
	R10.24 Suprapubic pain
	R10.85 Abdominal pain of multiple sites Excludes1: abdominal rigidity NOS (R19.3) Generalized abdominal pain associated with acute abdomen (R10.0) Generalized abdominal pain NOS (R10.84) Localized abdominal pain (R10.1-R10.4-)
	R10.8A1 Right flank tenderness
	R10.8A2 Left flank tenderness
	R10.8A3 Suprapubic tenderness
	R10.8A9 Flank tenderness, unspecified Flank tenderness, NOS
	R10.A Pain localized to flank

	<p>Lateral abdominal pain Lateral flank pain Latus region pain Excludes2: pain localized to other parts of lower abdomen (R10.3-) Pain localized to upper abdomen (R10.1-)</p>
	R10.A1 Flank pain, right side
	R10.A2 Flank pain, left side
	R10.A3 Flank pain, bilateral
R11.1 Vomiting	R11.16 Cannabis hyperemesis syndrome Cannabinoid hyperemesis syndrome
R39.8 Other symptoms and signs involving the genitourinary system	R39.85 Costovertebral (angle) tenderness Excludes2: abdominal and pelvic pain (R10.-)
	R39.851 Costovertebral (angle) tenderness, right side
	R39.852 Costovertebral (angle) tenderness, left side
	R39.853 Costovertebral (angle) tenderness, bilateral
	R39.859 Costovertebral (angle) tenderness, unspecified side
R76 Other abnormal immunological findings in serum	R76.81 Abnormal rheumatoid factor and anti-citrullinated protein antibody without rheumatoid arthritis Abnormal anti-CCP Abnormal anti-cyclic citrullinated protein antibody and rheumatoid factor Excludes1: rheumatoid arthritis with rheumatoid factor (M05.-)
	R7.89 Other specified abnormal immunological findings in serum
T75.8 Other specified effects of external causes	T75.83 Effects of war theater <i>Use additional code to identify associated manifestations</i>
	T75.830 Gulf war illness Gulf war syndrome
	T75.838 Effects of other war theater
Z15 Genetic susceptibility to malignant neoplasm	Z15.05 Genetic susceptibility to malignant neoplasm of fallopian tube(s)
	Z15.06 Genetic susceptibility to malignant neoplasm of digestive system
	Z15.060 Genetic susceptibility to colorectal cancer
	Z15.068 Genetic susceptibility to other malignant neoplasm of digestive system Genetic susceptibility to biliary tract cancer Genetic susceptibility to gastric cancer Genetic susceptibility to pancreatic cancer

	Genetic susceptibility to small bowel cancer
	Z15.07 Genetic susceptibility to malignant neoplasm of urinary tract
Z59.86 Financial insecurity	Z59.861 Financial insecurity, difficulty paying utilities Difficulty paying for electricity Difficulty paying for heat Difficulty paying for oil Difficulty paying water bill Utility disconnect notice due to ability to pay Excludes 2: inadequate housing utilities (Z59.12)
	Z59.868 Other specified financial insecurity Bankruptcy
	Z59.869 Financial insecurity, unspecified
Z77 Other contact with and (suspected) exposures hazardous to health	Z77.3 Contact with and (suspected) exposure to war theater
	Z77.31 Contact with and (suspected) exposure to Gulf War theater Contact with and (suspected) exposure to Persian Gulf War theater
	Z77.39 Contact with and (suspected) exposure to other war theater Agent Orange exposure
Z80 Family history of primary malignant neoplasm	Z80.44 Family history of malignant neoplasm of fallopian tube(s)
Z85 Personal history of malignant neoplasm	Z85.4A Personal history of malignant neoplasm of fallopian tube(s)
Z86 Personal history of certain other diseases	Z86.00A Personal history of in-situ neoplasm of fallopian tube(s)

## Revisions and Updates

Revisions are highlighted in bold. Strikethroughs indicate deleted text.

Current Language	Revised Language
C50 Malignant neoplasm of breast Use additional code to identify estrogen receptor status (Z17.0, Z17.1)	C50 Malignant neoplasm of breast Use additional Code to identify estrogen receptor status, <b>and other hormones and factors receptor status (Z17.-)</b>
D12.6 Benign neoplasm of colon, unspecified Excludes1: inflammatory polyp of colon (K51.4-)	D12.6 Benign neoplasm of colon, unspecified <b>Excludes2:</b> inflammatory polyp of colon (K51.4-)
D48.11 Desmoid tumor	D48.11 Desmoid tumor <b>Aggressive fibromatosis</b>
E11.9 Type 2 diabetes mellitus without complications	E11.9 Type 2 diabetes mellitus without complications

	<b>Excludes1: type 2 diabetes mellitus, without complications in remission (E11.A)</b>
G89 Pain, not elsewhere classified Excludes2: pelvic and perineal pain (R10.2)	G89 Pain, not elsewhere classified Excludes2: pelvic and perineal pain <b>(R10.2-)</b>
K75.81 Nonalcoholic steatohepatitis	K75.81 Nonalcoholic steatohepatitis <b>Metabolic dysfunction-associated steatohepatitis (MASH)</b>
K76.0 Fatty (change of) liver, not elsewhere classified	K76.0 Fatty (change of) liver, not elsewhere classified <b>Metabolic dysfunction-associated steatotic liver disease (MASLD)</b>
N61 Inflammatory disorders of breast Excludes1: inflammatory carcinoma of breast (C50.9)	N61 Inflammatory disorders of breast <b>Excludes1: inflammatory carcinoma of breast (C50.A-)</b>
R10 Abdominal and pelvic pain	R10 Abdominal and pelvic pain <b>Excludes2: costovertebral (angle) tenderness (R39.85)</b>
R10.1 Pain localized to upper abdomen	R10.1 Pain localized to upper abdomen <b>Excludes2: pain localized to flank (R10.A-) Pelvic and perineal pain (R10.2-)</b>
R10.2 Pelvic and perineal pain	R10.2 Pelvic and perineal pain <b>Excludes2: pain localized to other parts of lower abdomen (R10.3-) Pain localized to upper abdomen (R10.1-)</b>
R10.3 Pain localized to other parts of lower abdomen	R10.3 Pain localized to other parts of lower abdomen <b>Excludes2: pain localized to flank (R10.A-) Pelvic and perineal pain (R10.2-)</b>
R10.81 Abdominal tenderness	R10.81 Abdominal tenderness <b>Excludes2: pain localized to other parts of lower abdomen (R10.3-) Pain localized to upper abdomen (R10.1-)</b>
R10.82 Rebound abdominal tenderness	R10.82 Rebound abdominal tenderness <b>Excludes2: pain localized to other parts of lower abdomen (R10.3-) Pain localized to upper abdomen (R10.1-)</b>
R52 Pain, unspecified Excludes1: pelvic and perineal pain (R10.2)	R52 Pain, unspecified Excludes1: pelvic and perineal pain <b>(R10.2-)</b>
R76.8 Other specified abnormal immunological findings in serum Raised levels of immunoglobulins NOS	R76.8 Other specified abnormal immunological findings in serum <del>Raised levels of immunoglobulins NOS</del>
Z40.9 Encounter for prophylactic surgery for risk factors related to malignant neoplasms Use additional code to identify risk factor	Z40.9 Encounter for prophylactic surgery for risk factors related to malignant neoplasms Use additional code to identify risk factor, <b>such as genetic susceptibility to malignant neoplasm Z15.-</b>
Z56.89 Other problems related to employment	Z56.89 Other problems related to employment

	<b>Furloughed Underemployed</b>
Z59.02 Unsheltered homelessness	Z59.02 Unsheltered homelessness <b>Lives in a homeless encampment</b>
Z59.12 Inadequate housing utilities	Z59.12 Inadequate housing utilities <b>Excludes2: financial insecurity, difficulty payer for utilities (Z59.861)</b>
Z59.19 Other inadequate housing	Z59.19 Other inadequate housing <b>Poor housing weatherization</b>
Z87.41 Personal history of dysplasia of the female genital tract Excludes1: personal history of intraepithelial neoplasia III of female genital tract (Z86.001, Z86.008) Personal history of malignant neoplasm of female genital tract (Z85.40-Z85.44)	Z87.41 Personal history of dysplasia of the female genital tract Excludes1: personal history of intraepithelial neoplasia III of female genital tract (Z86.001, Z86.008, <b>Z86.00A</b> ) Personal history of malignant neoplasm of female genital tract (Z85.40-Z85.44, Z85.4A)

## April 1<sup>st</sup>, 2026 Changes

### Revisions and Updates

Revisions are highlighted in bold. Strikethroughs indicate deleted text.

Current Language	Revised Language
D18 Hemangioma and lymphangioma, any site Excludes1: benign neoplasm of glomus jugulare (D35.6) Blue or pigmented nevus (D22.-) Vascular nevus (Q82.5)	D18 Hemangioma and lymphangioma, any site <b>Excludes2:</b> benign neoplasm of glomus jugulare (D35.6) Blue or pigmented nevus (D22.-) Vascular nevus (Q82.5)
D49 Neoplasms of unspecified behavior Excludes1: neoplasms of uncertain behavior (D37-44, D48)	D49 Neoplasms of unspecified behavior <b>Excludes2:</b> neoplasms of uncertain behavior (D37-44, D48)
D51 Vitamin B12 deficiency anemia Excludes1: vitamin B12 deficiency (E53.8)	D51 Vitamin B12 deficiency anemia <b>Excludes2: deficiency of other B group vitamins (E53-)</b>
D72 Other disorders of white blood cells Excludes1: neutropenia (D70)	D72 Other disorders of white blood cells <b>Excludes2:</b> neutropenia (D70)
D72.81 Decreased white blood cell count Excludes1: neutropenia (D70.-)	D72.81 Decreased white blood cell count <b>Excludes2:</b> neutropenia (D70)
D72.819 Decreased white blood cell count, unspecified Excludes1: malignant leukopenia (D70.9)	D72.819 Decreased white blood cell count, unspecified <del>Excludes1: malignant leukopenia (D70.9)</del>
Current Language	Revised Language
E53.8 Deficiency of other specified B group vitamins	E53.8 Deficiency of other specified B group vitamins

Excludes1: vitamin B12 deficiency anemia (D51.-)	<b>Excludes2:</b> vitamin B12 deficiency anemia (D51.-)
R12 Heartburn Excludes1: dyspepsia NOS (R10.13)	R12 Heartburn <b>Excludes2:</b> dyspepsia NOS (R10.13)
R92.31 Mammographic fatty tissue density of breast Breast Imaging Reporting and Data System (BI-RADS): A Breast Imaging Reporting and Data System (BI-RADS) 1	R92.31 Mammographic fatty tissue density of breast Breast <b>density category within</b> Imaging Reporting and Data System (BI-RADS): A <del>Breast Imaging Reporting and Data System (BI-RADS) 1</del>
R92.32 Mammographic fibroglandular density of breast Breast Imaging Reporting and Data System (BI-RADS): B Breast Imaging Reporting and Data System (BI-RADS) 2	R92.32 Mammographic fibroglandular density of breast Breast <b>density category within</b> Imaging Reporting and Data System (BI-RADS): B <del>Breast Imaging Reporting and Data System (BI-RADS) 2</del>
R92.33 Mammographic heterogenous density of breast Breast Imaging Reporting and Data System (BI-RADS): C Breast Imaging Reporting and Data System (BI-RADS) 3	R92.33 Mammographic heterogenous density of breast Breast <b>density category within</b> Imaging Reporting and Data System (BI-RADS): C <del>Breast Imaging Reporting and Data System (BI-RADS) 3</del>
R92.34 Mammographic extreme density of breast Breast Imaging Reporting and Data System (BI-RADS): D Breast Imaging Reporting and Data System (BI-RADS) 4	R92.34 Mammographic extreme density of breast Breast <b>density category within</b> Imaging Reporting and Data System (BI-RADS): D <del>Breast Imaging Reporting and Data System (BI-RADS) 4</del>

## Appendix

### ICD-10-CM Terms and Definitions

A hyphen (-) that appears at the end of a code indicates that an additional character is required to report a valid, specified code.

Excludes 1: Indicates conditions that may not be reported together. The “Excludes 1” code should not be used at the same time as the code above the note.

Excludes 2: Indicates that although the excluded condition is not part of the condition it is excluded from, the patient may have both conditions at the same time. The Excludes 2 code may be used at the same time as the code above it.

NOS: Not Otherwise Specified. This abbreviation is the equivalent of unspecified.

Use Additional Code: An additional code should be reported to provide a complete picture of the diagnosis.

Code also: More than one code may be required to fully describe the condition.