

Grado 4 Matemáticas

Paquete de actividades para el hogar del maestro

Este Paquete de actividades para el hogar incluye un conjunto de 23 problemas prácticos que están alineados con importantes conceptos de matemáticas en los que los estudiantes ya han trabajado durante este año.

Debido a que el grado de avance varía de un salón a otro, siéntase con la libertad de seleccionar las páginas que se alineen con los temas que sus estudiantes ya han cubierto.

El Paquete de actividades para el hogar incluye instrucciones para los padres que se pueden imprimir y enviar a casa.

Este es un Paquete de actividades para el hogar. La Guía del maestro incluye los mismos conjuntos de práctica que la versión del estudiante, con respuestas como referencia.

iMire los conceptos de Matemáticas del Grado 4 que cubre este paquete!



Grado 4 Conceptos de matemáticas cubiertos en este paquete

Concept <i>Concepto</i>	Practice <i>Práctica</i>	Fluency and Skills Practice Fluidez y práctica de destrezas	Page Página
Understanding Place	1	Understanding of Place Value (Comprender el valor posicional)	3
Value Comprender el valor	2	Comparing Multi-Digit Numbers (Comparar números de varios dígitos)	5
posicional	3	Rounding Whole Numbers (Redondear números enteros)	6
	4	Using Strategies to Add (Usar estrategias para sumar)	7
Adding and Subtracting Whole	5	Using the Standard Algorithm to Add Greater Numbers (Usar el algoritmo convencional para sumar números más grandes)	8
Numbers Sumar y restar números enteros	6	Using Strategies to Subtract (Usar estrategias para restar)	10
numeros enteros	7	Using the Standard Algorithm to Subtract Greater Numbers (Usar el algoritmo convencional para restar números más grandes)	11
	8	Multiplication in Word Problems (La multiplicación en problemas verbales)	12
	9	Modeling Multi-Step Problems (Representar problemas de varios pasos)	13
Multiplying Whole Numbers	10	Solving Multi-Step Problems (Resolver problemas de varios pasos)	14
Multiplicar números enteros	11	Multiplying a Three-Digit Number by a One-Digit Number (Multiplicar un número de tres dígitos por un número de un dígito)	15
	12	Multiplying a Four-Digit Number by a One-Digit Number (Multiplicar un número de cuatro dígitos por un número de un dígito)	16
	13	Multiplying by Two-Digit Numbers (Multiplicar por números de dos dígitos)	17
	14	Division in Word Problems (La división en problemas verbales)	19
Dividing Whole Numbers	15	Dividing with Arrays and Area Models (Dividir con matrices y modelos de área)	20
Dividir números enteros	16	Dividing with Estimation and Area Models (Dividir con estimaciones y modelos de área)	21
	17	Dividing Four-Digit Numbers (Dividir números de cuatro dígitos)	23
Understanding Fractions	18	Understanding of Equivalent Fractions (Comprender fracciones equivalentes)	24
Comprender fracciones	19	Using Common Numerators and Denominators (Usar numeradores y denominadores comunes)	25
	20	Understanding of Fraction Addition and Subtraction (Comprender la suma y resta de fracciones)	26
Adding and Subtracting Fractions	21	Adding Fractions (Sumar fracciones)	28
Sumar y restar fracciones	22	Subtracting Fractions (Restar fracciones)	29
	23	Decomposing Fractions (Descomponer fracciones)	31

Set A

1 Write the number 78,215 in the place-value chart.

Hundred Thousands	Ten Thousands	Thousands	Hundreds	Tens	Ones
	7	8	2	1	5

Write 78,215 in expanded form and word form.

70,000 + 8,000 + 200 + 10 + 5; seventy-eight thousand, two hundred fifteen

Write the number 540,632 in the place-value chart.

Hundred Thousands	Ten Thousands	Thousands	Hundreds	Tens	Ones
5	4	0	6	3	2

Write 540,632 in expanded form and word form.

500,000 + 40,000 + 600 + 30 + 2; five hundred forty thousand, six hundred thirty-two

Set B

3 Show different ways to make 25,302.

25,302 ones

4 Show different ways to make 708,496.

hundred thousands + hundreds + hundreds +

9 tens + 6 ones

708 thousands + 4 hundreds + 9 tens + 6 ones

7,084 hundreds + 9 tens + 6 ones

3

Understanding of Place Value *continued*

Set B continued

5 Show different ways to make 492,623.

6 Write 841,620 in three different ways.

Answers will vary. Possible answer: 800,000 + 40,000 + 1,000 + 600 + 20;841 thousands + 620 ones; eight hundred forty-one thousand, six hundred twenty

Why do both of these show 27,974?

27 thousands + 97 tens + 4 ones

Answers will vary. Possible answer: If you add the expanded form, it has a sum of 27,974. If you add 27,000 + 970 + 4, it also has a sum of 27,794.

4

Set A

Write the symbol that makes each statement true. Use >, <, or =.

1 23,230 **2** 33,003 **3** 9,999 **1** 10,000

4 40,404 _ _ _ 40,040 5 52,177 _ _ 52,771 6 421,073 _ _ 412,730

Set B

7 Circle all the numbers that are less than 78,265.

78,000

79,000

70,000

80,000

78,200

78,300

8 Circle all the numbers that are less than 45,763.

46,000

40,000

50,000

45,700

45,800

45,000

9 Circle all the numbers that are greater than 108,427.

108,000

108,400

(108,500)

(109,000)

108,430

108,420

10 How did you solve problem 7?

Answers will vary.

Possible answer: I compared each number with 78,265. If the digits were the same in the ten-thousands place, I compared the digit to the right. I repeated this until I could tell if the number was less than 78,265.

Rounding Whole Numbers

Teacher Packet

Round each number to the nearest ten.

1 72

70

2 172

170

3 2,572

2,570

4 101,372

101,370

Round each number to the nearest hundred.

5 180

200

6 1,180

1,200

7 56,180

56,200

8 980

1,000

9 1,980

2,000

10 56,980

57,000

Round each number to the nearest thousand.

11 7,750

8,000

12 17,750

18,000

13 25,750

26,000

14 70,750

71,000

Round each number to the nearest ten thousand.

15 65,321

70,000

16 165,321

170,000

17 185,321

190,000

18 205,321

210,000

19 Round 307,451 to each place value given below.

to the nearest thousand: 307,000

to the nearest hundred: 307,500

to the nearest ten: 307,450

6

Add using different strategies.

10 What strategies did you use to solve the problems? Explain.

Answers will vary. Possible answer: In problem 5, I needed to add 1 less than 3,000. So I added 3,000 and then subtracted 1.

11 Check your answer to problem 6 by solving it with a different strategy. Show your work.

Answers will vary.

Using the Standard Algorithm to Add Greater Numbers

Estimate the sum of each addition problem to check if the student's answer is reasonable. If not, cross out the answer and write the correct answer.

Addition Problems	Student Answ	vers
8,997	31,998	Estimate: 9,000
+ 2,301	11,298	<u>+ 2,000</u> 11,000
23,411 + 35,507	12,918 58,918	Estimate: 23,000 + 36,000 59,000
72,418 + 41,291	113,709	Estimate: 70,000 + 40,000 110,000
67,802 + 3,443	70,225 71,245	Estimate: 68,000 + 3,000 71,000
5,188 + 9,024	6,112 14,212	Estimate: 5,000 + 9,000 14,000



Using the Standard Algorithm to Add Greater Numbers continued

Addition Problems	Student Answers	
21,822 + 75,333	97,155	Estimate: 22,000 + 75,000 97,000
60,125 + 69,205	75,330 129,330	Estimate: 60,000 + 69,000 129,000
4,899 5,224 + 9,296	108,209 19,419	Estimate: 5,000 5,000 + 9,000 19,000

- How does estimating an addition problem help you know if an answer is reasonable?

 Answers will vary. Possible answer: An estimate tells you an approximate answer. If your answer is very different from the estimate, then your answer may be incorrect.
- 2 Can an answer be incorrect even if it looks reasonable? Explain.

Answers will vary. Possible answer: Yes; it may be incorrect in the tens or ones place. The answer may be reasonable when compared with the estimate, but there may still be an addition error in one of the places.



Subtract.

$$\begin{array}{r}
3 & 3,007 \\
- & 7 \\
\hline
3,000
\end{array}$$

- What strategy did you use to find the differences for problem 2? Explain.

 Answers will vary. Possible answer: I added on to the number being subtracted to get to 2,000.
- How could you check your answer to one of the problems using another strategy?

 Answers will vary.

Estimate. Circle all the problems with differences between 30,000 and 60,000. Then find the differences of only the circled problems.

- Use estimation and addition to check one of your answers. Show your work.

 Answers will vary.
- How does checking with addition compare with checking using estimation?

 Answers will vary. Possible answer: Addition takes longer, but will catch wrong answers that seem reasonable. Estimation only catches wrong answers that are unreasonable.

©Curriculum Associates, LLC Copying is permitted for classroom use.

Use a strategy of your choice to solve each problem.

1 The library has 5 mystery books on a shelf. It has 4 times as many fiction books on another shelf. How many fiction books are on the shelf?

There are ______ fiction books on the shelf.

Violet has 3 markers. She has 6 times as many colored pencils as markers. How many colored pencils does she have?

Violet has _____18 ___ colored pencils.

Tasha used 8 tomatoes to make salsa. She used 4 times as many tomatoes to make sauce. How many tomatoes did Tasha use to make sauce?

Tasha used _____ tomatoes to make sauce.

There are 9 school buses in the parking lot. There are 6 times as many cars as school buses in the parking lot. How many cars are in the parking lot?

There are _____54 cars in the parking lot.

Paul runs 2 laps around the gym. Carrie runs 6 times as many laps as Paul. How many laps does Carrie run?

Carrie runs _____laps.

Owen draws 7 comics in April. He draws 3 times as many comics in May. How many comics does Owen draw in May?

Owen draws _____ comics in May.

There are 7 pear trees on a farm. There are 7 times as many apple trees as pear trees. How many apple trees are on the farm?

There are _____ apple trees.

8 There are 8 vases at an art show. There are 9 times as many paintings as vases at the art show. How many paintings are at the art show?

There are ______ paintings at the art show.

9 Write and solve a word problem for this equation: $5 \times 6 = ?$

Answers will vary. Possible answer: There are 6 brown hens. There are 5 times as many white hens as brown hens. How many white hens are there? There are 30 white hens.

Modeling Multi-Step Problems

Teacher Packet

Write an equation to represent each problem. Show your work. Possible equations shown.

- 1 The Lopez family goes to the movies. They buy 2 adult tickets for \$6 each and 3 child tickets for \$4 each. Write an equation to represent how much money the family spends on movie tickets, t.
- 2 Grace earns \$5 each time she walks her neighbor's dog. She walks the dog 5 times in one week. Then she spends \$7 on a book and \$9 on a building set. Write an equation to represent how much money Grace has left, m.

$$t = (2 \times 6) + (3 \times 4)$$

$$m = (5 \times 5) - (7 + 9)$$

- 3 During the basketball game, Mika makes 3 baskets worth 2 points each, 2 baskets worth 3 points each, and 2 free throws worth 1 point each. Write an equation to represent how many points Mika scores, p.
- Will has 20 pounds of apples. He makes 2 batches of applesauce that use 4 pounds each, one batch of apple butter that uses 6 pounds, and he uses 3 pounds to make juice. Write an equation to represent how many pounds of apples Will has left, p.

$$p = (3 \times 2) + (2 \times 3) + (2 \times 1)$$

$$p = 20 - (2 \times 4) - 6 - 3$$

- What strategies did you use to write an equation?
 - Answers will vary. Possible answer: I drew bar models.
- 6 Is there another way you could write one of your equations? Could you write it as two equations? Explain.

Answers will vary.

Write and solve an equation for each problem. Show your work. Possible equations shown.

Tasha spends 25 minutes reading on Wednesday night. She spends 17 more minutes reading on Thursday than she did on Wednesday. Write and solve an equation to find how many minutes Tasha spent reading on Wednesday and Thursday nights.

$$r = 25 + (25 + 17)$$

 $r = 25 + 42$
 $r = 67$

Tasha spent ____67 __ minutes reading.

There are 15 boys and 19 girls in math club. 4 Frankie earns \$5 each time he babysits The tables in Mrs. Miller's classroom seat 4 students each. Write and solve an equation to find how many tables Mrs. Miller will need.

$$t = (15 + 19) \div 4$$

 $t = 34 \div 4$
 $34 \div 4 = 8 R 2$

Mrs. Miller will need _____ tables.

2 Erik has 2 bags of bird seed. One bag has 10 pounds of seed, and the other bag has 8 pounds of seed. He fills 7 bird feeders with 2 pounds each. Write and solve an equation to find how many pounds of bird seed are left.

$$b = (10 + 8) - (7 \times 2)$$

 $b = 18 - 14$
 $b = 4$

There are _____4 pounds left.

his little sister. He has saved \$30. Frankie wants to save \$52 to buy a new skateboard. Write and solve an equation to find how many more times Frankie will need to babysit.

$$b = (52 - 30) \div 5$$

 $b = 22 \div 5$
 $22 \div 5 = 4 R 2$

Frankie will need to babysit _____5 more times.

How can you estimate to check one of your answers? Show your work.

Answers will vary.

©Curriculum Associates, LLC Copying is permitted for classroom use.

14

Multiplying a Three-Digit Number by a One-Digit Number

Find the product.

1
$$500 \times 4 = 2,000$$
 $501 \times 4 = 2,004$ $506 \times 4 = 2,024$

$$501 \times 4 =$$
 2,004

$$506 \times 4 =$$
 2,024

2
$$300 \times 2 = \underline{}$$
 $299 \times 2 = \underline{}$ $298 \times 2 = \underline{}$

$$299 \times 2 = _{-}$$
 598

$$298 \times 2 = _{\underline{}}$$

3
$$400 \times 3 = 1,200$$
 $405 \times 3 = 1,215$ $410 \times 3 = 1,230$

$$405 \times 3 = 1,215$$

$$410 \times 3 = _{1,230}$$

4
$$499 \times 6 = 2,994$$
 5 $706 \times 3 = 2,118$ 6 $195 \times 5 = 975$

5
$$706 \times 3 = 2,118$$

6
$$195 \times 5 = 975$$

What pattern do you notice in problem 2? How could it help you solve a problem such as 297×2 ?

Answers will vary. Possible answer: Each product is 2 less than the previous product. As one factor decreases by 1, the product decreases by 2 \times 1, or 2. To find 297 \times 2, you could multiply $300 \times 2 = 600$, then subtract 3×2 from the product. You subtract 3×2 because 297 is 3 less than 300.

Choose problem 4, 5, or 6. Explain how you could check your answer. **Answers will vary.**

Multiplying a Four-Digit Number by a One-Digit Number

Estimate. Circle all the problems that will have products between 18,000 and 32,000. Then find the exact products of only the problems you circled. Show your work.

$$26,148 \times 4 = 24,592$$
 $37,062 \times 5 =$

$$(4)4,362 \times 5 = 21,810$$

$$4)4,362 \times 5 = 21,810$$
 5 $1,789 \times 8 = 6$ 6 $2,206 \times 9 = 19,854$

$$(7)$$
7,218 \times 4 = $28,872$

7,218
$$\times$$
 4 = 28,872 8 9,821 \times 3 = 29,463 9 4,762 \times 6 = 28,572

$$(9)4,762 \times 6 = 28,572$$

$$11$$
 7,964 \times 4 = $31,856$

13 What strategies did you use to solve the problems? Explain.

Answers will vary. Possible answer: I rounded the greater number to the nearest thousand to estimate the product. Then I used place value to multiply.

Estimate each multiplication problem to check if the student's answer is reasonable. If not, cross out the answer and write the correct answer.

Multiplication Problems	Student Answers	S
14 × 17	2,380 238	Estimate: 14 × 20 = 280
15 × 19	285	Estimate: 15 × 20 = 300
21 × 18	3,078 378	Estimate: 20 × 18 = 360
16 × 13	28 208	Estimate: 16 × 10 = 160

Multiplication Problems	Student Ansv	wers
13 × 31	403	Estimate: 13 × 30 = 390
18 × 17	3,056 306	Estimate: 20 × 20 = 400
21 × 15	3,015 315	Estimate: 20 × 15 = 300
12 × 22	2,604 264	Estimate: 12 × 20 = 240

How does estimating a multiplication problem help you know if an answer is reasonable?

Answers will vary. Possible answer: If the answer is much greater or much less than the estimate, it tells you to check your work.

Teacher Packet

Use a strategy of your choice to solve each problem.

1 There are 5 times as many tulips as rose bushes in a garden. There are 15 tulips. How many rose bushes are in the garden?

There are _____ rose bushes in the garden.

There are 18 blueberries in a bowl. There are 3 times as many blueberries as strawberries in the bowl. How many strawberries are in the bowl?

There are _____6 strawberries in the bowl.

A tile pattern has 6 times as many white squares as gray squares. There are 48 white tiles in the pattern. How many gray tiles are there?

There are _____8 gray tiles in the pattern.

Terik sees 42 stars in the sky on Tuesday night. This is 7 times as many stars as he sees on Monday night. How many stars does Erik see on Monday night?

Erik sees _____6 ___ stars on Monday night.

2 Kelly has 2 times as many quarters as dimes. She has 18 quarters. How many dimes does she have?

Kelly has _____ dimes.

4 Amanda swims for 16 minutes. This is 4 times as many minutes as Julio swims. How many minutes does Julio swim?

Julio swims _____4 minutes.

6 Leah has 3 times as many country songs as she has pop songs on her MP3 player. She has 27 country songs. How many pop songs does Leah have?

Leah has _____9 pop songs.

8 Lucas spends 72 minutes cleaning his room. This is 8 times as long as it takes him to wash the dishes. How long does it take Lucas to wash the dishes?

It takes Lucas _____ minutes to wash the dishes.

9 Write and solve a word problem for this equation: $6 \times n = 54$

Answers will vary. Possible answer: Maggie has 6 times as many unicorn stickers as robot stickers. She has 54 unicorn stickers. How many robot stickers does Maggie have? Maggie has 9 robot stickers.

The answers to problems 1–12 are mixed up at the bottom of the page. Cross out the answers as you complete the problems.

1
$$606 \div 2 = __303$$

2
$$606 \div 3 =$$
 202 3 $903 \div 3 =$ **301**

3 903
$$\div$$
 3 = _____

4
$$408 \div 8 =$$
 51

7
$$545 \div 5 = 109$$

7
$$545 \div 5 = 109$$
 8 $488 \div 8 = 61$ 9 $816 \div 4 = 204$

9
$$816 \div 4 =$$
 204

10
$$728 \div 8 = ______$$
 11 $459 \div 9 = _______$ 12 $366 \div 6 = _______$

12
$$366 \div 6 = 61$$

What strategies did you use to solve the problems?

Answers will vary. Possible answer: I used an area model strategy, breaking the problem apart into smaller parts and using repeated subtraction.

Explain how to use multiplication to check your answer to problem 10.

Possible answer: Multiply 90 \times 8 = 720 and 8 \times 1 = 8. Then add: 720 + 8 = 728

Answers

91

303

61

202

204

109

81

51

301

103

51

61

Dividing with Estimation and Area Models

Check the student's answer by multiplying the quotient by the divisor and adding the remainder. If an answer is incorrect, cross out the answer and write the correct quotient, including the remainder.

Division Problems Student Answers		vers
637 ÷ 4	T49 R 1	Check: $149 \times 4 = 596$
	159 R 1	596 + 1 = 597
139 ÷ 2	69 R 1	Check: 69 × 2 = 138 138 + 1 = 139
188 ÷ 5	38 R 2 37 R 3	Check: 38 × 5 = 190 190 + 2 = 192
344 ÷ 6	57 R 3 57 R 2	Check: 57 × 6 = 342 342 + 3 = 345
458 ÷ 9	58 R 8 50 R 8	Check: 58 × 8 = 464 464 + 8 = 472
222 ÷ 7	31 R 5	Check: 31 × 7 = 217 217 + 5 = 222
692 ÷ 8	85 R 4 86 R 4	Check: 85 × 8 = 680 680 + 4 = 684
479 ÷ 3	169 R 2 159 R 2	Check: 169 × 3 = 507 507 + 2 = 509



Teacher Packet

Dividing with Estimation and Area Models continued

Write a word problem that could be solved by one of the problems.

Answers will vary. Possible answer: Micah has 188 rocks in his collection. He displays an equal amount of rocks on each of 5 shelves. How many rocks are on each shelf? Are there any rocks left over?

2 Can an answer be incorrect even if it looks reasonable? Explain.

Answers will vary. Possible answer: Yes. In these problems, the incorrect answers were close to the correct answers. You had to multiply to check to know if an answer was incorrect.



Estimate. Circle all the problems with quotients between 500 and 1,500. Then find the exact quotients of only the problems you circled.

$$(2)$$
 7,058 ÷ 9 = $(784 R 2)$

$$(4)$$
7,429 ÷ 5 = $1,485$ R 4

4
$$7,429 \div 5 = 1,485 \text{ R 4}$$
 5 $3,506 \div 9 = 6$ 6 $8,318 \div 8 = 1,039 \text{ R 6}$

(8)
$$4,113 \div 4 = 1,028 R 1$$
 (9) $3,196 \div 5 = 639 R 1$

$$(9)$$
3,196 ÷ 5 = $\underline{\mathbf{639 R 1}}$

$$(10)$$
5,018 ÷ 7 = $\underline{716}$ R 6

10 5,018 ÷ 7 =
$$\frac{716 \text{ R } 6}{11}$$
 11 8,127 ÷ 6 = $\frac{1,354 \text{ R } 3}{12}$ **12** 6,155 ÷ 3 = $\frac{1}{12}$

What strategies did you use to estimate the guotients? Explain.

Answers will vary. Possible answer: I rounded each dividend to the nearest hundred. Then used basic facts and place value to estimate the quotient.

14 Check one of your answers by solving it with a different strategy. Show your work. **Answers will vary.**

Write the missing numbers in the boxes to make each equation true.

Possible answers are shown.

$$\frac{2}{4} \times \frac{\frac{4}{4}}{\frac{4}{16}} = \frac{8}{16}$$

$$\frac{2}{3} \times \frac{\frac{6}{6}}{6} = \frac{12}{18}$$

$$\frac{5}{6} \times \frac{5}{5} = \frac{25}{30}$$

$$\frac{2}{3} \times \frac{3}{3} = \frac{6}{9}$$

$$\frac{3}{8} \times \frac{5}{\boxed{5}} = \frac{15}{\boxed{40}}$$

$$\frac{5}{6} \times \frac{2}{2} = \frac{10}{12}$$

$$\frac{5}{8} \times \frac{3}{3} = \frac{15}{24}$$

$$\frac{5}{8} \times \frac{3}{3} = \frac{15}{24}$$
 $\frac{2}{3} \times \frac{4}{4} = \frac{8}{12}$ $\frac{7}{8} \times \frac{2}{2} = \frac{14}{16}$

10 Which strategies did you use to solve the problems? Explain why.

Answers will vary. Possible answer: I looked at the numbers I was given. If I knew two numbers for the numerators I could use multiplication facts to figure out the third number, or apply the same strategy to the denominators. Then, since the second fraction should have the same numerator and denominator, I can use that information to fill in the other boxes.

Compare the fractions. Write <, >, or =.

$$\frac{3}{4}$$
 $>$ $\frac{3}{8}$

$$\frac{2}{3}$$
 < $\frac{4}{5}$

$$\frac{1}{5} = \frac{2}{10}$$

$$\frac{2}{10}$$
 $\frac{23}{100}$

$$\frac{7}{8}$$
 $>$ $\frac{3}{4}$

$$\frac{7}{12} < \frac{5}{6}$$

$$7 \frac{10}{12} = \frac{5}{6}$$

$$8 \frac{53}{100} > \frac{1}{2}$$

$$9 \frac{2}{8} < \frac{9}{12}$$

$$\frac{1}{6}$$
 $\frac{3}{12}$

11
$$\frac{4}{5}$$
 $>$ $\frac{77}{100}$

12
$$\frac{1}{3}$$
 $<$ $\frac{5}{12}$

13
$$\frac{1}{4}$$
 $>$ $\frac{2}{12}$

$$14 \ \frac{9}{10} \ = \ \frac{90}{100}$$

15
$$\frac{2}{3}$$
 $>$ $\frac{3}{6}$


Show a model you can use to check your answer to problem 12.

Answers will vary. Possible model:


1 Label the number line and use it to show $\frac{3}{4} + \frac{3}{4}$.




Shade the area model to show $\frac{3}{4} + \frac{3}{4}$. Possible shading is shown.



- Write the sum. $\frac{3}{4} + \frac{3}{4} = \frac{6}{4}$
- 2 Label the number line and use it to show $\frac{10}{8} \frac{4}{8}$.



Show $\frac{10}{8} - \frac{4}{8}$ on the area model. **Possible answer:**



Write the difference. $\frac{10}{8} - \frac{4}{8} = \frac{6}{8}$

Understanding of Fraction Addition and Subtraction *continued*

Teacher Packet

What type of model do you like best for showing fraction addition and subtraction? Explain why.

Answers will vary. Possible answer: I liked using area models when the fractions were small, but I thought it was easier to show numbers greater than 1 on a number line.

Compare subtracting $\frac{10}{8} - \frac{4}{8}$ to subtracting 10 - 4. How are they alike? How are they different?

Possible answer: They are alike because you are subtracting 4 units from 10 units. But with $\frac{10}{8} - \frac{4}{8}$, the units are eighths, and with 10 - 4, the units are wholes.

Write the missing numbers in the boxes to make each addition problem true.

$$1 \frac{1}{6} + \frac{4}{6} = \frac{5}{6}$$

$$\frac{1}{8} + \frac{4}{8} = \frac{5}{8}$$

$$\frac{1}{10} + \frac{4}{10} = \frac{5}{10}$$

$$\frac{4}{12} + \frac{3}{12} = \frac{7}{12}$$

$$\frac{4}{6} + \frac{3}{6} = \frac{7}{6}$$

$$\boxed{6} \ \frac{4}{3} + \boxed{\frac{3}{3}} = \frac{7}{3}$$

$$7 \frac{3}{4} + \frac{2}{4} = \frac{5}{4}$$

$$9 \frac{3}{8} + \frac{2}{8} = \frac{5}{8}$$

Answers will vary. Possible answers:

$$10 \quad \frac{2}{6} + \frac{2}{6} = \frac{4}{6}$$

$$11 \quad \frac{2}{5} + \frac{1}{5} = \frac{3}{5}$$

$$\frac{4}{10} + \frac{2}{10} = \frac{6}{10}$$

Write a number from 1–12 in each box so that the addition problem is true.

Answers will vary.

$$\frac{6}{12} + \frac{5}{12} = \frac{11}{12}$$

Solve each problem.

- Sammy has $\frac{4}{5}$ of his art project left to paint. He paints $\frac{2}{5}$ of the project. What fraction of the project is left to paint? $\frac{2}{5}$ of the project
- Marianne has $\frac{6}{8}$ of a yard of green ribbon. She uses $\frac{3}{8}$ of a yard for a craft project. How much green ribbon is left? $\frac{3}{8}$ of a yard

- Yuna plans to run 1 mile. She has run 7 of a mile so far. What fraction of a mile does she have left to run?
 3 of a mile
- Alex and Brady are helping to pack books into a box. Together they pack $\frac{7}{12}$ of the books. Alex packs $\frac{4}{12}$ of the books. What fraction of the books does Brady pack? $\frac{3}{12}$ of the books

Subtracting Fractions *continued*

Teacher Packet

- On Monday, Adam walks $\frac{3}{10}$ of a mile to the store and then $\frac{4}{10}$ of a mile to the park. How far does he walk in all?
- Javier has $\frac{7}{8}$ of a cup of flour. He uses $\frac{3}{8}$ of a cup in a recipe. How much flour does Javier have left? $\frac{4}{8}$ of a cup

- Shawna practices piano for $\frac{4}{6}$ of an hour and takes a break. Shawna then practices for $\frac{2}{6}$ of an hour more. How long does Shawna practice in all?
 - 1 hour

- 8 Kailee has finished $\frac{4}{5}$ of her math homework so far. What fraction of her math homework does she have left to finish?
 - $\frac{1}{5}$ of her math homework

Explain one way to check your work to problem 2.

Answers will vary. Possible answer: I can add $\frac{3}{8} + \frac{3}{8}$ and check that the sum is equal to $\frac{6}{8}$.

Find three ways to decompose each fraction into a sum of other fractions with the same denominator.

Answers will vary. Possible answers:

3
$$\frac{6}{5} = \frac{\frac{3}{5}}{5} + \frac{3}{5}$$

 $\frac{6}{5} = \frac{2}{5} + \frac{\frac{2}{5}}{5} + \frac{\frac{2}{5}}{5}$
 $\frac{6}{5} = \frac{2}{5} + \frac{2}{5} + \frac{\frac{1}{5}}{5} + \frac{\frac{1}{5}}{5}$

$$\frac{5}{6} = \frac{\frac{2}{6}}{\frac{1}{6}} + \frac{3}{6}$$

$$\frac{5}{6} = \frac{1}{6} + \frac{\frac{2}{6}}{\frac{1}{6}} + \frac{\frac{2}{6}}{\frac{1}{6}}$$

$$\frac{5}{6} = \frac{1}{6} + \frac{1}{6} + \frac{\frac{1}{6}}{\frac{1}{6}} + \frac{\frac{1}{6}}{\frac{1}{6}} + \frac{\frac{1}{6}}{\frac{1}{6}}$$

$$\frac{9}{12} = \frac{\frac{4}{12}}{\frac{1}{12}} + \frac{5}{12}$$

$$\frac{9}{12} = \frac{3}{12} + \frac{3}{12} + \frac{\frac{1}{12}}{\frac{1}{12}} + \frac{\frac{1}{12}}{\frac{1}{12}} + \frac{\frac{1}{12}}{\frac{1}{12}}$$

$$\frac{9}{12} = \frac{\frac{3}{12}}{\frac{3}{12}} + \frac{\frac{3}{12}}{\frac{1}{12}} + \frac{\frac{3}{12}}{\frac{1}{12}}$$

$$\frac{8}{10} = \frac{\frac{3}{10}}{\frac{1}{10}} + \frac{\frac{1}{10}}{\frac{1}{10}} + \frac{\frac{1}{10}}{\frac{1}{10}}$$

$$\frac{8}{10} = \frac{\frac{3}{10}}{\frac{1}{10}} + \frac{\frac{3}{10}}{\frac{1}{10}} + \frac{\frac{2}{10}}{\frac{1}{10}}$$

Describe your strategy for finding the missing numbers.

Possible answer: I thought about ways to make the numerator from smaller numbers. The denominator stays the same in each set of problems.