

Samsung Solutions

Product Catalog



Contents

- InVue Overview..... iii
- InVue and Brands..... iv
- OneKEY 1
- Samsung Mobile Device & Tablet Solutions 4
 - S2865..... 5
 - OnePOD..... 8
 - S960..... 14
 - All-in-One VMD..... 15
- Samsung Wearables Solutions 17
 - S2865..... 18
 - W2000..... 20
 - WS2 21
 - HSW100 22
- Samsung Smart Home Solutions 23
- Zips Display Case 25
- Samsung VR Solutions 26
 - S2865..... 26
 - S3000 27
- Samsung Accessories Solutions 28
- Samsung Headphone Solution 32
- Samsung Laptop Solutions 33
- InVue Inside 35
- InVue LIVE 37
 - S3100V Wireless Display 38
 - OnePOD Wireless 40
 - LIVE OnePOD 43
- InVue Customer Service Centers 46


An intelligent, connected, security and merchandising technology platform that promotes and secures all merchandise at retail.



InVue is a global technology company that provides retailers and brands with innovative merchandising, software and security solutions. Our products seamlessly promote and secure retail merchandise, enhancing the in-store experience to improve our customers' profits.

We back our commitment with a 90,000 square foot innovation, quality, design and service center in Charlotte, NC. Our quality control facilities in Charlotte and China, use custom designed testing equipment to simulate actual, daily in-store use of our products.

Enabling an authentic brand experience.



TECHNOLOGY

- › Investing over 7%+ yearly in research and development. Custom designed testing equipment to simulate actual in-store use.
- › 90,000 sq. ft innovation, quality, design and service center in Charlotte, NC.

FOCUS

- › A history working with brands at the Headquarter, Regional and Retail level to maintain a comprehensive understanding of the brands ecosystem.
- › Offering products that balance the desire for high experience with the need for security.

EXPERTISE

- › Leveraging extensive retail experience and investments to bring innovative solutions to market.
- › Broad merchandising and security portfolio alongside data and analytics that give insight into customer behavior and interactions

GLOBAL PRESENCE

- › Global presence and local support in 90+ countries.
- › Innovative concepts that are informed by a global retail landscape.
- › Dedicated white-glove service for brands at the HQ, Regional and Local levels.

OneKEY™

ecosystem

The synergy gained from aligning brand displays with existing retailer technology results in increased profits.



BEST-IN-CLASS SECURITY

Assign a unique code per store, 12 hour time-out feature for greater protection, and ability to create zones and audit employee use.

IN-STORE VISIBILITY

Monitor, understand and manage associate interactions through software analytics. Know who did what, where and when.

OVERVIEW

OneKEY is the most secure and convenient key system that enables associates to assist customers quickly and easily. Each interaction from OneKEY instantly transfers to Access Manager, where you can assign access zones, deauthorize keys, as well as understand who interacted with what, and when. Operating on InVue LIVE, OneKEY allows you to monitor and manage all key interactions real time.

OneKEY™ ecosystem



SECURITY & MERCHANDISE



ANALYTICS



ACCESS CONTROL

Advanced Technology & Software

Using unique infrared technology, OneKEY transfers power and data to a complete ecosystem of merchandise and mobile point-of-sale solutions, providing industry-leading protection to your high-theft products and essential operating systems.



OneKEY

Data is the key. The key is data.



At a glance:

FEATURES AND BENEFITS

The most secure and convenient key system that enables associates to assist customers quickly and easily. Each interaction from OneKEY instantly transfers to Access Manager, where you

can assign store access zones, deauthorize keys, as well as understand who interact with what, and when. Together with InVue LIVE, you can monitor and manage store activity in real-time.

ONEKEY

Order Code	Description	Notes
OK4100	OneKEY Manager	
OK4101	Communication and Power Cable	
OK4104	4-Up Charger	
OK4108	8-Up Charger	
OK4400	Live Data Key, US902-928	
OK4401	Live Data Key, EU863-870	
OK4406	Live Data Key, AS923	

HQ APPROVED

Series 2865



- › Flexible, multi-position system with quick disconnect sensor
- › Smart voltage regulation compensates for voltage loss between the Power Box and device
- › Ultra Low Profile sensor makes the product the hero and delivers a great customer experience



OnePOD

- › Above counter POD with internal recoiler
- › Compatible with InVue's software suite for data analytics
- › Scalable security with consistent look and feel



Series 960

- › Above counter POD with exposed cable
- › Allows for cross-merchandising of accessories
- › Compatible with InVue's software suite for data analytics

COMPATIBILITY

GALAXY S

GALAXY NOTE

GALAXY FOLD

A SERIES

J SERIES

GALAXY FLIP

TAB A

TAB S

GALAXY Z

Series 2865 Display Examples



Series 2865 split-counter view of Laptop and Tablet display



Point of sale merchandise display



Global Display Standard mat format table



Series 2865 split-counter view display

Series 2865

Series 2865 is a flexible, multi-position security system that allows retailers to secure multiple electronics and accessories on a single fixture or display. Designed for single applications, mixed use tables and branded ecosystems, the S2865 is a modular, smart voltage regulation system with multi-voltage power boxes and a full portfolio of sensors that can be configured to accommodate different needs. The Ultra Low Profile sensors and low pull recoiler deliver a great consumer experience in a clean, modern design ensuring the product is the hero.



S20 on a Series 2865 Vertical Display

At a glance:

FEATURES AND BENEFITS

- › Designed for branded ecosystems, mixed-use displays and category specific displays
- › Quick disconnect feature for customer interaction and easy nightly removal
- › Ultra Low Profile sensor makes the product the hero and delivers a great customer experience
- › Smart voltage regulation compensates for voltage loss between the Power Box and device
- › Up to 24 powered and 24 alarming positions or 48 alarming only positions
- › Under counter components are future-proof and easily merchandised for the addition of new products

GALAXY BOOK & KEYBOARD

Sensor	
DNT908W	Custom S2800 Tab w/Keyboard Injected USB-C TPS2
DNT910-W	Custom S2800 Tab w/Keyboard Power Injected USB-C Tab Pro
Bracket	
DNTX96W	Custom Bracket for DNT908W
DNTX98W	Custom Bracket for DNT910W

MOBILE DEVICE

Recoiler	
DKDQ310-B or W	S2865 Q/C Recoiler No Data Dongle Cable - Black or White
DKDQ510-B or W	Custom Quick Connect Galaxy Keeper Recoiler - Black or White
DNDR30-W	S2800 Recoiler LP Sensor Micro USB Blue LED
DNDR39-W	S2800 Recoiler LP Sensor Type C 1.5A

Quick Disconnect Sensor	
DKHR901-B or W	S2865 Custom Type C Pocket Mount Black or White
DKHR801-B or W	S2865 Type C Pocket Mount Sled w. Brackets Black or White
DKHR201-W	S2865 ULP Sensor USB Type C w/Arm Slot - White
DKHR203-W	S2865 ULP Sensor USB Type C - White
DKHR902-B or W	S2865 Custom Micro Pocket Mount Black or White
DKHR802-B or W	S2865 Pocket Mount Micro w/Brackets Black or White
DKHR200-W	S2865 ULP Sensor Micro USB (STD) w/Arm Slot - White
DKHR204-W	S2800 ULP Sensor Micro (Rev) w/Arm Slot - White

Stand	
DNC104	Custom Slotted Acrylic LP HS Stand

Exposed Cable Sensor	
DNH920-W	S2800 LP HH Exposed Type C 1.5 White
DNH226-W	S2800 Low Profile Sensor Type C 1.5A White
DNH222W	S2800 Wave II Sensor Type C 1.5A White
DNDS11W	S2800 Tab & HH Angled Stand Perfect Placement White
DNHR16B or W	S2800 Wave-II HH Sensor Micro AP-II Black or White

Brackets	
DKHC200-B	S2800 LP HH Exposed Type C 1.5 White

TABLETS

Sensor	
DNT915-W	Custom TabS4/A10.5 Type C Normal SEC White

Bracket	
DKTX85	Custom HS Bracket Tab S 2019 with Keyboard Cover
DKTX86	Custom HS Bracket Tab A 2019 with Keyboard Cover

TO CONFIGURE A DISPLAY

- › All display positions requires S2865 below counter components for alarm unit and power boxes.
- › To complete a display, select either:
 - › Recoiler and Quick Disconnect Sensor or
 - › Exposed Cable Sensor
 - › Stand and Brackets as needed

OnePOD

We've redesigned PODs from the inside out, and the result is a platform that elevates the customer experience, improves operational efficiency and has a consistent look across all stands. And with advanced data and analytics, OnePOD enables you to maximize every sales opportunity, at every store, and every display — every day. That's the Power of OnePOD.



At a glance:

FEATURES AND BENEFITS

- › Minimal design aesthetic allows merchandise to be the hero
- › Elevated customer experience
- › Advanced analytic capabilities
- › Scalable security allows devices to be lifted or locked down depending on retail environment
- › 2 or 4-way unibody steel security arms available/ optional



One40



One55



One60



One65



One90QR



	One55	One65	One60
Internal Recoiler	✓	✓	✓
Lift Length	32 inches	32 inches	15 inches
Standard Security	✓	✓	✓
Enhanced Security		✓	✓
High Security			✓
Cross-Merchandising Port		✓	
Data Analytics		✓	✓
Quick Release	✓	✓	✓
Split-Level Recoiler Option	✓	✓	✓
Brackets	Optional	Optional	Recommended

Don't let thieves design your customer experience.

ONE DESIGN

For consistent visual merchandising.

ONE EXPERIENCE

Delivering an inviting and meaningful customer experience even in a high security environment. Enabling you to engage customers with high value accessory cross-merchandising.

ONE PLATFORM

One common platform that allows you to control where and how much security is needed.



ONE40

Order Code	Description	Notes
DBD141-W DBD141-B	One40 Flat Puck - White One40 Flat Puck - Black	
DBD205-W DBD205-B	One40 Non Alarming Sensor - White One40 Non Alarming Sensor - Black	
DBD300	OnePOD Non-Connected Recoiler, Standard Cable	
DBH500-W DBH500-B	OnePOD HH USB Micro USB Power Connector - White OnePOD HH USB Micro USB Power Connector - Black	4 pack
DBH501-W DBH501-B	OnePOD HH USB Type C Power Connector - White OnePOD HH USB Type C Power Connector - Black	4 pack
DBH508-W DBH508-B	OnePOD HH USB Type C Insight Power Connector - White OnePOD HH USB Type C Insight Power Connector - Black	4 pack
ADH2180	OnePOD Sensor Adhesive Replacement	8 pack
ADH2181	OnePOD Angled Stand Adhesive Replacement	8 pack
PS531-EU PS531-UK	5V, 3A (5-pin) Power Supply - EU 5V, 3A (5-pin) Power Supply - UK	

ONE55

Order Code	Description	Notes
DBD100-W DBD100-B DBD100-S	One55 Angled Standard Security Basic Stand - White One55 Angled Standard Security Basic Stand - Black One55 Angled Standard Security Basic Stand - Silver	
DBD106-W DBD106-B	One55 Flat Standard Security Basic Stand - White One55 Flat Standard Security Basic Stand - Black	
DBD101-W DBD101-B	One55 Angled Enhanced Security Basic Stand - White One55 Angled Enhanced Security Basic Stand - Black	
DBD107-W DBD107-B	One55 Flat Enhanced Security Basic Stand - White One55 Flat Enhanced Security Basic Stand - Black	
DBD102-W DBD102-B	One55 Angled Standard Security Data Stand - White One55 Angled Standard Security Data Stand - Black	
DBD108-W DBD108-B	One55 Flat Standard Security Data Stand - White One55 Flat Standard Security Data Stand - Black	
DBD103-W DBD103-B	One55 Angled Enhanced Security Data Stand - White One55 Angled Enhanced Security Data Stand - Black	
DBD109-W DBD109-B	One55 Flat Enhanced Security Data Stand - White One55 Flat Enhanced Security Data Stand - Black	

ONE55 (CONTINUED)

Order Code	Description	Notes
DBD200-W DBD200-B	One55/One65 Alarming Sensor - White One55/One65 Alarming Sensor - Black	
DBD209-W DBD209-B	One55 Display Only Sensor - White One55 Display Only Sensor - Black	
DBH500-W DBH500-B	One55/One65/One60 HH USB Micro Pwr Connector - White One55/One65/One60 HH USB Micro Pwr Connector - Black	4 pack
DBT500-W DBT500-B	One55/One65/One60 Tablet USB Micro Pwr Connector - White One55/One65/One60 Tablet USB Micro Pwr Connector - Black	4 pack
DBH501-W DBH501-B	One55/One65/One60 HH USB Type C Pwr Connector - White One55/One65/One60 HH USB Type C Pwr Connector - Black	4 pack
DBT501-W DBT501-B	One55/One65/One60 Tablet USB Type C Pwr Connector - White One55/One65/One60 Tablet USB Type C Pwr Connector - Black	4 pack
DBH282-W DBH282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black HH brackets)	
DBT282-W DBT282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black tablet brackets)	
DBH298-W DBH298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black HH brackets)	
DBT298-W DBT298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black tablet brackets)	
DBG400	One55/One65/One60 Magnetic Tool	4 pack
DQD405	S1060 and One55/One65 Screw Down Kit	
DBG402	One55/One65 Slot Mount Adapter Angled Stand	
DBG403-W DBG403-B	One55/One65 Insight Hub Cable - White One55/One65 Insight Hub Cable - Black	
DBG405	One55/One65/One60 Dib Cable	
DBG407-W	One65/One60 Insight Hub Cable 5.0M - White	
DBG408	One55/One65 Slot Mount Adapter Flat Stand	
ADH2180	OnePOD Sensor Adhesive Replacement	8 pack
ADH2181	OnePOD Angled Stand Adhesive Replacement	8 pack
ADH2186	OnePOD Flat Stand Adhesive Replacement	8 pack

ONE65

Order Code	Description	Notes
DBD120-W DBD120-B	One65 Angled Standard Security Stand - White One65 Angled Standard Security Stand - Black	
DBD126-W DBD126-B	One65 Flat Standard Security Stand - White One65 Flat Standard Security Stand - Black	
DBD121-W DBD121-B	One65 Angled Enhanced Security Stand - White One65 Angled Enhanced Security Stand - Black	
DBD127-W DBD127-B	One65 Flat Enhanced Security Stand - White One65 Flat Enhanced Security Stand - Black	
DBD122-W DBD122-B	One65 Angled Standard Security Short Puck - White One65 Angled Standard Security Short Puck - Black	
DBD200-W DBD200-B	One55/One65 Alarming Sensor - White One55/One65 Alarming Sensor - Black	
DBD201-W DBD201-B	One65 Alarming Insight Sensor - White One65 Alarming Insight Sensor - Black	
DBH500-W DBH500-B	One55/One65/One60 HH USB Micro Pwr Connector - White One55/One65/One60 HH USB Micro Pwr Connector - Black	4 pack
DBT500-W DBT500-B	One55/One65/One60 Tablet USB Micro Pwr Connector - White One55/One65/One60 Tablet USB Micro Pwr Connector - Black	4 pack
DBH501-W DBH501-B	One55/One65/One60 HH USB Type C Pwr Connector - White One55/One65/One60 HH USB Type C Pwr Connector - Black	4 pack
DBT501-W DBT501-B	One55/One65/One60 Tablet USB Type C Pwr Connector - White One55/One65/One60 Tablet USB Type C Pwr Connector - Black	4 pack
DBH507-W DBH507-B	One65/One60 HH USB Micro Insight Pwr Connector - White One65/One60 HH USB Micro Insight Pwr Connector - Black	4 pack
DBT507-W DBT507-B	One65/One60 Tablet USB Micro Insight Pwr Connector - White One65/One60 Tablet USB Micro Insight Pwr Connector - Black	4 pack
DBH508-W DBH508-B	One65/One60 HH USB Type C Insight Pwr Connector - White One65/One60 HH USB Type C Insight Pwr Connector - Black	4 pack
DBT508-W DBT508-B	One65/One60 Tablet USB Type C Insight Pwr Connector - White One65/One60 Tablet USB Type C Insight Pwr Connector - Black	4 pack
DBH282-W DBH282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black HH brackets)	
DBT282-W DBT282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black tablet brackets)	
DBH298-W DBH298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black HH brackets)	
DBT298-W DBT298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black tablet brackets)	

ONE65 (CONTINUED)

Order Code	Description	Notes
DBG400	One55/One65/One60 Magnetic Tool	4 pack
DQD405	S1060 and One55/One65 Screw Down Kit	
DBG402	One55/One65 Slot Mount Adapter Angled Stand	
DBG403-W	One65/One60 Insight Hub Cable 2.5M - White	
DBG407-W	One65/One60 Insight Hub Cable 5.0M - White	
DBG405	One55/One65/One60 Dib Cable	
DBG408	One55/One65 Slot Mount Adapter Flat Stand	
ADH2180	OnePOD Sensor Adhesive Replacement	8 pack
ADH2181	OnePOD Angled Stand Adhesive Replacement	8 pack
ADH2186	OnePOD Flat Stand Adhesive Replacement	8 pack
PS531	5V, 3A Power Supply	
PS534	4-Port Power Box 5V, 3A	
PS535	USB PD Power Supply	
DBD300	OnePOD Non-Connected Recoiling Standard Cable	
DBD310	OnePOD Connected Recoiling Standard Cable	

ONE60

Order Code	Description	Notes
DBD160-W DBD160-B	One60 Basic Angled Stand - White One60 Basic Angled Stand - Black	
DBD210-W DBD210-B	One60 Alarming Sensor - White One60 Alarming Sensor - Black	
DBH501-W DBH501-B	OnePOD HH USB Type C Power Connector - White OnePOD HH USB Type C Power Connector - Black	4 pack
DBD298	OnePOD 4.0 mm 4 Way HH Bracket and Plate	
PS531-EU PS531-UK	5V, 3A (5 PIN) Power Supply - EU 5V, 3A (5 PIN) Power Supply - UK	

ONE90QR

Order Code	Description	Notes
DBD191-W DBD191-B	One90 Angled Quick Release High Security Stand - White One90 Angled Quick Release High Security Stand - Black	
DBH298-W DBH298-B	OnePOD 4.0 mm 4 Way HH Bracket and Plate - White OnePOD 4.0 mm 4 Way HH Bracket and Plate - Black	
ADH2180	One POD Sensor Adhesive Replacement	8 pack

Series 960

The Series 960 POD features an optimal combination of contemporary design and high consumer experience. It's completely scalable to meet your security needs, and along with compatible software, can provide critical user data and analytics... all at a very compelling price.



At a glance:

FEATURES AND BENEFITS

- › Above counter POD simplifies installation
- › Minimal contemporary design
- › High consumer experience
- › Ability to layer bracket arms
- › Allows for cross-merchandising of accessories
- › Compatible with InVue's software suite for data analytics

S960

Order Code	Description	Notes
DGD100-W DGD100-B	S960 Tall Angled Stand - White S960 Tall Angled Stand - Black	
DGH208-W DGH208-B	S960 HH Type C Sensor - White S960 HH Type C Sensor - Black	
ADH2198	Universal Sensor PSA Kit - S850/S960	8 pack
PS531-EU PS531-UK	5V, 3A (5-pin) Power Supply - EU 5V, 3A (5-pin) Power Supply - UK	

All in One Visual Merchandise Display (VMD)

InVue's All in One VMD is an all-in-one solution that integrates security and power in to a single display solution. Matching Samsung-approved aesthetics, this VMD features an integrated spec card that can easily be interchanged with various Samsung product plates.



At a glance:

FEATURES AND BENEFITS

- › Design aesthetic compliant with Samsung visual merchandise guidelines
- › Complete alarm unit electronics integrated into base of VMD; no additional undercounter alarm box necessary
- › Simple all above counter installation
- › Integrated, and easily interchangeable spec card
- › Ability to add bracket arms for additional security
- › High consumer experience

COMPATIBILITY

GALAXY S SERIES

GALAXY NOTE SERIES

GALAXY Z FLIP

GALAXY A SERIES

GALAXY Z FOLD

ALL IN ONE VMD

Order Code	Description
DZHU320-B	All in One VMD w/ Alarm Unit, Base Only - Black
DZHU300-B	All in One VMD w/ Alarm Unit + Sensor - Black
DZHU330-B	All in One VMD - Z Fold w/ Alarm Unit + Sensor - Black
DZHU340-B	All in One VMD - Z Fold w/ Alarm Unit Only - Black
DZHU360-B	All in One VMD - Z Flip w/ Alarm Unit + Sensor - Black
DZHU370-B	All in One VMD - Z Flip w/ Alarm Unit Only - Black

S-PEN TETHER

Order Code	Description
DZGZ410	Samsung S-Pen Tether, All in One VMD

CHAIRBACK

Order Code	Description
DZHR200-B	Rigid Pocket Chairback, Sliding USB Type C - Black
DZHR210-B	Rigid Pocket Chairback, Sliding USB Type C, w/ Bracket - Black



HQ APPROVED

Series 2865

- › Flexible, multi-position system with quick disconnect sensor
- › Smart voltage regulation compensates for voltage loss between the Power Box and device
- › Ultra Low Profile sensor makes the product the hero and delivers a great customer experience



W2000

- › Most comprehensive solution to power and alarm wearables
- › Includes integrated alarm stand with recoiler, prevents the need for separate alarm unit
- › Magnets in both the cradle and band clamp attract for perfect placement
- › Custom link sensors for Samsung devices



WS2

- › 2 hidden options: Hidden cord or Exposed cord
- › Perfect placement magnets and anti-slip pad to ensure consistent and clean display
- › Easy-to-install flex sensors protect both wearable head and band and minimizes false alarms
- › Compatible with Zips for full alarm option

COMPATIBILITY

GALAXY WATCH 1 & 3

GEAR S3

GEAR FIT 2 PRO

GALAXY WATCH ACTIVE 1 & 2

GALAXY FIT

GEAR SPORT

GALAXY FIT-E

Series 2865

Series 2865 is a flexible, multi-position security system that allows retailers to secure multiple electronics and accessories on a single fixture or display. Designed for single applications, mixed use tables and branded ecosystems, the S2865 is a modular, smart voltage regulation system with multi-voltage power boxes and a full portfolio of sensors that can be configured to accommodate different needs. The Ultra Low Profile sensors and low pull recoiler deliver a great consumer experience in a clean, modern design ensuring the product is the hero.



At a glance:

FEATURES AND BENEFITS

- › Designed for branded ecosystems, mixed-use displays and category specific displays
- › Quick disconnect feature for customer interaction and easy nightly removal
- › Ultra Low Profile sensor makes the product the hero and delivers a great customer experience
- › Smart voltage regulation compensates for voltage loss between the Power Box and device
- › Up to 24 powered and 24 alarming positions or 48 alarming only positions
- › Under counter components are future-proof and easily merchandised for the addition of new products



Galaxy Fit & Fit-e



Gear Sport



Galaxy Watch Active 1 & 2

GEAR SPORT

Stand	
DNW404W	S2800 Custom Gear Sport Stand White
Sensor	
DNW914W	S2800 Custom Sensor Gear Sport White

GALAXY WATCH ACTIVE 1 & 2

Stand	
DKWS850-B	Custom S2865 Watch Stand Pulse Black - Includes stand, sensor and dongle

GALAXY FIT & FIT-E

Quick Disconnect Sensor	
DKWX970-B	Custom Wearables Display Only Galaxy FIT Black
DKWX960-B	Custom Wearables Display Galaxy FITe Black

GEAR FIT 2 PRO

Quick Disconnect Sensor	
DNWS40W	Custom 2800 Stand Fit 2 Pro White
DNW907-W	Custom Wearable Sensor Gear Fit 2 Pro White

TO CONFIGURE A DISPLAY

- › All display positions requires S2865 below counter components for alarm unit and power boxes.
- › To complete a display, select either:
 - › Recoiler and Quick Disconnect Sensor or
 - › Exposed Cable Sensor
 - › Stand and Brackets as needed

W2000: All-in-one solution for wearables



At a glance:

FEATURES AND BENEFITS

- › Most comprehensive solution to power and alarm wearables
- › Includes integrated alarm stand with recoiler, prevents the need for separate alarm unit
- › Magnets in both the cradle and band clamp attract for perfect placement
- › Custom link sensors for Samsung devices

W2000

Order Code	Description	Notes
ZW2000-W	W2000 All Above Table Wearable Solution - White	
ZW1009-B	Universal Flex Sensor	
ZW1015-W	Universal OEM Kit - White	
ADH2321	Adhesive Kit for WS2/W2000 Stands	8 pack
PS515-EU PS515-UK	5V USB-A Positive Slope Power Supply - EU 5V USB-A Positive Slope Power Supply - UK	

WS2: Clean, consistent display for wearables



At a glance:

FEATURES AND BENEFITS

- › 2 hidden options: Hidden cord or Exposed cord
- › Perfect placement magnets and anti-slip pad to ensure consistent and clean display
- › Utilizes universal flex sensor for improved operational efficiency and easy installation
- › Easy-to-install flex sensors protect both wearable head and band and minimizes false alarms
- › Compatible with Zips for full alarm option

WS2

Order Code	Description	Notes
ZW1001-W	WS2 Recoiler Stand Long Cable - White	
ZW1002-W	WS2 Exposed Cord Stand Long Cable - White	
ZW1009-B	Universal Flex Sensor	
ZW1015-W	Universal OEM Kit - White	
ADH2321	Adhesive Kit for WS2/W2000 Stands	8 pack

HSW100: Powerful security for smartwatch displays



At a glance:

FEATURES AND BENEFITS

- › Heavy-duty, all-metal construction delivers a truly secure display solution
- › Clean, minimal, low-profile stand complements environment and engages customers, while reducing leverage points and theft access
- › Two (2) mounting stud sizes for scalability and enhanced security
- › Undercounter hardware that protects fixtures and countertops
- › Integrated OEM power capability for most popular Apple and Samsung watch models

HSW100

Order Code	Description
AC271-W/B	HS Wearables Low Profile Angled Stand
AC275-W/B	HS Wearables Low Profile Angled Stand, 6MM Studs
AC272-W/B	HS Wearables Harness Bands, Round (43-51mm)
AC273-W/B	HS Wearables Harness Bands, Round (40-42mm)

Universal display platform for all connected home devices.

Zips Connected Home display solution is the first and only universal and cost-effective platform to curate, display, and protect Internet of Things (IoT) and connected home devices. The platform provides a clean and consistent display solution that accommodates a wide range of devices in varying shapes and sizes to meet any retailer's unique merchandising and security needs.



At a glance:

FEATURES AND BENEFITS

- › Universal, modular design complements the device and provides versatility
- › Compact design is ideal when space is limited
- › Powered option allows user interaction with the device
- › When used with Zips, you can power up to 4 positions
- › Alarm units can be mounted under counter for a clean display (not shown)

COMPATIBILITY

SMART THINGS

SMART CAM A1

SMOKE ALARM

ADT MOTION DETECTOR

HOME SAFETY EXPANSION PACK

ZIPS IOT

Order Code	Description	Notes
ZC1000-W ZC1000-B	Zips IoT Display Base Unit - White Zips IoT Display Base Unit - Black	
ZC1003-W ZC1003-B	Zips IoT Single Plunger Sensor Connector - White Zips IoT Single Plunger Sensor Connector - Black	
ZC1006-W ZC1006-B	Zips IoT Powered USB-C Sensor Connector - White Zips IoT Powered USB-C Sensor Connector - Black	
ZC1008-W ZC1008-B	Zips IoT Vertical Screw Mount Bracket with White Base Zips IoT Vertical Screw Mount Bracket with Black Base	
ZC1015	Zips IoT Screw Replacement Kit	3 kits
ADH2317	Zips IoT Adhesive Replacement Kit	3 kits

ZIPS SENSORS

Order Code	Description	Notes
ZB2008-W	Zips Micro Plunger Sensor Straight Cable - White	
ZB2004-W	Zips Powered Micro-USB Sensor Straight Cable - White	
ZB2005-W	Zips Powered USB-C Cable Sensor Straight Cable - White	
ZB2007-W	Zips Non-Powered USB-A Sensor Straight Cable - White	
DNL203W	Laptop/Tablet Power Injected Type-C Sensor	
ZB1000-W	Zips Single Port Alarm Unit - White	
ZB1001-W	Zips 4-Port Alarm Unit - White	
ZB3000-W	Zips 4-Port Remote IR - White	
ADH2308	Adhesive Replacement Kit for Single Port AU	8 pack
ADH2309	Adhesive Replacement Kit for 4-Port AU	8 pack
ADH2171	Replacement PSA Micro Plunger Sensor with LED	8 pack
YLR52	5.3VDC/6.5A Power Supply (Power Cable Not Included)	
YC10	C7 AC Power Cable - UK	
YC11	C7 AC Power Cable - EU	
ZB4002-W	Power Connector Cable for 4-Port AU - White	
ZB4001-W	Single Port Power Cable - White	

Zips Display Case

A universal case to display and protect product.

At a glance:

FEATURES AND BENEFITS

- › Clear visual case protects the product and promotes engagement
- › Compact design ideal for showing smaller items with limited space
- › Choose from a variety of sensor options for power and alarm
- › Cover fits Zips universal display platform to quickly refresh the shopping experience
- › Compatible with OneKEY. Option to combine Zips Alarm Unit with Access Manager to track display position



ZIPS DISPLAY CASE

Order Code	Description
ZC1000-W	Zips IoT Display Base Unit - White
ZC1000-B	Zips IoT Display Base Unit - Black
ZC1002-W	Zips IoT Dummy Display Base Unit - White
ZC1002-B	Zips IoT Dummy Display Base Unit - Black
ZC1901-W	Zips Display Case with Small Cover - White
ZC1003-W	Zips IoT Single Plunger Sensor Connector - White
ZC1003-B	Zips IoT Single Plunger Sensor Connector - Black
ZC1004-W	Zips IoT Dual Plunger Sensor Connector - White
ZC1004-B	Zips IoT Dual Plunger Sensor Connector - Black
ZC1005-W	Zips IoT Powered Micro-USB Sensor Connector - White
ZC1005-B	Zips IoT Powered Micro-USB Sensor Connector - Black
ZC1006-W	Zips IoT Powered USB-C Sensor Connector - White
ZC1006-B	Zips IoT Powered USB-C Sensor Connector - Black
ZC1013-W	Zips IoT Flex Tear Sensor Connector - White
ZC1013-B	Zips IoT Flex Tear Sensor Connector - Black
DBG400	Lockdown/Magnet Release Tool - 4 pack
ADH2317	Zips IoT Adhesive Replacement Kit - 3 Kits

Samsung VR Solutions

Series 2865 is a flexible, multi-position security system that allows retailers to secure multiple electronics and accessories on a single fixture or display. Designed for single applications, mixed use tables and branded ecosystems, the S2865 is a modular, smart voltage regulation system with multi-voltage power boxes and a full portfolio of sensors that can be configured to accommodate different needs.



At a glance:

FEATURES AND BENEFITS

- › Designed for branded ecosystems, mixed-use displays and category specific displays
- › Smart voltage regulation compensates for voltage loss between the Power Box and device
- › Up to 24 powered and 24 alarming positions or 48 alarming only positions
- › Under counter components are future-proof and easily remerchandised for the addition of new products

GEAR VR

Order Code	Description	Notes
DNDR93-B/W/Z	S2800 Custom Recoiler Gear VR4Headset Black/White/Zebra	
DNDR92-B/W/Z	Custom Recoiler Gear VR Controller Black/White/Zebra	

Series 3000



At a glance:

FEATURES AND BENEFITS

- › Completely cordless power and alarm display for the best customer try-on experience
- › Alarm on product provides alarming protection that stays with the merchandise
- › Phone charged through docking station
- › Optional button blocker disables phone removal to provide layered security


GEAR VR

Order Code	Description
DWD100-B/W	Series 3000 Base, Gold LED Black or White
DWH907-B/W	Series 3000 Samsung VR Sensor Black or White

Accessory Display Examples



Wireless Chargers



Galaxy Tab Dock



Freestyle Projector

S Pen



- › Display-only cup and tether solution
- › Configurations for multiple S Pen generations



- › Vertical display
- › Charging display with internal recoiler



- › Display-only tray and tether solution
- › Configurations for multiple S Pen generations



- › Horizontal display
- › Charging display with internal recoiler

Series 2865

Series 2865 is a flexible, multi-position security system that allows retailers to secure multiple electronics and accessories on a single fixture or display. Designed for single applications, mixed use tables and branded ecosystems, the S2865 is a modular, smart voltage regulation system with multi-voltage power boxes and a full portfolio of sensors that can be configured to accommodate different needs.



At a glance:

FEATURES AND BENEFITS

- › Designed for branded ecosystems, mixed-use displays and category specific displays
- › Smart voltage regulation compensates for voltage loss between the Power Box and device
- › Variety of sensors provide power and/or alarm to accessory devices
- › Up to 24 powered and 24 alarming positions or 48 alarming only positions
- › Under counter components are future-proof and easily remerchandised for the addition of new products

WIRELESS CHARGERS & TAB A DOCK

Order Code	Description	Notes
DNAR95	Custom Injected Type C AP Sensor CHG GSL/DUO-CHG/Dock	

S PEN

Order Code	Description	Notes
DNAX950-B/W/Z	Note 9 S Pen Charging Tray with Recoiler Black/White or Zebra	
DNAZ72-B/W/Z	Note 9 S Pen Charging Vertical Recoiler Black/White or Zebra	
DNAZ80	Samsung Tab S4 S Pen Tether Clear Cap	
DNAZ95W	S2800 Custom Tab S Pen Tether White	
DNAZ96W	Note 8 S Pen Tether Only White	
DNAZ97W	Tether & Tray Samsung Tab S4 S Pen White	
DNTZ92W	Samsung Tab S3 & Book S Pen Tether Non Alarming	
ZA2965-W	Samsung Notebook 9 S Pen with Tray White	
DNAS91	S2800 Stylus Holder Cup with Riser	
DNAZ81W	Note 9 S Pen Vertical with Recoiler	

FREESTYLE PROJECTOR

Order Code	Description	Notes
DNL203/DNL302	Type-C Injected Sensor Blue LED	
ZB2008	Zips Micro Plunger Sensor Straight Cable	

Optimal customer experience & security for wireless headphones

Zips Headphone Recoiler is the only interactive merchandising solution on the market that provides both security and audio transmission through a recoiler for wireless headphones. Featuring an integrated audio cable inside the recoiler, this cost-effective solution ensures that audio always passes through to headphones, creating a stimulating shopping experience.

Zips All-in-One sensor goes a step further and integrates power for continuous charging, various combinations of audio and power available. Retailers can now openly and securely display wireless headphones for optimal customer engagement and increased sales.



At a glance:

FEATURES AND BENEFITS

- › Fully integrated audio cable for playback in the headphones, promoting an optimal customer experience
- › Reliable security to openly and safely display wireless headphones
- › Supports multiple audio barrel sizes: 2.5mm and 3.5mm
- › Type-C and Micro-USB, power connections available with AiO
- › Integration with Zips platform
- › Display stand accessory available

Order Code	Description
ZB2510-B/W	Headphone AP Micro, 2.5 Audio Sensor
ZB2511-B/W	Headphone A ZB2511-B/W P Micro, 3.5 Audio Sensor
ZB2520-B/W	Headphone AP Type C, 2.5 Audio Sensor
ZB2521-B/W	Headphone AP Type C, 3.5 Audio Sensor
ZB2525-B/W	Headphone Lightning Power Alarming Sensor
ZB2501-B/W	Headphone Adjustable Loop Holster
ZC1960-B/W	Zips Headphone Display Stand (Requires Zips IoT Base Unit ZC1000)

Samsung Laptop Solution

Solutions for Laptops, Chromebooks, Notebooks, and Galaxy Books



COMPATIBILITY

GALAXY BOOK S

GALAXY BOOK

GALAXY BOOK PRO

GALAXY BOOK PRO 360

GALAXY BOOK ODYSSEY

Instant power and alarming functionality for Samsung laptops



Compatible with S2865



Compatible with Zips 4-Port Alarm Unit

At a glance:

FEATURES AND BENEFITS

- › Power and alarm provided by single cable with minimal aesthetic impact
- › Power injection delivers optimum current and voltage to various Samsung laptops
- › USB-C and USB-A versions both available
- › Optional brackets add higher-layer of security
- › Pair with InVue Zips or Series 2865 to power, protect and display multiple laptops

LAPTOP SENSOR

Order Code	Description	Notes
DNLR35-W/B	USB Type A Exposed Cable Galaxy Book S Sensor Only. Non Power.	
DNL305-W/B	USB Type C Exposed Cable Power Injected Sensor w/ Bracket for Galaxy Book S	
DNL305-W/B	USB Type C Exposed Cable Power Injected Sensor w/ Bracket for Galaxy Book S	
DNL302-W/B	USB Type C Exposed Cable Power Injected Sensor for Galaxy Book, Galaxy Book Pro, Galaxy Book Pro 360, Galaxy Book Odyssey	

InVue Inside

Simple, effective bricking software.

InVue Inside is the only security software that's always on, always works, and blocks the ability to use stolen devices. With invisible protection 24/7, InVue Inside is a single application that runs in the background on smartphones and tablets and uses location-based technology to know if it's removed from a retail location. Once triggered, InVue Inside will render the device useless — denying any benefit from theft.



At a glance:

FEATURES AND BENEFITS

- › Software runs continuously in the background of smart phone and tablet devices
- › When the device is lifted, software “listens” for RF Signal
- › Audible alarm triggers if device is taken outside a retail store
- › Device will alarm and stay locked until returned to the store

HARDWARE


Order Code	Description
DLD350-00W	Bluetooth Beacon for Invue Inside
PS515-US	5V USB-A Power Supply (US)
PS515-EU	5V USB-A Power Supply (EU)
PS515-UK	5V USB-A Power Supply (UK)
PS515-AUS	5V USB-A Power Supply (AUS)
PS515-JPN	5V USB-A Power Supply (JPN)

SOFTWARE

Order Code	Description	Notes
LB6000	InVue Inside Perpetual License	Per Device/Position

InVue LIVE

Real-time visibility to your store operations.



InVue LIVE makes it easy to create a better store experience.

Delivering an engaging or frictionless shopping experience is a team effort. Supply chain, merchandise planning, and associate productivity converge each day to ensure your products are powered, displayed, and ready for customers to buy. Give your customers the shopping experience they've been looking for with InVue LIVE — the connected retail platform that tracks, monitors, and manages critical customer-facing activities with real-time visibility and control.

LIVE DISPLAY

The industry's first IoT solution for connected store operations, InVue LIVE eliminates common manual, time-consuming tasks for keeping merchandise ready.

LIVE ACCESS

LIVE Access simplifies the who, what, where of access control. Facilitate secure and quicker customer service by customizing user permissions and auditing activity in real-time.

S3100V

Stand Tall. Move Freely.



At a glance:

FEATURES AND BENEFITS

- › Consistent look and feel across tablet and smartphone displays
- › Alarm sensor cannot be blocked or disrupted
- › Streamlined sensor design provides device stability
- › Choose an Alarm Zone or Secure Zone and determine security parameters
- › Sensor alarm will sound when device crosses the zone limit
- › Optional Alarm Node flashes red and provides louder alarm to enhance display security

S3100V

Order Code	Description
DCD300-W/B	Vertical Wireless Stand
DCD301	Vertical Wireless Micro USB Sensor - Black or White
DCD301W-00	Vertical Wireless Sensor Micro-USB (902MHz-928MHz) - White
DCD301W-01	Vertical Wireless Sensor Micro-USB (855MHz-881MHz) - White
DCD301W-06	Vertical Wireless Sensor Micro-USB (923 MHz) - White
DCD302	Vertical Wireless Micro-USB Sensor (Reverse) - Black or White
DCD302W-00	Vertical Wireless Micro-USB Sensor (Reverse) (902MHz-928MHz) - White
DCD302W-01	Vertical Wireless Micro-USB Sensor (Reverse) (855MHz-881MHz) - White
DCD302W-06	Vertical Wireless Micro-USB Sensor (Reverse) (923 MHz) - White
DCD303	Vertical Wireless USB-C Sensor - Black or White
DCD303W-00	Vertical Wireless USB-C Sensor (202MHz-928MHz) - White
DCD303W-01	Vertical Wireless USB-C Sensor (855MHz-881MHz) - White
DCD303W-06	Vertical Wireless USB-C Sensor (923 MHz) - White

ZONE MANAGER

Order Code	Description	Notes
DBD701	Wireless Exclusion Zone Manager (52 cm diameter)	Requires YLRC & YC*
DBD702	Wireless Zone Manager (30 cm diameter)	Inclusion/Exclusion Requires YLRC & YC*
YLR52	5.3VDC/6.5A Power Supply	
YC3	C14 AC Cable DIB/PIB - US	
YC6	C14 AC Cable DIB/PIB - EU	
YC9	C7 AC Power Cable - US	
YC10	C7 AC Power Cable - UK	
YC11	C7 AC Power Cable - EU	
YC12	C7 AC Power Cable - AU	
YC14	C7 AC Power Cable - JP	

ALARM NODE

Order Code	Description	Notes
DLD300-00W/B	LIVE Alarm Node (902 MHz - 928 MHz)	
DLD300-01W/B	LIVE A DLD300-01B Alarm Node (855 MHz - 881 MHz)	
DLD300-06W/B	LIVE Alarm Node (AS923 MHz)	

LIVE NETWORK

Order Code	Description	Notes
LI6000	LIVE Annual License Fee	Per Position

OnePOD Wireless

The ultimate experience.



At a glance:

FEATURES AND BENEFITS

- › Consistent look and feel across tablet and smartphone displays
- › Alarm sensor cannot be blocked or disrupted
- › Streamlined sensor design provides device stability
- › Choose an Alarm Zone or Secure Zone and determine security parameters
- › Sensor alarm will sound when device crosses the zone limit
- › Optional Alarm Node flashes red and provides louder alarm to enhance display security

ONEPOD WIRELESS

Order Code	Description	
DBD700-B	OnePOD Wireless Sensor with Stand Cover	Black
DBD700-W	OnePOD Wireless Sensor with Stand Cover	White
DBD703	LED Emitter Dongle for OnePOD Wireless	

ZONE MANAGER

Order Code	Description	Notes
DBD701	Wireless Exclusion Zone Manager (52 cm diameter)	Requires YLRC & YC*
DBD702	Wireless Zone Manager (30 cm diameter)	Inclusion/Exclusion Requires YLRC & YC*
YLR52	5.3VDC/6.5A Power Supply	
YC3	C14 AC Cable DIB/PIB - US	
YC6	C14 AC Cable DIB/PIB - EU	
YC9	C7 AC Power Cable - US	
YC10	C7 AC Power Cable - UK	
YC11	C7 AC Power Cable - EU	
YC12	C7 AC Power Cable - AU	
YC14	C7 AC Power Cable - JP	

ALARM NODE

Order Code	Description	Notes
DLD300-00W/B	LIVE Alarm Node (902 MHz - 928 MHz)	
DLD300-01W/B	LIVE A DLD300-01B Alarm Node (855 MHz - 881 MHz)	
DLD300-06W/B	LIVE Alarm Node (AS923 MHz)	

LIVE NETWORK

Order Code	Description	Notes
LI6000	LIVE Annual License Fee	Per Position

ONEPOD WIRELESS – EXAMPLE CONFIGURATION

Sensors can be applied to any existing OnePOD display that uses a sensor (ie. One40, One55, One60, or One65) by replacing the existing sensor with the DBD700 Wireless Sensor and Stand Cover.

To set up OnePOD Wireless without an existing display the following parts are needed:


- › OnePOD Stand (One40, One55, One60, or One65)
- › OnePOD Power Connector
- › OnePOD Wireless Sensor and Stand Cover
- › Optional - OnePOD Wireless LED Emitter Dongle
- › Optional - 4.0mm 4way Bracket Arms

ONE60 – EXAMPLE CONFIGURATION

Order Code	Description	
DBD160-W	One60 Basic Angled Stand	
DBH500-W	One55/One65/One60 HH USB Micro Pwr Connector	
DBH298-W	OnePOD 4.0 mm 4Way HH Bracket and Plate	Optional
DBD700-W	OnePOD Wireless Sensor with Stand Cover	
DBD703	LED Emitter Dongle for OnePOD Wireless	Optional
PS531-US PS531-UK PS531-EU PS531-AUS PS531-KR PS531-JPN	5V, 3A (5 Pin) Power Supply	
PS535	5 Pin - PD Enabled Power Supply	

LIVE OnePOD

Security as smart as your phone.



At a glance:

FEATURES AND BENEFITS

- › Consistent look and feel across smartphone and tablet displays
- › Compatible with One55, One65 or One60 stands
- › Alarm Node provides security audio and light alarms
- › Arm, disarm, silence alarms and manage security settings
- › Diagnose, troubleshoot and service displays
- › Schedule when LIVE OnePOD displays are in High Security or High Experience mode

LIVE ONEPOD STAND

Order Code	Description	Notes
DLD160-W	One60 Auto Lock Stand - White	Core
DLD160-B	One60 Auto Lock Stand - Black	Market Planning

SENSORS

Order Code	Description	Notes
LIVE OnePOD Sensors		
DLD200-00W	LIVE OnePOD Sensor (902 MHz - 928 MHz) - White	Core
DLD200-00B	LIVE OnePOD Sensor (902 MHz - 928 MHz) - Black	Market Planning
DLD200-01W	LIVE OnePOD Sensor (855 MHz - 821 MHz) - White	Core
DLD200-01B	LIVE OnePOD Sensor (855 MHz - 821 MHz) - Black	Market Planning
DLD200-04W	LIVE OnePOD Sensor (915 MHz - 928 MHz) - White	Core
DLD200-04B	LIVE OnePOD Sensor (915 MHz - 928 MHz) - Black	Market Planning
DLD200-06W	LIVE OnePOD Sensor (AS923 MHz) - White	Core
DLD200-06B	LIVE OnePOD Sensor (AS923 MHz) - Black	Market Planning
DLD200-07W	LIVE OnePOD Sensor (920 MHz - 923 MHz) - White	Core
DLD200-07B	LIVE OnePOD Sensor (920 MHz - 923 MHz) - Black	Market Planning
LIVE One60 Sensors		
DLD210-00W	LIVE One60 Sensor (902 MHz - 928 MHz) - White	Core
DLD210-00B	LIVE One60 Sensor (902 MHz - 928 MHz) - Black	Market Planning
DLD210-01W	LIVE One60 Sensor (855 MHz - 821 MHz) - White	Core
DLD210-01B	LIVE One60 Sensor (855 MHz - 821 MHz) - Black	Market Planning
DLD210-04W	LIVE One60 Sensor (915 MHz - 928 MHz) - White	Core
DLD210-04B	LIVE One60 Sensor (915 MHz - 928 MHz) - Black	Market Planning
DLD210-06W	LIVE One60 Sensor (AS923 MHz) - White	Core
DLD210-06B	LIVE One60 Sensor (AS923 MHz) - Black	Market Planning
DLD210-07W	LIVE One60 Sensor (920 MHz - 923 MHz) - White	Core
DLD210-07B	LIVE One60 Sensor (920 MHz - 923 MHz) - Black	Market Planning

ACCESSORIES & POWER

Order Code	Description	Notes
DBG400	One55/One65/One60 Magnetic Tool	> 4 pack Core
ADH2180	OnePOD Sensor Adhesive Replacement	> 8 pack Core
ADH2181	OnePOD Angled Stand Adhesive Replacement	> 8 pack Core
PS515-AUS	5V USB-A Positive Slope Power Supply - AUS	Core
PS515-EU	5V USB-A Positive Slope Power Supply - EU	
PS515-JPN	5V USB-A Positive Slope Power Supply - JPN	
PS515-UK	5V USB-A Positive Slope Power Supply - UK	
PS515-US	5V USB-A Positive Slope Power Supply - US	
PS537	4 Port, 5V/3A USB-A Power Box	Requires C7 YC Cable Core
YC9	C7 AC Power Cable - US	Required for PS537 Core
YC10	C7 AC Power Cable - UK	
YC11	C7 AC Power Cable - EU	
YC12	C7 AC Power Cable - AU	
YC14	C7 AC Power Cable - JPN	

LIVE PANIC BUTTON

Order Code	Description	
DLD220-00	LIVE Panic Button (902 MHz - 928 MHz)	Core
DLD220-01	LIVE Panic Button (855 MHz - 881 MHz)	Core
DLD220-04	LIVE Panic Button (915 MHz - 925 MHz)	Core
DLD220-06	LIVE Panic Button (923 MHz)	Core
DLD220-07	LIVE Panic Button (920 MHz - 923 MHz)	Core

COMPATIBLE ONEPOD PARTS

Order Code	Description	Notes
Power Connectors		
DBH500-W DBH500-B	One55/One65/One60 HH USB Micro Pwr Connector - White One55/One65/One60 HH USB Micro Pwr Connector - Black	› 4 pack Core Market Planning
DBT500-W DBT500-B	One55/One65/One60 Tablet USB Micro Pwr Connector - White One55/One65/One60 Tablet USB Micro Pwr Connector - Black	› 4 pack Core Market Planning
DBH501-W DBH501-B	One55/One65/One60 HH USB Type C Pwr Connector - White One55/One65/One60 HH USB Type C Pwr Connector - Black	› 4 pack Core Market Planning
DBT501-W DBT501-B	One55/One65/One60 Tablet USB Type C Pwr Connector - White One55/One65/One60 Tablet USB Type C Pwr Connector - Black	› 4 pack Core Market Planning
DBH502-W DBH502-B	One55/One65/One60 HH Lightning Pwr Connector - White One55/One65/One60 HH Lightning Pwr Connector - Black	› 4 pack Core Market Planning
DBT502-W DBT502-B	One55/One65/One60 Tablet Lightning Pwr Connector - White One55/One65/One60 Tablet Lightning Pwr Connector - Black	› 4 pack Core Market Planning
Brackets		
DBH282-W DBH282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black HH brackets)	Core Market Planning
DBT282-W DBT282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black tablet brackets)	Core Market Planning
DBH298-W DBH298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black HH brackets)	Core Market Planning
DBT298-W DBT298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black tablet brackets)	Core Market Planning
DBT299-W	OnePod 4 Arm Large Tablet Bracket Plate - White (Black tablet brackets)	Core

INVUE CUSTOMER SERVICE CENTERS

NORTH AMERICA

9201 Baybrook Lane
Charlotte, NC 28277
United States

Phone:

+1.888.55.INVUE
+1.514.612.1555 (Quebec)

Fax:

+1.704.919.3060

LATIN AMERICA

Av Insurgentes Sur #730 Piso
1 Oficina 112
Col. Del Valle. C.P.03100
Mexico D.F.

Phone:

+52 55.1168.9635

EUROPE, MIDDLE EAST & AFRICA

Saturnusstraat 17d
2132 HB Hoofddorp
The Netherlands

EMEA Office Phone:

+31 (0)23 8900150

Phone:

+31 23.8900150 (Netherlands)
+49 (0)30.30807935 (Germany)
+44 800.028.8230 (UK)

Fax:

+31.23.8900151

HONG KONG

Unit 1910, 19/F Skyline Tower,
39 Wang Kwong Road,
Kowloon Bay,
Hong Kong SAR.

Phone:

+852.3127.6811

SOUTH KOREA

Room 402, 4th Floor, Building 1010
Gwonseon-dong
Gwonseon-gu Suwon-si, Gyeonggi-do
South Korea

Phone:

+82 31.222.6513 / 6523

invue.com

©2023 InVue. No endorsement of InVue products has been made by any of the manufacturers of the products shown. Product is sold pursuant to InVue's warranty which can be found at www.invue.com/warranty.