

SPECIFICATIONS

Universal Base (DQP100):





Qi2 Charge Head (DQP200):




SPECIFICATIONS


Handheld Sensor (DQP300):






Handheld Sensor Placement Tool (DQP400):










SPECIFICATIONS


Handheld Qi2 Charger (PS552):





USB-C PD Power Supply (PS520):





PRODUCT ORDERING

ORDER CODE	DESCRIPTION	NOTES
Handheld Components		
DQP100-W	Universal Base	
DQP200-W	Qi2 Charge Head	
DQP300-W	Handheld Sensor	
DQP400	Handheld Sensor Placement Tool	Pack of 2
PS520-AUS PS520-EU PS520-IND PS520-UK PS520-US	USB-C PD Power Supply with AUS Plug USB-C PD Power Supply with EU Plug USB-C PD Power Supply with IND Plug USB-C PD Power Supply with UK Plug USB-C PD Power Supply with US/JPN Plug	
PS552	Handheld Qi2 Charger	
ADH2333	Clear Adhesive LSE Kit	Pack of 3
ADH2337	MagStand Handheld Charger Replacement Adhesives	Pack of 6
ADH2338	MagStand Base Replacement Adhesive Kit	Pack of 6
ADH2339	MagStand Sensor Replacement Adhesives	Pack of 8
DQD405	Screw Mounting Kit	

Additional Information

Battery Life: 3 years + 3 Hours of alarming

Battery type: CR2450

Alarm Volume: 90dB

LED/Alarm Behavior:
- Initial Start-up: LED Blink
- Once Armed: Single Chirp + LED Blink every 30 seconds
- Alarming: Audible 90dB alarm + LED Bink every 250ms – persists for 2 minutes
- Low battery: Chirp every 10 seconds and LED Blink every 4 seconds
- Disarmed: No LED flash

invue.com

©2025 InVue Security Products. No endorsement of InVue products has been made by any of the manufacturers of the products shown. Product is sold pursuant to InVue's warranty which can be found at www.invue.com/warranty.

THE AMERICAS 704.752.6513 • 888.55.INVUE
EUROPE, MIDDLE EAST & AFRICA +31.23.8900150
ASIA PACIFIC +852.3127.6811