





# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 Stand with USB (CTG2E001-B/W)  
CT300 Stand without USB (CTG2S001-B/W):




Mounting hole required: 1" (25.4 mm)  
Power cable length: 39.37" (1.5 m) from exit of stand




# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 for HP Pro 608 BLE Frame, Verifone USB E355 Support (CTG2F004-B/W):




CT300 for iPad Air2/Pro 9.7/iPad (gen5) BLE Frame, Verifone USB E355 Support (CTG2F027-B/W):



# CT300 / Technical Specifications


## SPECIFICATIONS

CT300 for Lenovo TP10 Frame 2nd Generation Verifone USB E355 Support (CTG2F006-B/W):



CT300 for iPad Air2/Pro 9.7/iPad (gen5) Frame, Charge Only (CTGF028-B/W):

CT300 for iPad Air2/Pro 9.7/iPad (gen5) BLE Frame (CTG2F026-B/W):




# CT300 / Technical Specifications


## SPECIFICATIONS

CT300 for HP Pro 608 Frame, Charge Only (CTGF009-B/W):

CT300 for HP Pro 608 BLE Frame (CTG2F003-B/W):




CT300 iPad Air2/Pro 9.7/iPad (gen5) BLE Frame, Ingenico iSMP Support (CTG2F029- B/W):




# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 iPad Pro 12.9 BLE Frame (CTG2F013-B/W)




CT300 Zebra ET50/AAVA Inari 8.3 BLE Frame, Verifone USB e355 Support (CTG2F021- B/W):




# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 iPad Air2/Pro 9.7 BLE Frame, iPad as managed device (CTG2F034-B/W)




CT300 AAVA i6 flip adapter, BLE (CTG2F035-B)




# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 iPad Pro 10.5 BLE Frame, Verifone USB e355 Support (CTG2F037-B/W)




CT300 Lenovo Tablet 10 BLE Frame (CTG2F039-B/W)




# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 Lenovo Tablet 10 BLE Frame, Verifone USB e355 Support (CTG2F040-B/W)



CT300 Lenovo Tablet 10 BLE Frame, Ingenico USB iSMP4 Support (CTG2F041-B/W)







# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 iPad 9.7 Gen5-6 Frame, USB adapter support (CTG2F049-B)





CT300 Microsoft Surface Go BLE frame (CTG2F056-B)



# CT300 / Technical Specifications

## SPECIFICATIONS


CT300 HP Pro X2 612 Fram, with Verifone E355 (CTG2F061-B)




# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 Lenovo X1 BLE Frame, Verifone USB E355 Support (CTGF011-B/W) :




CT300 Lenovo Tab3 10 Business BLE Frame, Verifone USB E355 Support (CTGF014-B/W) :




# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 for Microsoft Surface Pro 4 BLE Frame (CTGF019-B/W):




CT300 MS Surface Pro 4 BLE Frame, Verifone E355 USB (CTG2F020- B/W):



# CT300 / Technical Specifications

## SPECIFICATIONS


CT300 Single Frame Charge Adapter Wall Mount (CTG2FP001-B):



# CT300 / Technical Specifications

## SPECIFICATIONS


CT300 Single Frame Charge Adapter (CTG2CHARGE):



# CT300 / Technical Specifications

## SPECIFICATIONS

CT300 Gang Charger, 5 Frame Capacity (CTG2GC):



## CT300 / Technical Specifications

### PRODUCT ORDERING: CT300 FOR IOS

MOBILE PAYMENT TYPE	ORDER CODE	DESCRIPTION
None	CTGF026-B/W	CT300 iPad Air2/Pro 9.7 BLE Frame - Black or White
None	CTGF028-B/W	CT300 iPad Air2/Pro 9.7 Frame, Charge Only - Black or White
None	CTG2F013-B/W	CT300 iPad Pro 12.9 BLE Frame, Black or White
None	CTG2F034-B/W	CT300 iPad Air 2/Pro 9.7 BLE Frame, iPad as Managed Device - Black or White
Verifone e55	CTG2F027-B/W	CT300 iPad Air2/Pro 9.7 BLE Frame, Verifone USB e355 Support - Black or White
Verifone e55	CTG2F037-B/W	CT300 iPad Pro 10.5 BLE Frame, Verifone USB e355 Support - Black or White
Ingenico iSMP4	CTG2F029-B/W	CT300 iPad Air2/Pro 9.7 BLE Frame, Ingenico iSMP Support - Black or White

### PRODUCT ORDERING: CT300 FOR WINDOWS

MOBILE PAYMENT TYPE	ORDER CODE	DESCRIPTION
None	CTG2F003-B/W	CT300 HP Pro 608 BLE Frame - Black or White
None	CTG2F009-B/W	CT300 HP Pro 608 Frame, Charge Only - Black or White
None	CTG2F019-B/W	CT300 Microsoft Surface Pro 4,5,6/Surface Pro BLE Frame - Black or White
None	CTG2F039-B/W	CT300 Lenovo Tablet 10 BLE Frame - Black or White
Verifone e55	CTG2F004-B/W	CT300 HP Pro 608 BLE Frame, Verifone USB e355 Support - Black or White
Verifone e55	CTG2F006-B/W	CT300 Lenovo TP10 2nd Gen BLE Frame, Verifone USB e355 Support - Black or White
Verifone e55	CTG2F011-B/W	CT300 Lenovo X1 BLE Frame, Verifone USB E355 Support - Black or White
Verifone e55	CTG2F020-B/W	CT300 MS Surface Pro 4, 5, 6/ Surface Pro BLE Frame, Verifone E355 USB - Black or White
Verifone e55	CTG2F040-B/W	CT300 Lenovo Tablet 10 BLE Frame, Verifone USB e355 Support - Black or White
None	CTG2F056-B/W	CT300 Microsoft Surface Go BLE frame - Black
Verifone e55	CTG2F061-B/W	CT300 HP Pro X2 612 Frame - Black or White
Ingenico iSMP4	CTG2F041-B/W	CT300 Lenovo Tablet 10 BLE Frame, Ingenico USB iSMP4 Support - Black or White

### PRODUCT ORDERING: CT300 FOR ANDROID

MOBILE PAYMENT TYPE	ORDER CODE	DESCRIPTION
Verifone e55	CTG2F014-B/W	CT300 Lenovo Tab3 10 Business BLE Frame, Verifone e355 Support - Black or White
Verifone e55	CTG2F021-B/W	CT300 AAVA Inari/Zebra ET50 8in Win BLE Frame, Verifone E355 USB Support- Black or White
Verifone e55	CTG2F035-B	CT300 AAVA i6 Flip BLE Frame - Black



## PRODUCT ORDERING: CT300 ACCESSORIES

ORDER CODE	DESCRIPTION
CTG2FP001-B	CT300 Single Frame Charge Adapter Wall Mount
CTG2FP002-B	CT300 Counter Pedestal for Single Frame Charge
CTG2FCHARGE	CT300 Single Frame Charge Adapter
CTG2FCHARGE-2	CT300 Single Frame Charge with Host Input
CTG2EP001	CT300 USB Right Angle Adapter, 2 Pack
CTG2EP002	CT300 USB Port Cover, 4 Pack
CTG2EP003	CT300 Verifone e355 mount, with interconnect cable
CTG2EP003-CBL	Replacement cable for Verifone e355 mount, (CTG2EP003)
CTG2EP004	CT300 Verifone e355 cradle with charging cable, black
CTG2EP004-CBL	Replacement cable for Verifone e355 cradle, (CTG2EP004)
CTG2GC	CT300 Gang Charger - Black
CTG2P001	CT300 Desktop Freestanding Plate
CTG2P002	CT300 Stand Adhesive Removal Tool
CTG2P003-B	CT300 Frame Shoulder Strap - Black
CTG2P004	CT300 Frame Hand Strap - Black
CTG2P005	CT300 iPad Frame Power Connector
CTG2P006	CT300 Cable Adapter Alarm Signal Out
CTG2P007	CT300 Frame Replacement Screws, 6 Pack
CTG2P008-B	CT300 Stand Portrait to Landscape Button Blocker, 5 Pack - Black
CTG2P009-B/W	CT300 iPad Air2/Pro 9.7 Frame Power, Home, Audio, Volume Blockers, Black or White - 5 each (20 total)
CTG2P010	CT300 Frame Reader Cradle Replacement Screws, 5 Pack
CTG2P011	CT300 Lenovo TP10 Frame Replacement USB and Power Connectors, 2 of each (4 total)
CTG2P012	CT300 Frame Audio Jack Extender



## PRODUCT ORDERING: CT300 ACCESSORIES

ORDER CODE	DESCRIPTION
ADH2099	CT300 Stand Adhesive Mounting Kit, 8 pack
ADH2102	CT300 Stand Replacement Adhesive, 13mm Diameter, 12 Pack
CTG2PS01-US	CT300 Stand Power Supply, 5V/5A & 12V/3A Out - US
CTG2PS01-AUS	CT300 Stand Power Supply, 5V/5A & 12V/3A Out - AUS
CTG2PS01-EU	CT300 Stand Power Supply, 5V/5A & 12V/3A Out - EU
CTG2PS01-JPN	CT300 Stand Power Supply, 5V/5A & 12V/3A Out - JPN
CTG2PS01-UK	CT300 Stand Power Supply, 5V/5A & 12V/3A Out - UK
PS24V65-US	Gang Charger Power Supply - US
PS24V65-AUS	Gang Charger Power Supply - AUS
PS24V65-EU	Gang Charger Power Supply - EU
PS24V65-JPN	Gang Charger Power Supply - JPN
PS24V65-UK	Gang Charger Power Supply - UK



## ENVIRONMENTAL SPECIFICATIONS

### Stand:

*Operating Temperature:* 0°C 0% RH to 40°C and 80%RH

*Shipping and Storage Specifications:* -20°C and 0%RH and 72 hours at 70°C and 85%RH

### Gang Charger:

*Operating Temperature:* 0 Degrees C to 40 Degrees C; 0-85% RH non-condensing

*Storage Temperature:* -20 Degrees C to 70 Degrees C; 0-85% RH

*Surface Touch Temperature:* 50 Degrees C metal; 60 Degrees C plastic

---

## POWER SUPPLY SPECIFICATIONS

### CT300 Stand:

*AC/DC Adaptor (Power Supply):*

> *Input:* 100-240V @ 50-60Hz, 4A

> *Output:* 5VDC @ 5A; 12VDC @ 3A

### Tablet Charging Power:

5V @ 3A

12V @ 3A

### Mobile Device Charging Power:

5V @ 1A

Two USB 2.0 Type A Ports capable of delivering up to 500mA each

*Agency Certifications:* CE, FCC

### Silent Alarm Signal Out:

*Voltage Range:* 60V Maximum

*Current Range:* 100mA Maximum

*Contact Type:* Normally Open (1-Form-A) Contact

*Contact Resistance:* 8 Ohm Maximum

*Connection Type:* Terminal Block; 16-30 AWG Solid Wire; 16-30 AWG Stranded Wire; Small Flat Screwdriver

*Operation:* No Alarm-Contacts Open; When in Alarm Mode-Contacts Closed (shorted together)

### Tablet Frames Currently Available:

HP Pro Tab 608

Lenovo X1

Lenovo Tab 3 10 Business

Lenovo Tablet 10

Microsoft Surface Pro 4/Surface Pro

iPad Air2/Pro 9.7, iPad 9.7 (Gen5, Gen 6), iPad Pro 10.5, iPad Pro 12.9

Lenovo 2nd Generation TP10 (InVue frame also compatible with Lenovo TP10 Pro Dock. InVue frame supports Lenovo tablet "Take Home Mode", so tablet may be quickly and easily removed from frame without tools.)

AAVA iNari/Zebra ET50 8"

AAVA i6 Flip

### Mobile Payment Devices Currently Integrated:

Verifone E355, Ingenico iSMP & Ingenico iSMP4

[invue.com](http://invue.com)

---

©2019 InVue Security Products. No endorsement of InVue products has been made by any of the manufacturers of the products shown. Product is sold pursuant to InVue's warranty which can be found at [www.invue.com/warranty](http://www.invue.com/warranty).

**THE AMERICAS** 704.752.6513 • 888.55.INVUE

**EUROPE, MIDDLE EAST & AFRICA** +31.23.8900150

**ASIA PACIFIC** +852.3127.6811

