




index	2
veneer selections	3
laminates selections + powder coat selections	4
overview	5-6
standard power configurations	7
standard power extended configurations	8
workspace heights	9

low wall desks - 48"w and 84"w	
 standard height worksurface	10-11
tall wall desks - 48"w and 84"w	
 standard height worksurface	12-13
tall wall desks with power - 62"w	
 standard height worksurface	14
kit pedestals	15
terms and conditions	16-18
guaranteed freight	19
guaranteed freight - canada	20

Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.


Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that

felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Therefore, exact color matches are not possible. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

OAK Oak

Rift Cut



Standard Finish


871 870 839
837 860 861
865 836 866
872 805 845

Select Finishes

M73 M71 M75
M74 M76 M77

WLT Walnut

Flat Cut




Standard Finish

872 861
870 823
860 866
839


OAK Oak




871




837




865




872




870



860



836



805



839



861



866




845

Select Finishes




M73 Whitewash




M74 Fawn




M71 Blonde



M76 Caramel




M75 Smoke




M77 Coffee

WLT Walnut




872




870




860



839



861



823



866

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.


A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.

PLL Solid Laminate

Standard Solid

671 Designer White, Wilsonart D354-60 Matte Finish




671


Powder Coat Selections

A two-character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge. The powder coat option is available on skus where noted as an option in the material specification code.

Standard Finish



WH Satin White



BK Matte Black

Hug Concept and Assembly Overview




The Hug desk is a standard height desk that is offered in 48", 62" and 84" lengths and surround heights of 34" and 49".


A recessed powder coat metal shelf is located between the work surface and the surround. Shelves are standard with a pass thru to allow the passage of cords from the work surface. Hug is available with or without power module(s) in the shelf. Note additional costs for power module(s).

Desks are shipped fully assembled. When specifying Hug, verify that assembled sku is within the size requirement for delivery including elevators, hall intersections, stairwells, etc.

SCS Indoor Advantage™ Gold and LEVEL® 1 certified. See terms and conditions for additional environmental information.



48"L, and 84"L Hug Desks




62"L Hug Desks

specification codes	series	sku	veneer	hardware	power	finish
	[H] hug		[F] laminate [C] oak [9] walnut	[3] matte black powder coat [W] satin white powder coat	[C] corded [H] hardwired	see pages 3-4
	[H]					

Accent Hardware Selection



Two options of powder coat finishes are available for Hug accent hardware: matte black or satin white. When specifying a finish the following will be included: the front rail under the worksurface running the length of the desk, the 1" high feet with levelers and glides, a recessed shelf located between the surround and the worksurface and optional power module(s).



Hardware Finish Selections

- ☐ 3 Matte Black Powder Coat
- ☐ W Satin White Powder Coat

Surround Panel Upholstery Selection



The Hug surround is a fully upholstered panel that has been approved for select Bernhardt textiles. For a complete listing of approved textiles visit the Hug product page at Bernhardtdesign.com and click on Graded-in-Fabrics. All COM fabrics must be preapproved by Bernhardt Design prior to application. Non-directional and non-patterned textiles are recommended.


specification codes	series	sku	veneer	hardware	power	finish
	<div><div>H</div>hug</div>		<div><div>F</div>laminate</div> <div><div>C</div>oak</div> <div><div>9</div>walnut</div>	<div><div>3</div>matte black powder coat</div> <div><div>W</div>satin white powder coat</div>	<div><div>C</div>corded</div> <div><div>H</div>hardwired</div>	see pages 3-4
	<div><div>H</div></div>	<div><div></div><div></div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div><div></div><div></div></div>

Standard Power Configurations for 48"L and 84"L Hug Desks



The power module brings power and USB to the worksurface. Installed in a recessed shelf located between the surround panel and the worksurface, the power module includes one grounded outlet with a USB duplex for charging tablets or other USB friendly devices. The power module is UL approved with spill-proof technology and may be specified corded with a 15 amp 10' cord or a hardwire version. Specify power code C for corded and H for hardwire version.

Wire managers are wrapped with fabric specified for the inside of the surround and are installed on every desk. Single managers are installed on the user inside right; double managers at each end. All desks have pass thru(s) in the shelf for additional access to power sources.



Power Module
Available on 48"L and 84"L desks

Power Configurations



48"L Desk with Single Pass Thru
1 Power Module, 1 Wire Manager



84"L Desk with Double Pass Thru
2 Power Modules, 2 Wire Managers

Standard Power Extended Configuration for 62"L Straight Hug Desks



The Hug 62"L desk comes with a single high-capacity power module that features three grounded outlets and a USB duplex that provides power to the worksurface. The power module is installed in a recessed shelf located between the surround panel and the worksurface. The USB duplex allows for charging tablets and other USB friendly devices. The power module is UL approved with spill-proof technology and may be specified corded with a 15 amp 10' cord or a hardwire version. Specify C for corded; and H for hardwire version.

Wire managers are wrapped with fabric specified for the inside of the surround and are installed on every desk. Dual pass thru on all 62"L desks. All desks have pass thru(s) in the shelf for additional access to power sources.



Designed to allow for extra storage within the office environment, Bernhardt Design introduces the Kit mobile pedestals. Three mobile pedestal options are available and are designed to work with any Hug desk. Each features a 3-D laminate finish and cast aluminum pulls available in a variety of powder coat finishes. See page 21 for more information.




Kit Mobile Pedestal
Drawer/File

Power Configurations for 62"L Straight Hug Desks



Power Extended Module
ONLY Available on 62"L desks




62"L Desk with Dual Pass Thru
1 Power Module, 1 Wire Manager

Workspace Height for 48"L and 84"L Hug Desks


Upholstered Low Wall Surround

Standard Height Worksurface



Upholstered Tall Wall Surround


Standard Height Worksurface




Workspace Heights for 62"L Straight Hug Desks

Upholstered Tall Wall Straight Desk

Standard Height Worksurface



hug H1L



Upholstered panel surround with oak, walnut or laminate worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. **Standard Power Module included in all skus. Includes (1) 15 amp receptacle and (2) 2 amp USB ports with a 9' cord braided with surge suppression. Specify C for 10' cord with grounded plug; H for hardwire whip.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics the following yardage must be used and a \$110 net upcharge per unit applies.

- A) One fabric for outside
yardage: 3.65 yds.
- B) One fabric for inside and welt
yardage: 3.65 yds.

Please specify the fabric application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	48"	30"	34"	7.25 yds.	n/a	187 lbs.	63.54' / 1
737 mm	1219 mm	762 mm	864 mm	6.6 m	n/a	84.8 kg	1.80 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3811	-	4472	4553.	4633	4698	4778	4859	4907	5004	5116	5205	5680

Specify veneer code F for designer white laminate worksurface.

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4405	-	5066	5147	5227	5292	5372	5453	5501	5598	5710	5799	6274

Specify veneer code C for oak worksurface. Specify finish code.

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4553	-	5214	5295	5375	5440	5520	5601	5649	5746	5858	5947	6422

Specify veneer code 9 for walnut worksurface. Specify finish code.

specification codes

series

[H] hug

[H]

sku

veneer

[F] laminate
[C] oak
[9] walnut

hardware

[3] matte black powder coat
[W] satin white powder coat



power

[C] corded
[H] hardwired

finish

see pages 3-4

hug H5L



Upholstered panel surround with oak, walnut or laminate worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. **Standard Power Module included in all skus. Includes (1) 15 amp receptacle and (2) 2 amp USB ports with a 9' cord braided with surge suppression. Specify C for 10' cord with grounded plug; H for hardwire whip.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics the following yardage must be used and a \$120 net upcharge per unit applies.

- A) One fabric for outside
yardage: 4.65 yds.
- B) One fabric for inside and welt
yardage: 4.65 yds.

Please specify the fabric application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	84"	30"	34"	9.25 yds.	n/a	295 lbs.	101.04'/1
470 mm	2134 mm	762 mm	864 mm	8.5 m	n/a	133.8 kg	2.90 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5832	-	6675	6778	6881	6963	7066	7169	7230	7354	7497	7611	8217

Specify veneer code F for designer white laminate worksurface.

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6575	-	7418	7521	7624	7706	7809	7912	7973	8097	8240	8354	8960

Specify veneer code C for oak worksurface. Specify finish code.

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6798	-	7641	7744	7847	7929	8032	8135	8196	8320	8463	8577	9183

Specify veneer code 9 for walnut worksurface. Specify finish code.

specification codes

series

[H] hug

[H]

sku

veneer

[F] laminate
[C] oak
[9] walnut

hardware

[3] matte black powder coat
[W] satin white powder coat



power

[C] corded
[H] hardwired

finish

see pages 3-4

hug H1T



Upholstered panel surround with oak, walnut or laminate worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. **Standard Power Module included in all skus. Includes (1) 15 amp receptacle and (2) 2 amp USB ports with a 9' cord braided with surge suppression. Specify C for 10' cord with grounded plug; H for hardwire whip.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics the following yardage must be used and a \$110 net upcharge per unit applies.

- A) One fabric for outside
yardage: 4.95 yds.
- B) One fabric inside and welt
yardage: 4.95 yds.

Please specify the fabric or coated fabric application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	48"	30"	49"	9.75 yds.	n/a	213 lbs.	84.72' / 1
737 mm	1219 mm	762 mm	1245 mm	8.9 m	n/a	96.6 kg	2.40 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4182	-	5071	5179	5287	5374	5482	5591	5656	57863	5937	6057	6696

Specify veneer code F for designer white laminate worksurface.

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5146	-	6035	6143	6251	6338	6446	6555	6620	6750	6901	7021	7660

Specify veneer code C for oak worksurface. Specify finish code.

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5447	-	6336	6444	6552	6639	6747	6856	6921	7051	7202	7322	7961

Specify veneer code 9 for walnut worksurface. Specify finish code.

specification codes

series

[H] hug

[H]

sku

veneer

[F] laminate
[C] oak
[9] walnut

hardware

[3] matte black powder coat
[W] satin white powder coat



power

[C] corded
[H] hardwired

finish

see pages 3-4

hug H5T



Upholstered panel surround with oak, walnut or laminate worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. **Standard Power Module included in all skus. Includes (1) 15 amp receptacle and (2) 2 amp USB ports with a 9' cord braided with surge suppression. Specify C for 10' cord with grounded plug; H for hardwire whip.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics the following yardage must be used and a \$120 net upcharge per unit applies.

- A) One fabric for outside
yardage: 6.45 yds.
- B) One fabric for inside and welt
yardage: 6.45 yds.

Please specify the fabric application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	84"	30"	49"	12.75 yds.	n/a	335 lbs.	134.72'/1
737 mm	2134 mm	762 mm	1245 mm	11.7 m	n/a	152.0 kg	3.83 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6352	-	7514	7656	7797	7911	8052	8194	8279	8449	8647	8803	9639

Specify veneer code F for designer white laminate worksurface.

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
7169	-	8331	8473	8614	8728	8869	9011	9096	9266	9464	9620	10456

Specify veneer code C for oak worksurface. Specify finish code.

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
7396	-	8558	8700	8841	8955	9096	9238	9323	9493	9691	9847	10683

Specify veneer code 9 for walnut worksurface. Specify finish code.

specification codes

series

[H] hug

[H]

sku

veneer

[F] laminate
[C] oak
[9] walnut

hardware

[3] matte black powder coat
[W] satin white powder coat




power

[C] corded
[H] hardwired

finish

see pages 3-4

hug H3T



Overhead View

Upholstered panel surround with oak, walnut or laminate worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. **Standard Power Extended module included with all skus. Includes (3) 15 amp receptacles and (2) 2 amp USB ports with a 9' cord braided with surge suppression.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics the following yardage must be used and a \$110 net upcharge per unit applies.

- A) One fabric for outside
yardage: 6.45 yds.
- B) One fabric for inside and welt
yardage: 6.45 yds.

Please specify the fabric application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	62"	30"	49"	12.75 yds.	n/a	300 lbs.	134.72' / 1
737 mm	1575 mm	762 mm	1245 mm	11.7 m	n/a	136.4 kg	3.83 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5120	-	6282	6424	6565	6679	6820	6962	7047	7217	7415	7571	8407

Specify veneer code F for designer white laminate worksurface.

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6012	-	7174	7316	7457	7571	7712	7854	7939	8109	8307	8463	9299

Specify veneer code C for oak worksurface. Specify finish code.

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6274	-	7436	7578	7719	7833	7974	8116	8201	8371	8569	8725	9561

Specify veneer code 9 for walnut worksurface. Specify finish code.

specification codes

series

[H] hug

[H]

sku

veneer

[F] laminate
[C] oak
[9] walnut

hardware

[3] matte black powder coat
[W] satin white powder coat

power

[C] corded
[H] hardwired


finish

see pages 3-4




kit mobile pedestals

- 3-D laminate finish matches 665 snow white velvet
- drawer fronts and edges are contoured to give a soft comfortable feel that will compliment any table or desk
- 4 or 5 casters depending on unit
- cast aluminum pulls available in polished chrome and powdercoat finishes shown on page 5






Drawer/File Front

Drawer/File Side



Door Front

Door Side

description	sku	w	d	h	specifications	laminate
 box/file drawers specify pull finish	KDD	14	18	21 3/4	5 locking casters	\$ 1095
 drawer/door left hand opening specify pull finish	KDL	14	18	21 3/4	4 locking casters	1095
 drawer/door right hand opening specify pull finish	KDR	14	18	21 3/4	4 locking casters	1095

specification codes example: KTS-SKU-BK

series	sku	pull
K T S -	-	CH chrome WH satin white powder coat AI matte aluminum powdercoat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat

material code example: PLL

material
PLL see page 2
000 none

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination. Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment. Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs, **if approved**, require minimum quantities, additional leadtime and upcharges.

A custom job number, available from your local sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Coverings

The Hug surround may be upholstered using Bernhardt Textiles fabrics that have been approved for application. Consult your Bernhardt Design sales representative for a listing of the pre-approved Bernhardt Textiles fabrics.

Customer's Own Material / Coated fabric (COM)

Approval Procedures

Due to aesthetic reasons or application restraints, Bernhardt Design must preapprove COM fabrics for application on certain Bernhardt Design products. Leather is not approved for application to the Hug surround. However, coated fabrics such as vinyl or faux leathers may be used.

Fabric with a content exceeding a combined total of 50% cotton, linen, rayon, and/or nylon is not suitable for application due to potential sagging and puckering.

Preapproval Procedure

Please submit a 12" X 12" sample prior to the actual shipment of COM to Bernhardt Design. Ship COM samples to the following address and tag as noted:

Shipping Address:

**Bernhardt Design
1839 Morganton Blvd. SW
Lenoir, NC 28645
Attn: Customer Service**

Tag Sample:

Along with the COM sample, the product number, quantity of products, and contact information must be specified for approval purposes.

Bernhardt Design reserves the right to reject any covering which in our opinion is unsuitable for upholstery purposes. However, Bernhardt Design shall in no instance be held responsible for tailoring variances that result from the application of a particular textile to the Hug frame.

COM Yardage Specifications

All yardage requirements shown in the price list are based on 54" plain material. Fabrics with a vertical repeat that must be matched, or that are less than 54" wide, require more yardage. The chart below should be used for determining additional COM yardage requirements.

Please add the indicated percentage to the yardage shown with the style number in the price list. This guide will accurately cover most COM orders, but there will be instances due to unusual repeats or designs that additional yardages may be required. Bernhardt Design will not be held responsible for the purchase of any additional COM that may be required.

When specifying a COM fabric that is more than 54" wide and includes a vertical and horizontal repeat, contact the Bernhardt Design office for additional yardage requirements. Bernhardt Design will not be held responsible for the purchase of any additional COM that may be required.

All COM will be cut and applied at the discretion of Bernhardt Design unless special cutting instructions are included in writing with the purchase order. Fabric patterns must be identified as horizontal or vertical application.

Bernhardt Design will not be held responsible for defective fabrics, as all COM's are accepted as first quality goods.

Fabric Yardage Vertical Repeat

Fabric Width	Plain Fabric	2"-10" Repeat	11"-20" Repeat	21"-25" Repeat	26"-30" Repeat
54"	0%	10%	15%	20%	25%
51-53"	15%	20%	25%	30%	35%
48-50"	30%	35%	40%	45%	50%
45-47"	45%	50%	55%	60%	65%

Contrasting Fabric and Welt Upcharges

When specifying more than one fabric, such as contrasting fabrics, welts, and contrasting welts, additional yardage may be required due to fabric yield.

Bernhardt Design must approve contrasting fabric and welt applications. If approved, the following upcharges apply:

Hug 48"	\$110.00	Net Each
Hug 84"	\$120.00	Net Each

COM Tagging

All COM must be properly tagged on the receiving documents in order for

Bernhardt Design to match your fabric with your order. **Bernhardt Design will not be responsible for any delays caused by fabric not correctly marked.**

Dealer: _____
Tag For: _____
Product No.: _____
P.O. No.: _____
Ack. No.: _____

COM Shipping Address:

Bernhardt Design
Plant # 7T Door #10
1402 Morganton Blvd. SW
Lenoir, NC 28645

COM Disclaimer

Bernhardt Design is not responsible for any unclaimed COM 30 days after shipment of Bernhardt Design acknowledgment. It is the responsibility of the dealer to request the return of excess COM on the initial purchase order.

Flammability

It is the responsibility of the dealer to advise Bernhardt Design of local fire code requirements for final shipping destinations at the time of order placement.

Bernhardt Design certifies that, when upholstered with our textiles, articles of furniture meet or exceed the requirements of the BIFMA First Generation Voluntary Upholstered Furniture Flammability Standard for Business and Institutional Furniture, the National Fire Protection Association Standard NFPA 260A-86 for cigarette ignition resistance of components of upholstered furniture, and the construction criteria of the Upholstered Furniture Action Council (UFAC). Substitutions of customer's own material for Bernhardt Textiles are accepted at customer's risk. Contact your Bernhardt Design sales representative for other flammability requirements and upcharges.

Bernhardt Design will not be responsible for any changes in color or appearance of fabrics with special treatments. Bernhardt Design will not be held responsible for replacement of goods damaged during treatment process.

Orders Shipping to California

Products upholstered in Bernhardt Textiles and shipping to California comply with CAL TB 117-2013.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. If not specified, Bernhardt Design will exercise its best judgment in selecting a carrier. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes etc., that occur on a carrier will not be the

responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for damages that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product.

It is the customer's responsibility to inspect all products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition. Concealed damage must be reported within 10 business days from date of delivery and product/package held for inspection by a Bernhardt Design representative.

Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why the item is being returned and how the item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Measurements and Weights

All measurements and weights are approximate and subject to change without notice.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly

from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a **10% net upcharge with a \$500 net minimum.**

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers. Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years. This warranty shall apply only to the original purchaser. This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces.

Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse.

Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchant

ability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Bernhardt Design reserves the right to make changes in dimensions, design and/or construction, price lists, or product literature without prior notice.

Environmental

Hug tables are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard, LEVEL 1 and SCS Indoor Advantage™ Gold certified. Visit the product page at Bernhardtdesign.com for certifications. For complete information regarding the Level 1 and SCS Indoor Advantage™ Gold certifications, please contact bgreen@bernhardt.com.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:


- Minimum of half truckload
- Delivery site accessible by a 53’ trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Zone	Percent	Minimum
Zone 1	3%	\$150
Zone 2	4%	\$150
Zone 3	5%	\$150
Zone 4	6%	\$150
Zone 5	7%	\$150

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10-15
Zone 2	\$200	9%	10-15
Zone 3	\$200	8%	10-15
Zone 4	\$200	11%	10-15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.

