BERNHARDT | design

matera tables

price list

november 2026

index 2

veneer selection 3-4

design selections + finishes 5

base style selection 6

top selections 7

power overview 8

tops 9-12

subtops 13-16

under mount power

- under mount power overview 17
- grommet placement kits 18-20
- extron APP modules 21

mediatrac 1™ power

- power overview 22
- 4-trac power system 23
- grommet placement kits 24
  - laminate, veneer, solid surface, aluminum 25-30
  - back-painted glass 31-35
- wire management 36
- extron APP modules 37-39

terms and conditions 40-41

guaranteed freight 42

guaranteed freight - canada 43


Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a $500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.


ASB Ash
Flat Cut
Bookmatched



Standard Finish
871 870 839
837 860 866
865 878 845
872 861

ASH Select Finishes
M73 M72 M75
M74 M76 M77
M71


OAB Oak
Rift Cut/Quarter Cut
Bookmatched



Standard Finish
871 870 839
837 860 866
865 878 845
872 861


OAK Select Finishes
M73 M72 M75
M74 M76 M77
M71

PLB Paldao
Rift Cut/Quarter Cut
Bookmatched




Standard Finish
871 860 839
872 878 866
870 861

WLB Walnut
Flat Cut
Bookmatched



Standard Finish
872 861
870 839
860 866
878

TOB Tiger Oak
Rift Cut/Quarter Cut
Bookmatched



Standard Finish
871 ONLY

ASB Ash


871


837


865



872


870


860


878


861


839


866


845

ASB Select Finishes


M73 Whitewash


M74 Fawn


M71 Blonde


M72 Toast


M76 Caramel


M75 Smoke


M77 Coffee

Veneer Selections

OAB Oak


871


837


865


872


870


860


878


861


839


866


845

OAB Select Finishes


M73 Whitewash


M74 Fawn


M71 Blonde



M72 Toast



M76 Caramel



M75 Smoke



M77 Coffee


PLB Paldao


871


872


870


860



878



861



839



866


WLB Walnut



872



870


860



878


861


839


866

TOB Tiger Oak


871

Design Selections


Glass Selections - Tops



PF Polished Flat Edge

GEW Etched Back-Painted White Glass - ½" thick
GEB Etched Back-Painted Black Glass - ⅜" thick

Solid Surface Selections - Tops




FL ½" Flat Edge

SSF Solid Surface

Standard Finish
CGW Corian, Glacier White

COM Tops

Matera table tops can accept a wide selection of customer own materials including stone and quartz. See page 14-15 for subtops skus. Order tops and bases separately all subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.



Finishes

Base Finishes



BB Brushed Graphite




BS Brushed Stainless Steel



BZ Brushed Bronze

Matera






Matera base shown with removable inside panel

Through the integration of stainless steel panels, the Matera table base creates an architectural aesthetic that supplements today's open environments and augments Bernhardt Design's meeting table offering.


The base is available in one size and is available in brushed stainless steel, brushed bronze and brushed graphite finishes. The Matera base features a removable inside panel that allows for access to wire management and preserves the narrow footprint.

Bases and tops are specified and sold separately. Tops are available in (3) widths and offered in veneer, etched back-painted black glass, etched back-painted white glass, solid surface and COM (with a 1" subtop).

SCS Indoor Advantage™ Gold and LEVEL® 1 certified. See terms and conditions for additional environmental information.




Section View



Side View

description	sku	w	d	h	price
matera base	MPB	2⅛	25⅜	28¼	$ 5313



specification codes example: MAS-MPB

series	sku
matera	
M A S -	M P B

finish code example: BS

finish


- **BB** brushed graphite
- **BS** brushed stainless steel
- **BZ** brushed bronze

Matera Tops



Matera tops are specifically constructed to accommodate the Matera bases. Tops and bases are specified and sold separately. See the specific top size desired for the appropriate number of bases required.

Recommended base sizes must be specified to ensure a proper alignment and fit. The Matera rail placement will have 17¼" inside clearance.



Detail view of Matera top.

Veneer - All Veneer is Bookmatched


ASB Ash
OAB Oak
TOB Tiger Oak
WLB Walnut
PLB Paldao



RB 1¼'' Reverse Bevel
FL 1¼'' Flat

Glass

GEW Etched Back-Painted White Glass
GEB Etched Back-Painted Black Glass




PF ½'' Polished Flat

Solid Surface

SSF Corian®, Glacier White




FL 1¼'' Flat



RB 1¼'' Reverse Bevel

Subtop for COM

See page 12-14 for subtops skus. Order tops and bases separately. All subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.



specification codes example: MAS-SKU-FLMA000

series	sku	edge	base	grommet location
matera		**FL** 1¼" flat **PF** ½" polished flat **RB** 1¼" reverse bevel	**MA** matera rectangular	**Under Mount** see pages 18-20 for location codes **Mediatrac 1** see pages 25-35 for location codes **000** none
M A S -			M A	

material + finish code example: WLB 839

material	finish
COM no top **ASB** ash **OAB** oak **TOB** tiger oak **WLB** walnut **PLB** paldao **GEW** etched back-painted white glass **GEB** etched back-painted black glass **SSF** glacier white	see pages 3-4


Matera Power Column




The Matera meeting table collection offers a concealed wire management solution through the use of a power column. The power column is 11"w x 11"d x 24⅝"h, with 8⅝" interior cord clearance and is available in polished stainless steel and matte black powder coat finishes. Power column is sold separately.



Power Column Front View




Power Column Top View




Power Column shown with removable panel

Matera Power Options

The Matera conference table offers (2) power solutions: Mediatrac1™ and Under Mount Power.





Mediatrac1™

Mediatrac1 offers power options that utilize the electrical 4-Trac Power System, allowing for easy installation and reconfiguration capabilities. 4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. The grommet layout and wiring scheme is specified specifically for each top size, requiring the customer to separately purchasethe grommet kit that fits their needs.

Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Under Mount Power

Matera offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. The under mount power modules are available in (2) configurations: (2) 15 amp receptacles, or (1) 15 amp receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user. End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops

				ASB ash **OAB** oak **WLB** walnut		**PLB** paldao **TOB** tiger oak		**GEW** etched back-painted white glass	**GEB** etched back-painted black glass	**SSF** solid surface	
sku	l	w	bases to specify	FL	RB	FL	RB	PF		FL	RB
EEC	60	48	(2) bases	3688	4315	4279	4906	9323	11375	7831	9163
EFC	66	48	(2) bases	3800	4446	4408	5054	10531	12848	8039	9406
EGC	72	48	(2) bases	3918	4585	4545	5211	10982	13399	8113	9493
EHC	78	48	(2) bases	4022	4706	4666	5350	11615	14171	8671	10146
EIC	84	48	(2) bases	4606	5390	5343	6126	12204	14889	9220	10788
EJC	90	48	(2) bases	5388	6304	6251	7167	12787	15601	9779	11442
EJD	90	54	(2) bases	5592	6543	6487	7438	13924	16988	10817	12656
EKC	96	48	(2) bases	5522	6461	6406	7345	13420	16373	10330	12087
EKD	96	54	(2) bases	5740	6716	6659	7635	14596	17808	11440	13385
EKE	96	60	(2) bases	5955	6968	6908	7921	15872	19364	12544	14677
ELC	102	48	(2) bases	6127	7169	7108	8149	14074	17171	10887	12738
ELD	102	54	(2) bases	6354	7435	7371	8451	15374	18757	12073	14126
ELE	102	60	(2) bases	6583	7703	7637	8756	16635	20295	13254	15508
EMC	108	48	(2) bases	6270	7336	7274	8340	14659	17884	11440	13385
EMD	108	54	(2) bases	6513	7621	7556	8663	16050	19581	12695	14854
EME	108	60	(2) bases	6754	7903	7835	8983	17388	21214	13932	16301
ENC	114	48	(2) bases	6419	7511	7447	8538	15283	18646	11997	14037
END	114	54	(2) bases	6672	7807	7740	8874	16718	20396	13320	15585
ENE	114	60	(2) bases	6925	8103	8033	9211	18153	22147	14633	17121

specification codes example: MAS-SKU-FLMAFM01

series
matera
M A S -

sku

edge
FL 1¼" flat
PF ½" polished flat
RB 1¼" reverse bevel

base
MA matera rectangular
M A

grommet location
Under Mount
see pages 18-20 for location codes

Mediatrac1
see pages 25-35 for location codes

000 none

material + finish code example: WLT 839

material
ASB ash
OAB oak
TOB tiger oak
WLB walnut
PLB paldao
GEW etched back-painted white glass
GEB etched back-painted black glass
SSF glacier white

finish
see pages 3-4



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops

				ASB ash **OAB** oak **WLB** walnut		**PLB** paldao **TOB** tiger oak		**GEW** etched back-painted white glass **GEB** etched back-painted black glass		**SSF** solid surface	
sku	l	w	bases to specify	FL	RB	FL	RB	PF		FL	RB
EOC	120	48	(2) bases	6566	7683	7617	8733	15946	19455	12544	14677
EOD	120	54	(2) bases	6831	7993	7924	9086	17466	21309	13932	16301
EOE	120	60	(2) bases	7064	8265	8195	9396	18974	23149	15321	17926
EPC	126	48	(3) bases	7609	8903	8827	10120	17000	20740	15127	17699
EPD	126	54	(3) bases	7910	9255	9176	10521	18685	22796	15441	18066
EPE	126	60	(3) bases	8218	9616	9533	10930	20322	24793	17005	19896
EQC	132	48	(3) bases	7815	9144	9066	10394	17204	20989	15330	17937
EQD	132	54	(3) bases	8115	9495	9414	10793	18889	23045	15647	18307
EQE	132	60	(3) bases	8422	9854	9770	11202	20529	25046	17210	20136
ERC	138	48	(3) bases	7933	9282	9203	10551	19252	23488	16327	19103
ERD	138	54	(3) bases	8264	9669	9587	10992	20034	24442	16716	19558
ERE	138	60	(3) bases	8595	10057	9971	11432	21842	26648	18437	21572
ESD	144	54	(3) bases	8469	9909	9825	11264	20238	24691	16922	19799
ESE	144	60	(3) bases	8799	10295	10207	11703	22046	26897	18641	21810
ETD	150	54	(3) bases	8558	10013	9928	11383	21599	26351	18017	21080
ETE	150	60	(3) bases	8911	10426	10337	11852	23538	28717	19865	23243
EUD	156	54	(3) bases	8763	10253	10166	11655	21806	26604	18221	21319
EUE	156	60	(3) bases	9117	10667	10576	12126	23743	28967	20068	23480
EVD	162	54	(3) bases	9303	10885	10792	12373	22989	28047	19213	22480
EVE	162	60	(3) bases	9684	11331	11234	12880	25083	30602	21160	24758
EWD	168	54	(3) bases	9507	11124	11029	12645	23195	28298	19418	22720
EWE	168	60	(3) bases	9887	11568	11469	13150	25287	30851	21366	24999

specification codes example: MAS-SKU-FLMAFM01

series
matera

M A S -

sku

edge
FL 1¼" flat
PF ½" polished flat
RB 1¼" reverse bevel

base
MA matera rectangular

M A

grommet location
Under Mount
see pages 18-20 for location codes

Mediatrac1
see pages 25-35 for location codes

000 none

material + finish code example: WLT 839

material
ASB ash
OAB oak
TOB tiger oak
WLB walnut
PLB paldao
GEW etched back-painted white glass
GEB etched back-painted black glass
SSF glacier white

finish
see pages 3-4



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops

				ASB ash **OAB** oak **WLB** walnut		**PLB** paldao **TOB** tiger oak		**GEW** etched back-painted white glass **GEB** etched back-painted black glass		**SSF** solid surface	
sku	l	w	bases to specify	FL	RB	FL	RB	PF		FL	RB
EXD	174	54	(3) bases	9594	11225	11130	12761	24394	29761	20472	23953
EXE	174	60	(3) bases	10000	11700	11600	13300	26667	32534	22549	26383
EYD	180	54	(3) bases	9800	11466	11368	13034	24598	30010	20677	24193
EYE	180	60	(3) bases	10204	11939	11837	13572	26871	32783	22753	26622
EZD	186	54	(3) bases	9983	11681	11581	13278	26330	32123	21713	25405
EZE	186	60	(3) bases	10414	12185	12081	13851	28735	35057	23938	28008
E1D	192	54	(3) bases	10188	11920	11819	13551	26535	32373	21919	25646
E1E	192	60	(3) bases	10620	12426	12320	14125	28939	35306	24142	28247
E2D	198	54	(3) bases	10273	12020	11917	13664	27672	33760	22971	26877
E2E	198	60	(3) bases	10730	12555	12447	14271	30242	36896	25670	30034
E3D	204	54	(3) bases	10478	12260	12155	13936	27875	34008	23174	27114
E3E	204	60	(3) bases	10935	12794	12685	14544	30448	37147	25875	30274
E4D	210	54	(3) bases	10567	12364	12258	14055	29144	35556	24849	29074
E4E	210	60	(3) bases	11048	12927	12816	14694	31826	38828	27345	31994
E5D	216	54	(3) bases	10770	12601	12494	14325	29348	35805	25054	29314
E5E	216	60	(3) bases	11252	13165	13053	14966	32032	39080	27549	32233
E6D	222	54	(3) bases	11315	13239	13126	15049	30484	37191	26181	30632
E6E	222	60	(3) bases	11820	13830	13712	15721	33330	40663	28809	33707
E7D	228	54	(4) bases	11521	13480	13365	15323	30689	37441	26387	30873
E7E	228	60	(4) bases	12024	14069	13948	15992	33535	40913	29015	33948

specification codes example: MAS-SKU-FLMAFM01

series
matera
M A S -

sku

edge
FL 1¼" flat
PF ½" polished flat
RB 1¼" reverse bevel

base
MA matera rectangular
M A

grommet location
Under Mount
see pages 18-20 for location codes

Mediatrac1
see pages 25-35 for location codes

000 none

material + finish code example: WLT 839

material
ASB ash
OAB oak
TOB tiger oak
WLB walnut
PLB paldao
GEW etched back-painted white glass
GEB etched back-painted black glass
SSF glacier white

finish
see pages 3-4



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops

				ASB ash **OAB** oak **WLB** walnut		**PLB** paldao **TOB** tiger oak		**GEW** etched back-painted white glass	**GEB** etched back-painted black glass	**SSF** solid surface	
sku	l	w	bases to specify	FL	RB	FL	RB	PF		FL	RB
E8D	234	54	(4) bases	11612	13587	13470	15444	31844	38850	27431	32095
E8E	234	60	(4) bases	12226	14305	14183	16261	34873	42546	30209	35345
E9D	240	54	(4) bases	11818	13828	13709	15718	32048	39099	27634	32332
E9E	240	60	(4) bases	12428	14541	14417	16530	35077	42794	30412	35583

specification codes example: MAS-SKU-FLMAFM01

series	**sku**	**edge**	**base**	**grommet location**
matera		**FL** 1¼" flat **PF** ½" polished flat **RB** 1¼" reverse bevel	**MA** matera rectangular	**Under Mount** see pages 18-20 for location codes **Mediatrac1** see pages 25-35 for location codes **000** none
M A S -			M A	

material + finish code example: WLT 839

material	**finish**
ASB ash **OAB** oak **TOB** tiger oak **WLB** walnut **PLB** paldao **GEW** etched back-painted white glass **GEB** etched back-painted black glass **SSF** glacier white	see pages 3-4



rectangular top
order bases separately
all **subtops** painted dark grey to match Matera support rails
subtops approved for use with up to 3 cm stone, quartz and COM glass



tops 54” - 114” length x 42” - 54” wide
have one sectional veneer top



tops 120” - 234” length x 42” - 54” wide
have two sectional veneer tops

sku	l	w	bases to specify	**subtops**
SEC	54	42	subtop for use with 60" x 48" top	2346
SFC	60	42	subtop for use with 66" x 48" top	2436
SGC	66	42	subtop for use with 72" x 48" top	2525
SHC	72	42	subtop for use with 78" x 48" top	2616
SIC	78	42	subtop for use with 84" x 48" top	2707
SJC	84	42	subtop for use with 90" x 48" top	2798
SJD	84	48	subtop for use with 90" x 54" top	2875
SKC	90	42	subtop for use with 96" x 48" top	2886
SKD	90	48	subtop for use with 96" x 54" top	2971
SKE	90	54	subtop for use with 96" x 60" top	3052
SLC	96	42	subtop for use with 102" x 48" top	2975
SLD	96	48	subtop for use with 102" x 54" top	3066
SLE	96	54	subtop for use with 102" x 60" top	3155
SMC	102	42	subtop for use with 108" x 48" top	3067
SMD	102	48	subtop for use with 108" x 54" top	3163
SME	102	54	subtop for use with 108" x 60" top	3256
SNC	108	42	subtop for use with 114" x 48" top	3158
SND	108	48	subtop for use with 114" x 54" top	3257
SNE	108	54	subtop for use with 114" x 60" top	3358

specification codes example: MAS-SKU

series	**sku**
matera	
M A S -	



rectangular top
order bases separately
all **subtops** painted dark grey to match Matera support rails
subtops approved for use with up to 3 cm stone, quartz and COM glass



tops 54" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	bases to specify	**subtops**
SOC	114	42	subtop for use with 120" x 48" top	3252
SOD	114	48	subtop for use with 120" x 54" top	3353
SOE	114	54	subtop for use with 120" x 60" top	3457
SPC	120	42	subtop for use with 126" x 48" top	4919
SPD	120	48	subtop for use with 126" x 54" top	5034
SPE	120	54	subtop for use with 126" x 60" top	5148
SQC	126	42	subtop for use with 132" x 48" top	5123
SQD	126	48	subtop for use with 132" x 54" top	5237
SQE	126	54	subtop for use with 132" x 60" top	5353
SRD	132	48	subtop for use with 138" x 54" top	5328
SRE	132	54	subtop for use with 138" x 60" top	5453
SSD	138	48	subtop for use with 144" x 54" top	5430
SSE	138	54	subtop for use with 144" x 60" top	5556
STD	144	48	subtop for use with 150" x 54" top	5520
STE	144	54	subtop for use with 150" x 60" top	5656
SUD	150	48	subtop for use with 156" x 54" top	5621
SUE	150	54	subtop for use with 156" x 60" top	5756
SVD	156	48	subtop for use with 162" x 54" top	5711
SVE	156	54	subtop for use with 162" x 60" top	5858
SWD	162	48	subtop for use with 168" x 54" top	5812
SWE	162	54	subtop for use with 168" x 60" top	5960
SXD	168	48	subtop for use with 174" x 54" top	5901
SXE	168	54	subtop for use with 174" x 60" top	6062

specification codes example: MAS-SKU

series	**sku**
matera	
M A S -	



rectangular top
order bases separately
all **subtops** painted dark grey to match Matera support rails
subtops approved for use with up to 3 cm stone, quartz and COM glass



tops 54” - 114” length x 42” - 54” wide
have one sectional veneer top



tops 120” - 234” length x 42” - 54” wide
have two sectional veneer tops

sku	l	w	bases to specify	**subtops**
SYD	174	48	subtop for use with 180" x 54" top	6002
SYE	174	54	subtop for use with 180" x 60" top	6163
SZD	180	48	subtop for use with 186" x 54" top	6093
SZE	180	54	subtop for use with 186" x 60" top	6264
S1D	186	48	subtop for use with 192" x 54" top	6195
S1E	186	54	subtop for use with 192" x 60" top	6366
S2D	192	48	subtop for use with 198" x 54" top	6286
S2E	192	54	subtop for use with 198" x 60" top	6434
S3D	198	48	subtop for use with 204" x 54" top	6388
S3E	198	54	subtop for use with 204" x 60" top	6537
S4D	204	48	subtop for use with 210" x 54" top	6477
S4E	204	54	subtop for use with 210" x 60" top	6669
S5D	210	48	subtop for use with 216" x 54" top	6579
S5E	210	54	subtop for use with 216" x 60" top	6773
S6D	216	48	subtop for use with 222" x 54" top	6668
S6E	216	54	subtop for use with 222" x 60" top	6870
S7D	222	48	subtop for use with 228" x 54" top	6770
S7E	222	54	subtop for use with 228" x 60" top	6974
S8D	228	48	subtop for use with 234" x 54" top	6859
S8E	228	54	subtop for use with 234" x 60" top	7075

specification codes example: MAS-SKU

series	**sku**
matera	
M A S -	



rectangular top
order bases separately
all **subtops** painted dark grey to match Matera support rails
subtops approved for use with up to 3 cm stone, quartz and COM glass



tops 54" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	bases to specify	**subtops**
S9D	234	48	subtop for use with 240" x 54" top	6962
S9E	234	54	subtop for use with 240" x 60" top	7175

specification codes example: MAS-SKU

series	**sku**
matera	
M A S -	

Under Mount Power

Bernhardt Design offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (10) under mount power modules can be connected on one power infeed.


The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.

See page 18-20 for details on recommended configurations for 2-10 under mount power modules.


Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

Note: End user installation will be required per individual SKU.




Bernhardt Design provides recommendations for installation locations as shown on page 18-20. Installation instructions are included with each power unit.

Power Modules
Matte Black Finish




power + power
(2) 120 v 60 Hz.
15 amp receptacles
braided cotton 10' cord
grounded plug
UL 962 listed




power + usb-a + usb-c
Updated Information Shown in RED
(1) 120 v 60 Hz. 15 amp receptacle
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed


Replacement Housing
with Location for Mini AAP Plate



Sequential Connector
Matte Black Finish




Power Infeed
10' Grounded Plug
Required per individual SKU
Braided Cord



15 amp





Matera Wire Management

Matera power infeeds are routed through integral spacers to a multi-wire clip that offers advanced wire management. The following illustration shows a section view of the Matera table with under mount power.



Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	specifications	PP power + power	PU power + usb + usb-c
				
1 Module Kit				
	U01S	60" - 240" Table	$ 408	$ 576
				
2 Module Kits				
	U02S	60" - 150" Table	1214	1736
	U02L	156" - 240" Table	1332	1853
				
3 Module Kits				
	U03S	60" - 150" Table	1632	2416
	U03L	156" - 240" Table	1868	2652
				
4 Module Kits				
	U04S	60" - 150" Table	2016	2776
	U04L	156" - 240" Table	2253	3013
				

specification codes example: ACS-SKU-PP






series **sku** **power style**

A C S - | | | | | - | | |

PP power + power
PU power + usb + usb-c

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.






# of Kits	sku	specifications	PP power + power	PU power + usb + usb-c
				
5 Module Kits				
	U05S	60" - 150" Table	$ 2540	$ 3690
	U05L	156" - 240" Table	2776	3927
				
6 Module Kits				
	U06S	60" - 150" Table	2661	4151
				
	U06L	156" - 240" Table	2897	4387
				
7 Module Kits				
	U07S	60" - 150" Table	3225	5175
	U07L	156" - 240" Table	3461	5411
				

specification codes example: ACS-SKU-PP

series	sku	power style
A C S -	-	**PP** power + power **PU** power + usb + usb-c


Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	specifications	PP power + power	PU power + usb + usb-c
				
8 Module Kits				
	U08S	60" - 150" Table	$ 3668	$ 6198
	U08L	156" - 240" Table	3904	6434
				
9 Module Kits				
	U09S	60" - 150" Table	4192	7112
	U09L	156" - 240" Table	4427	7347
				
10 Module Kits				
	U10S	60" - 150" Table	4716	8025
	U10L	156" - 240" Table	4952	8261
				

specification codes example: ACS-SKU-PP

series	sku	power style
A C S -	-	**PP** power + power **PU** power + usb + usb-c

	description	sku	w	d	h		price
	**under mount replacement housing**	UPH	7⅜	3¾	1½		221
		for use with Extron®MAAP installed in the field by end user switch existing housing onsite to this house to accommodate Extron® MAAP					
	**blank plate**	MP6	2⅛	-	⅝		164
		Extron® MAAP blank plate black powder coat finish single space insert					
	**computer/audio/video mini module**	MP1	2⅛	-	⅝		422
		Extron® MAAP HDMI Female to HDMI female on 10" pigtail single space insert					
	**phone/data mini module**	MP4	2⅛	-	⅝		293
		Extron® MAAP (1) RJ-45 female to punch down leviton CAT6 data single space insert					
	**phone/data mini module**	MP5	2⅛	-	⅝		252
		Extron® MAAP (1) RJ-45 female to female barrel single space insert					

specification codes example: ACS-SKU

series sku


A C S -

Mediatrac1™

Mediatrac1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.


Mediatrac1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.



Note: End user installation will be required per individual SKU. Power specified separately. See pages 25-35 for grommet codes.


Mediatrac1 Options

8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug,
accepts 2 Extron single space AAP's,
AAP modules specified separtely,
brushed aluminum frame

8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug,
accepts 4 Extron single space AAP's,
AAP modules specified separtely,
brushed aluminum frame


24" Double Door Mediatrac™ Grommet



8 grounded outlets, 2 exit plugs,
accepts 8 Extron single space AAP's,
AAP modules specified separtely,
brushed aluminum frame

Mediatrac1 Grommet Kits (Includes the following)

Power Module



Number and configuration of grommet
modules determined by the grommet code

Jumper (if required)



Jumpers are determined by the
length of the top specified

Connector + H-Block



Will be included in kit when the
4-trac option is specified


Power Infeed Options



72" 4-Trac Power Infeed with 20 amp plug



72" 4-Trac Power Infeed with Hardwired



72" Power Infeed with 15 amp plug



72" ⅜" Hardwire Whip




20 amp receptacle
4-Trac Only



15 amp receptacle


Mediatrac1 Dimensional Specifications




Detail of Mediatrac1 Rail

Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Mediatrac1™ 4-Trac Power System




Mediatrac1 Grommets Using Electrical 4-Trac Power System






4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.




4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.

4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**


Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.





72" **4-Trac Power Infeed with Hardwired Conduit**



72" **4-Trac Power Infeed with 20 amp Plug**




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.


Mediatrac 1™ Grommet Placement Kits

Mediatrac 1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Mediatrac 1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
  (make sure that this grommet code matches the code used when ordering your top)
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"
66"	29"
72"	32"

The Grommet Kit will ship separately and will be installed in the **field.**



Ordering Example:

120" x 54" Table Top
Walnut veneer, 870 finish
M08 Grommet Code with 4trac corded power
Walnut Door/Brushed AluminumTrim




specification codes example: MGS-M08-4TC120

series	sku	power option	table length
top		**CRD** corded	**096** **150** **204**
		HWD hardwired	**102** **156** **210**
		4TC four trac corded	**108** **162** **216**
		4TH four trac hardwired	**114** **168** **222**
			120 **174** **228**
			126 **180** **234**
			132 **186** **224**
			138 **192**
			144 **198**
M G S -	M 0 8 -	4 T C	1 2 0

material + finish code example: BA WLT 870

frame finish	lid material	lid finish
BA brushed aluminum	**ALM** aluminum	see pages 3-5
powder coat upcharge $175	**ASB** ash	
WH satin white powder coat	**OAB** oak	
GR graphite powder coat	**WLB** walnut	
BZ bronze powder coat	**TOB** tiger oak	
IG iron grey powder coat	**PLB** paldao	
RD black red powder coat	**SSF** glacier white	
BK matte black powder coat		
B A	W L B	8 7 0

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

sku	specifications	frame material **ALM** aluminum
M01	**72" - 240" Table** (1) 3" single round pass through grommet kit 	$ 169
M02	**72" - 240" Table** (2) 3" single round pass through grommet kits 	337
M33	**72" - 240" Table** (3) 3" single round pass through grommet kits 	505

specification codes example: ACS-SKU

series					**sku**				
top									
A	C	S	-					-	




material + finish code example: BA

frame finish

BA brushed aluminum
WH satin white powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **ASB** ash, **OAB** oak, **TOB** tiger oak, **WLB** walnut, **PLB** paldao, **SSF** solid surface
M03	**72" - 240" Table** (1) 8" double door mediatrac grommet 	$ 2183	$ 3413
M04	**72" - 240" Table** (2) 8" single door mediatrac grommets 	3002	5527
P04	**72" - 240" Table** same information as M04 (1) 1" dia. grommet for microphone 	3140	5663
M06	**72" - 240" Table** (1) 24" double door mediatrac grommet 	3072	4572

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length
top M G S -	-	**CRD** corded **HWD** hardwired **4TC** four trac corded **4TH** four trac hardwired	**072** **132** **192** **078** **138** **198** **084** **144** **204** **090** **150** **210** **096** **156** **216** **102** **162** **222** **108** **168** **228** **114** **174** **234** **120** **180** **240**




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum **powder coat upcharge $75** **WH** satin white powder coat **GR** graphite powder coat **BZ** bronze powder coat **IG** iron grey powder coat **RD** black red powder coat **BK** matte black powder coat	**ALM** aluminum **ASB** ash **OAB** oak **TOB** tiger oak **WLB** walnut **PLB** paldao **SSF** glacier white	see pages 3-5

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **ASB** ash, **OAB** oak, **TOB** tiger oak, **WLB** walnut, **PLB** paldao, **SSF** solid surface
M05	**72" - 240" Table** (2) 8" double door mediatrac grommets 	$ 3958	$ 6548
P05	**72" - 240" Table** same information as M05 (1) 1" dia. grommet for microphone 	4094	6686
M07	**84" - 240" Table** (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets 	4777	8596
M08	**84" - 240" Table** (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets 	5595	9483

specification codes example: MGS-SKU-CRD132

series
top
M G S -

sku
- -

power option
- **CRD** corded
- **HWD** hardwired
- **4TC** four trac corded
- **4TH** four trac hardwired

table length

072	**132**	**192**
078	**138**	**198**
084	**144**	**204**
090	**150**	**210**
096	**156**	**216**
102	**162**	**222**
108	**168**	**228**
114	**174**	**234**
120	**180**	**240**

material + finish code example: BA WLT 839

frame finish
- **BA** brushed aluminum

powder coat upcharge $150
- **WH** satin white powder coat
- **GR** graphite powder coat
- **BZ** bronze powder coat
- **IG** iron grey powder coat
- **RD** black red powder coat
- **BK** matte black powder coat



lid material
- **ALM** aluminum
- **ASB** ash
- **OAB** oak
- **TOB** tiger oak
- **WLB** walnut
- **PLB** paldao
- **SSF** glacier white

lid finish
see pages 3-5

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **ASB** ash, **OAB** oak, **TOB** tiger oak, **WLB** walnut, **PLB** paldao, **SSF** solid surface
M12	**108" - 240" Table** (2) 24" double door mediatrac grommets 	$ 6155	$ 8528
P12	**108" - 240" Table** same information as M12 (1) 1" dia. grommet for microphone 	6292	8665

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length
top		**CRD** corded	**108** **162** **216**
M G S -	-	**HWD** hardwired	**114** **168** **222**
		4TC four trac corded	**120** **174** **228**
		4TH four trac hardwired	**126** **180** **234**
			132 **186** **240**
			138 **192**
			144 **198**
			150 **204**
			156 **210**




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	**ALM** aluminum	see pages 3-5
powder coat upcharge $150	**ASB** ash	
WH satin white powder coat	**OAB** oak	
GR graphite powder coat	**TOB** tiger oak	
BZ bronze powder coat	**WLB** walnut	
IG iron grey powder coat	**PLB** paldao	
RD black red powder coat	**SSF** glacier white	
BK matte black powder coat		

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **ASB** ash, **OAB** oak, **TOB** tiger oak, **WLB** walnut, **PLB** paldao, **SSF** solid surface
M10	**96" - 240" Table**	$ 5936	$ 9822
	(3) 8" double door mediatrac grommets		
			
M15	**132" - 240" Table**	7777	12823
	(2) 8" single door mediatrac grommets (2) 24" double door mediatrac grommets		
			
M30	**156" - 240" Table**	8323	12687
	(3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.		
			

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length		
top		**CRD** corded	**096**	**150**	**204**
		HWD hardwired	**102**	**156**	**210**
		4TC four trac corded	**108**	**162**	**216**
		4TH four trac hardwired	**114**	**168**	**222**
			120	**174**	**228**
			126	**180**	**234**
			132	**186**	**224**
			138	**192**	
			144	**198**	
M G S -	-				




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	**ALM** aluminum	see pages 3-5
powder coat upcharge $225	**ASB** ash	
WH satin white powder coat	**OAB** oak	
GR graphite powder coat	**TOB** tiger oak	
BZ bronze powder coat	**WLB** walnut	
IG iron grey powder coat	**PLB** paldao	
RD black red powder coat	**SSF** glacier white	
BK matte black powder coat		

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **ASB** ash, **OAB** oak, **TOB** tiger oak, **WLB** walnut, **PLB** paldao, **SSF** solid surface
M14	**132" - 240" Table**	$ 8255	$ 13711
	(4) 8" double door mediatrac grommets		
			
M21	**180" - 240" Table**	9619	16028
	(5) 8" double door mediatrac grommets		
			
M25	**228" - 240" Table**	11732	19440
	(6) 8" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.		
			

specification codes example: MGS-SKU-CRD132




series	sku	power option	table length
top		**CRD** corded	**132** **174** **216**
		HWD hardwired	**138** **180** **222**
		4TC four trac corded	**144** **186** **228**
		4TH four trac hardwired	**150** **192** **234**
			156 **198** **240**
			162 **204**
			168 **210**
M G S -	-		

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	**ALM** aluminum	see pages 3-5
powder coat upcharge $375	**ASB** ash	
WH satin white powder coat	**OAB** oak	
GR graphite powder coat	**TOB** tiger oak	
BZ bronze powder coat	**WLB** walnut	
IG iron grey powder coat	**PLB** paldao	
RD black red powder coat	**SSF** glacier white	
BK matte black powder coat		

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

sku	specifications	frame material **ALM** aluminum
01G	**72" - 120" Table** (1) 3" single round pass through grommet kit for use on 1 piece tops only 	$ 169
02G	**72" - 120" Table** (2) 3" single round pass through grommet kits 	337
33G	**72" - 120" Table** (3) 3" single round pass through grommet kits 	505

specification codes example: ACS-SKU

series **sku**

top

A | C | S | - | | | | | -




material + finish code example: BA

frame finish

BA brushed aluminum
WH satin white powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

Mediatrac 1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid options: Aluminum	lid options: Glass
03G	**72" - 120" Table** (1) 8" double door mediatrac grommet for use on 1 piece tops only 	$ 2183	$ 3413
04G	**72" - 240" Table** (2) 8" single door mediatrac grommets 	3002	5527
06G	**72" - 120" Table** (1) 24" double door mediatrac grommet for use on 1 piece tops only 	3072	4572

specification codes example: MGS-SKU-CRD132

series
top
M G S -

sku
- - - -

power option
- **CRD** corded
- **HWD** hardwired
- **4TC** four trac corded
- **4TH** four trac hardwired

table length

072	**132**	**192**
078	**138**	**198**
084	**144**	**204**
090	**150**	**210**
096	**156**	**216**
102	**162**	**222**
108	**168**	**228**
114	**174**	**234**
120	**180**	**240**

material + finish code example: BA GEB

frame finish
- **BA** brushed aluminum




powder coat upcharge $75
- **WH** satin white powder coat
- **GR** graphite powder coat
- **BZ** bronze powder coat
- **IG** iron grey powder coat
- **RD** black red powder coat
- **BK** matte black powder coat

lid material
- **ALM** aluminum
- **GEB** glass etched, back-painted black
- **GEW** glass etched, back-painted white

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid options: Aluminum	lid options: Glass
05G	**72" - 240" Table** (2) 8" double door mediatrac grommets 	$ 3958	$ 6548
07G	**84" - 120" Table** (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommet for use on 1 piece tops only 	4777	8596
08G	**84" - 120" Table** (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets for use on 1 piece tops only 	5595	9483

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length
top		**CRD** corded	**072** **132** **192**
		HWD hardwired	**078** **138** **198**
		4TC four trac corded	**084** **144** **204**
		4TH four trac hardwired	**090** **150** **210**
			096 **156** **216**
			102 **162** **222**
			108 **168** **228**
			114 **174** **234**
			120 **180** **240**
M G S -	-		

material + finish code example: BA GEB


frame finish	lid material
BA brushed aluminum	**ALM** aluminum
powder coat upcharge $150	**GEB** glass etched, back-painted black
WH satin white powder coat	**GEW** glass etched, back-painted white
GR graphite powder coat	
BZ bronze powder coat	
IG iron grey powder coat	
RD black red powder coat	
BK matte black powder coat	

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid options: Aluminum	lid options: Glass
10G	**96" - 120" Table**	$ 5936	$ 9822
	(3) 8" double door mediatrac grommets for use on 1 piece tops only		



specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		**CRD** corded	**096**
		HWD hardwired	**102**
		4TC four trac corded	**108**
		4TH four trac hardwired	**114**
			120
M G S -	-		

material + finish code example: BA GEB


frame finish	lid material
BA brushed aluminum	**ALM** aluminum
powder coat upcharge $225	**GEB** glass etched, back-painted black
WH satin white powder coat	**GEW** glass etched, back-painted white
GR graphite powder coat	
BZ bronze powder coat	
IG iron grey powder coat	
RD black red powder coat	
BK matte black powder coat	

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid options: Aluminum	lid options: Glass
14G	**132" - 240" Table**	$ 7777	$ 12823
	(4) 8" double door mediatrac grommets		



specification codes example: MGS-SKU-CRD132

series
top
M G S -

sku
- -

power option
CRD corded
HWD hardwired
4TC four trac corded
4TH four trac hardwired

table length
132 **174** **216**
138 **180** **222**
144 **186** **228**
150 **192** **234**
156 **198** **240**
162 **204**
168 **210**





material + finish code example: BA GEB

frame finish
BA brushed aluminum

powder coat upcharge $375
WH satin white powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

lid material
ALM aluminum
GEB glass etched, back-painted black
GEW glass etched, back-painted white

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

	description	sku	w	d	h		price
	**equipment tray**	VMY	17½	16	3		134
		silver powder coat finish					
	**cable sling**	VMW	17½	16	3		323
		grey nylon mesh material hooks onto mediatrac1™ rails spcify with Extron AAP pull-through ACS-VGY					
	**wire clip**	VNZ	6	2¼	1¾		83
		hooks onto mediatrac rail smoke polycarbonate finish (4) clips come standard with each table					
	**wire mangement kit**	WMK	1⅝	⅞	1½		221
		(12) multi-wire clips (8)wire clips black finish					
	**power column**	MWC	11	11	24⅜		1388
		removeable door for wire access specify finish BK (matte black powder coat) or PS (polished stainless steel)					

specification codes example: ACS-SKU


series | sku

A | C | S | - | | | |

finish code example: PS

finish

PS polished stainless steel
BK matte black powder coat

	description	sku	w	d	h		price
	**power strip**	VNY	12¼	2	1¾		597
		6 outlet center, 110v 15 amp 15' plug-in cord surge protector UL Listed					
	**blank plate**	VGG	3½	-	⅝		177
		Extron® AAP blank plate with black powder coat finish single space insert					
	**cable pass-through module**	VGY	3½	-	1⅜		502
		Extron® APP single space, cable pass-through plates sold as a set of (2) black powder coat finish					
	**phone/data module**	VGD	3½	-	⅝		379
		Extron® APP two RJ-45 pass-through barrels CAT 5e single space insert					
	**phone/data module**	VGK	3½	-	⅝		303
		Extron® AAP (1) RJ-45 female to punch down block leviton CAT6 data single space insert					

specification codes example: ACS-SKU

series sku





A C S -

description	sku	w	d	h		price
 **phone/data module**	VGP	3½	-	⅝		421
	Extron® APP (2) RJ-45 female to punch down block leviton CAT6 data single space insert					
 **phone/data module**	VGL	3½	-	⅝		421
	Extron® APP (2) RJ-45 female to punch down block AMP CAT6 data single space insert					
 **phone/data module**	VGQ	3½	-	1⅜		572
	Extron® AAP (2) RJ-45 female to punch down block higher than CAT6 data type connectors systomax MGS500 backward compatible double space insert					
 **computer/audio/video module**	VG3	3½	-	⅝		421
	Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert					
 **control/computer module**	VGR	3½	-	⅝		421
	Extron® AAP (2) USB-A female to female barrels single space insert					

specification codes example: ACS-SKU

series sku

A C S -

	description	sku	w	d	h		price
	**usb charging module**	VGU	3½	-	⅝		815
		Extron® AAP power plate charging module (2).5 VCD USB power outlets 2.1 A/10.5 watts of power for charging mobile devices single space insert					
	**usb a+c module**	VRA	3½	1⅓	1⅛		475
		Mediatrac plate black USB C 20 watt USB A 20 watt Double space insert					
	**60 watt usb c module**	VRC	3½	1⅓	1⅞		650
		Mediatrac plate black USB C 60 watt Double space insert					
	**usb a+c - hdmi module**	VHA	3½	1⅓	1¾		725
		Mediatrac plate black USB C 20 watt USB A 20 watt HDMI female to female pigtail, 19" Double space insert					
	**60 watt usb c - hdmi**	VHC	3½	1⅓	1¾		900
		Mediatrac plate black USB C 60 watt HDMI female to female pigtail, 19" Double space insert					

specification codes example: ACS-SKU

series sku

A C S -

Prices and Specifications
Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry
All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation
All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping
Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or $75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims
Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages. In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns
No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit
Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer.

Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved.

Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved.

This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty
Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty
Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order
Bernhardt Design parts have a $25 net minimum per order. This does not include freight costs.

Custom Design
Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges.
A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes
Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes
Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes
Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a $500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance
All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware. After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning
Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights
All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental
Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

BERNHARDT | design

Bernhardt Design is a registered trademark of
Bernhardt Furniture Company of Lenoir, NC.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53’ trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a $500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	$150
Zone 2	4%	$150
Zone 3	5%	$150
Zone 4	5.5%	$150
Zone 5	6%	$150

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a $500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	$200	5%	10 - 15
Zone 2	$200	9%	10 - 15
Zone 3	$200	8%	10 - 15
Zone 4	$200	11%	10 - 15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.



Greater Montreal Quebec Area (Postal Codes Starting with H) Freight is 5%