

matera tables
price list

september 2024

| | |
|---|-------|
| index | 2 |
| veneer selection | 3-4 |
| design selections + finishes | 5 |
| base style selection | 6 |
| top selections | 7 |
| power overview | 8 |
| tops | 9-12 |
| subtops | 13-16 |
| under mount power | |
| under mount power overview | 17 |
| grommet placement kits | 18-20 |
| extron APP modules | 21 |
| mediatrac 1™ power | |
| power overview | 22 |
| 4-trac power system | 23 |
| grommet placement kits | 24 |
| laminate, veneer, solid surface, aluminum | 25-30 |
| back-painted glass | 31-35 |
| wire management | 36 |
| extron APP modules | 37-38 |
| terms and conditions | 39-41 |
| guaranteed freight | 42 |
| guaranteed freight - canada | 43 |

Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.


Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish

or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

ASB Ash

Flat Cut
Bookmatched



Standard Finish


871 870 839
837 860 861
865 836 866
872 805 845

Select Finishes

M73 M72 M75
M74 M76 M77
M71

OAB Oak

Rift Cut/Quarter Cut
Bookmatched



Standard Finish


871 870 839
837 860 861
865 836 866
872 805 845

Select Finishes

M73 M72 M75
M74 M76 M77
M71

PLB Paldao

Rift Cut/Quarter Cut
Bookmatched




Standard Finish

871 860 823
872 861 866
870 839

WLB Walnut

Flat Cut
Bookmatched




Standard Finish

872 861
870 823
860 866
839

TOB Tiger Oak


Rift Cut/Quarter Cut
Bookmatched



Standard Finish

871 ONLY

ASB Ash





ASB Select Finishes



Veneer Selections


OAB Oak



OAB Select Finishes



PLB Paldao



WLB Walnut



TOB Tiger Oak



Design Selections

Glass Selections - Tops




PF Polished Flat Edge

GEW Etched Back-Painted White Glass - 1/2" thick

GEB Etched Back-Painted Black Glass - 3/8" thick

Solid Surface Selections - Tops



FL 1/2" Flat Edge


SSF Solid Surface

Standard Finish

CGW Corian, Glacier White


COM Tops

Matera table tops can accept a wide selection of customer own materials including stone and quartz. See page 14-15 for subtops skus. Order tops and bases separately all subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.



Finishes

Base Finishes



BB Brushed Graphite



BS Brushed Stainless Steel



BZ Brushed Bronze

Matera




Through the integration of stainless steel panels, the Matera table base creates an architectural aesthetic that supplements today's open environments and augments Bernhardt Design's meeting table offering.


The base is available in one size and is available in brushed stainless steel, brushed bronze and brushed graphite finishes. The Matera base features a removable inside panel that allows for access to wire management and preserves the narrow footprint.

Bases and tops are specified and sold separately. Tops are available in (3) widths and offered in veneer, etched back-painted black glass, etched back-painted white glass, solid surface and COM (with a 1" subtop).


SCS Indoor Advantage™ Gold and LEVEL® 1 certified. See terms and conditions for additional environmental information.




Matera base shown with removable inside panel



Section View



Side View

| description | sku | w | d | h | | price |
|---|-----|-------|--------|--------|--|---------|
|  matera base | MPB | 2 1/8 | 25 3/8 | 28 1/4 | | \$ 4866 |

specification codes example: MAS-MPB

| series | sku |
|---------------|-----------|
| matera | |
| M A S - | M P B |

finish code example: BS


| finish |
|-----------------------------------|
| BB brushed graphite |
| BS brushed stainless steel |
| BZ brushed bronze |
| |

Matera Tops



Matera tops are specifically constructed to accommodate the Matera bases. Tops and bases are specified and sold separately. See the specific top size desired for the appropriate number of bases required.

Recommended base sizes must be specified to ensure a proper alignment and fit. The Matera rail placement will have 17¼" inside clearance.



Detail view of Matera top.

Veneer - All Veneer is Bookmatched


- ASB** Ash
- OAB** Oak
- TOB** Tiger Oak
- WLB** Walnut
- PLB** Paldao



- RB** 1/4" Reverse Bevel
- FL** 1/4" Flat

Glass

- GEW** Etched Back-Painted White Glass
- GEB** Etched Back-Painted Black Glass




- PF** 1/2" Polished Flat

Solid Surface

- SSF** Corian®, Glacier White




- FL** 1/4" Flat



- RB** 1/4" Reverse Bevel

Subtop for COM

See page 12-14 for subtops skus. Order tops and bases separately. All subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.



specification codes example: MAS-SKU-FLMA000

| series | sku | edge | base | grommet location |
|---------------|-----|---|------------------------------|---|
| matera | | FL 1/4" flat PF 1/2" polished flat RB 1/4" reverse bevel | MA matera rectangular | Under Mount see pages 18-20 for location codes Mediatrac 1 see pages 25-35 for location codes 000 none |
| M A S - | | | M A | |


material + finish code example: WLB 839

| material | finish |
|---|---------------|
| COM no top ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white | see pages 3-4 |
| | |


Matera Power Column




The Matera meeting table collection offers a concealed wire management solution through the use of a power column. The power column is 11" w x 11" d x 24 3/8" h, with 8 3/8" interior cord clearance and is available in polished stainless steel and matte black powder coat finishes. Power column is sold separately.



Power Column Front View





Power Column Top View



Power Column shown with removable panel

Matera Power Options

The Matera conference table offers (2) power solutions: Mediatrix™ and Under Mount Power.



Mediatrix™

Mediatrix 1 offers power options that utilize the electrical 4-Trac Power System, allowing for easy installation and reconfiguration capabilities. 4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrix 1 grommet size. The grommet layout and wiring scheme is specified specifically for each top size, requiring the customer to separately purchase the grommet kit that fits their needs.

Mediatrix 1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.


Under Mount Power

Matera offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. The under mount power modules are available in (2) configurations: (2) 15 amp receptacles, or (1) 15 amp receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user. End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.


Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops


| sku | l | w | bases to specify | ASB ash OAB oak WLB walnut | | PLB paldao TOB tiger oak | | GEW etched back-painted white glass | GEB etched back-painted black glass | SSF solid surface | |
|-----|-----|----|------------------|----------------------------------|------|-----------------------------|------|---|---|-------------------|-------|
| | | | | FL | RB | FL | RB | PF | FL | RB | |
| EEC | 60 | 48 | (2) bases | 3377 | 3952 | 3918 | 4492 | 8538 | 10417 | 7171 | 8391 |
| EFC | 66 | 48 | (2) bases | 3480 | 4072 | 4037 | 4629 | 9645 | 11767 | 7362 | 8614 |
| EGC | 72 | 48 | (2) bases | 3587 | 4197 | 4161 | 4771 | 10058 | 12271 | 7430 | 8694 |
| EHC | 78 | 48 | (2) bases | 3683 | 4310 | 4273 | 4899 | 10637 | 12978 | 7941 | 9291 |
| EIC | 84 | 48 | (2) bases | 4217 | 4934 | 4892 | 5609 | 11177 | 13636 | 8444 | 9880 |
| EJC | 90 | 48 | (2) bases | 4934 | 5773 | 5724 | 6563 | 11711 | 14288 | 8956 | 10479 |
| EJD | 90 | 54 | (2) bases | 5121 | 5992 | 5941 | 6811 | 12752 | 15558 | 9906 | 11591 |
| EKC | 96 | 48 | (2) bases | 5057 | 5917 | 5867 | 6726 | 12291 | 14996 | 9461 | 11070 |
| EKD | 96 | 54 | (2) bases | 5256 | 6150 | 6097 | 6991 | 13367 | 16308 | 10477 | 12259 |
| EKE | 96 | 60 | (2) bases | 5453 | 6381 | 6326 | 7253 | 14536 | 17734 | 11488 | 13441 |
| ELC | 102 | 48 | (2) bases | 5611 | 6565 | 6509 | 7463 | 12890 | 15726 | 9970 | 11665 |
| ELD | 102 | 54 | (2) bases | 5818 | 6808 | 6749 | 7738 | 14081 | 17179 | 11057 | 12937 |
| ELE | 102 | 60 | (2) bases | 6029 | 7054 | 6994 | 8019 | 15235 | 18587 | 12138 | 14202 |
| EMC | 108 | 48 | (2) bases | 5742 | 6719 | 6661 | 7637 | 13426 | 16380 | 10477 | 12259 |
| EMD | 108 | 54 | (2) bases | 5965 | 6980 | 6920 | 7934 | 14700 | 17934 | 11627 | 13604 |
| EME | 108 | 60 | (2) bases | 6185 | 7237 | 7175 | 8227 | 15925 | 19429 | 12760 | 14930 |
| ENC | 114 | 48 | (2) bases | 5879 | 6879 | 6820 | 7820 | 13997 | 17077 | 10987 | 12855 |
| END | 114 | 54 | (2) bases | 6110 | 7149 | 7088 | 8127 | 15312 | 18681 | 12200 | 14274 |
| ENE | 114 | 60 | (2) bases | 6342 | 7421 | 7357 | 8435 | 16626 | 20284 | 13401 | 15680 |

specification codes example: MAS-SKU-FLMAFM01


| series | sku | edge | base | grommet location | material + finish code example: | WLT 839 |
|---------------|-----|--|-----------------------|--|--|---------------|
| matera | | FL 1/4" flat PF 1/2" polished flat RB 1/4" reverse bevel | MA matera rectangular | Under Mount see pages 18-20 for location codes Mediatrac 1 see pages 25-35 for location codes 000 none | ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white | see pages 3-4 |
| M A S - | | | M A | | | |



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops


| sku | l | w | bases to specify | ASB ash OAB oak WLB walnut | | PLB paldao TOB tiger oak | | GEW etched back-painted white glass | GEB etched back-painted black glass | SSF solid surface | |
|-----|-----|----|------------------|----------------------------------|-------|-----------------------------|-------|---|---|-------------------|-------|
| | | | | FL | RB | FL | RB | PF | FL | RB | |
| EOC | 120 | 48 | (2) bases | 6013 | 7036 | 6976 | 7998 | 14604 | 17817 | 11488 | 13441 |
| EOD | 120 | 54 | (2) bases | 6256 | 7320 | 7257 | 8321 | 15997 | 19517 | 12760 | 14930 |
| EOE | 120 | 60 | (2) bases | 6469 | 7569 | 7505 | 8604 | 17378 | 21202 | 14032 | 16418 |
| EPC | 126 | 48 | (3) bases | 6968 | 8153 | 8083 | 9268 | 15569 | 18995 | 13854 | 16210 |
| EPD | 126 | 54 | (3) bases | 7244 | 8476 | 8404 | 9635 | 17113 | 20878 | 14142 | 16547 |
| EPE | 126 | 60 | (3) bases | 7526 | 8806 | 8731 | 10010 | 18613 | 22708 | 15574 | 18222 |
| EQC | 132 | 48 | (3) bases | 7157 | 8374 | 8303 | 9519 | 15756 | 19223 | 14040 | 16427 |
| EQD | 132 | 54 | (3) bases | 7432 | 8696 | 8622 | 9885 | 17300 | 21106 | 14331 | 16768 |
| EQE | 132 | 60 | (3) bases | 7713 | 9025 | 8948 | 10259 | 18802 | 22939 | 15762 | 18442 |
| ERC | 138 | 48 | (3) bases | 7265 | 8501 | 8428 | 9663 | 17633 | 21513 | 14953 | 17496 |
| ERD | 138 | 54 | (3) bases | 7568 | 8855 | 8779 | 10066 | 18349 | 22386 | 15310 | 17913 |
| ERE | 138 | 60 | (3) bases | 7871 | 9210 | 9131 | 10469 | 20004 | 24405 | 16886 | 19757 |
| ESD | 144 | 54 | (3) bases | 7756 | 9075 | 8997 | 10316 | 18535 | 22613 | 15499 | 18134 |
| ESE | 144 | 60 | (3) bases | 8058 | 9428 | 9348 | 10718 | 20191 | 24634 | 17073 | 19976 |
| ETD | 150 | 54 | (3) bases | 7837 | 9170 | 9091 | 10424 | 19782 | 24135 | 16501 | 19307 |
| ETE | 150 | 60 | (3) bases | 8161 | 9549 | 9467 | 10855 | 21558 | 26301 | 18194 | 21287 |
| EUD | 156 | 54 | (3) bases | 8025 | 9390 | 9309 | 10674 | 19971 | 24365 | 16688 | 19525 |
| EUE | 156 | 60 | (3) bases | 8350 | 9770 | 9686 | 11106 | 21746 | 26531 | 18380 | 21505 |
| EVD | 162 | 54 | (3) bases | 8520 | 9969 | 9884 | 11332 | 21055 | 25688 | 17597 | 20589 |
| EVE | 162 | 60 | (3) bases | 8868 | 10376 | 10287 | 11795 | 22973 | 28028 | 19380 | 22675 |
| EWD | 168 | 54 | (3) bases | 8707 | 10188 | 10101 | 11581 | 21244 | 25918 | 17784 | 20808 |
| EWE | 168 | 60 | (3) bases | 9055 | 10595 | 10504 | 12044 | 23160 | 28256 | 19568 | 22895 |

specification codes example: MAS-SKU-FLMAFM01


| series | sku | edge | base | grommet location | material + finish code example: | WLT 839 |
|---------------|-----|--|-----------------------|---|--|---------------|
| matera | | FL 1/4" flat PF 1/2" polished flat RB 1/4" reverse bevel | MA matera rectangular | Under Mount see pages 18-20 for location codes Mediatrac1 see pages 25-35 for location codes 000 none | ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white | see pages 3-4 |
| M A S - | | | M A | | | |



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops


| sku | l | w | bases to specify | ASB ash OAB oak WLB walnut | | PLB paldao TOB tiger oak | | GEW etched back-painted white glass | GEB etched back-painted black glass | SSF solid surface | |
|-----|-----|----|------------------|----------------------------------|-------|-----------------------------|-------|---|---|-------------------|-------|
| | | | | FL | RB | FL | RB | PF | FL | RB | |
| EXD | 174 | 54 | (3) bases | 8786 | 10280 | 10192 | 11686 | 22342 | 27258 | 18750 | 21938 |
| EXE | 174 | 60 | (3) bases | 9158 | 10715 | 10624 | 12181 | 24424 | 29798 | 20652 | 24163 |
| EYD | 180 | 54 | (3) bases | 8975 | 10501 | 10411 | 11937 | 22529 | 27486 | 18937 | 22157 |
| EYE | 180 | 60 | (3) bases | 9345 | 10934 | 10841 | 12429 | 24611 | 30026 | 20839 | 24382 |
| EZD | 186 | 54 | (3) bases | 9143 | 10698 | 10606 | 12161 | 24116 | 29422 | 19886 | 23267 |
| EZE | 186 | 60 | (3) bases | 9537 | 11159 | 11063 | 12685 | 26318 | 32108 | 21924 | 25652 |
| E1D | 192 | 54 | (3) bases | 9331 | 10918 | 10824 | 12411 | 24303 | 29650 | 20075 | 23488 |
| E1E | 192 | 60 | (3) bases | 9726 | 11380 | 11283 | 12936 | 26505 | 32337 | 22111 | 25870 |
| E2D | 198 | 54 | (3) bases | 9408 | 11008 | 10914 | 12513 | 25345 | 30921 | 21038 | 24615 |
| E2E | 198 | 60 | (3) bases | 9827 | 11498 | 11400 | 13070 | 27699 | 33793 | 23511 | 27508 |
| E3D | 204 | 54 | (3) bases | 9596 | 11228 | 11132 | 12763 | 25531 | 31148 | 21225 | 24834 |
| E3E | 204 | 60 | (3) bases | 10015 | 11718 | 11618 | 13320 | 27887 | 34023 | 23699 | 27728 |
| E4D | 210 | 54 | (3) bases | 9678 | 11324 | 11227 | 12872 | 26693 | 32566 | 22759 | 26629 |
| E4E | 210 | 60 | (3) bases | 10118 | 11839 | 11737 | 13457 | 29150 | 35563 | 25045 | 29303 |
| E5D | 216 | 54 | (3) bases | 9864 | 11541 | 11443 | 13120 | 26880 | 32794 | 22947 | 26848 |
| E5E | 216 | 60 | (3) bases | 10305 | 12057 | 11954 | 13706 | 29338 | 35793 | 25232 | 29522 |
| E6D | 222 | 54 | (3) bases | 10363 | 12125 | 12022 | 13783 | 27920 | 34063 | 23979 | 28056 |
| E6E | 222 | 60 | (3) bases | 10825 | 12666 | 12557 | 14398 | 30527 | 37243 | 26385 | 30871 |
| E7D | 228 | 54 | (4) bases | 10551 | 12345 | 12240 | 14033 | 28108 | 34292 | 24167 | 28276 |
| E7E | 228 | 60 | (4) bases | 11012 | 12885 | 12774 | 14646 | 30715 | 37473 | 26574 | 31092 |

specification codes example: MAS-SKU-FLMAFM01


| series | sku | edge | base | grommet location | material + finish code example: | WLT 839 |
|---------------|-----|--|-----------------------|--|--|---------------|
| matera | | FL 1/4" flat PF 1/2" polished flat RB 1/4" reverse bevel | MA matera rectangular | Under Mount see pages 18-20 for location codes Mediatrac 1 see pages 25-35 for location codes 000 none | ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white | see pages 3-4 |
| M A S - | | | M A | | | |



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops

| sku | l | w | bases to specify | ASB ash OAB oak WLB walnut | | PLB paldao TOB tiger oak | | GEW etched back-painted white glass | GEB etched back-painted black glass | SSF solid surface | |
|-----|-----|----|------------------|----------------------------------|-------|-----------------------------|-------|---|---|-------------------|-------|
| | | | | FL | RB | FL | RB | PF | FL | RB | |
| E8D | 234 | 54 | (4) bases | 10634 | 12442 | 12336 | 14144 | 29166 | 35583 | 25124 | 29396 |
| E8E | 234 | 60 | (4) bases | 11197 | 13101 | 12989 | 14893 | 31940 | 38967 | 27668 | 32372 |
| E9D | 240 | 54 | (4) bases | 10823 | 12663 | 12555 | 14395 | 29352 | 35810 | 25310 | 29613 |
| E9E | 240 | 60 | (4) bases | 11383 | 13319 | 13205 | 15140 | 32127 | 39195 | 27854 | 32590 |

specification codes example: MAS-SKU-FLMAFM01

| series | sku | edge | base | grommet location | material + finish code example: | WLT 839 |
|---------------|-----|--|-----------------------|---|--|-------------------------|
| matera | | FL 1/4" flat PF 1/2" polished flat RB 1/4" reverse bevel | MA matera rectangular | Under Mount see pages 18-20 for location codes Mediatrac1 see pages 25-35 for location codes 000 none | material ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white | finish see pages 3-4 |
| M A S - | | | M A | | | |



rectangular top


order bases separately

all **subtops** painted dark grey to match Matera support rails

subtops approved for use with up to 3 cm stone, quartz and COM glass



tops 54" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops

| sku | l | w | bases to specify | subtops |
|-----|-----|----|------------------------------------|---------|
| SEC | 54 | 42 | subtop for use with 60" x 48" top | 2148 |
| SFC | 60 | 42 | subtop for use with 66" x 48" top | 2231 |
| SGC | 66 | 42 | subtop for use with 72" x 48" top | 2312 |
| SHC | 72 | 42 | subtop for use with 78" x 48" top | 2395 |
| SIC | 78 | 42 | subtop for use with 84" x 48" top | 2479 |
| SJC | 84 | 42 | subtop for use with 90" x 48" top | 2562 |
| SJD | 84 | 48 | subtop for use with 90" x 54" top | 2633 |
| SKC | 90 | 42 | subtop for use with 96" x 48" top | 2642 |
| SKD | 90 | 48 | subtop for use with 96" x 54" top | 2720 |
| SKE | 90 | 54 | subtop for use with 96" x 60" top | 2795 |
| SLC | 96 | 42 | subtop for use with 102" x 48" top | 2724 |
| SLD | 96 | 48 | subtop for use with 102" x 54" top | 2807 |
| SLE | 96 | 54 | subtop for use with 102" x 60" top | 2889 |
| SMC | 102 | 42 | subtop for use with 108" x 48" top | 2808 |
| SMD | 102 | 48 | subtop for use with 108" x 54" top | 2896 |
| SME | 102 | 54 | subtop for use with 108" x 60" top | 2982 |
| SNC | 108 | 42 | subtop for use with 114" x 48" top | 2892 |
| SND | 108 | 48 | subtop for use with 114" x 54" top | 2983 |
| SNE | 108 | 54 | subtop for use with 114" x 60" top | 3075 |

specification codes example: MAS-SKU

| series | sku |
|---------------|-----|
| matera | |
| M A S - | |



rectangular top

order bases separately

all **subtops** painted dark grey to match Matera support rails

subtops approved for use with up to 3 cm stone, quartz and COM glass



tops 54" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops

| sku | l | w | bases to specify | subtops |
|-----|-----|----|------------------------------------|---------|
| SOC | 114 | 42 | subtop for use with 120" x 48" top | 2978 |
| SOD | 114 | 48 | subtop for use with 120" x 54" top | 3070 |
| SOE | 114 | 54 | subtop for use with 120" x 60" top | 3166 |
| SPC | 120 | 42 | subtop for use with 126" x 48" top | 4504 |
| SPD | 120 | 48 | subtop for use with 126" x 54" top | 4610 |
| SPE | 120 | 54 | subtop for use with 126" x 60" top | 4715 |
| SQC | 126 | 42 | subtop for use with 132" x 48" top | 4691 |
| SQD | 126 | 48 | subtop for use with 132" x 54" top | 4796 |
| SQE | 126 | 54 | subtop for use with 132" x 60" top | 4902 |
| SRD | 132 | 48 | subtop for use with 138" x 54" top | 4879 |
| SRE | 132 | 54 | subtop for use with 138" x 60" top | 4994 |
| SSD | 138 | 48 | subtop for use with 144" x 54" top | 4972 |
| SSE | 138 | 54 | subtop for use with 144" x 60" top | 5088 |
| STD | 144 | 48 | subtop for use with 150" x 54" top | 5055 |
| STE | 144 | 54 | subtop for use with 150" x 60" top | 5180 |
| SUD | 150 | 48 | subtop for use with 156" x 54" top | 5148 |
| SUE | 150 | 54 | subtop for use with 156" x 60" top | 5271 |
| SVD | 156 | 48 | subtop for use with 162" x 54" top | 5230 |
| SVE | 156 | 54 | subtop for use with 162" x 60" top | 5365 |
| SWD | 162 | 48 | subtop for use with 168" x 54" top | 5322 |
| SWE | 162 | 54 | subtop for use with 168" x 60" top | 5458 |
| SXD | 168 | 48 | subtop for use with 174" x 54" top | 5404 |
| SXE | 168 | 54 | subtop for use with 174" x 60" top | 5551 |

specification codes example: MAS-SKU

| series | sku |
|---------------|-----|
| matera | |
| M A S - | |



rectangular top


order bases separately

all **subtops** painted dark grey to match Matera support rails

subtops approved for use with up to 3 cm stone, quartz and COM glass



tops 54" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops

| sku | l | w | bases to specify | subtops |
|-----|-----|----|------------------------------------|---------|
| SYD | 174 | 48 | subtop for use with 180" x 54" top | 5497 |
| SYE | 174 | 54 | subtop for use with 180" x 60" top | 5644 |
| SZD | 180 | 48 | subtop for use with 186" x 54" top | 5580 |
| SZE | 180 | 54 | subtop for use with 186" x 60" top | 5736 |
| S1D | 186 | 48 | subtop for use with 192" x 54" top | 5673 |
| S1E | 186 | 54 | subtop for use with 192" x 60" top | 5830 |
| S2D | 192 | 48 | subtop for use with 198" x 54" top | 5756 |
| S2E | 192 | 54 | subtop for use with 198" x 60" top | 5892 |
| S3D | 198 | 48 | subtop for use with 204" x 54" top | 5850 |
| S3E | 198 | 54 | subtop for use with 204" x 60" top | 5986 |
| S4D | 204 | 48 | subtop for use with 210" x 54" top | 5932 |
| S4E | 204 | 54 | subtop for use with 210" x 60" top | 6107 |
| S5D | 210 | 48 | subtop for use with 216" x 54" top | 6025 |
| S5E | 210 | 54 | subtop for use with 216" x 60" top | 6202 |
| S6D | 216 | 48 | subtop for use with 222" x 54" top | 6106 |
| S6E | 216 | 54 | subtop for use with 222" x 60" top | 6291 |
| S7D | 222 | 48 | subtop for use with 228" x 54" top | 6200 |
| S7E | 222 | 54 | subtop for use with 228" x 60" top | 6386 |
| S8D | 228 | 48 | subtop for use with 234" x 54" top | 6282 |
| S8E | 228 | 54 | subtop for use with 234" x 60" top | 6479 |

specification codes example: MAS-SKU

| series | sku |
|---------------|-----|
| matera | |
| M A S - | |



rectangular top

order bases separately

all **subtops** painted dark grey to match Matera support rails

subtops approved for use with up to 3 cm stone, quartz and COM glass



tops 54" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops

| sku | l | w | bases to specify | subtops |
|-----|-----|----|------------------------------------|---------|
| S9D | 234 | 48 | subtop for use with 240" x 54" top | 6376 |
| S9E | 234 | 54 | subtop for use with 240" x 60" top | 6571 |

specification codes example: MAS-SKU

| series | sku |
|---------------|-----|
| matera | |
| M A S - | |

Under Mount Power

Bernhardt Design offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (10) under mount power modules can be connected on one power infeed.


The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See [installation instructions for installing](#).

See page 18-20 for details on recommended configurations for 2-10 under mount power modules.


Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

Note: End user installation will be required per individual SKU.




Bernhardt Design provides recommendations for installation locations as shown on page 18-20. Installation instructions are included with each power unit.

Power Modules Matte Black Finish




power + power
(2) 120 v 60 Hz.
15 amp receptacles
braided cotton 10' cord
grounded plug
UL 962 listed




power + usb-a + usb-c
Updated Information Shown in RED
(1) 120 v 60 Hz. 15 amp receptacle
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed


Replacement Housing with Location for Mini AAP Plate



Sequential Connector Matte Black Finish




Power Infeed 10' Grounded Plug Required per individual SKU Braided Cord



15 amp







Matera Wire Management

Matera power infeeds are routed through integral spacers to a multi-wire clip that offers advanced wire management. The following illustration shows a section view of the Matera table with under mount power.



Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.






| # of Kits | sku | specifications | PP power + power  | PU power + usb + usb-c  |
|----------------------|-------------|--|--|--|
| 1 Module Kit | | | | |
| | U01S | 60" - 240" Table  | \$ 373 | \$ 527 |
| 2 Module Kits | | | | |
| | U02S | 60" - 150" Table | 1111 | 1589 |
| | U02L | 156" - 240" Table  | 1219 | 1697 |
| 3 Module Kits | | | | |
| | U03S | 60" - 150" Table | 1494 | 2212 |
| | U03L | 156" - 240" Table  | 1710 | 2428 |
| 4 Module Kits | | | | |
| | U04S | 60" - 150" Table | 1846 | 2542 |
| | U04L | 156" - 240" Table  | 2063 | 2759 |

specification codes example: ACS-SKU-PP

| series | sku | power style |
|---------------|-----|---------------------|
| PP | | power + power |
| PU | | power + usb + usb-c |
| A C S - | - | |







Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

| # of Kits | sku | specifications | PP power + power  | PU power + usb + usb-c  |
|----------------------|-------------|--|--|--|
| 5 Module Kits | | | | |
| | U05S | 60" - 150" Table | \$ 2326 | \$ 3379 |
| | U05L | 156" - 240" Table  | 2542 | 3596 |
| 6 Module Kits | | | | |
| | U06S | 60" - 150" Table | 2436 | 3801 |
| | U06L | 156" - 240" Table  | 2652 | 4017 |
| 7 Module Kits | | | | |
| | U07S | 60" - 150" Table | 2953 | 4739 |
| | U07L | 156" - 240" Table  | 3169 | 4955 |

specification codes example: ACS-SKU-PP

| series | sku | power style |
|---------------|-----|--|
| A C S - | - | PP power + power PU power + usb + usb-c |

| description | sku | w | d | h | specifications | price |
|---|-----|----|----|----|----------------|--------|
|  <p>under mount replacement housing</p> <p>for use with Extron® MAAP installed in the field by end user switch existing housing onsite to this housing to accommodate Extron® MAAP</p> | UPH | 7¾ | 3¾ | 1½ | | \$ 201 |
|  <p>blank plate</p> <p>Extron® MAAP blank plate black powder coat finish single space insert</p> | MP6 | 2½ | - | ¾ | | 150 |
|  <p>computer/audio/video mini module</p> <p>Extron® MAAP HDMI female to HDMI female on 10" pigtail single space insert</p> | MP1 | 2½ | - | ¾ | | 385 |
|  <p>computer/audio/video mini module</p> <p>Extron® MAAP display port female to display port female on 10" pigtail single space insert</p> | MP3 | 2½ | - | ¾ | | 385 |
|  <p>phone/data mini module</p> <p>Extron® MAAP one RJ45 female to punch down leviton CAT6 data single space insert</p> | MP4 | 2½ | - | ¾ | | 267 |
|  <p>phone/data mini module</p> <p>Extron® MAAP one RJ45 female to female barrel single space insert</p> | MP5 | 2½ | - | ¾ | | 230 |

specification codes example: ACS-SKU

| series | sku |
|---------------|-----|
| accessories | |
| A C S - | |

Mediatrac 1™


Mediatrac 1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac 1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.

Mediatrac 1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.

Power Infeed
72" long, 15
amp cord.


Power Module



Note: End user installation will be required per individual SKU. Power specified separately. See pages 25-35 for grommet codes.


Mediatrac 1 Options

8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug, accepts 2 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug, accepts 4 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame


24" Double Door Mediatrac™ Grommet



8 grounded outlets, 2 exit plugs, accepts 8 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

Mediatrac 1 Grommet Kits (Includes the following)

Power Module



Number and configuration of grommet modules determined by the grommet code

Jumper (if required)



Jumpers are determined by the length of the top specified

Connector + H-Block



Will be included in kit when the 4-trac option is specified

Power Infeed Options




72" 4-Trac Power Infeed with 20 amp plug



20 amp receptacle
4-Trac Only



72" 4-Trac Power Infeed with Hardwired



72" Power Infeed with 15 amp plug




15 amp receptacle




72" 3/8" Hardwire Whip

Mediatrac 1 Dimensional Specifications



Mediatrac 1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Mediatrac 1™ 4-Trac Power System



Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.

4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.


Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.

Mediatrac 1 Grommets Using Electrical 4-Trac Power System


- Power Infeed
- Power Module Whip
- Modular Connector
- Jumper
- Power Drop
- Power Module
- H-Block




4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.




4-Trac H-Block connects up to (4) Jumpers and Power Modules.



4-Trac Jumpers used in conjunction with the H-Block to wire the system.



72" 4-Trac Power Infeed with Hardwired Conduit



72" 4-Trac Power Infeed with 20 amp Plug




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.


Mediatrac 1™ Grommet Placement Kits

Mediatrac 1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Mediatrac 1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
(make sure that this grommet code matches the code used when ordering your top)
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



| Top Depth | Distance to Grommet |
|-----------|---------------------|
| 42" | 17" |
| 48" | 20" |
| 54" | 23" |
| 60" | 26" |
| 66" | 29" |
| 72" | 32" |

The Grommet Kit will ship separately and will be installed in the field.



Ordering Example:
120" x 54" Table Top
Walnut veneer, 870 finish
M08 Grommet Code with 4trac corded power
Walnut Door/Brushed Aluminum Trim

specification codes example: **MGS-M08-4TC120**

| series | sku | power option | table length |
|--------|-----|--------------------------------|--------------------|
| top | | CRD corded | 096 150 204 |
| | | HWD hardwired | 102 156 210 |
| | | 4TC four trac corded | 108 162 216 |
| | | 4TH four trac hardwired | 114 168 222 |
| | | | 120 174 228 |
| | | | 126 180 234 |
| | | | 132 186 224 |
| | | | 138 192 |
| | | | 144 198 |




M | G | S | - | M | 0 | 8 | - | 4 | T | C | 1 | 2 | 0

material + finish code example: **BA WLT 870**

| frame finish | lid material | lid finish |
|-----------------------------------|--------------------------|---------------|
| BA brushed aluminum | ALM aluminum | see pages 3-5 |
| WH satin white powder coat | ASB ash | |
| GR graphite powder coat | OAB oak | |
| BZ bronze powder coat | WLB walnut | |
| IG iron grey powder coat | TOB tiger oak | |
| RD black red powder coat | PLB paldao | |
| BK matte black powder coat | SSF glacier white | |

B | A | W | L | B | 8 | 7 | 0

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

| sku | specifications | frame material |
|------------|---|------------------------|
| M01 | 72" - 240" Table (1) 3" single round pass through grommet kit  | ALM aluminum \$ 154 |
| M02 | 72" - 240" Table (2) 3" single round pass through grommet kits  | 308 |
| M33 | 72" - 240" Table (3) 3" single round pass through grommet kits  | 462 |

specification codes example: ACS-SKU





| series | sku |
|---------------|-----|
| top | |
| A C S - | - |

material + finish code example: BA

| frame finish |
|----------------------------|
| BA brushed aluminum |
| WH satin white powder coat |
| GR graphite powder coat |
| BZ bronze powder coat |
| IG iron grey powder coat |
| RD black red powder coat |
| BK matte black powder coat |
| |

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid material | |
|------------|---|--------------|--|
| | | ALM aluminum | ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF solid surface |
| M03 | 72" - 240" Table (1) 8" double door mediatrac grommet  | \$ 1999 | \$3125 |
| M04 | 72" - 240" Table (2) 8" single door mediatrac grommets  | 2749 | 5062 |
| P04 | 72" - 240" Table same information as M04 (1) 1" dia. grommet for microphone  | 2875 | 5186 |
| M06 | 72" - 240" Table (1) 24" double door mediatrac grommet  | 2813 | 4186 |

specification codes example: MGS-SKU-CRD132





| series | sku | power option | table length |
|--------|-----|--------------------------------|--------------|
| top | | CRD corded | 072 132 192 |
| | | HWD hardwired | 078 138 198 |
| | | 4TC four trac corded | 084 144 204 |
| | | 4TH four trac hardwired | 090 150 210 |
| | | | 096 156 216 |
| | | | 102 162 222 |
| | | | 108 168 228 |
| | | | 114 174 234 |
| | | | 120 180 240 |

material + finish code example: BA WLT 839

| frame finish | lid material | lid finish |
|-----------------------------------|--------------------------|---------------|
| BA brushed aluminum | ALM aluminum | see pages 3-5 |
| WH satin white powder coat | ASB ash | |
| GR graphite powder coat | OAB oak | |
| BZ bronze powder coat | TOB tiger oak | |
| IG iron grey powder coat | WLB walnut | |
| RD black red powder coat | PLB paldao | |
| BK matte black powder coat | SSF glacier white | |

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid material | |
|------------|--|--------------|--|
| | | ALM aluminum | ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF solid surface |
| M05 | 72" - 240" Table (2) 8" double door mediatrac grommets  | \$ 3624 | \$ 5997 |
| P05 | 72" - 240" Table same information as M05 (1) 1" dia. grommet for microphone  | 3749 | 6123 |
| M07 | 84" - 240" Table (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets  | 4374 | 7872 |
| M08 | 84" - 240" Table (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets  | 5124 | 8684 |

specification codes example: MGS-SKU-CRD132



| series | sku | power option | table length |
|--------|-----|--------------------------------|--------------|
| top | | CRD corded | 072 132 192 |
| | | HWD hardwired | 078 138 198 |
| | | 4TC four trac corded | 084 144 204 |
| | | 4TH four trac hardwired | 090 150 210 |
| | | | 096 156 216 |
| | | | 102 162 222 |
| | | | 108 168 228 |
| | | | 114 174 234 |
| | | | 120 180 240 |

material + finish code example: BA WLT 839

| frame finish | lid material | lid finish |
|-----------------------------------|--------------------------|---------------|
| BA brushed aluminum | ALM aluminum | see pages 3-5 |
| WH satin white powder coat | ASB ash | |
| GR graphite powder coat | OAB oak | |
| BZ bronze powder coat | TOB tiger oak | |
| IG iron grey powder coat | WLB walnut | |
| RD black red powder coat | PLB paldao | |
| BK matte black powder coat | SSF glacier white | |

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid material | |
|------------|---|--------------|--|
| | | ALM aluminum | ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF solid surface |
| M12 | 108" - 240" Table (2) 24" double door mediatrac grommets  | \$ 5636 | \$ 7810 |
| P12 | same information as M12 (1) 1" dia. grommet for microphone  | 5762 | 7935 |

specification codes example: MGS-SKU-CRD132

| series | sku | power option | table length |
|--------|-----|--------------------------------|--------------|
| top | | CRD corded | 108 162 216 |
| | | HWD hardwired | 114 168 222 |
| | | 4TC four trac corded | 120 174 228 |
| | | 4TH four trac hardwired | 126 180 234 |
| | | | 132 186 240 |
| | | | 138 192 |
| | | | 144 198 |
| | | | 150 204 |
| | | | 156 210 |

M | G | S | - | | | | - | | | |




material + finish code example: BA WLT 839

| frame finish | lid material | lid finish |
|-----------------------------------|--------------------------|---------------|
| BA brushed aluminum | ALM aluminum | see pages 3-5 |
| WH satin white powder coat | ASB ash | |
| GR graphite powder coat | OAB oak | |
| BZ bronze powder coat | TOB tiger oak | |
| IG iron grey powder coat | WLB walnut | |
| RD black red powder coat | PLB paldao | |
| BK matte black powder coat | SSF glacier white | |

| | | | | | | | | | | | | | | | | | | |

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid material | |
|------------|---|--------------|--|
| | | ALM aluminum | ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF solid surface |
| M10 | 96" - 240" Table (3) 8" double door mediatrac grommets  | \$ 5436 | \$ 8995 |
| M15 | 132" - 240" Table (2) 8" single door mediatrac grommets (2) 24" double door mediatrac grommets  | 7122 | 11744 |
| M30 | 156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.  | 7622 | 11619 |

specification codes example: MGS-SKU-CRD 132




| series | sku | power option | table length |
|--------|-----|-------------------------|--------------|
| top | | CRD corded | 096 150 204 |
| | | HWD hardwired | 102 156 210 |
| | | 4TC four trac corded | 108 162 216 |
| | | 4TH four trac hardwired | 114 168 222 |
| | | | 120 174 228 |
| | | | 126 180 234 |
| | | | 132 186 224 |
| | | | 138 192 |
| | | | 144 198 |

material + finish code example: BA WLT 839

| frame finish | lid material | lid finish |
|-----------------------------------|-------------------|---------------|
| BA brushed aluminum | ALM aluminum | see pages 3-5 |
| powder coat upcharge \$225 | ASB ash | |
| WH satin white powder coat | OAB oak | |
| GR graphite powder coat | TOB tiger oak | |
| BZ bronze powder coat | WLB walnut | |
| IG iron grey powder coat | PLB paldao | |
| RD black red powder coat | SSF glacier white | |
| BK matte black powder coat | | |

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid material | |
|------------|---|--------------|--|
| | | ALM aluminum | ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF solid surface |
| M14 | 132" - 240" Table (4) 8" double door mediatrac grommets  | \$ 7560 | \$ 12557 |
| M21 | 180" - 240" Table (5) 8" double door mediatrac grommets  | 8809 | 14680 |
| M25 | 228" - 240" Table (6) 8" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.  | 10745 | 17804 |


specification codes example: MGS-SKU-CRD 132

| series | sku | power option | table length |
|--------|-----|-------------------------|--------------|
| top | | CRD corded | 132 174 216 |
| | | HWD hardwired | 138 180 222 |
| | | 4TC four trac corded | 144 186 228 |
| | | 4TH four trac hardwired | 150 192 234 |
| | | | 156 198 240 |
| | | | 162 204 |
| | | | 168 210 |

material + finish code example: BA WLT 839

| frame finish | lid material | lid finish |
|----------------------------|-------------------|---------------|
| BA brushed aluminum | ALM aluminum | see pages 3-5 |
| powder coat upcharge \$375 | ASB ash | |
| WH satin white powder coat | OAB oak | |
| GR graphite powder coat | TOB tiger oak | |
| BZ bronze powder coat | WLB walnut | |
| IG iron grey powder coat | PLB paldao | |
| RD black red powder coat | SSF glacier white | |
| BK matte black powder coat | | |

Mediatrac 1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

| sku | specifications | frame material |
|------------|--|-----------------------------------|
| 01G | 72" - 120" Table (1) 3" single round pass through grommet kit for use on 1 piece tops only  | ALM aluminum \$ 154 |
| 02G | 72" - 120" Table (2) 3" single round pass through grommet kits  | 308 |
| 33G | 72" - 120" Table (3) 3" single round pass through grommet kits  | 462 |

specification codes example: ACS-SKU




| series | sku |
|---------------|-----|
| top | |
| A C S - | - |

material + finish code example: BA

| frame finish |
|----------------------------|
| BA brushed aluminum |
| WH satin white powder coat |
| GR graphite powder coat |
| BZ bronze powder coat |
| IG iron grey powder coat |
| RD black red powder coat |
| BK matte black powder coat |
| |

Mediatrac 1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid options | |
|------------|---|-------------|---------|
| | | Aluminum | Glass |
| 03G | 72" - 120" Table (1) 8" double door mediatrac grommet for use on 1 piece tops only  | \$ 1999 | \$ 3125 |
| 04G | 72" - 240" Table (2) 8" single door mediatrac grommets  | 2749 | 5062 |
| 06G | 72" - 120" Table (1) 24" double door mediatrac grommet for use on 1 piece tops only  | 2813 | 4186 |

specification codes example: MGS-SKU-CRD 132

| series | sku | power option | table length |
|--------|-----|-------------------------|--------------|
| top | | CRD corded | 072 132 192 |
| | | HWD hardwired | 078 138 198 |
| | | 4TC four trac corded | 084 144 204 |
| | | 4TH four trac hardwired | 090 150 210 |
| | | | 096 156 216 |
| | | | 102 162 222 |
| | | | 108 168 228 |
| | | | 114 174 234 |
| | | | 120 180 240 |




material + finish code example: BA GEB

| frame finish | lid material |
|----------------------------------|--------------------------------------|
| BA brushed aluminum | ALM aluminum |
| powder coat upcharge \$75 | GEB glass etched, back-painted black |
| WH satin white powder coat | GEW glass etched, back-painted white |
| GR graphite powder coat | |
| BZ bronze powder coat | |
| IG iron grey powder coat | |
| RD black red powder coat | |
| BK matte black powder coat | |

Mediatrac1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku specifications

| | | lid options | |
|------------|---|-------------|---------|
| | | Aluminum | Glass |
| 05G | 72" - 240" Table (2) 8" double door mediatrac grommets  | \$ 3624 | \$ 5997 |
| 07G | 84" - 120" Table (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommet <i>for use on 1 piece tops only</i>  | 4374 | 7872 |
| 08G | 84" - 120" Table (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets <i>for use on 1 piece tops only</i>  | 5124 | 8684 |

specification codes example: MGS-SKU-CRD132

| series | sku | power option | table length |
|--------|-----|--------------------------------|---------------------------|
| top | | CRD corded | 072 132 192 |
| | | HWD hardwired | 078 138 198 |
| | | 4TC four trac corded | 084 144 204 |
| | | 4TH four trac hardwired | 090 150 210 |
| | | | 096 156 216 |
| | | | 102 162 222 |
| | | | 108 168 228 |
| | | | 114 174 234 |
| | | | 120 180 240 |

material + finish code example: BA GEB

| frame finish | lid material |
|-----------------------------------|---|
| BA brushed aluminum | ALM aluminum |
| WH satin white powder coat | GEB glass etched, back-painted black |
| GR graphite powder coat | GEW glass etched, back-painted white |
| BZ bronze powder coat | |
| IG iron grey powder coat | |
| RD black red powder coat | |
| BK matte black powder coat | |

Mediatrac 1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid options | |
|------------|--|-------------|---------|
| | | Aluminum | Glass |
| 10G | 96" - 120" Table (3) 8" double door mediatrac grommets for use on 1 piece tops only | \$ 5436 | \$ 8995 |



specification codes example: MGS-SKU-CRD120


| series | sku | power option | table length |
|--------|-----|-------------------------|--------------|
| top | | CRD corded | 096 |
| | | HWD hardwired | 102 |
| | | 4TC four trac corded | 108 |
| | | 4TH four trac hardwired | 114 |
| | | | 120 |

material + finish code example: BA GEB

| frame finish | lid material |
|----------------------------|--------------------------------------|
| BA brushed aluminum | ALM aluminum |
| powder coat upcharge \$225 | GEB glass etched, back-painted black |
| WH satin white powder coat | GEW glass etched, back-painted white |
| GR graphite powder coat | |
| BZ bronze powder coat | |
| IG iron grey powder coat | |
| RD black red powder coat | |
| BK matte black powder coat | |

Mediatrac 1 grommet kits and locations codes for glass tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.






| sku | specifications | lid options | |
|------------|---|-------------|----------|
| | | Aluminum | Glass |
| 14G | 132" - 240" Table | \$ 7122 | \$ 11744 |
| | (4) 8" double door mediatrac grommets | | |
| |  | | |

specification codes example: MGS-SKU-CRD132

| series | sku | power option | table length | | |
|--------|-----|-------------------------|--------------|-----|-----|
| top | | CRD corded | 132 | 174 | 216 |
| | | HWD hardwired | 138 | 180 | 222 |
| | | 4TC four trac corded | 144 | 186 | 228 |
| | | 4TH four trac hardwired | 150 | 192 | 234 |
| | | | 156 | 198 | 240 |
| | | | 162 | 204 | |
| | | | 168 | 210 | |








material + finish code example: BA GEB

| frame finish | lid material |
|-----------------------------------|--------------------------------------|
| BA brushed aluminum | ALM aluminum |
| powder coat upcharge \$375 | GEB glass etched, back-painted black |
| WH satin white powder coat | GEW glass etched, back-painted white |
| GR graphite powder coat | |
| BZ bronze powder coat | |
| IG iron grey powder coat | |
| RD black red powder coat | |
| BK matte black powder coat | |







| description | sku | w | d | h | price |
|---|-----|-------|-----|-----|--------|
|  <p>equipment tray silver powder coat</p> | VMY | 17½ | 16 | 3 | \$ 295 |
|  <p>cable sling grey nylon mesh material hooks onto mediatrac1™ rails specify with Extron AAP pull-through ACS-VGY</p> | VMW | 17½ | 16 | 3 | 295 |
|  <p>wire clip hooks onto mediatrac™ rail smoke polycarbonate finish 4 included with each table at no charge</p> | VNZ | 6 | 2¼ | 1¾ | 75 |
|  <p>wire management kit 12 multi wire clips 8 wire clips black</p> | WMK | 1 5/8 | 7/8 | 1½ | 201 |
|  <p>power column removable door for wire access specify finish PS or BK</p> | MWC | 11 | 11 | 24¾ | 1270 |

| series | sku |
|---------------|-----|
| accessories | |
| A C S - | |

| finish |
|-----------------------------|
| BK matte black powder coat |
| PS polished stainless steel |
| |

| description | sku | w | d | h | price |
|--|-----|-----|---|-----|--------|
|  <p>power strip</p> <p>6 outlet center; 110v 15 amp 15' plug-in cord surge protector UL Listed</p> | VNY | 12¼ | 2 | 1¾ | \$ 546 |
|  <p>blank plate</p> <p>Extron® AAP blank plate with black powder coat finish single space insert</p> | VGG | 3½ | - | 5⁄8 | 161 |
|  <p>cable pass-through module</p> <p>Extron® AAP single space, cable pass-through plates sold as a set of (2) black powder coat finish specify for use with the VMW cable sling</p> | VGY | 3½ | - | 1¾ | 459 |
|  <p>phone/data module</p> <p>Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert</p> | VGD | 3½ | - | 5⁄8 | 346 |
|  <p>phone/data module</p> <p>Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert</p> | VGK | 3½ | - | 5⁄8 | 277 |
|  <p>phone/data module</p> <p>Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert</p> | VGP | 3½ | - | 5⁄8 | 384 |
|  <p>phone/data module</p> <p>Extron® AAP two RJ-45 female to punch down block AMP CAT6 data single space insert</p> | VGL | 3½ | - | 5⁄8 | 384 |

| series | sku |
|---------------|-----|
| accessories | |
| A C S - | |

| description | sku | w | d | h | price |
|---|-----|----|---|-----|--------|
|  <p>phone/data module</p> <p>Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert</p> | VGQ | 3½ | - | 1¾ | \$ 523 |
|  <p>computer/audio/video module</p> <p>Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert</p> | VG3 | 3½ | - | 5⁄8 | 384 |
|  <p>control/computer module</p> <p>Extron® AAP two USB A female to female barrels single space insert</p> | VGR | 3½ | - | 5⁄8 | 384 |
|  <p>power plate charging module</p> <p>type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert</p> | VG9 | 3½ | - | 5⁄8 | 1316 |
|  <p>usb charging module</p> <p>Extron® AAP Power Plate charging module 2 5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert</p> | VGU | 3½ | - | 5⁄8 | 746 |
|  <p>computer/audio/video module</p> <p>Extron® SuperPlate 110 - HDMI/DisplayPort/Stereo Audio/USB HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert</p> | VG6 | 3½ | - | 1¾ | 610 |

| series | sku |
|---------------|-----|
| accessories | |
| A C S - | |

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer. Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved. Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges

will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved. This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges. A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a **10% net upcharge with a \$500 net minimum**.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL[®] for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage[™] Gold certified. Visit the product page at bernhardtdesign.com for certifications.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

| Zone | Percent | Minimum |
|--------|---------|---------|
| Zone 1 | 3% | \$150 |
| Zone 2 | 4% | \$150 |
| Zone 3 | 5% | \$150 |
| Zone 4 | 5.5% | \$150 |
| Zone 5 | 6% | \$150 |

Percent bases on List Price.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:


- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

| Zone | Minimums | Freight | Avg. Bus. Days |
|--------|----------|---------|----------------|
| Zone 1 | \$200 | 5% | 10-15 |
| Zone 2 | \$200 | 9% | 10-15 |
| Zone 3 | \$200 | 8% | 10-15 |
| Zone 4 | \$200 | 11% | 10-15 |
| Zone 5 | Quote | Quote | |

The attached rates are strictly freight and do not include brokerage fees.

