








## intersection price list

january 2026



<b>index</b>	2	<b>power + accessories</b>	
laminate selections	3	<b>triad surface mount</b>	
veneer selections	4-5	 power overview + grommet placement kits	28
solid surface selections	6	<b>surface mount</b>	
powder coat finishes	7	 power overview + grommet placement kits	29-32
<b>collection overview</b>	8	<b>under mount</b>	
tops	9	 power overview	33
bases	10	 grommet placement kits	34-36
accessories	11	<b>mediatrac1™</b>	
power	12	 power overview	37
ganging brackets + wire management	13	 grommet placement kits:	38
training tables	14	 extron® AAP modules	39-40
<b>tables</b>		<b>terms and conditions</b>	41-42
square tables - stationary	16	<b>guaranteed freight</b>	43
square table - mobile	17	<b>guaranteed freight - canada</b>	44
rectangular tables - stationary	18-19		
rectangular - mobile	20-21		
<b>modesty panels</b>	22		
<b>upholstery dividers</b>	23-24		
<b>wire management + accessories</b>	25-26		

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are

subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.


PLL Solid Laminate

Standard Solid

- 671 Designer White, Wilsonart D354-60 Matte Finish
- 672 Frosty White, Wilsonart 1573-60 Matte Finish
- 673 Fashion Grey, Wilsonart D381-60 Matte Finish
- 674 North Sea, Wilsonart D90-60 Matte Finish
- 675 Black, Wilsonart 1595-60 Matte Finish

20% Upcharge

- 665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate
- 666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate
- 667 Black Velvet, Wilsonart 15505-31 Traceless Laminate



WGL Woodgrain Laminate

Standard Woodgrain

- 684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection
- 685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection
- 686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection
- 678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish
- 679 Brazilwood, Wilsonart 7946-38 Matte Finish
- 687 Boardwalk Oak, Wilsonart 7983-38 Fine Velvet Finish
- 683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish
- 681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish
- 680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish
- 682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish



Veneer Selections


A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish

or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.


When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

MPL Maple  
Flat Cut



Standard Finish  
871 860 861  
837 836 823  
865 805 866  
872 839 845  
870


OAK Oak  
Rift Cut



Standard Finish  
871 870 839  
837 860 861  
865 836 866  
872 805 845


OAK Select Finishes  
M73 M72 M75  
M74 M76 M77  
M71

PLD Paldao  
Quarter Cut



Standard Finish  
871 860 823  
872 861 866  
870 839

WLT Walnut  
Flat Cut



Standard Finish  
872 861  
870 823  
860 866  
839

MPL Maple



Veneer Selections


OAK Oak



OAK Select Finishes



PLD Paldao




WLT Walnut




Solid Surface Selections

PHL Phenolic

- STW Designer White, Wilsonart 15512 SOLICOR, D354-60 Matte Finish
- TCB Calcutta Blanc, Wilsonart TS501 THINSCAPE
- STB Black Velvet, Wilsonart 15505 Compact Traceless



STW



TCB








STB

## Powder Coat Selections

A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge. All Intersection metal components are only offered in powder coat finishes.

### Powder Coat Finishes

**WH** Satin White**AL** Matte Aluminum**EC** Ecru**LA** Latte**GR** Graphite**BZ** Bronze**SG** Sage**IG** Iron Grey**RD** Black Red**BK** Matte Black

### Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - \$1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple products on a single purchase order when they are in the same color

## Intersection Table Collection

The Intersection table collection bridges that gap between training and meeting tables by offering both styles of tables within the same collection. Mobile and stationary options are available and allow for flexibility within small, large or open office environments. Privacy panels and divider screens provide visual privacy so even in the largest workspaces, individuals can maintain their own space while working.



Training Tables - Ranging from 24"-36" wide by 48"-90" long. Tables are available in both fixed and mobile versions.



Mobile Tables - Ranging from 24"-48" wide by 48"-90" long



Meeting Tables - Ranging from 36"-54" wide by 60"-120" long



Touchdown Tables - Ranging from 48"-84" wide by 48"-90"



Square Work/Cafe Tables - Available in 36", 42", 48" and 54" square

Intersection Tops




Intersection offers a selection of different table edges depending on the top material chosen. Specify the selected edge codes associated with the top material when ordering.



Laminate

- PLL Solid Laminate
- WGL Woodgrain Laminate




F1 3/4" Flat



Veneer

- MPL Maple
- PLD Paldao
- OAK Oak
- WLT Walnut




BL 3/4" Bullnose



Solid Surface

- PHL Phenolic



B2 1/2" Arched

specification codes example: INS-SKU-N1U1

series	sku	power access location
intersection		R01 triad surface mount power - see pg 28
		surface mount - see pg 29-32
		under mount power - see pg 33-36
		mediatrac™ - see pg 37-38
		000 none
I   N   S   -	-	

material + finish code example: WH PLL 805


base finish	top material	top finish
WH satin white powder coat	PLL solid laminate	see pages 4-6
EC ecru powder coat	WGL woodgrain laminate	
LA latte powder coat	MPL maple	
AL matte aluminum powder coat	OAK oak	
GR graphite powder coat	WLT walnut	
BZ bronze powder coat	PLD paldao	
IG iron grey powder coat	PHL phenolic	
SG sage powder coat		
RD black red powder coat		
BK matte black powder coat		

Intersection Table Bases





The intersection meeting table features extruded aluminum legs and structural rails. The table is available in two configurations: mobile and stationary. A wide range of powder coat finishes are available for the table bases. Bases and tops are sold as a complete assembly. Tops are available in 24", 36", 30", 42", 48" and 54" widths. Intersection tables are SCS Indoor Advantage™ Gold and LEVEL 2 certified.

Mobile overview



Stationary overview




Intersection Divider Screen




The Intersection divider screen is a new and casual way to address the privacy and spacial separation in active work environments. The divider screen is available in 6 different lengths. It features an aluminum base that is available in all standard powder coat finishes. Specify the divider screen separately.

A complete list of recommended Bernhardt Textiles will be displayed on the Intersection product page on BernhardtDesign.com.



Front View  
Showing Divider Screen

Divider Screen	Use with Table
33"	42"
39"	48"
45"	54"
51"	60"
57"	66"
63"	72"




Detail End View  
Showing Divider Screen

Intersection Modesty Panel




Intersection tables are available with an aluminum modesty panel. It is mounted on the inside of the rail, keeping the exterior clean. The modesty panel is available in six lengths and in all standard powder coat finishes. Specify the modesty panel separately.



Front View  
Showing Modesty Panel  
Not available on Phenolic tops

Modesty Panel	Use with Table
44 3/4"	54"
50 3/4"	60"
56 3/4"	66"
62 3/4"	72"
68 3/4"	78"
74 3/4"	84"




Detail Section View  
Showing Modesty Panel


Intersection Bag Hook



The bag hook is available in standard powder coat colors. Specify the bag hook separately.



Front View  
Showing Hook  
Side View  
Showing Hook



The Intersection bag hook is mounted inside the rails and will support 10 lbs.

**Power**

Intersection meeting and training tables offer a selection of power options to meet the needs of each individual work environment. Triad, under mount and mediatrix<sup>1</sup>™ power are available for all square mobile and stationary tables. Rectangle tables offer under mount, surface mount and mediatrix power options for mobile and stationary tables. If ganging Intersection training tables, under mount and surface mount power can be specified allowing power to multiple tables.

**Triad Power**

(3) Receptacles, (3) USB 2 Type-A ports and (3) USB 3 Type-C ports.

**Under Mount Power**

(1) Grounded receptacle and (1) USB 2 Type-A port and (1) USB 3 Type-C port available as single corded or in multiples.


**Surface Mount Power**

(2) Grounded receptacles with (1) USB 2 Type-A port and (1) USB 3 Type-C port



**Mediatrix**

(4) Grounded receptacles with open positions for (4) AAP plates.


## Ganging Brackets



Intersection features a unique ganging bracket that is sold separately and can easily be field installed. The ganging brackets can be used on any fixed or mobile tables to neatly arrange any configurations. **Note: Due to UL regulations ganging brackets must be used when power is daisy chained.**



Ganging Brackets



Ganging Bracket Mounting Plate

## Wire Management

### Cable Shield




Organizing cables to floor or wall mounted receptacles is clean and easy utilizing the Intersection cable shield. Designed to attach to any Intersection table leg, the cable shield allows a location for wires to be channeled through eliminating the look of messy, loose cords. The shield is powder coated and is available in all standard powder coat colors. **One cable shield comes with each table.**

### Wire Management Snake



The wire management snake provides the solution for vertical power management underneath the table. Cables are fed through the top of the snake to the floor allowing the user to plug into floor receptacles or other cables. A top mounting plate and foot is included for ease of installation. Available in black or silver finish.

Training Tables Overview



The Intersection collection offers training solutions for (1), (2) and (3) persons.


Configuration and Power Overview

The configurations below illustrate the number of receptacles in a particular work configuration. The set-ups shown below are only some of the many configurations possible. Every situation is unique and should be assessed appropriately.

Surface Mount Power

Large Conference


Conference table set up with (8) tables with single under mount power units, totaling (8) receptacles.



Dual Under Mount Power


Large Conference

Conference table set up with (8) tables with dual under mount power units, totaling (16) receptacles.




Classroom Seating

Classroom set up examples with single surface mount power units. Power units can be configured for up to (8) receptacles per row.



Classroom Seating

Classroom set up with (5) tables with dual under mount power units, totaling (10) receptacles.





tables

square stationary tables

divider screens are available for 42"-54" length tables  
specify divider screen separately  
modesty panels cannot be mounted to phenolic tops



	sku	l	w	h	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut	PLD paldao	PHL phenolic
					F1	BL	BL	B2
square stationary tables	FAA	36	36	29¾	\$ 3003	\$ 3658	\$ 4244	\$ 5077
	FBB	42	42	29¾	3330	3795	4403	6770
	FCC	48	48	29¾	3396	3931	4560	7261
	FDD	54	54	29¾	4040	4149	4813	7807



specification codes example: INS-SKU-N1U1

series	sku	power access location
intersection		R01 triad surface mount power - see pg 28 under mount power - see pg 33-36 mediatrac1™ - see pg 37-38 000 none
I N S -		

material + finish code example: WH OAK 805

base finish	top material	top finish
WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate MPL maple OAK oak WLT walnut PLD paldao PHL phenolic	see pages 4-6

square mobile tables



divider screens are available for 42"-54" length tables  
specify divider screen separately  
(2) free and (2) locking casters included  
white casters will ship with white powder coat tables  
all other powder coat tables will have black casters  
modesty panels cannot be mounted to phenolic tops

					PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut	PLD paldao	PHL phenolic
					F1	BL	BL	B2
sku	l	w	h					
square mobile tables	MAA	36	36	29¾	\$ 3140	\$ 3795	\$ 4403	\$ 5214
	MBB	42	42	29¾	3467	3931	4560	6907
	MCC	48	48	29¾	3533	4068	4719	7398
	MDD	54	54	29¾	4177	4286	4972	7944



specification codes example: INS-SKU-N1U1

series	sku	power access location
intersection		R01 triad surface mount power - see pg 28 under mount power - see pg 33-36 mediatrac1™ - see pg 37-38 000 none
I N S -		

material + finish code example: WH OAK 805

base finish	top material	top finish
WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate MPL maple OAK oak WLT walnut PLD paldao PHL phenolic	see pages 4-6

modesty panels are available for 54"- 84" length tables  
divider screens are available for 48"- 72" length tables  
specify modesty panel and divider screen separately  
modesty panels cannot be mounted to phenolic tops



series	sku	power access location	base finish	top material	top finish
intersection		<b>surface mount</b> - see pg 29-32 <b>under mount power</b> - see pg 33-36 <b>mediatrac1™</b> - see pg 37-38 <b>000</b> none	<b>WH</b> satin white powder coat <b>EC</b> ecru powder coat <b>LA</b> latte powder coat <b>AL</b> matte aluminum powder coat <b>GR</b> graphite powder coat <b>BZ</b> bronze powder coat <b>IG</b> iron grey powder coat <b>SG</b> sage powder coat <b>RD</b> black red powder coat <b>BK</b> matte black powder coat	<b>PLL</b> solid laminate <b>WGL</b> woodgrain laminate <b>MPL</b> maple <b>OAK</b> oak <b>WLT</b> walnut <b>PLD</b> paldao <b>PHL</b> phenolic	see pages 4-6
I   N   S   -	-				

## rectangular stationary tables



modesty panels are available for 54"-84" length tables  
divider screens are available for 48"-72" length tables  
specify modesty panel and divider screen separately  
modesty panels cannot be mounted to phenolic tops

	sku	l	w	h	specifications	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut	PLD paldao	PHL phenolic
						F1	BL	BL	B2
rectangular stationary tables	FBE	60	42	29¾		\$ 3276	\$ 4123	\$ 4783	\$ 7742
	FBF	66	42	29¾		3440	4341	5036	8646
	FBG	72	42	29¾		3549	4422	5130	8872
	FBH	78	42	29¾		3876	4750	5510	11913
	FBI	84	42	29¾		4040	4804	5573	12234
	FBJ	90	42	29¾		4204	4914	5701	13561
	FBK	96	42	29¾	one center leg	4313	5023	5827	13787
	FBL	102	42	29¾	one center leg	5187	5077	5890	14296
	FBM	108	42	29¾	one center leg	5296	5132	5954	14550
	FBN	114	42	29¾	two center legs	5405	5459	6333	14946
	FBO	120	42	29¾	two center legs	5514	5678	6587	15200
	FCE	60	48	29¾		3385	4396	5100	8082
	FCF	66	48	29¾		3549	4505	5226	9041
	FCG	72	48	29¾		3658	4750	5510	9466
	FCH	78	48	29¾		3986	4859	5637	12432
	FCI	84	48	29¾		4149	4968	5763	12714
	FCJ	90	48	29¾		4313	5077	5890	13054
	FCK	96	48	29¾	one center leg	4422	5160	5986	13308
	FCL	102	48	29¾	one center leg	5296	5269	6113	13561
	FCM	108	48	29¾	one center leg	5405	5378	6239	13816
	FCN	114	48	29¾	two center legs	5569	5706	6619	15652
	FCO	120	48	29¾	two center legs	5732	5924	6872	15935
	FDG	72	54	29¾		3822	4914	5701	9041
	FDH	78	54	29¾		4149	5023	5827	12770
	FDI	84	54	29¾		4313	5132	5954	13195
	FDJ	90	54	29¾		4477	5296	6144	13534
	FDK	96	54	29¾	one center leg	4586	5459	6333	13844
	FDL	102	54	29¾	one center leg	5459	5678	6587	14127
	FDM	108	54	29¾	one center leg	5623	5896	6840	14465
	FDN	114	54	29¾	two center legs	5787	6278	7283	16387
	FDO	120	54	29¾	two center legs	5957	6497	7537	16670

specification codes example: INS-SKU-N1U1

series	sku	power access location
intersection		surface mount - see pg 29-32
		under mount power - see pg 33-36
		mediatract™ - see pg 37-38
		000 none
I N S -		

material + finish code example: WH OAK 805

base finish	top material	top finish
WH satin white powder coat	PLL solid laminate	see pages 4-6
EC ecru powder coat	WGL woodgrain laminate	
LA latte powder coat	MPL maple	
AL matte aluminum powder coat	OAK oak	
GR graphite powder coat	WLT walnut	
BZ bronze powder coat	PLD paldao	
IG iron grey powder coat	PHL phenolic	
SG sage powder coat		
RD black red powder coat		
BK matte black powder coat		

## rectangular mobile tables



modesty panels are available for 54"-84" length tables  
divider screens are available for 48"-72" length tables  
specify modesty panel and divider screen separately  
(2) free and (2) locking casters included  
white casters will ship with white powder coat tables  
all other powder coat tables will have black casters

	sku	l	w	h	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut	PLD paldao	PHL phenolic
					F1	BL	BL	B2
rectangular mobile tables	MVC	48	24	29¾	\$ 2812	\$ 3795	\$ 4403	\$ 4574
	MVD	54	24	29¾	2922	3850	4466	5026
	MVE	60	24	29¾	2976	3904	4529	5223
	MVF	66	24	29¾	3031	3959	4593	5675
	MVG	72	24	29¾	3085	4013	4656	5816
	MVH	78	24	29¾	3140	4068	4719	7257
	MVI	84	24	29¾	3195	4123	4783	7398
	MVJ	90	24	29¾	3249	4177	4846	7540
	MOD	54	30	29¾	3031	3904	4529	5364
	MOE	60	30	29¾	3085	3959	4593	5561
	MOF	66	30	29¾	3140	4013	4656	6070
	MOG	72	30	29¾	3195	4068	4719	6239
	MOH	78	30	29¾	3249	4123	4783	7709
	MOI	84	30	29¾	3304	4177	4846	7878
	MOJ	90	30	29¾	3358	4232	4910	8048
	MAE	60	36	29¾	3249	4123	4783	6239
	MAF	66	36	29¾	3304	4177	4846	6834
	MAG	72	36	29¾	3686	4232	4910	7031
	MAH	78	36	29¾	3740	4559	5289	8951
	MAI	84	36	29¾	3904	4668	5415	9262
	MAJ	90	36	29¾	3959	4778	5543	9403

specification codes example: INS-SKU-N1U1

series	sku	power access location
intersection		surface mount - see pg 29-32 under mount power - see pg 33-36 mediatrack™ - see pg 37-38 000 none
I N S -		

material + finish code example: WH OAK 805

base finish	top material	top finish
WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate MPL maple OAK oak WLT walnut PLD paldao PHL phenolic	see pages 4-6

## rectangular mobile tables



modesty panels are available for 54"-84" length tables  
divider screens are available for 48"-72" length tables  
specify modesty panel and divider screen separately  
(2) free and (2) locking casters included  
white casters will ship with white powder coat tables  
all other powder coat tables will have black casters  
modesty panels cannot be mounted to phenolic tops

	sku	l	w	h		PLL solid laminate	MPL maple		
						WGL woodgrain laminate	OAK oak		
						F1	BL	PLD paldao	PHL phenolic
rectangular mobile tables	MBE	60	42	29¾	\$ 3413		\$ 4259	\$ 4941	\$ 7878
	MBF	66	42	29¾	3577		4477	5194	8782
	MBG	72	42	29¾	3686		4559	5289	9008
	MBH	78	42	29¾	4013		4887	5669	12050
	MBI	84	42	29¾	4177		4941	5732	12370
	MBJ	90	42	29¾	4341		5051	5860	13697
	MCE	60	48	29¾	3522		4531	5256	8218
	MCF	66	48	29¾	3686		4641	5384	9178
	MCG	72	48	29¾	3795		4887	5669	9602
	MCH	78	48	29¾	4123		4996	5796	12568
	MCI	84	48	29¾	4286		5105	5922	12851
	MCJ	90	48	29¾	4450		5214	6049	14178

specification codes example: INS-SKU-N1U1

series	sku	power access location
intersection		surface mount - see pg 29-32
		under mount power - see pg 33-36
		mediatrac <sup>1</sup> ™ - see pg 37-38
		000 none
I N S -		


material + finish code example: WH OAK 805

base finish	top material	top finish
WH satin white powder coat	PLL solid laminate	see pages 4-6
EC ecru powder coat	WGL woodgrain laminate	
LA latte powder coat	MPL maple	
AL matte aluminum powder coat	OAK oak	
GR graphite powder coat	WLT walnut	
BZ bronze powder coat	PLD paldao	
IG iron grey powder coat	PHL phenolic	
SG sage powder coat		
RD black red powder coat		
BK matte black powder coat		



**modesty panels**

aluminum panel powder coated - specify powder coat finish  
mounting clips included  
modesty panels are shipped separately and field installed  
modesty panels cannot be mounted to phenolic tops

	sku	l	w	h	weight	specifications	price
<b>modesty panel</b> 	MPB	44¾	¼	7½		use with 54" tables	\$ 492
	MPC	50¾	¼	7½		use with 60" tables	520
	MPD	56¾	¼	7½		use with 66" tables	546
	MPE	62¾	¼	7½		use with 72" tables	574
	MPF	68¾	¼	7½		use with 78" tables	601
	MPG	74¾	¼	7½		use with 84" tables	629

specification codes example: INS-SKU

series	sku
intersection	
I   N   S   -	

material + finish code example: BK


finish
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat





divider screen

When specifying textiles visit the Intersection product page on BernhardtDesign.com. In the left-hand column, select graded-in textiles. A complete list of recommended Bernhardt Textiles will be displayed here. Click on the textile of choice and you will be taken to the corresponding textile page on the Bernhardt Design website. Use the four-digit pattern number for the base fabric code shown below and the three-digit colorway number for the base fabric colorway shown below.

Fabric must be railroaded. \*All COM fabrics must be preapproved by Bernhardt Design prior to application.

Sku		W		D		H		Fabric					
USB - use with 42" tables		33"		4½"		14½"		1.5 yds					
		838 mm		114 mm		368mm		1.4 m					
	COM	COL	1	2	3	4	5	6	7	8	9	10	11
	472	-	622	652	669	692	719	732	756	776	799	832	949

USC - use with 48" tables		39"		4½"		14½"		1.75 yds					
		991 mm		114 mm		368mm		1.6 m					
	COM	COL	1	2	3	4	5	6	7	8	9	10	11
	587	-	762	797	817	844	875	891	918	941	969	1007	1144

USD - use with 54" tables		45"		4½"		14½"		2.0 yds					
		1143 mm		114 mm		368mm		1.8 m					
	COM	COL	1	2	3	4	5	6	7	8	9	10	11
	632	-	832	872	895	926	961	979	1010	1037	1068	1112	1268

specification codes example: INS-SKU

series	sku
intersection	
I   N   S   -	

material + finish code example: 0000-000-BK

base fabric	base fabric colorway	glide plate finish
see <a href="#">bernhardttextiles.com</a>	see <a href="#">bernhardttextiles.com</a>	WH satin white powder coat
		EC ecru powder coat
		LA latte powder coat
		AL matte aluminum powder coat
		GR graphite powder coat
		BZ bronze powder coat
		IG iron grey powder coat
		SG sage powder coat
		RD black red powder coat
		BK matte black powder coat
-	-	



divider screen

When specifying textiles visit the Intersection product page on BernhardtDesign.com. In the left-hand column, select graded-in textiles. A complete list of recommended Bernhardt Textiles will be displayed here. Click on the textile of choice and you will be taken to the corresponding textile page on the Bernhardt Design website. Use the four-digit pattern number for the base fabric code shown below and the three-digit colorway number for the base fabric colorway shown below.

Fabric must be railroaded. \*All COM fabrics must be preapproved by Bernhardt Design prior to application.

Sku		W		D		H		Fabric					
USE - use with 60" tables		51"		4½"		14½"		2.0 yds					
		1295 mm		114 mm		368 mm		1.8 m					
	COM	COL	1	2	3	4	5	6	7	8	9	10	11
	677	-	877	917	940	971	1006	1024	1055	1082	1113	1157	1313

USF - use with 66" tables		57"		4½"		14½"		2.25 yds					
		1448 mm		114 mm		368 mm		2.1 m					
	COM	COL	1	2	3	4	5	6	7	8	9	10	11
	723	-	948	993	1018	1053	1093	1113	1148	1178	1213	1263	1438




USG - use with 72" tables		63"		4½"		14½"		2.5 yds					
		1600 mm		114 mm		368 mm		2.3 m					
	COM	COL	1	2	3	4	5	6	7	8	9	10	11
	768	-	1018	1068	1096	1135	1180	1202	1241	1274	1313	1368	1563

specification codes example: INS-SKU

series	sku
intersection	
I   N   S   -	

material + finish code example: 0000-000-BK

base fabric	base fabric colorway	glide plate finish
see <a href="https://bernhardttextiles.com">bernhardttextiles.com</a>	see <a href="https://bernhardttextiles.com">bernhardttextiles.com</a>	WH satin white powder coat
		EC ecru powder coat
		LA latte powder coat
		AL matte aluminum powder coat
		GR graphite powder coat
		BZ bronze powder coat
		IG iron grey powder coat
		SG sage powder coat
		RD black red powder coat
		BK matte black powder coat
-	-	


	description	sku	w	d	h	weight	specifications	price
	<b>cable shield</b>  for running wire down the leg of the table (1) cable shield is included with every table - painted to match the leg available in all standard powder coat finishes specify powder coat finish	CBS	2½	2¼	6			\$ 86
	<b>ganging brackets</b>  molded nylon kit includes (2) brackets for each table available in white finish only	GNG	9	4¾	1½	1		164
	<b>bag hook</b>  available in all standard powder coat finishes specify powder coat finish	BPH	1⅞	1½	3½	½		86

specification codes example: INS-SKU

series	sku
intersection	
I   N   S   -	

finish code example: SG

finish
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

description							sku	w	d	h	weight	specifications	price
	<b>wire management snake</b>							VGW	2½	2½	30		\$ 217
	flexible cable management system												
	weighted metal base												
specify finish code BK (Black) or SV (Silver)													

specification codes example: ACS-SKU  
series sku

A

C

S

-

finish code example: SV  
finish

BK

matte black powder coat

SV

silver



power + accessories

Triad Power Module




The Triad surface mount power module offers a simple and clean way of bringing power and USB to the worksurface.

The Triad surface mount power module installs flush to the worksurface and is offered with (3) receptacles or (3) receptacles, (3) USB-A ports and (3) USB-C ports. Modules are available with a matte black or satin white finish.

When specifying Triad Round Surface Power for table assemblies use R01 grommet kit code.


The power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2 No.21.





Note: End user installation will be required per individual SKU. Power specified separately.

Triad Power Module- Power + USB

- Updated Information Shown in RED
- Matte Black or Satin White Finish
- (3) 120v 60 Hz. 15 amp Receptacles
- (3) 2 amp USB-A ports, 10 watt
- (3) 2 amp USB-C ports, 20 watt
- 10' cord, 15 amp
- 6 1/4" w x 6 1/4" d x 2 1/2" h
- Specify power style TPU



Power Style	
TPU	
	
sku	descriptions
R01	36" - 54" Square Tables
	
\$ 2053	


specification codes example: ACS-R01-TPU

series	sku	power style
accessories		TPU power + usb
A C S   -	R 0 1   -	T P U

finish code example: WH


finish
BK matte black
WH satin white

Surface Mount Power Module




Intersection offers a surface mount power solution allowing quick and power access. A maximum of (10) surface mount power modules can be connected on a single power infeed. See the following pages for grommet location and codes. Surface mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

**Power Module**  
Black, Silver or White Finish




(2) 120 v 60 Hz. 15 amp receptacles  
(1) 2 amp USB-A port, 10 watt  
(1) 2 amp USB-C port, 20 watt  
6½" w x 3" d x 2¾" h

**Jumper**  
(if required)




Jumper is determined by the length of the top specified

**H-Block Connector**  
Grey Finish







**Power Infeed**  
10' Grounded Plug  
Required per individual SKU



15 amp

Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.  
Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

sku	descriptions	price
NRS1	<b>48" - 90" L Tables</b> available on 24"w - 36"w tables  	\$ 1323
NLS1	<b>48" - 90" L Tables</b> available on 24"w - 36"w tables  	1323

specification codes example: ACS-SKU-CRD-048

series	sku	power option	table
accessories		CRD corded	048 072 054 078 060 084 066 090
A   C   S   -	-		

**Important:**  
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.









finish code example: WH

finish  
BK black  
SV silver  
WH white

Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.

Kits include all jumpers and necessary components based on table length and power option.

Grommet kits ship separately from tops.

sku	descriptions	specifications	price
<b>N1S1</b>	<b>48" - 84"L Tables</b> available on 24"w - 36"w tables 		\$ 945
<b>N1S2</b>	<b>48" - 84"L Tables</b> 	2 tables daisy chained, specify ganging brackets separately	2325
<b>N1S3</b>	<b>48" - 84"L Tables</b> 	3 tables daisy chained, specify ganging brackets separately	3221
<b>N1S4</b>	<b>48" - 84"L Tables</b> 	4 tables daisy chained, specify ganging brackets separately	4119
<b>N1S5</b>	<b>48" - 72"L Tables</b> 	5 tables daisy chained, specify ganging brackets separately	5015
<b>N1S6</b>	<b>48" - 72"L Tables</b> 	6 tables daisy chained, specify ganging brackets separately	5912
<b>N1S7</b>	<b>48" - 60"L Tables</b> 	7 tables daisy chained, specify ganging brackets separately	6808
<b>N1S8</b>	<b>48" - 60"L Tables</b> 	8 tables daisy chained, specify ganging brackets separately	7705

specification codes example: ACS-SKU-CRD-048

series	sku	power option	table
accessories		CRD corded	048 072 054 078 060 084 066
A   C   S   -	-		

**Important:**  
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.






finish code example: WH

finish
BK black SV silver WH white

Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.

Kits include all jumpers and necessary components based on table length and power option.

Grommet kits ship separately from tops.

sku	descriptions	price
<b>N2S1</b>	<b>48" - 90"L Tables</b> available on 24"w - 36"w tables 	\$ 2176
<b>N2S2</b>	<b>48" - 90"L Tables</b> 2 tables daisy chained, specify ganging brackets separately 	3820
<b>N2S3</b>	<b>48" - 90"L Tables</b> 3 tables daisy chained, specify ganging brackets separately 	5464
<b>N2S4</b>	<b>48" - 90"L Tables</b> 4 tables daisy chained, specify ganging brackets separately 	7220
<b>N2S5</b>	<b>48" - 90"L Tables</b> 5 tables daisy chained, specify ganging brackets separately 	8864

specification codes example: ACS-SKU-CRD-048

series	sku	power option
accessories		CRD corded
A C S -	-	




table
048 072 054 078 060 084 066 090

**Important:**  
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

finish code example: WH

finish
BK black SV silver WH white

Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.  
Kits include all jumpers and necessary components based on table length and power option.  
Grommet kits ship separately from tops.

sku	descriptions	price
N1C1	<b>60" - 84"L Tables                      114" - 120"L Tables</b> available on 42"w - 54"w tables 	\$ 1363
N2C1	<b>72" - 120"L Tables</b> available on 42"w - 54"w tables 	2325
N3C1	<b>114" - 120" L Tables</b> available on 42"w - 54"w tables no center stretcher 	3108

specification codes example: ACS-SKU-CRD-060

series	sku	power option
accessories		CRD   corded
A   C   S   -	-	

table
060   096
066   102
072   108
078   114
084   120
090

**Important:**  
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

finish code example:    WH

finish
BK   black
SV   silver
WH   white


## Under Mount Power



Intersection offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (8) under mount power modules can be connected on one power infeed with a run length not to exceed 40'.

End user installation will be required per individual kit. Each kit includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.


The aluminum housing for the power module is available in all standard powder coat finishes. White receptacles will be provided with white powder coat and black receptacles for all other colors. Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



**Bernhardt Design provides recommendations for installation locations as shown on the following pages. Further installation instructions are included with each power unit. Power is specified separately.**

## Power Modules

Powder Coat Must be Specified



## power + usb-a + usb-c

- (1) 120v 60 Hz. 15 amp Receptacles
- (1) 2 amp USB-A port, 10 watt
- (1) 2 amp USB-C port, 20 watt
- 10' cord
- grounded plug
- UL 962 listed

## Jumper


(if required)




Jumper is determined by the length of the top specified

## H-Block Connector

Grev Finish




## Power Infeed Options



10' Grounded Plug  
Required per individual SKU




15 amp




Under Mount Grommet Kits


Under mount power kits are specified and sold separately and can be mounted in any location corner, rail or on the stretcher. Shown below are the examples of the location that under mount power modules can be mounted.



Power Module mounted at the corner



Power Module mounted to stretcher



Power Module mounted to rail

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.







# of Kits	sku	description	specifications	
1 Module Kit				<div>power + usb + usb-c</div> <div></div>
	<b>N1U1 36" - 54"L Tables</b>			\$ 576
	available on 36"w - 54"w tables can be mounted in any location: corner, rail or stretcher			
	<div></div>			
	<b>N1U1 60" - 120"L Tables</b>			576
	available on 24"w - 54"w tables can be mounted in any location: corner, rail or stretcher			
	<div></div>			

specification codes example: ACS-SKU-048

series				sku				table length				finishes			
A   C   S   -				-				036	084	Important: Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.	WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat				
								042	090						
								048	096						
								054	102						
								060	108						
								066	114						
								072	120						
								078							

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.






# of Kits	sku	description	specifications	
2 Module Kits				<div>power + usb + usb-c</div> 
<b>N2U1 48" - 120"L Tables</b> available on 24"w - 54"w tables 				\$ 1736
<b>N2U2 48" - 90"L Tables</b> 2 tables daisy chained, specify ganging brackets separately 				2776
<b>N2U3 48" - 90"L Tables</b> 3 tables daisy chained, specify ganging brackets separately 				3602
<b>N2U4 48" - 90"L Tables</b> 4 tables daisy chained, specify ganging brackets separately 				4565
<b>N2U5 48" - 90"L Tables</b> 5 tables daisy chained, specify ganging brackets separately 				5531

specification codes example: ACS-SKU-048

series				sku				table length				finishes			
A   C   S   -				-				048	090	Important: Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.	WH satin white powder coat				
								054	096		EC ecru powder coat				
								060	102		LA latte powder coat				
								066	108		AL matte aluminum powder coat				
								072	114		GR graphite powder coat				
								078	120		BZ bronze powder coat				
								084			IG iron grey powder coat				
											SG sage powder coat				
A   C   S   -				-							RD black red powder coat				
											BK matte black powder coat				

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	description		
3 Module Kits				
N3U1 60" - 120"L Tables				\$ 2461
available on 24"w - 54"w tables				
				
4 Module Kits				
N4U1 60" - 120"L Tables		60" - 120"L Tables		2776
available on 24"w - 54"w tables		alternate install shown		
cable snake required. specify separately				
				
6 Module Kits				
N6U1 90" - 120"L Tables		90" - 120"L Tables		3602
available on 24"w - 54"w tables		alternate install shown		
cable snake required. specify separately				
				


specification codes example: ACS-SKU-060

series				sku				table length				finishes			
A   C   S   -				-				060	096	<b>Important:</b> Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.	WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat				
								066	102						
								072	108						
								078	114						
								084	120						
								090							
A   C   S   -				-											


**Mediatrac1™**

Mediatrac1™ grommet system is simplified for bringing power and data to the meeting table worksurface in a clean easy way.

Mediatrac1 grommet system provides power and (16) different Extron data configurations. For Intersection the aluminum trim will be powder coated and you have the option of powder coated, laminate or wood veneer doors. Mediatrac1 has a corded or hard wired power infeed.





**Note:** End user installation will be required per individual SKU. Power specified separately. See the following pages for grommet codes.

**Mediatrac1 Grommet Kits (Includes the Following)****Power Module**

Number and configuration of grommet modules determined by the grommet code

**Jumper**  
(if required)

Jumper is determined by the length of the top specified

**H-Block Connector**  
Grev Finish**Power Infeed Options**


10' Grounded Plug  
Required per individual SKU



72" 4-Trac Power Infeed with  
Hardwired Conduit

**Mediatrac1 Dimensional Specifications**

Mediatrac1™ is offered as a 8" double grommet with (4) receptacles and open positions for (4) AAP plates. Mediatrac1™ is UL listed.







Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

**Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.**  
**Kits include all jumpers and necessary components based on table length and power option.**  
**Grommet kits ship separately from tops.**

**Specify table length, power style, lid material and frame finish below.**

**When phenolic is specified for table top, specify aluminum frame material and choose powder coat finish.**

sku	descriptions	lid material		
		ALM aluminum	PLL solid laminates WGL woodgrain laminates	MPL maple OAK oak PLD paldao WLT walnut
<b>I03</b>	<b>36" - 54" L Tables</b> available on 36"w - 54"w tables (1) 8" double door mediatrac grommet 	\$ 2183	\$ 2457	\$ 3413
<b>I03</b>	<b>60" - 84" L Tables 114" - 120" L Tables</b> available on 36"w - 54"w tables (1) 8" double door mediatrac grommet 	2183	2457	3413
<b>I05</b>	<b>90" - 120" L Tables</b> available on 36"w - 54"w tables (2) 8" double door mediatrac grommets 	3959	4231	6548
<b>I10</b>	<b>114" - 120" L Tables</b> available on 42"w - 54"w tables (3) 8" double door mediatrac grommets 	5981	6482	9822







specification codes example: MGS-I03-CRD096

series	sku	power option	table length
top		CRD corded 4TH four trac hardwired	036 084 042 090 048 096 054 102 060 108 066 114 072 120 078
M   G   S   -	-		

material + finish code example: WH WLT 870






frame finish	lid material	lid finish
WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate MPL maple OAK oak WLT walnut PLD paldao ALM aluminum	see pages 3-5

**Note:** When ALM Aluminum is selected for lid material, lid material will match frame finish.

	description	sku	w	d	h	price
	<b>blank plate</b>  Extron® AAP blank plate with black powder coat finish single space insert	VGG	3½	-	5⁄8	\$ 177
	<b>cable pass-through module</b>  Extron® AAP single space, cable pass-through plates sold as a set of (2) black powder coat finish	VGY	3½	-	1⅜	502
	<b>phone/data module</b>  Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert	VGD	3½	-	5⁄8	379
	<b>phone/data module</b>  Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert	VGK	3½	-	5⁄8	303
	<b>phone/data module</b>  Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert	VGP	3½	-	5⁄8	421
	<b>phone/data module</b>  Extron® AAP two RJ-45 female to punch down block AMP CAT6 data single space insert	VGL	3½	-	5⁄8	421

specification codes example: ACS-SKU

series	sku
accessories	
A   C   S   -	

	description	sku	w	d	h	price
	<b>phone/data module</b>	VGQ	3½	-	1¾	\$ 572
	Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert					
	<b>computer/audio/video module</b>	VG3	3½	-	5⁄8	421
	Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert					
	<b>control/computer module</b>	VGR	3½	-	5⁄8	421
	Extron® AAP two USB A female to female barrels single space insert					
	<b>power plate charging module</b>	VG9	3½	-	5⁄8	1437
	type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert					
	<b>usb charging module</b>	VGU	3½	-	5⁄8	815
	Extron® AAP Power Plate charging module 2 5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert					

specification codes example: ACS-SKU

series	sku
accessories	
A   C   S   -	

**Prices and Specifications**

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

**Order Entry**

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

**Changes/Cancellation**

All orders in production are considered firm orders and are not subject to changes or cancellation.

**Shipping**

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

**Freight Damage and Claims**

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages. In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

**Returns**

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

**Terms and Credit**

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer.

Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved.

Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved.

This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

#### Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

#### Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

#### Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

#### Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges.

A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

#### Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

#### Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be

visible and color will vary. Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

#### Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a \$500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

#### Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware. After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

#### Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

#### Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

#### Environmental

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at [bernhardtdesign.com](http://bernhardtdesign.com) for certifications.

**Preferred Carrier Guaranteed Freight Rates**

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	\$150
Zone 2	4%	\$150
Zone 3	5%	\$150
Zone 4	5.5%	\$150
Zone 5	6%	\$150

Percent bases on List Price.



**Preferred Carrier Guaranteed Freight Rates - Canada**

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10 - 15
Zone 2	\$200	9%	10 - 15
Zone 3	\$200	8%	10 - 15
Zone 4	\$200	11%	10 - 15
Zone 5	Quote	Quote	

**The attached rates are strictly freight and do not include brokerage fees.**

