BERNHARDT | design

intersection price list

november 2026



index 2

laminate selections 3

veneer selections 4-5

solid surface selections 6

powder coat finishes 7

collection overview 8

tops 9

bases 10

accessories 11

power 12

ganging brackets + wire management 13

training tables 14

tables

square tables - stationary 16

square table - mobile 17

rectangular tables - stationary 18-19

rectangular - mobile 20-21

modesty panels 22

upholstery dividers 23-24

wire management + accessories 25

power + accessories

triad surface mount

power overview + grommet placement kits 26

surface mount

power overview + grommet placement kits 27-30

under mount

power overview 31

grommet placement kits 32-34

mediatrac1™

power overview 35

grommet placement kits: 36

extron® AAP modules 37-39

wire management - accessories 40-41

terms and conditions 42-43

guaranteed freight 44

guaranteed freight - canada 45

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.

PLL Solid Laminate

Standard Solid

671 Designer White, Wilsonart D354-60 Matte Finish

672 Frosty White, Wilsonart 1573-60 Matte Finish

673 Fashion Grey, Wilsonart D381-60 Matte Finish

674 North Sea, Wilsonart D90-60 Matte Finish

675 Black, Wilsonart 1595-60 Matte Finish

20% Upcharge

665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate

666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate

667 Black Velvet, Wilsonart 15505-31 Traceless Laminate

671

672

673


674


675

665 20% upcharge


666 20% upcharge


667 20% upcharge

WGL Woodgrain Laminate

Standard Woodgrain

684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection

685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection

686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection

678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish

679 Brazilwood, Wilsonart 7946-38 Matte Finish

687 Broadwalk Oak, Wilsonart 7983-38 Fine Velvet Finish

683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish

681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish

680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish

682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish

684


685


686


678


679


687


683


681


680


682


Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a $500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.


When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Therefore, exact color matches are not possible. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

MPL Maple
Flat Cut



Standard Finish
871 870 839
837 860 866
865 878 845
872 861


OAK Oak
Rift Cut



Standard Finish
871 870 839
837 860 866
865 878 845
872 861


OAK Select Finishes
M73 M72 M75
M74 M76 M77
M71

PLD Paldao
Quarter Cut



Standard Finish
871 860 839
872 878 866
870 861

WLT Walnut
Flat Cut



Standard Finish
872 861
870 839
860 866
878

MPL Maple


871


837


865


872


870



860


878


861


839


866


845

Veneer Selections

OAK Oak


871


837


865



872


870


860


878


861



839



866



845


OAK Select Finishes


M73 Whitewash


M74 Fawn


M71 Blonde



M72 Toast



M76 Caramel



M75 Smoke


M77 Coffee


PLD Paldao


871


872


870


860



878



861



839



866


WLT Walnut



872



870


860


878


861


839



866

Solid Surface Selections

PHL Phenolic

STW Designer White, Wilsonart 15512 SOLICOR, D354-60 Matte Finish
TCB Calcutta Blanc, Wilsonart TS501 THINSCAPE
STB Black Velvet, Wilsonart 15505 Compact Traceless

STW


TCB


STB

Powder Coat Finishes

A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge. The powder coat option is available on skus where noted as an option in the material specification code.

Powder Coat Finishes - Upcharges apply.

WH Satin White

AL Matte Aluminum

EC Ecru

LA Latte


GR Graphite


BZ Bronze


SG Sage


IG Iron Grey


RD Black Red


BK Matte Black

Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - $1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple productson a single purchase order when they are in the same color

Intersection Table Collection

The Intersection table collection bridges that gap between training and meeting tables by offering both styles of tables within the same collection. Mobile and stationary options are available and allow for flexibility within small, large or open office environments. Privacy panels and divider screens provide visual privacy so even in the largest workspaces, individuals can maintain their own space while working.



Training Tables - Ranging from 24" - 36" wide by 48" - 90" long. Tables are available in both fixed and mobile versions.



Mobile Tables - Ranging from 24" - 48" wide by 48" - 90" long



Meeting Tables - Ranging from 36" - 54" wide by 60" - 120" long



Touchdown Tables - Ranging from 48" - 84" wide by 48" - 90" long



Square Work/Cafe Tables - Available in 36", 42", 48" and 54" square

Intersection Tops




Intersection offers a selection of different table edges depending on the top material chosen. Specify the selected edge codes associated with the top material when ordering.



Laminate

PLL Solid Laminate
WGL Woodgrain Laminate




F1 ¾" Flat



Veneer

MPL Maple
OAK Oak
PLD Paldao
WLT Walnut




BL ¾" Bullnose



Solid Surface

PHL Phenolic



B2 ½" Arched

specification codes example: INS-SKU-N1U1

series	sku	power access location
intersection		R01 triad surface mount power - see pg 28
		surface mount - see pg 29-32
		under mount power - see pg 33-36
		mediatrac1™ - see pg 37-38
		000 none
I N S -	-	

material + finish code example: WH PLL 805

base finish	top material	top finish
WH satin white powder coat	**PLL** solid laminate	see pages 4-6
EC ecru powder coat	**WGL** woodgrain laminate	
LA latte powder coat	**MPL** maple	
AL matte aluminum powder coat	**OAK** oak	
GR graphite powder coat	**WLT** walnut	
BZ bronze powder coat	**PLD** paldao	
IG iron grey powder coat	**PHL** phenolic	
SG sage powder coat		
RD black red powder coat		
BK matte black powder coat		


Intersection Table Bases




The intersection meeting table features extruded aluminum legs and structural rails. The table is available in two configurations: mobile and stationary. A wide range of powder coat finishes are available for the table bases. Bases and tops are sold as a complete assembly. Tops are available in 24", 36”, 30", 42”, 48” and 54” widths.

Intersection tables are SCS Indoor Advantage™ Gold and LEVEL 2 certified.

Mobile Overview




Mobile Table




Mobile Table


Stationary overview




Stationary Table



Stationary Table



Stationary Table
Assembly includes (1) center leg
Center legs are installed on the rails




Stationary Table
Assembly includes (2) center legs
Center legs are installed on the rails

Intersection Divider Screen




The Intersection divider screen is a new and casual way to address the privacy and spacial separation in active work environments. The divider screen is available in 6 different lengths. It features an aluminum base that is available in all standard powder coat finishes. Specify the divider screen separately.

A complete list of recommended Bernhardt Textiles will be displayed on the Intersection product page on BernhardtDesign.com.



Front View
Showing Divider Screen




Detail End View
Showing Divider Screen

Divider Screen	Use with Table
33"	42"
39"	48"
45"	54"
51"	60"
57"	66"
63"	72"


Intersection Modesty Panel



Intersection tables are available with an aluminum modesty panel. It is mounted on the inside of the rail, keeping the exterior clean. The modesty panel is available in six lengths and in all standard powder coat finishes. Specify the modesty panel separately.



Front View
Showing Modesty Panel
Not available on Phenolic tops




Detail Section View
Showing Modesty Panel

Modesty Panel	Use with Table
44¾"	54"
50¾"	60"
56¾"	66"
62¾"	72"
68¾"	78"
74¾"	84"

Intersection Bag Hook




The bag hook is available in standard powder coat colors. Specify the bag hook separately.



Front View
Showing Hook

Side View
Showing Hook



The Intersection bag hook is mounted inside the rails and will support 10 lbs.

Power



Intersection meeting and training tables offer a selection of power options to meet the needs of each individual work environment. Triad, under mount and mediatrac1™ power are available for all square mobile and stationary tables. Rectangle tables offer under mount, surface mount and mediatrac power options for mobile and stationary tables. If ganging Intersection training tables, under mount and surface mount power can be specified allowing power to multiple tables.



Triad Power
(3) Receptacles, (3) USB 2 Type-A ports and (3) USB 3 Type-C ports.



Under Mount Power
(1) Grounded receptacle and (1) USB 2 Type-A port and (1) USB 3 Type-C port available as single corded or in multiples.





Surface Mount Power
(2) Grounded receptacles with (1) USB 2 Type-A port and (1) USB 3 Type-C port available as single corded or in multiples.




Mediatrac
(4) Grounded receptacles with open positions for (4) AAP plates.


Ganging Brackets







Ganging Brackets



Ganging Bracket Mounting Plate

Intersection features a unique ganging bracket that is sold separately and can easily be field installed. The ganging brackets can be used on any fixed or mobile tables to neatly arrange any configurations. Note: Due to UL regulations ganging brackets must be used when power is daisy chained.

Wire Management

Cable Shield



Organizing cables to floor or wall mounted receptacles is clean and easy utilizing the Intersection cable shield. Designed to attach to any Intersection table leg, the cable shield allows a location for wires to be channeled through eliminating the look of messy, loose cords. The shield is powder coated and is available in all standard powder coat colors. One cable shield comes with each table.


Wire Management Snake



The wire management snake provides the solution for vertical power management underneath the table. Cables are fed through the top of the snake to the floor allowing the user to plug into floor receptacles or other cables. A top mounting plate and foot is included for ease of installation. Available in black or silver finish.

Training Tables Overview





The Intersection collection offers training solutions for (1), (2) and (3) persons.


Configuration and Power Overview

The configurations below illustrate the number of receptacles in a particular work configuration. The set-ups shown below are only some of the many configurations possible. Every situation is unique and should be assessed appropriately.

Surface Mount Power


Large Conference

Conference table set up with (8) tables with single under mount power units, totaling (8) receptacles.



Classroom Seating


Classroom set up examples with single surface mount power units. Power units can be configured for up to (8) receptacles per row.



Dual Under Mount Power


Large Conference

Conference table set up with (8) tables with dual under mount power units, totaling (16) receptacles.



Classroom Seating

Classroom set up with (5) tables with dual under mount power units, totaling (10) receptacles.





square stationary tables

divider screens are available for 42” - 54” length tables
specify divider screen separately
modesty panels cannot be mounted to phenolic tops

square stationary tables



sku	l	w	h	**PLL** solid laminate **WGL** woodgrain laminate F1	**MPL** maple **OAK** oak **WLT** walnut BL	**PLD** paldao BL	**PHL** phenolic B2
FAA	36	36	29¾	3003	3658	4244	5077
FBB	42	42	29¾	3330	3795	4403	6770
FCC	48	48	29¾	3396	3931	4560	7261
FDD	54	54	29¾	4040	4149	4813	7807

specification codes example: INS-SKU-N1U1

series
intersection
I N S -

sku
- -

power access location
R01 triad surface mount power - see pg 28
under mount power - see pg 33-36
mediatrac1™ - see pg 37-38
000 none

material + finish code example: WH OAK 805

base finish
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
MPL maple
OAK oak
WLT walnut
PLD paldao
PHL phenolic

top finish
see pages 4-6



square mobile tables

divider screens are available for 42” - 54” length tables
specify divider screen separately
(2) free and (2) locking casters included
white casters will ship with white powder coat tables
all other powder coat tables will have black casters
modesty panels cannot be mounted to phenolic tops

square mobile tables



sku	l	w	h	**PLL** solid laminate **WGL** woodgrain laminate F1	**MPL** maple **OAK** oak **WLT** walnut BL	**PLD** paldao BL	**PHL** phenolic B2
MAA	36	36	29¾	3140	3795	4403	5214
MBB	42	42	29¾	3467	3931	4560	6907
MCC	48	48	29¾	3533	4068	4719	7398
MDD	54	54	29¾	4177	4286	4972	7944

specification codes example: INS-SKU-N1U1

series
intersection
I N S -

sku
- -

power access location
R01 triad surface mount power - see pg 28
under mount power - see pg 33-36
mediatrac1™ - see pg 37-38
000 none

material + finish code example: WH OAK 805

base finish
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
MPL maple
OAK oak
WLT walnut
PLD paldao
PHL phenolic


top finish
see pages 4-6



rectangular stationary tables

modesty panels are available for 54" - 84" length tables
divider screens are available for 48" - 72" length tables
specify modesty panel and divider screen separately
modesty panels cannot be mounted to phenolic tops

rectangular stationary tables



sku	l	w	h	specifications	**PLL** solid laminate **WGL** woodgrain laminate F1	**MPL** maple **OAK** oak **WLT** walnut BL	**PLD** paldao BL	**PHL** phenolic B2
FVC	48	24	29¾		2675	3658	4244	4437
FVD	54	24	29¾		2785	3713	4308	4889
FVE	60	24	29¾		2839	3767	4370	5087
FVF	66	24	29¾		2894	3822	4434	5539
FVG	72	24	29¾		2948	3876	4497	5680
FVH	78	24	29¾		3003	3931	4560	7121
FVI	84	24	29¾		3058	3986	4624	7261
FVJ	90	24	29¾		3112	4040	4687	7403
FOD	54	30	29¾		2894	3767	4370	5228
FOE	60	30	29¾		2948	3822	4434	5426
FOF	66	30	29¾		3003	3876	4497	5934
FOG	72	30	29¾		3058	3931	4560	6103
FOH	78	30	29¾		3112	3986	4624	7573
FOI	84	30	29¾		3167	4040	4687	7742
FOJ	90	30	29¾		3221	4095	4751	7911
FAE	60	36	29¾		3112	3986	4624	6103
FAF	66	36	29¾		3167	4040	4687	6697
FAG	72	36	29¾		3549	4095	4751	6894
FAH	78	36	29¾		3603	4422	5130	8815
FAI	84	36	29¾		3767	4531	5256	9126
FAJ	90	36	29¾		3822	4641	5384	9267
FAK	96	36	29¾	one center leg	3876	4804	5573	9437
FAL	102	36	29¾	one center leg	4259	4914	5701	9804
FAM	108	36	29¾	one center leg	4368	5023	5827	10002

specification codes example: INS-SKU-N1U1

series: intersection → I N S -

sku: → -

power access location:
- surface mount - see pg 29-32
- **under mount power** - see pg 33-36
- **mediatrac1™** - see pg 37-38
- **000** none

material + finish code example: WH OAK 805

base finish:
- **WH** satin white powder coat
- **EC** ecru powder coat
- **LA** latte powder coat
- **AL** matte aluminum powder coat
- **GR** graphite powder coat
- **BZ** bronze powder coat
- **IG** iron grey powder coat
- **SG** sage powder coat
- **RD** black red powder coat
- **BK** matte black powder coat

top material:
- **PLL** solid laminate
- **WGL** woodgrain laminate
- **MPL** maple
- **OAK** oak
- **WLT** walnut
- **PLD** paldao
- **PHL** phenolic


top finish: see pages 4-6



rectangular stationary tables

modesty panels are available for 54" - 84" length tables
divider screens are available for 48" - 72" length tables
specify modesty panel and divider screen separately
modesty panels cannot be mounted to phenolic tops

rectangular stationary tables



sku	l	w	h	specifications	**PLL** solid laminate **WGL** woodgrain laminate F1	**MPL** maple **OAK** oak **WLT** walnut BL	**PLD** paldao BL	**PHL** phenolic B2
FBE	60	42	29¾		3276	4123	4783	7742
FBF	66	42	29¾		3440	4341	5036	8646
FBG	72	42	29¾		3549	4422	5130	8872
FBH	78	42	29¾		3876	4750	5510	11913
FBI	84	42	29¾		4040	4804	5573	12234
FBJ	90	42	29¾		4204	4914	5701	13561
FBK	96	42	29¾	one center leg	4313	5023	5827	13787
FBL	102	42	29¾	one center leg	5187	5077	5890	14296
FBM	108	42	29¾	one center leg	5296	5132	5954	14550
FBN	114	42	29¾	two center legs	5405	5459	6333	14946
FBO	120	42	29¾	two center legs	5514	5678	6587	15200
FCE	60	48	29¾		3385	4396	5100	8082
FCF	66	48	29¾		3549	4505	5226	9041
FCG	72	48	29¾		3658	4750	5510	9466
FCH	78	48	29¾		3986	4859	5637	12432
FCI	84	48	29¾		4149	4968	5763	12714
FCJ	90	48	29¾		4313	5077	5890	13054
FCK	96	48	29¾	one center leg	4422	5160	5986	13308
FCL	102	48	29¾	one center leg	5296	5269	6113	13561
FCM	108	48	29¾	one center leg	5405	5378	6239	13816
FCN	114	48	29¾	two center legs	5569	5706	6619	15652
FCO	120	48	29¾	two center legs	5732	5924	6872	15935

specification codes example: INS-SKU-N1U1

series
intersection
I N S -

sku
- -

power access location
surface mount - see pg 29-32
under mount power - see pg 33-36
mediatrac1™ - see pg 37-38
000 none

material + finish code example: WH OAK 805

base finish
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
MPL maple
OAK oak
WLT walnut
PLD paldao
PHL phenolic


top finish
see pages 4-6



rectangular stationary tables

modesty panels are available for 54" - 84" length tables
divider screens are available for 48" - 72" length tables
specify modesty panel and divider screen separately
modesty panels cannot be mounted to phenolic tops

rectangular stationary tables



sku	l	w	h	specifications	**PLL** solid laminate **WGL** woodgrain laminate F1	**MPL** maple **OAK** oak **WLT** walnut BL	**PLD** paldao BL	**PHL** phenolic B2
FDG	72	54	29¾		3822	4914	5701	9041
FDH	78	54	29¾		4149	5023	5827	12770
FDI	84	54	29¾		4313	5132	5954	13195
FDJ	90	54	29¾		4477	5296	6144	13534
FDK	96	54	29¾	one center leg	4586	5459	6333	13844
FDL	102	54	29¾	one center leg	5459	5678	6587	14127
FDM	108	54	29¾	one center leg	5623	5896	6840	14465
FDN	114	54	29¾	two center legs	5787	6278	7283	16387
FDO	120	54	29¾	two center legs	5951	6497	7537	16670

specification codes example: INS-SKU-N1U1

series
intersection
I N S -

sku
- -

power access location
surface mount - see pg 29-32
under mount power - see pg 33-36
mediatrac1™ - see pg 37-38
000 none

material + finish code example: WH OAK 805

base finish
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
MPL maple
OAK oak
WLT walnut
PLD paldao
PHL phenolic


top finish
see pages 4-6



rectangular mobile tables

modesty panels are available for 54" - 84" length tables
divider screens are available for 48" - 72" length tables
specify modesty panel and divider screen separately
(2) free and (2) locking casters included
white casters will ship with white powder coat tables
all other powder coat tables will have black casters

rectangular mobile tables



sku	l	w	h	**PLL** solid laminate **WGL** woodgrain laminate F1	**MPL** maple **OAK** oak **WLT** walnut BL	**PLD** paldao BL	**PHL** phenolic B2
MVC	48	24	29¾	2812	3795	4403	4574
MVD	54	24	29¾	2922	3850	4466	5026
MVE	60	24	29¾	2976	3904	4529	5223
MVF	66	24	29¾	3031	3959	4593	5675
MVG	72	24	29¾	3085	4013	4656	5816
MVH	78	24	29¾	3140	4068	4719	7257
MVI	84	24	29¾	3195	4123	4783	7398
MVJ	90	24	29¾	3249	4177	4846	7540
MOD	54	30	29¾	3031	3904	4529	5364
MOE	60	30	29¾	3085	3959	4593	5561
MOF	66	30	29¾	3140	4013	4656	6070
MOG	72	30	29¾	3195	4068	4719	6239
MOH	78	30	29¾	3249	4123	4783	7709
MOI	84	30	29¾	3304	4177	4846	7878
MOJ	90	30	29¾	3358	4232	4910	8048
MAE	60	36	29¾	3249	4123	4783	6239
MAF	66	36	29¾	3304	4177	4846	6834
MAG	72	36	29¾	3686	4232	4910	7031
MAH	78	36	29¾	3740	4559	5289	8951
MAI	84	36	29¾	3904	4668	5415	9262
MAJ	90	36	29¾	3959	4778	5543	9403

specification codes example: INS-SKU-N1U1

series
intersection
I N S -

sku
-

power access location
surface mount - see pg 29-32
under mount power - see pg 33-36
mediatrac1™ - see pg 37-38
000 none

material + finish code example: WH OAK 805

base finish
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
MPL maple
OAK oak
WLT walnut
PLD paldao
PHL phenolic


top finish
see pages 4-6



rectangular mobile tables

modesty panels are available for 54" - 84" length tables
divider screens are available for 48" - 72" length tables
specify modesty panel and divider screen separately
(2) free and (2) locking casters included
white casters will ship with white powder coat tables
all other powder coat tables will have black casters

rectangular mobile tables



sku	l	w	h	**PLL** solid laminate **WGL** woodgrain laminate F1	**MPL** maple **OAK** oak **WLT** walnut BL	**PLD** paldao BL	**PHL** phenolic B2
MBE	60	42	29¾	3413	4259	4941	7878
MBF	66	42	29¾	3577	4477	5194	8782
MBG	72	42	29¾	3686	4559	5289	9008
MBH	78	42	29¾	4013	4887	5669	12050
MBI	84	42	29¾	4177	4941	5732	12370
MBJ	90	42	29¾	4341	5051	5860	13697
MCE	60	48	29¾	3522	4531	5256	8218
MCF	66	48	29¾	3686	4641	5384	9178
MCG	72	48	29¾	3795	4887	5669	9602
MCH	78	48	29¾	4123	4996	5796	12568
MCI	84	48	29¾	4286	5105	5922	12851
MCJ	90	48	29¾	4450	5214	6049	14178

specification codes example: INS-SKU-N1U1

series
intersection
I N S -

sku
-

power access location
surface mount - see pg 29-32
under mount power - see pg 33-36
mediatrac1™ - see pg 37-38
000 none

material + finish code example: WH OAK 805

base finish
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
MPL maple
OAK oak
WLT walnut
PLD paldao
PHL phenolic

top finish
see pages 4-6



modesty panels

aluminum panel powder coated - specify powder coat finish
mounting clips included
modesty panels are shipped separately and field installed
modesty panels cannot be mounted to phenolic tops

	sku	l	w	h	weight	specifications	price
modesty panel	MPB	44¾	¼	7½	5	use with 54" tables	$ 492
	MPC	50¾	¼	7½	5	use with 60" tables	520
	MPD	56¾	¼	7½	5	use with 66" tables	546
	MPE	62¾	¼	7½	5	use with 72" tables	574
	MPF	68¾	¼	7½	5	use with 78" tables	601
	MPG	74¾	¼	7½	6	use with 84" tables	629

specification codes example: INS-SKU

series

intersection

I N S -

sku

material + finish code example: BK

finish

WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat



divider screen

When specifying textiles visit the Intersection product page on BernhardtDesign.com. In the left-hand column, select graded-in textiles. A complete list of recommended Bernhardt Textiles will be displayed here. Click on the textile of choice and you will be taken to the corresponding textile page on the Bernhardt Design website. Use the four-digit pattern number for the base fabric code shown below and the three-digit colorway number for the base fabric colorway shown below.


Fabric must be railroaded. *All COM fabrics must be preapproved by Bernhardt Design prior to application.

Sku				w	d	h	fabric					
USB - use with 42" tables				33"	4½"	14½"	1.5 yds					
				838 mm	114 mm	368mm	1.4 m					




COM	COL	1	2	3	4	5	6	7	8	9	10	11
472	-	622	652	669	692	719	732	756	776	799	832	949

USC - use with 48" tables				39"	4½"	14½"	1.75 yds					
				991 mm	114 mm	368mm	1.6 m					



COM	COL	1	2	3	4	5	6	7	8	9	10	11
587	-	762	797	817	844	875	891	918	941	969	1007	1144

USD - use with 54" tables				45"	4½"	14½"	2.0 yds					
				1143 mm	114 mm	368mm	1.8 m					



COM	COL	1	2	3	4	5	6	7	8	9	10	11
632	-	832	872	895	926	961	979	1010	1037	1068	1112	1268

specification codes example: INS-SKU

series **sku**

intersection

I N S -

material + finish code example: 0000-000-BK

base fabric

see bernhardttextiles.com

-

base fabric colorway

see bernhardttextiles.com

-

glide plate finish

WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat




divider screen

When specifying textiles visit the Intersection product page on BernhardtDesign.com. In the left-hand column, select graded-in textiles. A complete list of recommended Bernhardt Textiles will be displayed here. Click on the textile of choice and you will be taken to the corresponding textile page on the Bernhardt Design website. Use the four-digit pattern number for the base fabric code shown below and the three-digit colorway number for the base fabric colorway shown below.


Fabric must be railroaded. *All COM fabrics must be preapproved by Bernhardt Design prior to application.

Sku				W	D	H	Fabric					
USE - use with 60" tables				51"	4½"	14½"	2.0 yds					
				1295 mm	114 mm	368 mm	1.8 m					




COM	COL	1	2	3	4	5	6	7	8	9	10	11
677	-	877	917	940	971	1006	1024	1055	1082	1113	1157	1313

USF - use with 66" tables				57"	4½"	14½"	2.25 yds					
				1448 mm	114 mm	368 mm	2.1 m					



COM	COL	1	2	3	4	5	6	7	8	9	10	11
723	-	948	993	1018	1053	1093	1113	1148	1178	1213	1263	1438

USG - use with 72" tables				63"	4½"	14½"	2.5 yds					
				1600 mm	114 mm	368 mm	2.3 m					



COM	COL	1	2	3	4	5	6	7	8	9	10	11
768	-	1018	1068	1096	1135	1180	1202	1241	1274	1313	1368	1563

specification codes example: INS-SKU

series | **sku**

intersection

I N S -

material + finish code example: 0000-000-BK

base fabric

see bernhardttextiles.com

-

base fabric colorway

see bernhardttextiles.com

-

glide plate finish


WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat



power + accessories

Triad Power Module





Note: End user installation will be required per individual SKU. Power specified separately.

The Triad surface mount power module offers a simple and clean way of bringing power and USB to the worksurface.


The Triad surface mount power module installs flush to the worksurface and is offered with (3) receptacles or (3) receptacles, (3) USB-A ports and (3) USB-C ports. Modules are available with a matte black or satin white finish.

When specifying Triad Round Surface Power for table assemblies use R01 grommet kit code.


The power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2 No.21.

Triad Power Module - Power + USB

Updated Information Shown in RED
Matte Black or Satin White Finish
(3) 120v 60 Hz. 15 amp Receptacles
(3) 2 amp USB-A ports, 10 watt
(3) 2 amp USB-C ports, 20 watt
10' cord, 15 amp
6¼"w x 6¼"d x 2½"h
Specify power style **TPU**



sku	descriptions	Power Style **TPU** 
R01	**36" - 54" Square Tables**	$ 2053



specification codes example: ACS-R01-TPU

series	sku	power style
accessories A C S -	R 0 1 -	**TPU** power + usb T P U


finish code example: WH

finish

BK matte black
WH satin white


Surface Mount Power Module






Intersection offers a surface mount power solution allowing quick and power access. A maximum of (10) surface mount power modules can be connected on a single power infeed. See the following pages for grommet location and codes. Surface mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

Power Module
Black, Silver or White Finish




(2) 120 v 60 Hz. 15 amp receptacles
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
6½"w x 3"d x 2¾"h

Jumper
(if required)




Jumper is determined by the length of the top specified

H-Block Connector
Grey Finish




Power Infeed
10' Grounded Plug
Required per individual



15 amp

Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

sku	descriptions	price
NRS1	**48" - 90"L Tables**	$ 1323
	available on 24"w - 36"w tables	
		
NLS1	**48" - 90"L Tables**	1323
	available on 24"w - 36"w tables	
		

specification codes example: ACS-SKU-CRD-048

series	sku	power option	table
accessories		**CRD** corded	048 072 054 078 060 084 066 090
A C S -	-		




Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

finish code example: WH

finish

BK black
SV silver
WH white

Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

sku	descriptions	specifications	price
N1S1	**48" - 84"L Tables**		$ 945
	available on 24"w - 36"w tables		
			
N1S2	**48" - 84"L Tables**	2 tables daisy chained, specify ganging brackets separately	2325
			
N1S3	**48" - 84"L Tables**	3 tables daisy chained, specify ganging brackets separately	3221
			
N1S4	**48" - 84"L Tables**	4 tables daisy chained, specify ganging brackets separately	4119
			
N1S5	**48" - 72"L Tables**	5 tables daisy chained, specify ganging brackets separately	5015
			
N1S6	**48" - 72"L Tables**	6 tables daisy chained, specify ganging brackets separately	5912
			
N1S7	**48" - 60"L Tables**	7 tables daisy chained, specify ganging brackets separately	6808
			
N1S8	**48" - 60"L Tables**	8 tables daisy chained, specify ganging brackets separately	7705
			

specification codes example: **ACS-SKU-CRD-048**

series
accessories
A C S -

sku
- -

power option
CRD corded




table
048 **072**
054 **078**
060 **084**
066

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

finish code example: **WH**

finish
BK black
SV silver
WH white

Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

sku	descriptions	price
N2S1	**48" - 90"L Tables**	$ 2176
	available on 24"w - 36"w tables	
		
N2S2	**48" - 90"L Tables** 2 tables daisy chained, specify ganging brackets separately	3820
		
N2S3	**48" - 90"L Tables** 3 tables daisy chained, specify ganging brackets separately	5464
		
N2S4	**48" - 90"L Tables** 4 tables daisy chained, specify ganging brackets separately	7220
		
N2S5	**48" - 72"L Tables** 5 tables daisy chained, specify ganging brackets separately	8864
		

specification codes example: **ACS-SKU-CRD-048**

series
accessories
A C S -

sku
- -

power option
CRD corded




table
048 **072**
054 **078**
060 **084**
066 **090**

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

finish code example: **WH**

finish
BK black
SV silver
WH white

Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

sku	descriptions	price
N1C1	**60" - 84"L Tables** **114" - 120"L Tables** available on 42"w - 54"w tables 	$ 1363
N2C1	**72" - 120"L Tables** available on 42"w - 54"w tables 	2325
N3C1	**114" - 120" L Tables** available on 42"w - 54"w tables no center stretcher 	3108

specification codes example: ACS-SKU-CRD-060

series
accessories
A C S -

sku
- -

power option
CRD corded

table
060 **096**
066 **102**
072 **108**
078 **114**
084 **120**
090

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

finish code example: WH

finish
BK black
SV silver
WH white


Under Mount Power



Intersection offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (8) under mount power modules can be connected on one power infeed with a run length not to exceed 40'.

End user installation will be required per individual kit. Each kit includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.


The aluminum housing for the power module is available in all standard powder coat finishes. White receptacles will be provided with white powder coat and black receptacles for all other colors. Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



Note: A wire management snake is required when under mount configurations are specified at each corner.


Bernhardt Design provides recommendations for installation locations as shown on the following pages. Further installation instructions are included with each power unit. Power is specified separately.

Power Modules
Powder Coat Must be Specified




power + usb-a + usb-c
(1) 120v 60 Hz. 15 amp Receptacles
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
10' cord
grounded plug
UL 962 listed

Jumper
(if required)




Jumper is determined by the length of the top specified

H-Block Connector
Grey Finish




Power Infeed Options




15 amp

10' Grounded Plug
Required per individual SKU




Under Mount Grommet Kits


Under mount power kits are specified and sold separately and can be mounted in any location corner, rail or on the stretcher.
Shown below are the examples of the location that under mount power modules can be mounted.



Power Module mounted at the corner




Power Module mounted to stretcher



Power Module mounted to rail

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.


All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	description	specifications	power + usb + usb-c
				

1 Module Kit

N1U1 36" - 54"L Tables — $ 576

available on 36"w - 54"w tables
can be mounted in any location: corner, rail or stretcher



N1U1 60" - 120"L Tables — 576

available on 24"w - 54"w tables
can be mounted in any location: corner, rail or stretcher



specification codes example: ACS-SKU

series	sku	table length
A C S -	-	036 042 048 054 060 066 072 078 084 090 096 102 108 114 120

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

finish code example: WH

finishes

WH	satin white powder coat
EC	ecru powder coat
LA	latte powder coat
AL	matte aluminum powder coat
GR	graphite powder coat
BZ	bronze powder coat
IG	iron grey powder coat
SG	sage powder coat
RD	black red powder coat
BK	matte black powder coat

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	description	specifications	power + usb + usb-c
				


2 Module Kits

N2U1 48" - 120"L Tables — $ 1736

available on 24"w - 54"w tables




N2U2 48" - 90"L Tables 2 tables daisy chained, specify ganging brackets separately — 2776



N2U3 48" - 90"L Tables 3 tables daisy chained, specify ganging brackets separately — 3602



N2U4 48" - 90"L Tables 4 tables daisy chained, specify ganging brackets separately — 4565



N2U5 48" - 90"L Tables 5 tables daisy chained, specify ganging brackets separately — 5531



specification codes example: ACS-SKU-048

series

A C S -

sku

-

table length

048	090
054	096
060	102
066	108
072	114
078	120
084	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

finishes

WH	satin white powder coat
EC	ecru powder coat
LA	latte powder coat
AL	matte aluminum powder coat
GR	graphite powder coat
BZ	bronze powder coat
IG	iron grey powder coat
SG	sage powder coat
RD	black red powder coat
BK	matte black powder coat

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	description	power + usb + usb-c



3 Module Kits

N3U1 60" - 120"L Tables — $ 2461

available on 24"w - 54"w tables



4 Module Kits


N4U1 60" - 120"L Tables — 2776

available on 24"w - 54"w tables
cable snake required. specify separately



60" - 120"L Tables


alternate install shown



6 Module Kits


N6U1 90" - 120"L Tables — 3602

available on 24"w - 54"w tables
cable snake required. specify separately



90" - 120"L Tables

alternate install shown



specification codes example: ACS-SKU-060

series

A C S -

sku

-

table length

060	096
066	102
072	108
078	114
084	120
090	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.


finishes

WH	satin white powder coat
EC	ecru powder coat
LA	latte powder coat
AL	matte aluminum powder coat
GR	graphite powder coat
BZ	bronze powder coat
IG	iron grey powder coat
SG	sage powder coat
RD	black red powder coat
BK	matte black powder coat

Mediatrac 1™

Mediatrac 1™ grommet system is simplified for bringing power and data to the meeting table worksurface in a clean easy way.


Mediatrac 1 grommet system provides power and (16) different Extron data configurations. For Intersection the aluminum trim will be powder coated and you have the option of powder coated, laminate or wood veneer doors. Mediatrac 1 has a corded or hard wired power infeed.



Note: End user installation will be required per individual SKU. Power specified separately. See the following pages for grommet codes.

Mediatrac 1 Grommet Kits (Includes the Following)


Power Module



Number and configuration of grommet modules determined by the grommet code

Jumper


(if required)




Jumper is determined by the length of the top specified

H-Block Connector

Grey Finish



Power Infeed Options



15 amp


10' Grounded Plug
Required per individual SKU



72" 4-Trac Power Infeed with Hardwired Conduit

Mediatrac 1 Dimensional Specifications




Mediatrac 1™ is offered as a 8" double grommet with (4) receptacles and open positions for (4) AAP plates. Mediatrac 1™ is UL listed.



Mediatrac 1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.
When phenolic is specified for table top, specify aluminum frame material and choose powder coat finish.

sku	descriptions	lid material **ALM** aluminum	 **PLL** solid laminates **WGL** woodgrain laminates	 **MPL** maple **OAK** oak **PLD** paldao **WLT** walnut
I03	**36" - 54"L Tables** available on 36"w - 54"w tables (1) 8" double door mediatrac grommet 	$ 2183	$ 2457	$ 3413
I03	**60" - 84"L Tables 114" - 120"L Tables** available on 36"w - 54"w tables (1) 8" double door mediatrac grommet 	2183	2457	3413
I05	**90" - 120"L Tables** available on 36"w - 54"w tables (2) 8" double door mediatrac grommets 	3959	4231	6548
I10	**114" - 120"L Tables** available on 42"w - 54"w tables (3) 8" double door mediatrac grommets 	5981	6482	9822

specification codes example: MGS-I03-CRD096

series	sku	power option	table length
top		**CRD** corded	**036** **084**
		4TH four trac hardwired	**042** **090**
			048 **096**
			054 **102**
			060 **108**
			066 **114**
			072 **120**
			078
M G S -	-		

material + finish code example: WH WLT 870

frame finish	lid material	lid finish
WH satin white powder coat	**PLL** solid laminate	see pages 3-5
EC ecru powder coat	**WGL** woodgrain laminate	
LA latte powder coat	**MPL** maple	
AL matte aluminum powder coat	**OAK** oak	
GR graphite powder coat	**WLT** walnut	
BZ bronze powder coat	**PLD** paldao	
IG iron grey powder coat	**ALM** aluminum	
SG sage powder coat		
RD black red powder coat		
BK matte black powder coat		

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

description	sku	w	d	h		price
 **blank plate**	VGG	3½	-	⅝		177
	Extron® AAP blank plate with black powder coat finish single space insert					
 **cable pass-through module**	VGY	3½	-	1⅜		502
	Extron® APP single space, cable pass-through plates sold as a set of (2) black powder coat finish					
 **phone/data module**	VGD	3½	-	⅝		379
	Extron® APP two RJ-45 pass-through barrels CAT 5e single space insert					
 **phone/data module**	VGK	3½	-	⅝		303
	Extron® AAP (1) RJ-45 female to punch down block leviton CAT6 data single space insert					
 **phone/data module**	VGP	3½	-	⅝		421
	Extron® APP (2) RJ-45 female to punch down block leviton CAT6 data single space insert					

specification codes example: ACS-SKU

series sku





A C S -

description	sku	w	d	h		price
 **phone/data module**	VGL	3½	-	⅝		421
	Extron® APP (2) RJ-45 female to punch down block AMP CAT6 data single space insert					
 **phone/data module**	VGQ	3½	-	1⅜		572
	Extron® AAP (2) RJ-45 female to punch down block higher than CAT6 data type connectors systomax MGS500 backward compatible double space insert					
 **computer/audio/video module**	VG3	3½	-	⅝		421
	Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert					
 **control/computer module**	VGR	3½	-	⅝		421
	Extron® AAP (2) USB-A female to female barrels single space insert					
 **usb charging module**	VGU	3½	-	⅝		815
	Extron® AAP power plate charging module (2).5 VCD USB power outlets 2.1 A/10.5 watts of power for charging mobile devices single space insert					

specification codes example: ACS-SKU

series sku



A C S -

	description	sku	w	d	h		price
	**usb a+c module**	VRA	3½	1⅓	1⅛		475
		Mediatrac plate black USB C 20 watt USB A 20 watt Double space insert					
	**60 watt usb c module**	VRC	3½	1⅓	1⅞		650
		Mediatrac plate black USB C 60 watt Double space insert					
	**usb a+c - hdmi module**	VHA	3½	1⅓	1¾		725
		Mediatrac plate black USB C 20 watt USB A 20 watt HDMI female to female pigtail, 19" Double space insert					
	**60 watt** **usb c - hdmi**	VHC	3½	1⅓	1¾		900
		Mediatrac plate black USB C 60 watt HDMI female to female pigtail, 19" Double space insert					

specification codes example: ACS-SKU

series sku

A C S -

	description	sku	w	d	h	weight		price
	**cable shield**	CBS	2½	2¼	6	-		86
	use for running wire down the leg of a table (1) cable shield is included with every table - painted to match leg finish available in all standard powder coat finishes specify same power coat color as table leg							
	**ganging brackets**	GNG	9	4⅜	1½	1 lb		164
	molded nylon kit includes (2) brackets for each table available in white finish only							
	**bag hook**	BPH	1⅛	1½	3½	-		86
	available in all standard powder coat fnishes specify powder coat finish							

specification codes example: ACS-SKU


series | sku

A | C | S | - | | | |

finish code example: WH

finish

WH	satin white powder coat	**BZ**	bronze powder coat
EC	ecru powder coat	**IG**	iron grey powder coat
LA	latte powder coat	**SG**	sage powder coat
AL	matte aluminium powder coat	**RD**	black red powder coat
GR	graphite powder coat	**BK**	matte black powder coat

	description	sku	w	d	h		price
	**wire management snake**	VGW	2½	2½	30		217
		flexible cable mangement system weighted metal base specify finish code BK (Black) or SV (Silver) conference height only					
	**cable management kit**	CBK	5	5	1		86
		includes (4) cables, p-clip, (4) blocks for securing wires to the table (1) cable shield comes standard with each table					

specification codes example: ACS-SKU

series | sku

A | C | S | - | | | |

finish code example: BA

finish

BK	matte black powder coat
SV	silver

Prices and Specifications
Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry
All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation
All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping
Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or $75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims
Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages. In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns
No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit
Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer.

Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved.

Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved.

This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty
Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty
Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order
Bernhardt Design parts have a $25 net minimum per order. This does not include freight costs.

Custom Design
Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges.
A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes
Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes
Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes
Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a $500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance
All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware. After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning
Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights
All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental
Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

BERNHARDT | design

Bernhardt Design is a registered trademark of
Bernhardt Furniture Company of Lenoir, NC.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53’ trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a $500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	$150
Zone 2	4%	$150
Zone 3	5%	$150
Zone 4	5.5%	$150
Zone 5	6%	$150

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a $500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	$200	5%	10 - 15
Zone 2	$200	9%	10 - 15
Zone 3	$200	8%	10 - 15
Zone 4	$200	11%	10 - 15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.



Greater Montreal Quebec Area (Postal Codes Starting with H) Freight is 5%