BERNHARDT | design

playbook price list

november 2026



index 2

collection overview 3

laminate selections 4

veneer selections 5-6

design selections + powder coat finishes 7

edge profiles 8

overview 9-10

4-star base overview 11

large meeting tables overview 12

audio/visual mediawall overview 13

freestanding mediawalls overview 14

power and wire management 15

powertrack + cable nuggets 16

microphone mount + powerbay 17

wire management felt cable drop 18

WorkHub power overview 19

under mount power overview 20

Mediatrac 1™ power overview 21

surface mount power overview 22

triad surface mount power overview 22

round + square tops + base assembly 23

lounge height 24-28

conference height 29-35

counter height 36-37

bar height 38-39

lounge height tops + base assembly 40-53

conference height tops + base assembly 54-73

mediawall 74

upholstered audio visual mediawall 75

veneer audio visual mediawall 76

upholstered freestanding mediawall 77

veneer freestanding mediawall 78

conference height run-off tops + base assembly 79-82

mediawall accessories 83

power + accessories 84

WorkHub

power overview 85

powertrack + cable nuggets 86

grommet placement kits 87

WorkHub with 3" grommets 88-89

WorkHub for Powertrack 90-91

wire management 92

under mount

power overview 93

grommet placement kits 94-96

extron® AAP modules 74

mediatrac 1™

power overview 98

4-trac power system 99

grommet placement kits: 100

laminate, veneer, solid surface 101-106

grommet placement kits for run-off tops:

laminate, veneer, solid surface 107-108

wire management 109

extron® AAP modules 110-112

surface mount

power overview + grommet placement kits 112

triad surface mount

power overview + grommet placement kits 114

preapproval procedure for fabric 115

terms and conditions 116-117

guaranteed freight 118

guaranteed freight - canada 119



collection overview

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.

PLL Solid Laminate

Standard Solid

671 Designer White, Wilsonart D354-60 Matte Finish

672 Frosty White, Wilsonart 1573-60 Matte Finish

673 Fashion Grey, Wilsonart D381-60 Matte Finish

674 North Sea, Wilsonart D90-60 Matte Finish

675 Black, Wilsonart 1595-60 Matte Finish

20% Upcharge

665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate

666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate

667 Black Velvet, Wilsonart 15505-31 Traceless Laminate

671

672

673


674


675

665 20% upcharge


666 20% upcharge


667 20% upcharge

WGL Woodgrain Laminate

Standard Woodgrain

684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection

685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection

686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection

678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish

679 Brazilwood, Wilsonart 7946-38 Matte Finish

687 Boardwalk Oak, Wilsonart 7983-38 Fine Velvet Finish

683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish

681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish

680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish

682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish

684


685


686


678


679


687


683


681


680


682


Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a $500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

ASH Ash
Rift Cut




Standard Finish

871 870 839
837 860 866
865 878 845
872 861

ASH Select Finishes

M73 M72 M75
M74 M76 M77
M71


MPL Maple
Flat Cut



Standard Finish

871 870 839
837 860 866
865 878 845
872 861

OAK Oak
Rift Cut




Standard Finish

871 870 839
837 860 866
865 878 845
872 861

ASH Select Finishes

M73 M72 M75
M74 M76 M77
M71


WLT Walnut
Flat Cut



Standard Finish

872 861
870 839
860 866
878

ASH Ash



871 837 865 872 870 860 878 861
839 866 845

ASH Select Finishes



M73 Whitewash **M74** Fawn **M71** Blonde **M72** Toast **M76** Caramel **M75** Smoke **M77** Coffee

Veneer Selections

MPL Maple


871


837


865


872


870



860


878



861



839


866



845


OAK Oak



871



837



865


872


870


860


878


861



839



866



845


OAK Select Finishes


M73 Whitewash


M74 Fawn


M71 Blonde



M72 Toast



M76 Caramel



M75 Smoke



M77 Coffee


WLT Walnut



872


870


860


878


861


839


866

Design Selections

Solid Surface Selection

SSF Solid Surface
Standard Finish
CGW Corian®, Glacier White

Base Selections

4M Mobile Base Casters
2½" Non-Marring Urethane Wheels, 2 Locking Casters



Chrome capped wheels are used on polished bases.
White with grey trim wheels are used on white bases.
All other colors will have black casters.

Powder Coat Finishes

A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge. The powder coat option is available on skus where noted as an option in the material specification code. When selecting powder coat finishes, upcharges apply.

Standard Finish




PA Polished Aluminum

Powder Coat Finishes - Upcharges apply.

WH Satin White

EC Ecru

LA Latte



AL Matte Aluminum



GR Graphite



BZ Bronze



SG Sage



IG Iron Grey



RD Black Red



BK Matte Black

Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - $1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One upcharge is applicable for multiple products on a single purchase order when they are in the same color

Playbook Tops



Playbook offers a selection of different table edges depending on the top material chosen. Specify the selected edge codes associated with the top material chosen when ordering.


Edge Details

Laminate

PLL Solid Laminate
WGL Woodgrain Laminate



F1 1" Flat




PP 1" Exposed Plywood

Veneer

ASH Ash
MPL Maple
OAK Oak
WLT Walnut



F1 1" Flat



PP 1" Exposed Plywood

Solid Surface

SSF Corian, Glacier White



CC 1¼" Corian Chamfer

Corner Details

Exposed Plywood Option



Exposed Plywood Edge
2" Radius Corner
Note: When specified on Radius Rectangular/Square pages, radius is replaced with 2" radius corner.

Radius Rectangular/Square Tables



Veneer/Laminate/Corian Edge
3½" Radius Corner

Rectangular/Square Tables



Veneer/Laminate/Corian Edge
Square Corner

specification codes example: PKS-SKU-F1YLTRK

material + finish code example: PAASH867

series
PKS playbook

P K S -

sku

- -

edge
YL Y-base
TL T-base

base
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

power access location
Y01 WorkHub kits with 3" grommets - see pages 88-89
000 none or **under mount power** - see pages 94-96
mediatrac1™ - see pages 101-108
Z06 Surface Mount - see page 112
R01 triad surface mount power
Specify power style separately - see page 113
upcharge $350
TRK Powertrack
Specify WorkHub kits separately - see pages 90-91

base finish
PA polished aluminum
upcharge will apply
WH satin white powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6

Playbook Table Collection



Designed to meet casual and upscale environments, the Playbook table collection meets a multitude of meeting table needs with its large SKU offering. Playbook tables expand Bernhardt's table offerings with unique cast aluminum bases, new table top materials and an innovative power solution.



Conference Height Table - Ranging from 36" to 54" wide by 60" to 240" long



Conference Height Table - Ranging from 36" to 54" wide by 60" to 240" long



Lounge Height Table - Ranging from 36" to 54" wide by 60" to 120" long



Mediawall Conference Tops from 42" to 54" wide by 48" to 120" long



Cafe and Small Work Tables - Ranging from 30" to 48"



Larger Round Meeting Table - Ranging from 54" to 96"

Playbook Table Collection






T-base





Y-base

The Playbook meeting table collection features an aluminum leg assembly available in two base configurations and offered in two heights. All legs are equipped with adjustable levelers with a ¾" range. An aluminum stretcher connects the legs creating a strong and unified assembly. Bases are available in polished aluminum and a range of powder coat finishes.
Bases and tops are sold as a complete assembly.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.









Tables with 3 or more legs always have T-bases as the inside leg/legs.

Top Overhang Summary for End Conditions


Top Length	Top Overhang	Top Overhang to T-base	Top Overhang to Y-base
48"	14¾"	15"	10 ½"
54"	14¾"	15"	10½"
60"	14¾"	15"	10½"
66"	14¾"	15"	10½"
72"	17¼"	17½"	13"
78"	17¼"	17½"	13"
84 - 240"	20¼"	20½"	16"




T-base Conference Height



T-base Lounge Height



Y-base Conference Height



Y-base Lounge Height


Playbook 4-star Base Overview




The Playbook 4-star base table features an aluminum base with adjustable levelers with a ¾" range. The table is offered at numerous heights for a wide breadth of applications. Bases are available in polished aluminum and a range of powder coat finishes. Bases and tops are sold as a complete assembly.

The 4-star base is designed to accommodate Playbooks WorkHub power unit, under mount power and triad power. The center column of the table is a hollow passage for internal wire management to the floor.


4-Star Base Scope of Line




Lounge Height




Conference Height



Mobile Conference Height




Counter Height



Bar Height


Playbook 4-Star Base Power Overview

WorkHub Power Module




Section view of the Playbook top and base with the new WorkHub power module option. Round pass thru grommet is required for installation of the round power module. Tops are available with the optional pass thru grommet cut out, see pages 88-89 for grommet kit codes. Grommet is included when WorkHub is specified.

Under Mount Power Module




Section view of the Playbook top and base with the under mount power option. Bernhardt Design provides recommendations for installation locations as shown on pages 94-96.

Triad Power Module



Section view of the Playbook top and base with the triad surface mount power module. Triad surface mount power modules are available with the optional triad surface mount power module cut out. See page 113 for grommet kit code. Triad power style sold separately.

Wire Management




Detail view of the Playbook base showing wire management.


Playbook Large Meeting Tables




Playbook offers large scale circular conference solutions by utilizing the base and stretcher used in the rectilinear conference section. These tables are only available with the Y-base configuration and offered in two heights. All legs are equipped with adjustable levelers with a ¾" range. Bases are available in polished aluminum and a range of powder coat finishes. Bases and tops are sold as a complete assembly.



2 Bases with Circular Top
54" - 60" Diameter Tops




2 Bases with Square Top
48" - 60" Diameter Tops



Top Overhang Summary for End Conditions

Top Size	Top Overhang	Top Overhang to Y-base
48"	16"	11¾"
54"	18"	13¾"
60"	20"	15¾"
66"	21½"	17¼"
72"- 96"	24"	19¾"



3 Bases with Circular Top
66" - 96" Diameter Tops


Playbook Audio/Visual MediaWall






Upholstered Audio/Visual Mediawall

Playbook upholstered audio/visual mediawalls are designed to be used with Playbook conference height runoff tables. The upholstered audio/visual mediawalls offer the ability to mount monitors up to 55"w and support up to (8) av rack units on the back side. Wires can pass through the wall and down, to conceal any cables running to the floor. The back side of the audio/visual mediawalls is open to allow easy access to equipment, The upholstered wall features a rounded design.



Audio/Visual wall dimensions
(4) 2 AV vertical racks can be installed on the back of the Mediawall




Mediawall Conference Height

Mediawall Accessories


Display Mount

Sanus Monitor Mount
Black Finish, Max Weight: 150 lbs
TV Size Range: 32" - 80"
Slim, fixed position mounted
Available range for most displays




Audio Visual Rack

Shelf max weight capacity: 200 lbs
Rack shelf: 3½" usable depth, 19" usable width
Mounting: horizontal/vertical
able to mount (2) vertical rack
mounts into threaded inserts




Vertical Shelf

UTR1
Weight capacity: 25 lbs.
Holds small components,
wireless units and other gear



Camera Mount

Mounts to monitor
Black powder coat
12"w x 6¼"d x 1¼"h



Playbook Freestanding Mediawalls




Playbook freestanding media walls are designed to be used with Playbook conference height runoff tables and are available as an upholstered or veneer wall. Both freestanding media walls offer the ability to mount monitors up to 55"w. Wires can pass through the wall and down, to conceal any cables running to the floor. Playbook freestanding media walls are available in single and double sided units. The upholstered wall features a rounded corner design.




Upholstered Freestanding Single Sided Wall



Veneer Freestanding Single Sided Wall




Upholstered Mediawal Conference Height



Veneer Mediawall Conference Height




Freestanding Single Sided Veneer Wall



Freestanding Double Sided Veneer Wall



Freestanding Single Sided Upholstered Wall



Freestanding Double Sided Upholstered Wall


Playbook Power and Wire Management



Playbook goes one step beyond all other tables in this category in addressing wire management and power. The PowerBay, a standard feature on Playbook lounge and conference tables, is a molded PET felt assembly that is attached to the bottom of the table top. The assembly is used to manage necessary wiring to support the WorkHub and under mount power modules. In addition to the PowerBay, Playbook offers a cable drop component that can be field installed anywhere along the bottom of the PowerBay and is used to route wires directly to the floor or as close as possible to the floor core.



Powertrack with WorkHub and Cable Nuggets



Under Mount Power




PowerBay



Powertrack with WorkHub and Cable Nuggets


Playbook Powertrack




Available for the Playbook meeting tables, the new Powertrack pass thru offers simple flexibility in cord location, allowing cables to freely move along the length of the worksurface.

When used in conjunction with the WorkHub, the Powertrack allows the WorkHub to slide along the track for maximized power accessibility. This track is offered in a range of powder coat colors and is specified separately from base color for added personalization flexibility. Powertrack has (1) cable nugget kit included in each order.


Powertrack **TRK** is specified under the power process location dropdown with an upcharge. Specify WorkHub power modules separately.




Conference/Media-Conference Tops
60" - 120"
Powertrack Cutout Details




Conference Tops
132" - 240"
Powertrack Cutout Details



Mediawall Tops
48" - 120"
Powertrack Cutout Details




The Powertrack has larger openings on both ends to allow power plugs to easily pass through the track and feed into the felt PowerBay underneath.




Detail view of the Playbook top with the new Powertrack option. Powertrack is specified on the bottom sku string for an upcharge. Powertrack finish is specified separately from base finish.

Playbook Cable Nuggets




Cable nuggets are a versatile accessory intended to be used with the Powertrack. This item is made from soft touch rubber and is intended for any cables routed up through the Powertrack. The nugget grips the cable and neatly nestles into the Powertrack, keeping the head of the cord in an easily accessible position and preventing the head of the cable from falling back through the trim and into the felt PowerBay.


Powertrack has (1) cable nugget kit included in each order. 1 kit includes a total of 8 nuggets: 2 small, 4 medium, 2 large.




Cable Nugget holds cable head in readily available position in the Powertrack and prevents smaller cable heads from falling through the crack.



Small
for thinner
charging cables




Medium
for standard USB
and data cables




Large
for thicker HDMI cables

1 Kit includes: 2 Small, 4 Medium and 2 Large Nuggets in Dark Grey finish.

Microphone Mount





The Microphone Mount is a new Playbook accessory that provides a mounting platform for various microphones and can be installed anywhere along the Powertrack. The unimposing design of the mount gives an integrated aesthetic and function to the equipped microphones. The Microphone Mount can only be used in conjunction with the Powertrack.

Microphones are not included with the mount.

The Microphone Mount is installed onto the Powertrack, providing a platform for the microphone to be mounted to. The included thumbscrew allows for easy installation and location adjustment along the Powertrack.

Playbook PowerBay








Standard with all Playbook meeting tables, the PowerBay presents a wire management solution that offers optimal space for any cords used in conjunction with the Playbook system. This solution provides a simplified aesthetic by containing wires in a pressed felt shroud.

Under mount connectors are routed through pass through holes in the felt PowerBay to connect the interlink system within the PowerBay's containment. The power infeed can then be dropped down the mouse hole on either end of the PowerBay to plug into the power source.

Felt PowerBay Section View




Internal Capacity of the Felt PowerBay


Playbook Felt Cable Drop




Playbook offers a concealed wire management solution through the use of a cable drop, which directly attaches to the felt PowerBay. The cable drop, 7"w x 2¾"d, is available for both lounge and conference height work solutions and is offered in dark grey felt to match the felt PowerBay. To allow flexibility of its location in relation to any floor cores that may be used, the cable drop does not run all the way to the ground. This accessory is equipped with large tooth zippers on the sides that unzip to optimize cord and plug head clearance around the Playbook Stretcher. The felt cable drop is sold separately.




Note: End user installation will be required per individual SKU. Cable drop is specified separately.
See page 89 for accessory add-ons.



Lounge Height Power Drop Dimensions



Conference Height Power Drop Dimensions



The cable drop can be field installed in any location along the felt PowerBay for flexibility.

WorkHub Power Module



The Playbook WorkHub is a new and casual way to address the rapid and flexible needs of todays' collaborative and team rooms by bringing the connection points to the worksurface.


The WorkHub power module integrates into a standard 3" grommet or the new Playbook Powertrack. It is configured with: (4) receptacles, (1) USB 2-Type A-Port and (1) USB 3 Type-C Port. Modules are only available in matte gray with dark gray felt.


The WorkHub power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2

Specify grommet location on table assembly pages 85-86 for use with 3" grommet. Specify TRK on table assembly pages 90-91 for use with Powertrack.

WorkHub Power Module


- Matte Grey/Dark Grey Felt
- (4) 120 v 60 Hz. 15 amp receptacles
- (1) USB Type-A Port 2.1 amp
- (1) USB Type-C Port 2.1 amp 20 watt
- Must be used with either the Powertrack or a 3" grommet
- Includes adapter kit for both round grommet and powertrack options






Showing Powertrack used in conjunction with the WorkHub power module. Up to 3 WorkHubs can be sequentially connected off of one single corded electrical infeed.

Interlink Connector
Matte Black Finish



Power Infeed




10' interlink power infeed with 15 amp plug



15 amp receptacle



10' power infeed with hardwired conduit




10' power infeed with 15 amp plug




15 amp receptacle

WorkHub Side Section




WorkHub installed in 3" communication grommet




WorkHub installed in Powertrack

Tops are available with the optional Powertrack cut out and trim for an upcharge. **Specify on bottom of table page.**



Section view of the WorkHub installed into a 3" communication grommet. The recessed detail on the bottom of the unit provides a path to pull an HDMI or CAT6 line through for additional access to connection points.



Section view of the WorkHub as it is integrated into the Powertrack. When used in conjunction with the Powertrack and the cable nuggets all of the wires are neatly concealed in the PowerBay below the top.

Under Mount Power


Playbook offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (10) under mount power modules can be connected on one power infeed.

The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source.
See installation instructions for installing.


The Playbook table collection provides suggested locations for 2-10 under mount power modules. Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

Note: End user installation will be required per individual SKU.




Bernhardt Design provides recommendations for installation locations as shown on page 94-96. Further installation instructions are included with each power unit. Power is specified separately.

Power Modules
Matte Black Finish




power + power
(2) 15 amp receptacles
120 v 60 Hz.
braided cotton 10' cord
grounded plug
UL 962 listed




power + usb-a + usb-c
Updated Information Shown in RED
(1) 15 amp receptacle
120 v 60 Hz.
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed


Replacement Housing
with Location for Mini AAP Plate



Sequential Connector
Matte Black Finish




Power Infeed
10' Grounded Plug
Required per individual SKU
Braided Cord



15 amp

Playbook Wire Management

Under mount connectors are routed through pass through holes in the felt PowerBay to offer advanced wire management.
The following illustration shows a section view of the Playbook table with under mount power.




Mediatrac 1™

Mediatrac 1 grommet system is a simplified for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac 1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.


Mediatrac 1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.



Note: End user installation will be required per individual SKU. Power specified separately. See pages 101-108 for grommet codes.


Mediatrac 1 Options

8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug, accepts 2 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug, accepts 4 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame


24" Double Door Mediatrac™ Grommet



8 grounded outlets, 2 exit plugs, accepts 8 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

Mediatrac 1 Grommet Kits (Includes the Following)

Power Module



Number and configuration of grommet modules determined by the grommet code

Jumper (if required)



Jumper are determined by the length of the top specified

Connector + H-Block



Will be included in kit when the 4-trac option is specified


Power Infeed Options



72" 4-Trac Power Infeed with 20 amp plug



72" 4-Trac Power Infeed with Hardwired



72" Power Infeed with 15 amp plug



72" ⅜" Hardwire Whip




20 amp receptacle
4-Trac Only



15 amp receptacle

Playbook Wire Management

Mediatrac 1 utilizes the plug and play power system and offers 1" diameter round grommets that are available for speakerphone wire management offered only for Playbook round tables. Single door grommets have (2) receptacles and (2) AAP single plates while double door grommets have (4) receptacles and (4) AAP single plates. Mediatrac 1 is not available on 4-star table bases. Mediatrac 1 is UL listed.



Triad Power Module




Available for the Playbook round and square version tables only. The new Triad surface mount power module offers a simple and clean way of bringing power and USB to the worksurface.

The Triad surface mount power module installs flush to the worksurface. It features (3) receptacles, (3) USB-A ports and (3) USB-C ports. Module is available with a matte black or satin white finish.

When specifying Triad Round Surface Power for table assemblies use R01 grommet kit code.

The power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2 No.21.




Note: End user installation will be required per individual SKU. Power specified separately. See page 113 for grommet codes.

Triad Power Module- Power + USB

Updated Information Shown in RED


Matte Black or Satin White Finish
(3) receptacles
(3) 2 amp USB-A ports, 10 watt
(3) 2 amp USB-C ports, 20 watt
10' cord, 15 amp
6¼"w x 6¼"d x 2½"h
Specify power style **TPU**




Surface Mount Power Module




A surface mount power solution is available for Playbook runoff tables and mediawall only. Allowing for quick access to power, the surface mount power module features (2) grounded receptacles and (1) 2 amp USB-A port and (1) 2 amp USB-C port. See page 110 for grommet location and code.



Power Module
Black, Silver or White Finish



Power Infeed
10' Grounded Plug



Updated Information Shown in RED

(2) 120 v 60 Hz. 15 amp receptacles
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
6½"w x 3"d x 2¾"h




round + square tables

lounge, conference, counter, bar height



round or square top + base assembly
lounge height

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



4-star Base

sku	l	w	h	bases	PLL solid laminate, WGL woodgrain laminate: F1	PP	ASH ash, MPL maple, OAK oak, WLT walnut: F1	PP	SSF solid surface: CC
round top with lounge height base									
A00	30	30	26	(1) 4-star base	2583	3351	3268	3492	5714
AAA	36	36	26	(1) 4-star base	2963	3800	3492	3722	6110
ABB	42	42	26	(1) 4-star base	3268	4158	3722	3948	6510
ACC	48	48	26	(1) 4-star base	3569	4517	3948	4177	
arched square top with lounge height base									
B00	30	30	26	(1) 4-star base	2583	3351	3268	3492	5714
BAA	36	36	26	(1) 4-star base	2963	3800	3492	3722	6110
BBB	42	42	26	(1) 4-star base	3268	4158	3722	3948	
radius square top with lounge height base									
C00	30	30	26	(1) 4-star base	2583	3351	3268	3492	5714
CAA	36	36	26	(1) 4-star base	2963	3800	3492	3722	6110
CBB	42	42	26	(1) 4-star base	3268	4158	3722	3948	

specification codes example: PKS-SKU-F14LY01

series
PKS playbook
P K S -

sku
- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
4L 4-Star base lounge height
4 L

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum
powder coat upcharge $150
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + base assembly
lounge height

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	PP	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	PP	**SSF** solid surface CC
square top with lounge height base									
D00	30	30	26	(1) 4-star base	2583		3268		5714
DAA	36	36	26	(1) 4-star base	2963		3492		6110
DBB	42	42	26	(1) 4-star base	3268		3722		

specification codes example: PKS-SKU-F14LY01

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
4L 4-Star base lounge height

4 L

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount** power
see pages 94-96

R01 **triad surface mount** power
Specify power style separately
see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum

powder coat upcharge $150
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + base assembly
lounge height

polished aluminum Y-base standard
round, arched, radius or square top



sku	l	w	h	bases	PLL solid laminate, WGL woodgrain laminate: F1	PLL solid laminate, WGL woodgrain laminate: PP	ASH ash, MPL maple, OAK oak, WLT walnut: F1	ASH ash, MPL maple, OAK oak, WLT walnut: PP	SSF solid surface: CC
round top with lounge height base									
ADD	54	54	26	(2) Y-bases	5771		7038	7385	12314
AEE	60	60	26	(2) Y-bases	6376		7779	8163	13609
arched square top with lounge height base									
BCC	48	48	26	(2) Y-bases	5089	6034	5921	6263	11459
BDD	54	54	26	(2) Y-bases	5771		7038	7385	12314
BEE	60	60	26	(2) Y-bases	6376		7779	8163	13609
radius square top with lounge height base									
CCC	48	48	26	(2) Y-bases	5089	6034	5921	6263	11459
CDD	54	54	26	(2) Y-bases	5771		7038	7385	12314
CEE	60	60	26	(2) Y-bases	6376		7779	8163	13609

specification codes example: PKS-SKU-F1YL000

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base lounge height

Y L

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum
powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + base assembly
lounge height

polished aluminum Y-base standard
round, arched, radius or square top



sku	l	w	h	bases	PLL solid laminate, WGL woodgrain laminate: F1	PLL solid laminate, WGL woodgrain laminate: PP	ASH ash, MPL maple, OAK oak, WLT walnut: F1	ASH ash, MPL maple, OAK oak, WLT walnut: PP	SSF solid surface: CC
square top with lounge height base									
DCC	48	48	26	(2) Y-bases	5089		5921		11459
DDD	54	54	26	(2) Y-bases	5771		7038		12314
DEE	60	60	26	(2) Y-bases	6376		7779		13609

specification codes example: PKS-SKU-F1YL000

series
PKS playbook

sku

edge
F1 1” flat
PP 1” exposed ply
CC 1¼” corian chamfer

base
YL Y-base lounge height

power access location
Y01 WorkHub kits with 3” grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum
powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + base assembly
lounge height

polished aluminum Y-base standard
only available in round top
only available with (3) Y-bases
sku includes top and base



PLL solid laminate
WGL woodgrain laminate

ASH ash
MPL maple
OAK oak
WLT walnut

SSF solid surface

sku	l	w	h	bases	F1	PP	F1	PP	CC
round top with lounge height base									
AFF		66	66	26	8235		10062	10542	17577
AGG		72	72	26	8804		10741	11268	18792
AHH		78	78	26	9790		11944	12531	20898
AII		84	84	26	11004		13423	14087	23490
AJJ		90	90	26	12142		14812	15542	25920
AKK		96	96	26	13242		16157	16951	28267

***Note:** Triad Surface Mount power module not available on skus AHH, AII, AJJ and AKK

specification codes example: PKS-SKU-F1YL000

series
PKS playbook
P K S -

sku
- - -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base lounge height
Y L

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum
powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + base assembly
conference height

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
round top with conference height base									
A00	30	30	29½	(1) 4-star base	2583	3351	3268	3492	5714
AAA	36	36	29½	(1) 4-star base	2963	3800	3492	3722	6110
ABB	42	42	29½	(1) 4-star base	3268	4158	3722	3948	6510
ACC	48	48	29.5	(1) 4-star base	3569	4517	3948	4177	
arched square top with conference height base									
B00	30	30	29½	(1) 4-star base	2583	3351	3268	3492	5714
BAA	36	36	29½	(1) 4-star base	2963	3800	3492	3722	6110
BBB	42	42	29½	(1) 4-star base	3268	4158	3722	3948	
radius square top with conference height base									
C00	30	30	29½	(1) 4-star base	2583	3351	3268	3492	5714
CAA	36	36	29½	(1) 4-star base	2963	3800	3492	3722	6110
CBB	42	42	29½	(1) 4-star base	3268	4158	3722	3948	

specification codes example: PKS-SKU-F14C000

series
PKS playbook
P K S -

sku
- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
4C 4-Star base conference height
4 C

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum
powder coat upcharge $150
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + base assembly
conference height

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	 PP	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	 PP	**SSF** solid surface CC
square top with conference height base									
D00	30	30	29½	(1) 4-star base	2583		3268		5714
DAA	36	36	29½	(1) 4-star base	2963		3492		6110
DBB	42	42	29½	(1) 4-star base	3268		3722		

specification codes example: PKS-SKU-F14C000

material + finish code example: PAASH870

series

PKS playbook

P | K | S | -

sku

-

edge

F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base

4C 4-Star base
conference height

4 | C

power access location

Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

R01 triad surface mount power
Specify power style separately
see page 113

base finish

PA polished aluminum

powder coat upcharge $150

WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

top material

PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish

see pages 4-6



round or square top + base assembly
conference height

polished aluminum Y-base standard
round, arched, radius or square top
only available with (2) Y-bases
sku includes top and base



sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	 PP	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	 PP	**SSF** solid surface CC
round top with conference height base									
ADD	54	54	29½	(2) Y-bases	5771		7038	7385	12314
AEE	60	60	29½	(2) Y-bases	6376		7779	8163	13609
arched square top with conference height base									
BCC	48	48	29½	(2) Y-bases	5089	6034	5921	6263	11459
BDD	54	54	29½	(2) Y-bases	5771		7038	7385	12314
BEE	60	60	29½	(2) Y-bases	6376		7779	8163	13609
radius square top with conference height base									
CCC	48	48	29½	(2) Y-bases	5089	6034	5921	6263	11459
CDD	54	54	29½	(2) Y-bases	5771		7038	7385	12314
CEE	60	60	29½	(2) Y-bases	6376		7779	8163	13609

specification codes example: PKS-SKU-F1YC000

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
conference height

Y C

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

R01 triad surface mount power
Specify power style separately
see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + base assembly
conference height

polished aluminum Y-base standard
round, arched, radius or square top
only available with (2) Y-bases
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate F1	PP	ASH ash MPL maple OAK oak WLT walnut F1	PP	SSF solid surface CC
square top with conference height base									
DCC	48	48	29½	(2) Y-bases	5089		5921		11459
DDD	54	54	29½	(2) Y-bases	5771		7038		12314
DEE	60	60	29½	(2) Y-bases	6376		7779		13609

specification codes example: PKS-SKU-F1YC000

material + finish code example: PAASH870

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
conference height

Y C

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

R01 triad surface mount power
Specify power style separately
see page 113

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round top + base assembly
conference height

polished aluminum Y-base standard
round, arched, radius or square top
only available with (3) Y-bases
sku includes top and base



sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	PP	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	PP	**SSF** solid surface CC
round top with conference height base									
AFF	66	66	29½"	(3) Y-bases	8235		10062	10542	17577
AGG	72	72	29½"	(3) Y-bases	8804		10741	11268	18792
AHH	78	78	29½"	(3) Y-bases, *See note	9790		11944	12531	20898
AII	84	84	29½"	(3) Y-bases, *See note	11004		13423	14087	23490
AJJ	90	90	29½"	(3) Y-bases, *See note	12142		14812	15542	25920
AKK	96	96	29½"	(3) Y-bases, *See note	13242		16157	16951	28267

***Note:** Triad Surface Mount power module not available on skus AHH, AII, AJJ and AKK

specification codes example: PKS-SKU-F1YC000

series
PKS playbook
P K S -

sku
- - -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
conference height
Y C

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89
000 none or under mount power
see pages 94-96
R01 triad surface mount power
Specify power style separately
see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum
powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + mobile base assembly
conference height

polished aluminum 4-star mobile base standard
round, arched, radius or square top
2½" non-marring urethane chrome, white or black castors
see page 7 for caster specification
sku includes top and base



4-star Mobile Base

PLL solid laminate
WGL woodgrain laminate

ASH ash
MPL maple
OAK oak
WLT walnut

sku	l	w	h	bases	F1	PP	F1	PP
round top with conference height base								
A00	30	30	29½	(1) 4-star base	2661	3138	3343	3403
AAA	36	36	29½	(1) 4-star base	3037	3585	3569	3888
arched square top with conference height base								
B00	30	30	29½	(1) 4-star base	2661	3138	3343	3403
BAA	36	36	29½	(1) 4-star base	3037	3585	3569	3888
radius square top with conference height base								
C00	30	30	29½	(1) 4-star base	2661	3138	3343	3403
CAA	36	36	29½	(1) 4-star base	3037	3585	3569	3888

specification codes example: PKS-SKU-F14M000

series
PKS playbook

P K S -

sku

- - -

edge
F1 1" flat
PP 1" exposed ply

base
4M mobile base conference height

4 M

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or **under mount** power see pages 94-96
R01 **triad surface mount** power
Specify power style separately see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum
powder coat upcharge $150
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + mobile base assembly
conference height

polished aluminum 4-star mobile base standard
round, arched, radius or square top
2½" non-marring urethane chrome, white or black castors
see page 7 for caster specification
sku includes top and base



4-star Mobile Base

PLL solid laminate
WGL woodgrain laminate

ASH ash
MPL maple
OAK oak
WLT walnut

sku	l	w	h	bases	F1	PP	F1	PP
square top with conference height base								
D00	30	30	29½	(1) 4-star base	2661		3343	
DAA	36	36	29½	(1) 4-star base	3037		3569	

specification codes example: PKS-SKU-F14M000

material + finish code example: PAASH870

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply

base
4M mobile base
conference height

4 M

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89
000 none or **under mount** power
see pages 94-96
R01 **triad surface mount** power
Specify power style separately
see page 113

base finish
PA polished aluminum
powder coat upcharge $150
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + base assembly
counter height

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



					PLL solid laminate WGL woodgrain laminate		ASH ash MPL maple OAK oak WLT walnut		SSF solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
round top with counter height base									
A00	30	30	36	(1) 4-star base	2661	3138	3343	3403	6013
AAA	36	36	36	(1) 4-star base	3037	3585	3569	3888	6423
arched square top with counter height base									
B00	30	30	36	(1) 4-star base	2661	3138	3343	3403	6013
BAA	36	36	36	(1) 4-star base	3037	3585	3569	3888	6423
radius square top with counter height base									
C00	30	30	36	(1) 4-star base	2661	3138	3343	3403	6013
CAA	36	36	36	(1) 4-star base	3037	3585	3569	3888	6423

specification codes example: PKS-SKU-F14T000

series	sku	edge	base	power access location
PKS playbook		F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer	4T 4-Star base counter height	**Y01** WorkHub kits with 3" grommets see pages 88-89 **000** none or under mount power see pages 94-96 **R01** triad surface mount power Specify power style separately see page 113
P K S -	-		4 T	


material + finish code example: PAASH870

base finish	top material	top finish
PA polished aluminum powder coat upcharge $150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6



round or square top + base assembly
counter height

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



					PLL solid laminate WGL woodgrain laminate		ASH ash MPL maple OAK oak WLT walnut		SSF solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
square top with counter height base									
D00	30	30	36	(1) 4-star base	2661		3343		6013
DAA	36	36	36	(1) 4-star base	3037		3569		6423

specification codes example: PKS-SKU-F14T000

series	sku	edge	base	power access location
PKS playbook		F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer	4T 4-Star base counter height	**Y01** WorkHub kits with 3" grommets see pages 88-89 **000** none or under mount power see pages 94-96 **R01** triad surface mount power Specify power style separately see page 113
P K S -	-		4 T	


material + finish code example: PAASH870

base finish	top material	top finish
PA polished aluminum powder coat upcharge $150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6



round or square top + base assembly
bar height

polished aluminum 4-star base
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	PLL solid laminate, WGL woodgrain laminate: F1	PP	ASH ash, MPL maple, OAK oak, WLT walnut: F1	PP	SSF solid surface: CC
round top with bar height base									
A00	30	30	42	(1) 4-star base	2661	3138	3343	3403	6013
AAA	36	36	42	(1) 4-star base	3037	3585	3569	3888	6423
arched square top with bar height base									
B00	30	30	42	(1) 4-star base	2661	3138	3343	3403	6013
BAA	36	36	42	(1) 4-star base	3037	3585	3569	3888	6423
radius square top with bar height base									
C00	30	30	42	(1) 4-star base	2661	3138	3343	3403	6013
CAA	36	36	42	(1) 4-star base	3037	3585	3569	3888	6423

specification codes example: PKS-SKU-F14B000

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
4B 4-Star base bar height

4 B

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum
powder coat upcharge $150
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



round or square top + base assembly
bar height

polished aluminum 4-star base
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	PP	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	PP	**SSF** solid surface CC
square top with bar height base									
D00	30	30	42	(1) 4-star base	2661		3343		6013
DAA	36	36	42	(1) 4-star base	3037		3569		6423

specification codes example: PKS-SKU-F14B000

series
PKS playbook
P K S -

sku
- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
4B 4-Star base bar height
4 B

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113

material + finish code example: PAASH870

base finish
PA polished aluminum
powder coat upcharge $150
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6




lounge height tables



rectangular top + base assembly
lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

					PLL solid laminate **WGL** woodgrain laminate	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut	**SSF** solid surface
sku	l	w	h	bases	F1	F1	CC
EEA	60	36	26	2 bases	5390	6680	11687
EEB	60	42	26	2 bases	5580	6794	11886
EEC	60	48	26	2 bases	5771	6908	12087
EFA	66	36	26	2 bases	5543	6794	11886
EFB	66	42	26	2 bases	5735	6908	12087
EFC	66	48	26	2 bases	5921	7022	12285
EGA	72	36	26	2 bases	5735	6869	12021
EGB	72	42	26	2 bases	5921	6968	12191
EGC	72	48	26	2 bases	6110	7060	12352
EHA	78	36	26	2 bases	5846	6947	12152
EHB	78	42	26	2 bases	6036	7100	12418
EHC	78	48	26	2 bases	6224	7250	12682
EIA	84	36	26	2 bases	6072	7022	12285
EIB	84	42	26	2 bases	6263	7172	12551
EIC	84	48	26	2 bases	6453	7325	12817

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook
P K S -

sku
- -

edge
F1 1" flat
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89
000 none or under mount power
see pages 94-96
mediatrac1™ - see pages 101-108
upcharge $395
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
see powder coat finish options

base finish
PA polished aluminum
powder coat upcharge $375
see powder coat finish options


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



rectangular top + base assembly
lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

					PLL solid laminate **WGL** woodgrain laminate	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut	**SSF** solid surface
sku	l	w	h	bases	F1	F1	CC
EJB	90	42	26	2 bases	6567	7136	12482
EJC	90	48	26	2 bases	6755	7401	12948
EJD	90	54	26	2 bases	6947	7666	13415
EKB	96	42	26	2 bases	6680	7401	12948
EKC	96	48	26	2 bases	6908	7592	13280
EKD	96	54	26	2 bases	7136	7781	13614
ELB	102	42	26	2 bases	6869	7514	13147
ELC	102	48	26	2 bases	7100	7705	13478
ELD	102	54	26	2 bases	7325	7894	13810
EMB	108	42	26	2 bases	7060	7592	13280
EMC	108	48	26	2 bases	7286	7818	13415
EMD	108	54	26	2 bases	7514	8010	14010

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook
P K S -

sku
- - - -

edge
F1 1" flat
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89
000 none or under mount power
see pages 94-96
mediatrac1™ - see pages 101-108
upcharge $395
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
see powder coat finish options

base finish
PA polished aluminum
powder coat upcharge $375
see powder coat finish options


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



rectangular top + base assembly
lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	**SSF** solid surface CC
ENB	114	42	26	3 bases	8847	9527	16664
ENC	114	48	26	3 bases	9259	9790	17131
END	114	54	26	3 bases	9676	10055	17594
EOB	120	42	26	3 bases	9411	10586	18523
EOC	120	48	26	3 bases	9790	10776	18857
EOD	120	54	26	3 bases	10170	11004	19256

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

sku

edge
F1 1" flat
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



radius top + base assembly
lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
FEA	60	36	26	2 bases	5899	6362	7347	7599	12856
FEB	60	42	26	2 bases	6107	6584	7474	7790	13074
FEC	60	48	26	2 bases	6314	6808	7599	7975	13295
FFA	66	36	26	2 bases	6066	6540	7474	7682	13074
FFB	66	42	26	2 bases	6273	6765	7599	9559	13295
FFC	66	48	26	2 bases	6483	6988	7725	8100	13513
FGA	72	36	26	2 bases	6273	6765	7558	7891	13221
FGB	72	42	26	2 bases	6483	6988	7665	8082	13413
FGC	72	48	26	2 bases	6693	7212	7765	8266	13585
FHA	78	36	26	2 bases	6400	6881	7639	7975	13366
FHB	78	42	26	2 bases	6609	7121	7807	8224	13658
FHC	78	48	26	2 bases	6816	7345	7975	8476	13951
FIA	84	36	26	2 bases	6650	7165	7725	8100	13513
FIB	84	42	26	2 bases	6859	7392	7891	8333	13805
FIC	84	48	26	2 bases	7066	7613	8058	8559	14096
FJB	90	42	26	2 bases	7194	7748	7850	8559	13732
FJC	90	48	26	2 bases	7401	7971	8141	9350	14242
FJD	90	54	26	2 bases	7611		8431	9101	14753

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



radius top + base assembly
lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
FKB	96	42	26	2 bases	7319	7881	8141	8684	14242
FKC	96	48	26	2 bases	7568	8152	8349	8976	14608
FKD	96	54	26	2 bases	7818		8559	9268	14973
FLB	102	42	26	2 bases	7527		8266	8850	14463
FLC	102	48	26	2 bases	7777		8476	9144	14828
FLD	102	54	26	2 bases	7936		8684	9435	15192
FMB	108	42	26	2 bases	7734		8349	8976	14608
FMC	108	48	26	2 bases	7985		8431	9284	14753
FMD	108	54	26	2 bases	8235		8810	9601	15409

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

P | K | S | -

sku

-

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



radius top + base assembly
lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
FNB	114	42	26	3 bases	9697		10478	11230	18330
FNC	114	48	26	3 bases	10154		10768	11547	18843
FND	114	54	26	3 bases	10614		11062	11855	19353
FOB	120	42	26	3 bases	10322		11648	12231	20376
FOC	120	48	26	3 bases	10740		11855	12565	20743
FOD	120	54	26	3 bases	11154		12105	12856	21179

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6




capsule top + base assembly
lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
GGB	72	42	26	2 bases	6483	7651	7665	8082	13413
GGC	72	48	26	2 bases	6693	7896	7765	8266	13585
GHB	78	42	26	2 bases	6609	7799	7807	8224	13658
GHC	78	48	26	2 bases	6816	8042	7975	8476	13951
GIB	84	42	26	2 bases	6859	8093	7891	8333	13805
GIC	84	48	26	2 bases	7066	8338	8058	8559	14096
GJB	90	42	26	2 bases	7194	8485	7850	8559	13732
GJC	90	48	26	2 bases	7401	8734	8141	8810	14242
GJD	90	54	26	2 bases	7611		8431	9101	14753
GKB	96	42	26	2 bases	7319	8635	8141	8684	14242
GKC	96	48	26	2 bases	7568	8930	8349	8976	14608
GKD	96	54	26	2 bases	7818		8559	9268	14973
GLB	102	42	26	2 bases	7527		8266	8850	14463
GLC	102	48	26	2 bases	7777		8476	9144	14828
GLD	102	54	26	2 bases	7936		8684	9435	15192

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6




capsule top + base assembly
lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
GMB	108	42	26	2 bases	7734		8349	8976	14608
GMC	108	48	26	2 bases	7985		8431	9284	14753
GMD	108	54	26	2 bases	8235		8810	9601	15409

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6




capsule top + base assembly
lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	PP	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	PP	**SSF** solid surface CC
GNB	114	42	26	3 bases	9697		10478	11230	18330
GNC	114	48	26	3 bases	10154		10768	11547	18843
GND	114	54	26	3 bases	10614		11062	11855	19353
GOB	120	42	26	3 bases	10322		11648	12231	20376
GOC	120	48	26	3 bases	10740		11855	12565	20743
GOD	120	54	26	3 bases	11154		12105	12856	21179

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6



media-conference top + base assembly
freestanding lounge height

polished aluminum base standard
Y-base ONLY, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





all tops have one sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
ICB	48	42/32	26	2 bases	5776	6229	7222	7492	12638
IDB	54	42/32	26	2 bases	5943	6405	7347	7640	12857
IDC	54	48/38	26	2 bases	6140	6628	7474	7848	13076
IEB	60	42/32	26	2 bases	6107	6584	7474	7790	13074
IEC	60	48/38	26	2 bases	6314	6808	7599	7975	13295
IED	60	54/42	26	2 bases	6526		7817	8224	13678
IFB	66	42/32	26	2 bases	6273	6765	7599	7938	13295
IFC	66	48/38	26	2 bases	6483	6988	7725	8100	13513
IFD	66	54/42	26	2 bases	6693		7943	8350	13897

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base

Y L

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6



media-conference top + base assembly
freestanding lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





all tops have one sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
IGB	72	42/32	26	2 bases	6483	7651	7665	8082	13413
IGC	72	48/38	26	2 bases	6693	7896	7765	8266	13585
IGD	72	54/42	26	2 bases	6904		7984	8517	13969
IHB	78	42/32	26	2 bases	6609	7799	7807	8224	13658
IHC	78	48/38	26	2 bases	6816	8042	7975	8476	13951
IHD	78	54/42	26	2 bases	7026		8193	8727	14334
IIB	84	42/32	26	2 bases	6859	8093	7891	8333	13805
IIC	84	48/38	26	2 bases	7066	8338	8058	8559	14096
IID	84	54/42	26	2 bases	7276		8277	8810	14482
IJB	90	42/32	26	2 bases	7194	8485	7850	8559	13732
IJC	90	48/38	26	2 bases	7401	8734	8141	8810	14242
IJD	90	54/42	26	2 bases	7611		8431	9101	14753
IKB	96	42/32	26	2 bases	7319	8635	8141	8684	14242
IKC	96	48/38	26	2 bases	7568	8930	8349	8976	14608
IKD	96	54/42	26	2 bases	7818		8559	9268	14973
ILB	102	42/32	26	2 bases	7527		8266	8850	14463
ILC	102	48/38	26	2 bases	7777		8476	9144	14828
ILD	102	54/42	26	2 bases	7936		8684	9435	15192

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6



media-conference top + base assembly
freestanding lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





all tops have one sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
IMB	108	42/32	26	2 bases	7734		8349	8976	14608
IMC	108	48/38	26	2 bases	7985		8431	9284	14753
IMD	108	54/42	26	2 bases	8235		8810	9601	15409

specification codes example: PKS-SKU-F1YLTRK

material + finish code example: BKPAASH870

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6



media-conference top + base assembly
freestanding lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





all tops have one sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
INB	114	42/32	26	3 bases	9697		10478	11230	18330
INC	114	48/38	26	3 bases	10154		10768	11547	18843
IND	114	54/42	26	3 bases	10614		11062	11855	19353
IOB	120	42/32	26	3 bases	10322		11648	12231	20376
IOC	120	48/38	26	3 bases	10740		11855	12565	20743
IOD	120	54/42	26	3 bases	11154		12105	12856	21179

specification codes example: PKS-SKU-F1YLTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YL Y-base
TL T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6




conference height tables



rectangular top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	**SSF** solid surface CC
EEA	60	36	29½	2 bases	5390	6680	11687
EEB	60	42	29½	2 bases	5580	6794	11886
EEC	60	48	29½	2 bases	5771	6908	12087
EFA	66	36	29½	2 bases	5543	6794	11886
EFB	66	42	29½	2 bases	5735	6908	12087
EFC	66	48	29½	2 bases	5921	7022	12285
EGA	72	36	29½	2 bases	5735	6869	12021
EGB	72	42	29½	2 bases	5921	6968	12191
EGC	72	48	29½	2 bases	6110	7060	12352
EHA	78	36	29½	2 bases	5846	6947	12152
EHB	78	42	29½	2 bases	6036	7100	12418
EHC	78	48	29½	2 bases	6224	7250	12682
EIA	84	36	29½	2 bases	6072	7022	12285
EIB	84	42	29½	2 bases	6263	7172	12551
EIC	84	48	29½	2 bases	6453	7325	12817

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



rectangular top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut	**SSF** solid surface
sku	l	w	h	bases	F1	F1	CC
EJB	90	42	29½	2 bases	6567	7136	12482
EJC	90	48	29½	2 bases	6755	7401	12948
EJD	90	54	29½	2 bases	6947	7666	13415
EKB	96	42	29½	2 bases	6680	7401	12948
EKC	96	48	29½	2 bases	6908	7592	13280
EKD	96	54	29½	3 bases	7136	7781	13614
ELB	102	42	29½	2 bases	6869	7514	13147
ELC	102	48	29½	2 bases	7100	7705	13478
ELD	102	54	29½	2 bases	7325	7894	13810
EMB	108	42	29½	2 bases	7060	7592	13280
EMC	108	48	29½	2 bases	7286	7818	13415
EMD	108	54	29½	2 bases	7514	8010	14010

specification codes example: PKS-SKU-F1YCTRK

material + finish code example: BKPAASH870

series
PKS playbook

P | K | S | -

sku

- |

edge
F1 1" flat
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



rectangular top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut	**SSF** solid surface
sku	l	w	h	bases	F1	F1	CC
ENB	114	42	29½	3 bases	8847	9527	16664
ENC	114	48	29½	3 bases	9259	9790	17131
END	114	54	29½	3 bases	9676	10055	17594
EOB	120	42	29½	3 bases	9411	10586	18523
EOC	120	48	29½	3 bases	9790	10776	18857
EOD	120	54	29½	3 bases	10170	11004	19256
EQC	132	48	29½	3 bases	10017	11080	19387
EQD	132	54	29½	3 bases	10471	11269	19718
ESC	144	48	29½	3 bases	10359	11534	20182
ESD	144	54	29½	3 bases	10929	11764	20584
EUD	156	54	29½	3 bases	11269	11990	20979
EWD	168	54	29½	3 bases	11650	12596	22041

specification codes example: PKS-SKU-F1YCTRK

material + finish code example: BKPAASH870

series
PKS playbook

P | K | S | -

sku

| | | | -

edge
F1 1" flat
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



rectangular top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 72" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut	**SSF** solid surface
sku	l	w	h	bases	F1	F1	CC
EYD	180	54	29½	4 bases	12295	13053	22841
E1D	192	54	29½	4 bases	12899	13810	24167
E3D	204	54	29½	4 bases	13433	14417	25227
E5D	216	54	29½	4 bases	13962	14911	26091
E7D	228	54	29½	4 bases	14570	15328	26822

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

sku

edge
F1 1" flat
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $675
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



rectangular top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 72" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	**SSF** solid surface CC
E9D	240	54	29½	5 bases	15100	15504	27128

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

sku

edge
F1 1" flat
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $825
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



radius top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately






tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
FEA	60	36	29½	2 bases	5899	6362	7347	7599	12856
FEB	60	42	29½	2 bases	6107	6584	7474	7790	13074
FEC	60	48	29½	2 bases	6314	6808	7599	7975	13295
FFA	66	36	29½	2 bases	6066	6540	7474	7682	13074
FFB	66	42	29½	2 bases	6273	6765	7599	7938	13295
FFC	66	48	29½	2 bases	6483	6988	7725	8100	13513
FGA	72	36	29½	2 bases	6273	6765	7558	7891	13221
FGB	72	42	29½	2 bases	6483	6988	7665	8082	13413
FGC	72	48	29½	2 bases	6693	7212	7765	8266	13585
FHA	78	36	29½	2 bases	6400	6881	7639	7975	13366
FHB	78	42	29½	2 bases	6609	7121	7807	8224	13658
FHC	78	48	29½	2 bases	6816	7345	7975	8476	13951
FIA	84	36	29½	2 bases	6650	7165	7725	8100	13513
FIB	84	42	29½	2 bases	6859	7392	7891	8333	13805
FIC	84	48	29½	2 bases	7066	7613	8058	8559	14096
FJB	90	42	29½	2 bases	7194	7748	7850	8559	13732
FJC	90	48	29½	2 bases	7401	7971	8141	8810	14242
FJD	90	54	29½	2 bases	7611		8431	9101	14753

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



radius top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
FKB	96	42	29½	2 bases	7319	7881	8141	8684	14242
FKC	96	48	29½	2 bases	7568	8152	8349	8976	14608
FKD	96	54	29½	2 bases	7818		8559	9268	14973
FLB	102	42	29½	2 bases	7527		8266	8850	14463
FLC	102	48	29½	2 bases	7777		8476	9144	14828
FLD	102	54	29½	2 bases	7936		8684	9435	15192
FMB	108	42	29½	2 bases	7734		8349	8976	14608
FMC	108	48	29½	2 bases	7985		8431	9284	14753
FMD	108	54	29½	2 bases	8235		8810	9601	15409

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



radius top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately






tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
FNB	114	42	29½	3 bases	9697		10478	11230	18330
FNC	114	48	29½	3 bases	10154		10768	11547	18843
FND	114	54	29½	3 bases	10614		11062	11855	19353
FOB	120	42	29½	3 bases	10322		11648	12231	20376
FOC	120	48	29½	3 bases	10740		11855	12565	20743
FOD	120	54	29½	3 bases	11154		12105	12856	21179
FQC	132	48	29½	3 bases	10990		12186	12982	21326
FQD	132	54	29½	3 bases	11491		12399	13233	21688
FSC	144	48	29½	3 bases	11366		12687	13567	22199
FSD	144	54	29½	3 bases	11990		12938	14023	22640
FUD	156	54	29½	3 bases	12367		13190	14275	23079
FWD	168	54	29½	3 bases	12784		13857	14691	24248

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

P | K | S | -

sku

- | -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



radius top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately






tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has four sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
FYD	180	54	29½	4 bases	13492		14358	15275	25121
F1D	192	54	29½	4 bases	14159		15192	17237	26584
F3D	204	54	29½	4 bases	14745		15860	17612	27752
F5D	216	54	29½	4 bases	15328		16403	17988	28700
F7D	228	54	29½	4 bases	15997		16861	18363	29506

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $675
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



radius top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately






tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has four sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
F9D	240	54	29½	5 bases	16581		17054	18782	29839

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $825
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6




capsule top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately






tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
haa three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
GGB	72	42	29½	2 bases	6483	7651	7665	8082	13413
GGC	72	48	29½	2 bases	6693	7896	7765	8266	13585
GHB	78	42	29½	2 bases	6609	7799	7807	8224	13658
GHC	78	48	29½	2 bases	6816	8042	7975	8476	13951
GIB	84	42	29½	2 bases	6859	8093	7891	8333	13805
GIC	84	48	29½	2 bases	7066	8338	8058	8559	14096
GJB	90	42	29½	2 bases	7194	8485	7850	8559	13732
GJC	90	48	29½	2 bases	7401	8734	8141	8810	14242
GJD	90	54	29½	2 bases	7611		8431	9101	14753
GKB	96	42	29½	2 bases	7319	8635	8141	8684	14242
GKC	96	48	29½	2 bases	7568	8930	8349	8976	14608
GKD	96	54	29½	2 bases	7818		8559	9268	14973
GLB	102	42	29½	2 bases	7527		8266	8850	14463
GLC	102	48	29½	2 bases	7777		8476	9144	14828
GLD	102	54	29½	2 bases	7936		8684	9435	15192

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6




capsule top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately






tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
haa three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
GMB	108	42	29½	2 bases	7734		8349	8976	14608
GMC	108	48	29½	2 bases	7985		8431	9284	14753
GMD	108	54	29½	2 bases	8235		8810	9601	15409

specification codes example: PKS-SKU-F1YCTRK

material + finish code example: BKPAASH870

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6




capsule top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately






tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
GNB	114	42	29½	3 bases	9697		10478	11230	18330
GNC	114	48	29½	3 bases	10154		10768	11547	18843
GND	114	54	29½	3 bases	10614		11062	11855	19353
GOB	120	42	29½	3 bases	10322		11648	12231	20376
GOC	120	48	29½	3 bases	10740		11855	12565	20743
GOD	120	54	29½	3 bases	11154		12105	12856	21179
GQC	132	48	29½	3 bases	10990		12186	12982	21326
GQD	132	54	29½	3 bases	11491		12399	13233	21688
GSC	144	48	29½	3 bases	11366		12687	13567	22199
GSD	144	54	29½	3 bases	11990		12938	14023	22640
GUD	156	54	29½	3 bases	12367		13190	14275	23079
GWD	168	54	29½	3 bases	12784		13857	14691	24248

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6




capsule top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately






tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
GYD	180	54	29½	4 bases	13492		14358	15275	25121
G1D	192	54	29½	4 bases	14159		15192	17237	26584
G3D	204	54	29½	4 bases	14745		15860	17612	27752
G5D	216	54	29½	4 bases	15328		16403	17988	28700
G7D	228	54	29½	4 bases	15997		16861	18363	29506

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $675
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6




capsule top + base assembly
conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately






tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
G9D	240	54	29 1/2	5 bases	16581		17054	18782	29839

specification codes example: PKS-SKU-F1YCTRK

material + finish code example: BKPAASH870

series
PKS playbook

P | K | S | -

sku

-

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $825
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6



media top + base assembly
freestanding conference height

polished aluminum base standard
Y-base ONLY, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





all tops have one sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
ICB	48	42/32	29½	2 bases	5776	6229	7222	7492	12638
IDB	54	42/32	29½	2 bases	5943	6405	7347	7640	12857
IDC	54	48/38	29½	2 bases	6140	6628	7474	7848	13076
IEB	60	42/32	29½	2 bases	6107	6584	7474	7790	13074
IEC	60	48/38	29½	2 bases	6314	6808	7599	7975	13295
IED	60	54/42	29½	2 bases	6526		7817	8224	13678
IFB	66	42/32	29½	2 bases	6273	6765	7599	7938	13295
IFC	66	48/38	29½	2 bases	6483	6988	7725	8100	13513
IFD	66	54/42	29½	2 bases	6693		7943	8350	13897

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6



media top + base assembly
freestanding conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





all tops have one sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
IGB	72	42/32	29½	2 bases	6483	7651	7665	8082	13413
IGC	72	48/38	29½	2 bases	6693	7896	7765	8266	13585
IGD	72	54/42	29½	2 bases	6904		7984	8517	13969
IHB	78	42/32	29½	2 bases	6609	7799	7807	8224	13658
IHC	78	48/38	29½	2 bases	6816	8042	7975	8476	13951
IHD	78	54/42	29½	2 bases	7026		8193	8727	14334
IIB	84	42/32	29½	2 bases	6859	8093	7891	8333	13805
IIC	84	48/38	29½	2 bases	7066	8338	8058	8559	14096
IID	84	54/42	29½	2 bases	7276		8277	8810	14482
IJB	90	42/32	29½	2 bases	7194	8485	7850	8559	13732
IJC	90	48/38	29½	2 bases	7401	8734	8141	8810	14242
IJD	90	54/42	29½	2 bases	7611		8431	9101	14753
IKB	96	42/32	29½	2 bases	7319	8635	8141	8684	14242
IKC	96	48/38	29½	2 bases	7568	8930	8349	8976	14608
IKD	96	54/42	29½	2 bases	7818		8559	9268	14973
ILB	102	42/32	29½	2 bases	7527		8266	8850	14463
ILC	102	48/38	29½	2 bases	7777		8476	9144	14828
ILD	102	54/42	29½	2 bases	7936		8684	9435	15192

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6



media top + base assembly
freestanding conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





all tops have one sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
IMB	108	42/32	29½	2 bases	7734		8349	8976	14608
IMC	108	48/38	29½	2 bases	7985		8431	9284	14753
IMD	108	54/42	29½	2 bases	8235		8810	9601	15409

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish
see pages 4-6



media top + base assembly
freestanding conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately





all tops have one sectional veneer top

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
INB	114	42/32	29½	3 bases	9697		10478	11230	18330
INC	114	48/38	29½	3 bases	10154		10768	11547	18843
IND	114	54/42	29½	3 bases	10614		11062	11855	19353
IOB	120	42/32	29½	3 bases	10322		11648	12231	20376
IOC	120	48/38	29½	3 bases	10740		11855	12565	20743
IOD	120	54/42	29½	3 bases	11154		12105	12856	21179

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

sku

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

P | K | S | - | | | | - | | | | | | |

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $525
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6



mediawall + run-off tables

conference height




upholstered audio visual mediawall
conference height


one-sided mediawall with AV storage capabilities
comes with bottom glide, specify glide plate finish below
connects to conference height run-off tables only
conference height run-off tables must be specified separately

When specifying textiles visit the Playbook product page on BernhardtDesign.com. In the left- hand column, select graded-in textiles. A complete list of recommended Bernhardt Textiles will be displayed here. Click on the textile of choice and you will be taken to the corresponding textile page on the Bernhardt Design website. Use the four-digit pattern number for the base fabric code shown below and the three-digit colorway number for the base fabric colorway shown below.

Fabric must be railroaded. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application.



	Sku	W	D	H	Fabric
upholstered av mediawall	**PMC**	59" 1499 mm	8½" 216 mm	70¼" 1784 mm	6.25 yds 5.72 m



COM	-	1	2	3	4	5	6	7	8	9	10	11
4026	-	4651	4776	4846	4943	5054	5110	5207	5290	5388	5526	6013

specification codes example: PKS-PMC-G

series

PKS playbook

P K S -

sku

P M C -

grommets

G tv grommets
N no tv grommets

material + finish code example: 0000-000-BK

base fabric

see bernhardttextiles.com

- -

base fabric colorway

see bernhardttextiles.com

- -


glide plate finish

WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat




veneer audio visual mediawall

one-sided mediawall with AV storage capabilities
comes with bottom glide, specify glide plate finish below
connects to conference height run-off tables only
conference height run-off tables must be specified separately



ASH ash
MPL maple
OAK oak
WLT walnut

	sku	l	w	h	
veneer av mediawall	**PMY**	59	11⅛	70¼	$ 5457



specification codes example: PKS-PMY-G

series	sku	tv grommet option
PKS playbook		**G** tv grommets **N** no tv grommets
P K S -	P M Y -	

material + finish code example: ALASH805

glide plate finish	veneer selection	veneer finish
WH satin white powder coat **AL** aluminum powder coat **GR** graphite powder coat **BZ** bronze powder coat **IG** iron grey powder coat **RD** black red powder coat **BK** matte black powder coat	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut	see pages 5-6




upholstered freestanding mediawall


freestanding mediawall with fully upholstered back panel
comes with bottom glide, specify glide plate finish below
available in single and double-sided configurations.
comes with bottom glides, specify finish color below
connects to conference height run-off tables only
conference height run-off tables must be specified separately

When specifying textiles visit the Playbook product page on BernhardtDesign.com. In the left- hand column, select graded-in textiles. A complete list of recommended Bernhardt Textiles will be displayed here. Click on the textile of choice and you will be taken to the corresponding textile page on the Bernhardt Design website. Use the four-digit pattern number for the base fabric code shown below and the three-digit colorway number for the base fabric colorway shown below..

Fabric must be railroaded. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application.




upholstered freestanding mediawall single sided



Sku		W	D	H	Fabric
PSU		59" 1499 mm	12½" 318 mm	73⅝" 1871 mm	9.75 yds 8.15 m

COM	-	1	2	3	4	5	6	7	8	9	10	11
4418	-	5393	5588	5697	5848	6022	6108	6260	6390	6542	6758	7517

upholstered freestanding mediawall double sided



PDU		59" 1499 mm	15½" 394 mm	73⅝" 1871 mm	9.75 yds 8.15 m

COM	-	1	2	3	4	5	6	7	8	9	10	11
4679	-	5654	5849	5958	6109	6283	6369	6521	6651	6803	7019	7778

specification codes example: PKS-SKU-G

series

PKS playbook

P | K | S | -

sku

| | | | - |

grommets

G tv grommets
N no tv grommets

material + finish code example: 0000-000-BK

base fabric

see bernhardttextiles.com

| | | | | - |

base fabric colorway

see bernhardttextiles.com

| | | | - |


glide plate finish

WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat




veneer freestanding mediawall

freestanding mediawall with fully finished back
optional tv wire management grommet can be specified below
available in single and double-sided configurations.
comes with bottm glides, specify finish color below
connects to conference height run-off tables only
conference height run-off tables must be specified separately




ASH ash
MPL maple
OAK oak
WLT walnut

	sku	l	w	h	
veneer freestanding mediawall single sided	**PSV**	59	15½	73⅝	$ 7537



veneer freestanding mediawall double sided	**PDV**	59	15½	73⅝	7796



specification codes example: PKS-SKU-G

series	sku	tv grommet option
PKS playbook		**G** tv grommets **N** no tv grommets
P K S -	-	


material + finish code example: ALASH805

glide plate finish	veneer selection	veneer finish
WH satin white powder coat **AL** aluminum powder coat **GR** graphite powder coat **BZ** bronze powder coat **IG** iron grey powder coat **RD** black red powder coat **BK** matte black powder coat	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut	see pages 5-6




run-off top + base assembly
conference height

polished aluminum base standard
only connects to conference height upholstered mediawall
specify mediawall separately
Y-base and T-base option available - specify below
specify Powertrack finish when choosing Powertrack power option
Specify surface mount module separately
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top



Y-base Conference Height Table
with Conference Height Mediawall

T-base Conference Height Table
with Conference Height Mediawall

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
MCB	48	42/32	29½	1 base	4365	5153	5617	6180	10109
MCC	48	48/38	29½	1 base	4594	5420	5656	6221	10178
MCD	48	54/42	29½	1 base	4784		5694	6263	10245
MDB	54	42/32	29½	1 base	4556	5375	5735	6307	10313
MDC	54	48/38	29½	1 base	4784	5645	5771	6346	10383
MDD	54	54/42	29½	1 base	4974		5808	6388	10451
MEB	60	42/32	29½	1 base	4708	5555	5846	6431	10520
MEC	60	48/38	29½	1 base	4974	5867	5885	6473	10586
MED	60	54/42	29½	1 base	5239		6072	6680	10929
MFB	66	42/32	29½	1 base	4897	5778	6110	6722	10999
MFC	66	48/38	29½	1 base	5163	6092	6150	6765	11064
MFD	66	54/42	29½	1 base	5429		6187	6805	11135

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

P K S -

sku

-

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or under mount power
see pages 94-96

mediatrac1™ - see pages 101-108

Z06 surface mount - see page 112

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $250
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6




run-off top + base assembly
conference height

polished aluminum base standard
only connects to conference height upholstered mediawall
specify mediawall separately
Y-base and T-base option available - specify below
specify Powertrack finish when choosing Powertrack power option
Specify surface mount module separately
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top



Y-base Conference Height Table
with Conference Height Mediawall

T-base Conference Height Table
with Conference Height Mediawall

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
MGB	72	42/32	29½	1 base	5089	6001	6224	6847	11203
MGC	72	48/38	29½	1 base	5353	6314	6263	6889	11269
MGD	72	54/42	29½	1 base	5656		6300	6930	11339
MHB	78	42/32	29½	1 base	5239	6182	6340	6974	11407
MHC	78	48/38	29½	1 base	5580	6583	6376	7013	11475
MHD	78	54/42	29½	1 base	5885		6415	7054	11544
MIB	84	42/32	29½	1 base	5390	6362	6453	7100	11612
MIC	84	48/38	29½	1 base	5735	6765	6491	7139	11680
MID	84	54/42	29½	1 base	6072		6529	7181	11748

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook

P K S -

sku

- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

Z06 surface mount - see page 112

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum

powder coat upcharge $250
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6




run-off top + base assembly
conference height

polished aluminum base standard
only connects to conference height upholstered mediawall
specify mediawall separately
Y-base and T-base option available - specify below
specify Powertrack finish when choosing Powertrack power option
Specify surface mount module separately
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top



Y-base Conference Height Table
with Conference Height Mediawall

T-base Conference Height Table
with Conference Height Mediawall

					PLL solid laminate **WGL** woodgrain laminate		**ASH** ash **MPL** maple **OAK** oak **WLT** walnut		**SSF** solid surface
sku	l	w	h	bases	F1	PP	F1	PP	CC
MJB	90	42/32	29½	2 bases	7494	8846	8154	8967	14670
MJC	90	48/38	29½	2 bases	7705	9091	8443	9289	15196
MJD	90	54/42	29½	2 bases	7911		8431	9275	15173
MKB	96	42/32	29½	2 bases	7621	8993	8141	8956	14651
MKC	96	48/38	29½	2 bases	7872	9288	8349	9183	15024
MKD	96	54/42	29½	2 bases	8120		8558	9414	15401
MLB	102	42/32	29½	2 bases	7831		8266	9092	14875
MLC	102	48/38	29½	2 bases	8080		8473	9321	15249
MLD	102	54/42	29½	2 bases	8332		8684	9550	15626
MMB	108	42/32	29½	2 bases	8039		8349	9183	15024
MMC	108	48/38	29½	2 bases	8287		8431	9275	15173
MMD	108	54/42	29½	2 bases	8539		8809	9690	15849

specification codes example: PKS-SKU-F1YCTRK

material + finish code example: BKPAASH870

series

PKS playbook

P K S -

sku

- -

edge

F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base

YC Y-base
TC T-base

power access location

Y01 WorkHub kits with 3" grommets
see pages 88-89

000 none or **under mount power**
see pages 94-96

mediatrac1™ - see pages 101-108

Z06 surface mount - see page 112

upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91

powertrack finish

WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish

PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

top material

PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian


top finish

see pages 4-6




run-off top + base assembly
conference height

polished aluminum base standard
only connects to conference height upholstered mediawall
specify mediawall separately
Y-base and T-base option available - specify below
specify Powertrack finish when choosing Powertrack power option
Specify surface mount module separately
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top



Y-base Conference Height Table
with Conference Height Mediawall

T-base Conference Height Table
with Conference Height Mediawall

sku	l	w	h	bases	**PLL** solid laminate **WGL** woodgrain laminate F1	 PP	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut F1	 PP	**SSF** solid surface CC
MNB	114	42/32	29½	2 bases	10000		10476	11524	18857
MNC	114	48/38	29½	2 bases	10458		10768	11847	19382
MND	114	54/42	29½	2 bases	10917		11062	12167	19907
MOB	120	42/32	29½	2 bases	10624		11646	12809	20958
MOC	120	48/38	29½	2 bases	11041		11855	13038	21334
MOD	120	54/42	29½	2 bases	11459		12105	13312	21784

specification codes example: PKS-SKU-F1YCTRK

series
PKS playbook
P K S -

sku
- -

edge
F1 1" flat
PP 1" exposed ply
CC 1¼" corian chamfer

base
YC Y-base
TC T-base

power access location
Y01 WorkHub kits with 3" grommets
see pages 88-89
000 none or **under mount power**
see pages 94-96
mediatrac1™ - see pages 101-108
Z06 surface mount - see page 112
upcharge $382
TRK Powertrack
Specify WorkHub kits separately
see pages 90-91





material + finish code example: BKPAASH870

powertrack finish
WH satin white
AL aluminum
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

base finish
PA polished aluminum
powder coat upcharge $350
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
ASH ash
MPL maple
OAK oak
WLT walnut
SSF corian

top finish
see pages 4-6

	description	sku	w	d	h	specifications	price
	**display mount**	TVL	26	⅝	16⅞	accommodates 32"-80" tvs	781
		6 outlet center, 110v 15 amp 15' plug-in cord surge protector UL Listed					
	**av rack**	2RU	19¼	3½	6		573
		VPM - 2, shelf max weight capactiy: 200 lbs 3½" usable depth, 19" usabled width mounting: horizontal/vertical able to mount (2) vertical rack mounts into threaded insert for use with PMC and PMY mediawalls ONLY					
	**vertical shelf**	VSH	19	10	1¾		312
		UTR1 weight capacity: 25 lbs holds small componesnt, wireless unts and other gear for use with PMC and PMY mediawalls ONLY					
	**camera shelf**	WCS	12	⅝	1¼		232
		mounts to monitor mount panel top or bottom panel mount holds any polycam camera wire pass through in back black powder coat steel					
	**wire clip kit**	WMP	1⅝	⅞	1½		134
		(5)½" cable clamps (5)½" large cable holders hardward included					

specification codes example: ACS-SKU

series sku

A C S -



power + accessories

WorkHub Power Module



The Playbook WorkHub is a new and casual way to address the rapid and flexible needs of todays' collaborative and team rooms by bringing the connection points to the worksurface.


The WorkHub power module integrates into a standard 3" grommet or the new Playbook Powertrack. It is configured with: (4) receptacles, (1) USB 2-Type A-Port and (1) USB 3 Type-C Port. Modules are only available in matte gray with dark gray felt.


The WorkHub power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2

Specify grommet location on table assembly pages 85-86 for use with 3" grommet. For more information see page 67. Specify TRK on table assembly pages 87-88 for use with Powertrack.

WorkHub Power Module

- Matte Grey/Dark Grey Felt
- (4) 120 v 60 Hz. 15 amp receptacles
- (1) USB Type-A Port 2.1 amp
- (1) USB Type-C Port 2.1 amp 20 watt
- Must be used with either the Powertrack or a 3" grommet
- Includes adapter kit for both round grommet and powertrack options







Showing Powertrack used in conjunction with the WorkHub power module. Up to 3 WorkHubs can be sequentially connected off of one single corded electrical infeed.

Interlink Connector

Matte Black Finish



Power Infeed




10' interlink power infeed with 15 amp plug



15 amp receptacle



10' power infeed with hardwired conduit




10' power infeed with 15 amp plug




15 amp receptacle


WorkHub Side Section



WorkHub installed in 3" communication




WorkHub installed in Powertrack




Section view of the WorkHub installed into a 3" communication grommet. The recessed detail on the bottom of the unit provides a path to pull an HDMI or CAT6 line through for additional access to connection points.

Tops are available with the optional Powertrack cut out and trim for an upcharge. **Specify on bottom of table page.**



Section view of the WorkHub as it is integrated into the Powertrack. When used in conjunction with the Powertrack and the cable nuggets all of the wires are neatly concealed in the PowerBay below the top.


Playbook Powertrack




Available for the Playbook conference tables, the new Powertrack pass thru offers simple flexibility in cord location, allowing cables to freely move along the length of the worksurface.

When used in conjunction with the WorkHub, the Powertrack allows the WorkHub to slide along the track for maximized power accessibility. This track is offered in a range of powder coat colors and is specified separately from base color for added personalization flexibility. Powertrack has (1) cable nugget kit included in each order.


Powertrack **TKR** is specified under the power process location dropdown with an upcharge. Specify WorkHub power modules separately.




Conference/Media-Conference Tops
60" - 120"




Conference Tops
132" - 240"
Powertrack Cutout Details



Mediawall Tops
48" - 120"
Powertrack Cutout Details




The Powertrack has larger openings on both ends to allow power plugs to easily pass through the track and feed into the felt PowerBay underneath.




Detail view of the Playbook top with the new Powertrack option. Powertrack is specified on the bottom sku string for an upcharge. Powertrack finish is specified separately from base finish.

Playbook Cable Nuggets




Cable nuggets are a versatile accessory intended to be used with the Powertrack. This item is made from soft touch rubber and is intended for any cables routed up through the Powertrack. The nugget grips the cable and neatly nestles into the Powertrack, keeping the head of the cord in an easily accessible position and preventing the head of the cable from falling back through the trim and into the felt PowerBay.


Powertrack has (1) cable nugget kit included in each order. 1 kit includes a total of 8 nuggets: 2 small, 4 medium, 2 large.




Cable Nugget holds cable head in readily available position in the Powertrack and prevents smaller cable heads from falling through the crack.



Small
for thinner charging cables



Medium
for standard USB and data cables




Large
for thicker HDMI cables

1 Kit includes: 2 Small, 4 Medium and 2 Large Nuggets in Dark Grey finish.

WorkHub Grommet Placement Kits


WorkHub power options by Bernhardt Design are offered as a kit which includes all WorkHubs and necessary components needed to bring power from the floor to the user. Your kit will come complete with all necessary parts to install in the field.



Ordering WorkHubs with 3" Communication Grommets

- Determine the amount of power needed
- Select the grommet code that best suits your requirements
  (make sure that this grommet code matches the code used when ordering your top)
- Select the type of power infeed you need
- Select the grommet frame finish

The WorkHub Kit will ship separately and will be installed in the **field.**
See pages 68-69 for installation locations.



Ordering Example:

120" x 54" Table with Y Base
Walnut Veneer, 870 Finish
Y02 Grommet Code with 4-trac corded power
Bronze Powder Coat 3" Grommet Finish


specification codes example: PKS-Y02-CRD

series	sku	power option	grommet frame finish
top		**CRD** corded	**BA** brushed aluminum
		HWD hardwired	**PA** polished aluminum
		ITK sequential interlink	**WH** satin white powder coat
			GR graphite powder coat
			BZ bronze powder coat
			IG iron grey powder coat
			RD black red powder coat
			BK matte black powder coat
P K S -	Y 0 2 -	C R D	B A

Ordering WorkHubs with Powertrack

- Select TRK when ordering your table
- Select powertrack finish when ordering your table
- Determine the amount of power needed
- Select the number of WorkHubs that best suits your requirements
- Select the type of power infeed you need

The WorkHub Kit will ship separately and will be installed in the **field.**
See pages 70-71 for installation locations.







Ordering Example:

120" x 54" Table with Y Base
TRK Powertrack with Bronze Finish
Walnut Veneer, 870 Finish
TR2 WorkHub Kit Code with
Sequential Interlink

specification codes example: PKS-TR2-ITK

series	sku	power option
top		**CRD** corded
		HWD hardwired
		ITK sequential interlink
P K S -	T R 2 -	I T K

WorkHub grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

sku	specifications	frame material **ALM** aluminum
Y01	**30" - 72" Round and Square Tables**	$ 1399
	(1) 3" single round pass through grommet kit (1) workhub power module kit	
		
	60" - 240" Table	1399
	(1) 3" single round pass through grommet kit (1) workhub power module kit	
		
	48" - 120" Table	1399
	(1) 3" single round pass through grommet kit (1) workhub power module kit	
		
Y02	**72" - 120" Table**	2659
	(2) 3" single round pass through grommet kits (2) workhub power module kits	
		





specification codes example: MTS-SKU-CRD

series	sku	power option
top		**CRD** corded **HWD** hardwired **ITK** sequential interlink
P K S -	-	

material + finish code example: BA

grommet frame finish
BA brushed aluminum
PA brushed aluminum
WH satin white powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

WorkHub grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

sku	specifications	frame material **ALM** aluminum
YR3	**72" - 96" Round Tables** (3) 3" single round pass through grommet kit (3) workhub power module kits 	$ 3710
Y03	**96" - 192" Table** (3) 3" single round pass through grommet kit (3) workhub power module kits 	3710
	96" - 120" Table (3) 3" single round pass through grommet kit (3) workhub power module kits 	3710
Y04	**144" - 240" Table** (4) 3" single round pass through grommet kits (4) workhub power module kits (2) power infeeds with sequential interlinks 	5193

specification codes example: MTS-SKU-CRD





series	**sku**	**power option**
top		**CRD** corded **HWD** hardwired **ITK** sequential interlink
P K S -	-	

material + finish code example: BA

grommet frame finish
BA brushed aluminum **PA** brushed aluminum **WH** satin white powder coat **GR** graphite powder coat **BZ** bronze powder coat **IG** iron grey powder coat **RD** black red powder coat **BK** matte black powder coat

WorkHub grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Powertrac is included as a part of the table spec.





sku	specifications	frame material **ALM** aluminum
TR1	**60" - 120" Tables** (1) workhub power module kit 	$ 1334
	48" - 120" Tables (1) workhub power module kit 	1334
TR2	**60" - 120" Tables** (2) workhub power module kits 	2597
	60" - 120" Tables (2) workhub power module kits 	2597

specification codes example: MTS-SKU-CRD

series	**sku**	**power option**
top P K S -	-	**CRD** corded **HWD** hardwired **ITK** sequential interlink




WorkHub grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Powertrac is included as a part of the table spec.

sku	specifications	frame material **ALM** aluminum
TR3	**72" - 120" Tables**	$ 3646
	(3) workhub power module kits 	
	72" - 120" Tables	3646
	(3) workhub power module kits 	
TR4	**96" - 240" Tables**	5128
	(4) workhub power module kits (2) power infeeds with sequential interlinks 	
	96" - 120" Tables	5128
	(4) workhub power module kits (2) power infeeds with sequential interlinks 	

specification codes example: MTS-SKU-CRD

series	**sku**	**power option**
top P K S -	-	**CRD** corded **HWD** hardwired **ITK** sequential interlink

	description	sku	w	d	h	specifications	price
	**3" communication grommet**	GNC	3	3	⅞	specify with table top order	169
		GMT	3	3	⅞	field installed	123
						die cast zinc fits 2½" opening available in brushed and polished aluminum and powder coat finishes shown below available ONLY on WorkHub with 3" grommets	
	**felt cable drop**	PDL	7	2¾	16¼	lounge height	689
		PDC	7	2¾	19¾	conference height	689
						dark grey felt with black zipper zippered for management access field installed	
	**cable nuggets**	PCN	1½	1½	⅝		102
						dark gray, soft touch rubber kit includes: (2) small nuggets - for thinner charging cables (4) medium nuggets - for standard USB and data cables (2) large nuggets - for thicker HDMI cables (1) kit included when specifying Powertrack power option	
	**microphone mount**	PMM	3⅜	2	1¾		134
						black plastic with grooved thumb screw field installed microphone not included can only be used in conjunction with the Powertrack power option	

specification codes example: ACS-SKU

series | sku

A C S - | | | |

finish code example: BA

finish

BA	brushed aluminum	**IG**	iron grey powder coat
PA	polished aluminum	**RD**	black red powder coat
WH	satin white powder coat	**BK**	matte black powder coat
GR	graphite powder coat		
BZ	bronze powder coat		

Under Mount Power

Playbook offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (10) under mount power modules can be connected on one power infeed.


The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.

The Playbook table collection provides suggested locations for 2 - 10 under mount power modules.


Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

Note: End user installation will be required per individual SKU.




Bernhardt Design provides recommendations for installation locations as shown on page 94-96. Further installation instructions are included with each power unit. Power is specified separately.

Power Modules
Matte Black Finish




power + power
(2) 15 amp receptacles
120 v 60 Hz.
braided cotton 10' cord
grounded plug
UL 962 listed




power + usb-a + usb-c
Updated Information Shown in RED
(1) 15 amp receptacle
120 v 60 Hz.
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed


Replacement Housing
with Location for Mini AAP Plate



Sequential Connector
Matte Black Finish




Power Infeed
10' Grounded Plug
Required per individual SKU
Braided Cord



15 amp






Playbook Wire Management

Under mount connectors are routed through pass through holes in the felt PowerBay to offer advanced wire management. The following illustration shows a section view of the Playbook table with under mount power.



Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.





# of Kits	sku	specifications	PP power + power	PU powder + usb + usb-c
				
1 Module Kit				
	U01S	60" - 240" Table	$ 408	$576
				
2 Module Kits				
	U02S	60" - 150" Table	1214	1736
	U02L	156" - 240" Table	1332	1853
				
3 Module Kits				
	U29S	30" - 54" Round and Square Table	1632	2416
				
	U03S	60" - 150" Table	1632	2416
	U03L	156" - 240" Table	1868	2652
				

specification codes example: ACS-SKU-PP

series	sku	power style
A C S -	-	**PP** power + power **PU** power + usb + usb-c

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.







# of Kits	sku	specifications	PP power + power	PU powder + usb + usb-c
				
4 Module Kits				
	U04S	60" - 150" Table	$ 2016	$ 2776
	U04L	156" - 240" Table	2253	3013
				
5 Module Kits				
	U05S	60" - 150" Table	2540	3690
	U05L	156" - 240" Table	2776	3927
				
6 Module Kits				
	U06S	60" - 150" Table	2661	4151
				
	U06L	156" - 240" Table	2897	4387
				

specification codes example: ACS-SKU-PP

series	sku	power style
A C S -	-	**PP** power + power **PU** power + usb + usb-c


Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	specifications	PP power + power	PU powder + usb + usb-c
				
7 Module Kits				
	U07S	60" - 150" Table	$ 3225	$ 5175
	U07L	156" - 240" Table	3461	5411
				
8 Module Kits				
	U08S	60" - 150" Table	3668	6198
	U08L	156" - 240" Table	3904	6434
				
9 Module Kits				
	U09S	60" - 150" Table	4192	7112
	U09L	156" - 240" Table	4427	7347
				
10 Module Kits - with (2) power infeeds				
	U10S	60" - 150" Table	4716	8025
	U10L	156" - 240" Table	4952	8261
				

specification codes example: ACS-SKU-PP

series	sku	power style
A C S -	-	**PP** power + power **PU** power + usb + usb-c

	description	sku	w	d	h		price
	**under mount replacement housing**	UPH	7⅜	3¾	1½		221
		for use with Extron®MAAP installed in the field by end user switch existing housing onsite to this house to accommodate Extron® MAAP					
	**blank plate**	MP6	2⅛	-	⅝		164
		Extron® MAAP blank plate black powder coat finish single space insert					
	**computer/audio/video mini module**	MP1	2⅛	-	⅝		422
		Extron® MAAP HDMI Female to HDMI female on 10" pigtail single space insert					
	**phone/data mini module**	MP4	2⅛	-	⅝		293
		Extron® MAAP (1) RJ-45 female to punch down leviton CAT6 data single space insert					
	**phone/data mini module**	MP5	2⅛	-	⅝		252
		Extron® MAAP (1) RJ-45 female to female barrel single space insert					

specification codes example: ACS-SKU


series				sku			
A	C	S	-				

Mediatrac 1™

Mediatrac 1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac 1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.


Mediatrac 1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.



Note: End user installation will be required per individual SKU. Power specified separately. See pages 101-108 for grommet


Mediatrac 1 Options

8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug, accepts 2 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug, accepts 4 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame


24" Double Door Mediatrac™ Grommet



8 grounded outlets, 2 exit plugs, accepts 8 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

Mediatrac 1 Grommet Kits (Includes the following)

Power Module



Number and configuration of grommet modules determined by the grommet code

Jumper (if required)



Jumper are determined by the length of the top specified

Connector + H-Block



Will be included in kit when the 4-trac option is specified


Power Infeed Options



72" 4-Trac Power Infeed with 20 amp plug



72" 4-Trac Power Infeed with Hardwired



72" Power Infeed with 15 amp plug



72" ⅜" Hardwire Whip




20 amp receptacle
4-Trac Only




15 amp receptacle

Playbook Wire Management

Mediatrac 1 utilizes the plug and play power system and offers 1" diameter round grommets that are available for speakerphone wire management offered only for Playbook round tables. Single door grommets have (2) receptacles and (2) AAP single plates while double door grommets have (4) receptacles and (4) AAP single plates. Mediatrac 1 is not available on 4-star table bases. Mediatrac 1 is UL listed.



Mediatrac1™ 4-Trac Power System




Mediatrac1 Grommets Using Electrical 4-Trac Power System


Power Infeed
Power Module Whip
Modular Connector
Jumper
Power Drop
Power Module
H-Block



4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.




4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.

4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**


Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.





72" **4-Trac Power Infeed with Hardwired Conduit**



72" **4-Trac Power Infeed with 20 amp Plug**




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.


Mediatrac 1™ Grommet Placement Kits

Mediatrac 1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Mediatrac 1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
  (make sure that this grommet code matches the code used when ordering your top)
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"
66"	29"
72"	32"

The Grommet Kit will ship separately and will be installed in the **field.**
See pages 80-88 for installation locations.



Ordering Example:

120" x 54" Table Top
Walnut veneer, 870 finish
M08 Grommet Code with 4trac corded power
Walnut Door/Brushed AluminumTrim

specification codes example: MGS-M08-4TC120

series

top

M G S -

sku

M 0 8 -

power option

- **CRD** corded
- **HWD** hardwired
- **4TC** four trac corded
- **4TH** four trac hardwired

4 T C

table length

096	150	204
102	156	210
108	162	216
114	168	222
120	174	228
126	180	234
132	186	224
138	192	
144	198	

1 2 0

material + finish code example: BA WLT 870

frame finish

- **BA** brushed aluminum

powder coat upcharge $175

- **WH** satin white powder coat
- **GR** graphite powder coat
- **BZ** bronze powder coat
- **IG** iron grey powder coat
- **RD** black red powder coat
- **BK** matte black powder coat

B A

lid material

- **ALM** aluminum
- **PLL** solid laminate
- **WGL** woodgrain laminate
- **ASH** ash
- **MPL** maple
- **OAK** oak
- **WLT** walnut
- **TOK** tiger oak
- **SSF** glacier white





W L T

lid finish

see pages 3-5

8 7 0

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

sku	specifications	frame material **ALM** aluminum
M01	**30" - 72" Round and Square Tables**	$ 169
	(1) 3" single round pass through grommet kit	
		
	60" - 240" Table	169
	(1) 3" single round pass through grommet kit	
		
M02	**60" - 240" Table**	337
	(2) 3" single round pass through grommet kits	
		
M33	**60" - 240" Table**	505
	(3) 3" single round pass through grommet kits	
		

specification codes example: ACS-SKU

series **sku**

top

A C S -

- -

material + finish code example: BA


frame finish

BA brushed aluminum
WH satin white powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat


Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.


Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	**PLL** solid laminate **WGL** woodgrain laminate	**ASH** ash **MPL** maple **OAK** oak **WLT** walnut **SSF** solid surface
M03	**60" - 240" Table** (1) 8" double door mediatrac grommet	$ 2183	$ 2457	$ 3413
M04	**60" - 240" Table** (2) 8" single door mediatrac grommets	3002	3275	5527
P04	**60" - 240" Table** same information as M04 (1) 1" dia. grommet for microphone	3140	3413	5663
M06	**60" - 240" Table** (1) 24" double door mediatrac grommet	3072	3345	4572









specification codes example: MGS-SKU-CRD120

series	sku	power option	table length		
top		**CRD** corded	**060**	**126**	**192**
		HWD hardwired	**066**	**132**	**198**
		4TC four trac corded	**072**	**138**	**204**
		4TH four trac hardwired	**078**	**144**	**210**
			084	**150**	**216**
			090	**156**	**222**
			096	**162**	**228**
			102	**168**	**234**
			108	**174**	**240**
			114	**180**	
			120	**186**	
M G S -	-				




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	**ALM** aluminum	see pages 4-6
powder coat upcharge $75	**PLL** solid laminate	
WH satin white powder coat	**WGL** woodgrain laminate	
GR graphite powder coat	**ASH** ash	
BZ bronze powder coat	**MPL** maple	
IG iron grey powder coat	**OAK** oak	
RD black red powder coat	**WLT** walnut	
BK matte black powder coat	**SSF** glacier white	

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **PLL** solid laminate, **WGL** woodgrain laminate	lid material: **ASH** ash, **MPL** maple, **OAK** oak, **WLT** walnut, **SSF** solid surface
M05	**72" - 240" Table** (2) 8" double door mediatrac grommets 	$ 3958	$ 4231	$ 6548
P05	**72" - 240" Table** same information as M05 (1) 1" dia. grommet for microphone 	4094	4366	6686
M07	**84" - 240" Table** (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets 	4777	5323	8596
M08	**84" - 240" Table** (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets 	5595	6140	9483

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length		
top		**CRD** corded	**072**	**132**	**192**
		HWD hardwired	**078**	**138**	**198**
		4TC four trac corded	**084**	**144**	**204**
		4TH four trac hardwired	**090**	**150**	**210**
			096	**156**	**216**
			102	**162**	**222**
			108	**168**	**228**
			114	**174**	**234**
			120	**180**	**240**
M G S -	-				



material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	**ALM** aluminum	see pages 4-6
powder coat upcharge $150	**PLL** solid laminate	
WH satin white powder coat	**WGL** woodgrain laminate	
GR graphite powder coat	**ASH** ash	
BZ bronze powder coat	**MPL** maple	
IG iron grey powder coat	**OAK** oak	
RD black red powder coat	**WLT** walnut	
BK matte black powder coat	**SSF** glacier white	

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **PLL** solid laminate, **WGL** woodgrain laminate	lid material: **ASH** ash, **MPL** maple, **OAK** oak, **WLT** walnut, **SSF** solid surface
M12	**108" - 240" Table** (2) 24" double door mediatrac grommets 	$ 6155	$ 6700	$ 8528
P12	**108" - 240" Table** same information as M12 (1) 1" dia. grommet for microphone 	6292	6837	8665

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		**CRD** corded	**108** **162** **216**
		HWD hardwired	**114** **168** **222**
		4TC four trac corded	**120** **174** **228**
		4TH four trac hardwired	**126** **180** **234**
			132 **186** **240**
			138 **192**
			144 **198**
			150 **204**
			156 **210**
M G S -	-		




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	**ALM** aluminum	see pages 4-6
powder coat upcharge $150	**PLL** solid laminate	
WH satin white powder coat	**WGL** woodgrain laminate	
GR graphite powder coat	**ASH** ash	
BZ bronze powder coat	**MPL** maple	
IG iron grey powder coat	**OAK** oak	
RD black red powder coat	**WLT** walnut	
BK matte black powder coat	**SSF** glacier white	

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **PLL** solid laminate, **WGL** woodgrain laminate	lid material: **ASH** ash, **MPL** maple, **OAK** oak, **WLT** walnut, **SSF** solid surface
M10	**96" - 240" Table** (3) 8" double door mediatrac grommets 	$ 5936	$ 6482	$ 9822
M15	**132" - 240" Table** (2) 8" single door mediatrac grommets (2) 24" double door mediatrac grommets 	7777	8458	12823
M30	**156" - 240" Table** (3) 24" double door mediatrac grommets 	8323	9141	12687

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length		
top		**CRD** corded	**096**	**150**	**204**
		HWD hardwired	**102**	**156**	**210**
		4TC four trac corded	**108**	**162**	**216**
		4TH four trac hardwired	**114**	**168**	**222**
			120	**174**	**228**
			126	**180**	**234**
			132	**186**	**240**
			138	**192**	
			144	**198**	
M G S -	-				

material + finish code example: BA WLT 839


frame finish	lid material	lid finish
BA brushed aluminum	**ALM** aluminum	ee pages 4-6
powder coat upcharge $225	**PLL** solid laminate	
WH satin white powder coat	**WGL** woodgrain laminate	
GR graphite powder coat	**ASH** ash	
BZ bronze powder coat	**MPL** maple	
IG iron grey powder coat	**OAK** oak	
RD black red powder coat	**WLT** walnut	
BK matte black powder coat	**SSF** glacier white	


Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.


Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **PLL** solid laminate, **WGL** woodgrain laminate	lid material: **ASH** ash, **MPL** maple, **OAK** oak, **WLT** walnut, **SSF** solid surface
M14	**132" - 240" Table** (4) 8" double door mediatrac grommets	$ 8255	$ 8937	$ 13711
M21	**180" - 240" Table** (5) 8" double door mediatrac grommets	9619	10437	16028
M25	**228" - 240" Table** (6) 8" double door mediatrac grommets Two power infeeds will be provided	11732	12551	19440







specification codes example: MGS-SKU-CRD132

series
top
M G S -

sku
- - - -

power option
- **CRD** corded
- **HWD** hardwired
- **4TC** four trac corded
- **4TH** four trac hardwired

table length
132 **174** **216**
138 **180** **222**
144 **186** **228**
150 **192** **234**
156 **198** **240**
162 **204**
168 **210**

material + finish code example: BA WLT 839

frame finish
- **BA** brushed aluminum

powder coat upcharge $375
- **WH** satin white powder coat
- **GR** graphite powder coat
- **BZ** bronze powder coat
- **IG** iron grey powder coat
- **RD** black red powder coat
- **BK** matte black powder coat





lid material
- **ALM** aluminum
- **PLL** solid laminate
- **WGL** woodgrain laminate
- **ASH** ash
- **MPL** maple
- **OAK** oak
- **WLT** walnut
- **SSF** glacier white

lid finish
see pages 4-6

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **PLL** solid laminate, **WGL** woodgrain laminate	lid material: **ASH** ash, **MPL** maple, **OAK** oak, **WLT** walnut, **SSF** solid surface
C01	**48" - 120" Table** (1) 8" single door mediatrac grommet **Available for media-conference tops** 	$ 1502	$ 1638	$ 2764
CP1	**48" - 120" Table** same information as C01 (1) 1" dia. grommet for microphone **Available for media-conference tops** 	1638	1776	2902
C02	**48" - 120" Table** (1) 8" single door mediatrac grommet **Available for media-conference tops** 	1502	1638	2764
CP2	**48" - 120" Table** same information as C02 (1) 1" dia. grommet for microphone **Available for media-conference tops** 	1638	1776	2902

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top M G S -	-	**CRD** corded **HWD** hardwired **4TC** four trac corded **4TH** four trac hardwired	**048** **090** **054** **096** **060** **102** **066** **108** **072** **114** **078** **120** **084**




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum **powder coat upcharge $75** **WH** satin white powder coat **GR** graphite powder coat **BZ** bronze powder coat **IG** iron grey powder coat **RD** black red powder coat **BK** matte black powder coat	**ALM** aluminum **PLL** solid laminate **WGL** woodgrain laminate **ASH** ash **MPL** maple **OAK** oak **WLT** walnut **SSF** glacier white	see pages 4-6

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	lid material: **PLL** solid laminate, **WGL** woodgrain laminate	lid material: **ASH** ash, **MPL** maple, **OAK** oak, **WLT** walnut, **SSF** solid surface
C05	**66" - 120" Table** (2) 8" double door mediatrac grommet **Available for media-conference tops** 	$ 3958	$ 4231	$ 6548
CP5	**66" - 120" Table** same information as C05 (1) 1" dia. grommet for microphone **Available for media-conference tops** 	4094	4366	6686
C07	**66" - 120" Table** (1) 8" double door mediatrac grommet (1) 8" single door mediatrac grommet **Available for media-conference tops** 	5184	5730	9004


specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		**CRD** corded	**066** **096**
		HWD hardwired	**072** **102**
		4TC four trac corded	**078** **108**
		4TH four trac hardwired	**078** **114**
			084 **120**
			090
			096
M G S -	-		

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	**ALM** aluminum	see pages 4-6
powder coat upcharge $150	**PLL** solid laminate	
WH satin white powder coat	**WGL** woodgrain laminate	
GR graphite powder coat	**ASH** ash	
BZ bronze powder coat	**MPL** maple	
IG iron grey powder coat	**OAK** oak	
RD black red powder coat	**WLT** walnut	
BK matte black powder coat	**SSF** glacier white	

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.


description	sku	w	d	h	specifications	price
 **felt cable drop**	PDL	7	2¾	16¼	lounge height	689
	PDC	7	2¾	19¾	conference height	689

dark grey felt with black zipper
zippered for management access
field installed

specification codes example: ACS-SKU

series sku

A C S -

	description	sku	w	d	h		price
	**power strip**	VNY	12¼	2	1¾		597
		6 outlet center, 110v 15 amp 15' plug-in cord surge protector UL Listed					
	**blank plate**	VGG	3½	-	⅝		177
		Extron® AAP blank plate with black powder coat finish single space insert					
	**cable pass-through module**	VGY	3½	-	1⅜		502
		Extron® APP single space, cable pass-through plates sold as a set of (2) black powder coat finish					
	**phone/data module**	VGD	3½	-	⅝		379
		Extron® APP two RJ-45 pass-through barrels CAT 5e single space insert					
	**phone/data module**	VGK	3½	-	⅝		303
		Extron® AAP (1) RJ-45 female to punch down block leviton CAT6 data single space insert					

specification codes example: ACS-SKU

series sku





A C S -

description	sku	w	d	h		price
 **phone/data module**	VGP	3½	-	⅝		421
	Extron® APP (2) RJ-45 female to punch down block leviton CAT6 data single space insert					
 **phone/data module**	VGL	3½	-	⅝		421
	Extron® APP (2) RJ-45 female to punch down block AMP CAT6 data single space insert					
 **phone/data module**	VGQ	3½	-	1⅜		572
	Extron® AAP (2) RJ-45 female to punch down block higher than CAT6 data type connectors systomax MGS500 backward compatible double space insert					
 **computer/audio/video module**	VG3	3½	-	⅝		421
	Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert					
 **control/computer module**	VGR	3½	-	⅝		421
	Extron® AAP (2) USB-A female to female barrels single space insert					

specification codes example: ACS-SKU

series sku

A C S -

description	sku	w	d	h		price
 **usb charging module**	VGU	3½	-	⅝		815
	Extron® AAP power plate charging module (2).5 VCD USB power outlets 2.1 A/10.5 watts of power for charging mobile devices single space insert					
 **usb a+c module**	VRA	3½	1⅓	1⅛		475
	Mediatrac plate black USB C 20 watt USB A 20 watt Double space insert					
 **60 watt usb c module**	VRC	3½	1⅓	1⅞		650
	Mediatrac plate black USB C 60 watt Double space insert					
 **usb a+c - hdmi module**	VHA	3½	1⅓	1¾		725
	Mediatrac plate black USB C 20 watt USB A 20 watt HDMI female to female pigtail, 19" Double space insert					
 **60 watt usb c - hdmi**	VHC	3½	1⅓	1¾		900
	Mediatrac plate black USB C 60 watt HDMI female to female pigtail, 19" Double space insert					


specification codes example: ACS-SKU

series sku

A C S -

Surface Mount Power Module







A surface mount power solution is available for Playbook runoff tables and mediawall only. Allowing for quick access to power, the surface mount power module features (2) grounded receptacles and (1) 2 amp USB-A port and (1) 2 amp USB-C port.

Note: End user installation will be required per individual SKU. Power specified separately. Grommet code shown below.

Power Module
Black, Silver or White Finish




Power Infeed
10' Grounded Plug



Updated Information Shown in RED
(2) 120 v 60 Hz. 15 amp receptacles
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
6½"w x 3"d x 2¾"h

Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

sku	specifications	frame material **ALM** aluminum
Z06	**60" - 120" Tables**	$ 945




specification codes example: ACS-SKU
series **sku**
accessories
A C S -

finish code example: WH
finish
BK black
SV silver
WH white

Triad Surface Mount Power Module





Note: End user installation will be required per individual SKU. Power specified separately.

Available for the Playbook round and square version tables only. The new Triad surface mount power module offers a simple and clean way of bringing power and USB to the worksurface.

The Triad surface mount power module installs flush to the worksurface. It features (3) receptacles, (3) USB-A ports and (3) USB-C ports. Module is available with a matte black or satin white finish.


When specifying Triad Round Surface Power for table assemblies use R01 grommet kit code.

The power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2 No.21.



Triad Power Module- Power + USB

Updated Information Shown in RED

Matte Black or Satin White Finish
(3) 120v 60 Hz. 15 amp Receptacles
(3) 2 amp USB-A ports, 10 watt
(3) 2 amp USB-C ports, 20 watt
10' cord, 15 amp
6¼"w x 6¼"d x 2½"h
Specify power style **TPU**



Power Style
TPU
(3) receptacles (3) 2 amp USB-A ports, 10 watt (3) 2 amp USB-C ports, 20 watt


sku	specifications	
R01	**30" - 72" Round Tables**	$ 2053
		
R01	**30" - 60" Tables**	2053
		

specification codes example: ACS-R01-TPU

series	sku	power style
accessories A C S -	R 0 1 -	**TPU** power + usb T P U

finish code example: WH

finish
BK matte black **WH** satin white

Preapproval Procedure for Fabric

Customer's Own Material (COM)

Due to aesthetic reasons or application restraints, Bernhardt Design must preapprove COM fabrics for application on the Bernhardt Design Playbook mediawall upholstered bases.

Fabrics with small or large patterns are not recommended for the Playbook mediawall upholstered bases. **Fabrics applied to Playbook Mediawall must be railroaded.**

PREAPPROVAL PROCEDURE

Please submit a 12" X 12" sample for testing prior to the actual shipment of COM to Bernhardt Design.

SHIPPING ADDRESS FOR SAMPLES:

Bernhardt Design
1839 Morganton Blvd. SW
Lenoir, NC 28645
Attn: Customer Service

Along with the COM sample, the product number, quantity of products, and contact information must be specified.

Bernhardt Design reserves the right to reject any covering which in our opinion is unsuitable for upholstery purposes. However, Bernhardt Design shall in no instance be held responsible for tailoring variances that result from the application of a particular textile or leather to a specific frame.

COM Yardage Specifications

All yardage requirements shown in the price list are based on 54" plain material. Fabrics with a vertical repeat that must be matched, or that are less than 54" wide, require more yardage. The chart below should be used for determining additional COM yardage requirements.

Please add the indicated percentage to the yardage shown beside the style number in the price list. This guide will accurately cover most COM orders, but there will be instances due to unusual repeats or designs that additional yardages may be required. Bernhardt Design will not be held responsible for the purchase of any additional COM that may be required.

When ordering multi-item modular configurations, the total COM yardage must be provided from the same dye lot in a continuous roll(s).

All COM's will be cut and applied at the discretion of Bernhardt Design unless special cutting instructions are included in writing with the purchase order.

Bernhardt Design will not be held responsible for defective fabrics, as all COM's are accepted as first quality goods.

Fabric Yardage Vertical Repeat

Fabric Width	Plain Fabric	2"-10" Repeat	11"-20" Repeat	21"-25" Repeat	26"-30" Repeat
54"	0%	15%	25%	30%	35%
51-53"	15%	25%	35%	40%	45%
48-50"	30%	40%	50%	55%	60%
45-47"	45%	55%	65%	70%	75%
36-44"	60%	70%	80%	85%	90%

Prices and Specifications
Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry
All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation
All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping
Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or $75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims
Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages. In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns
No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit
Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer.

Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved.

Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved.

This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty
Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty
Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order
Bernhardt Design parts have a $25 net minimum per order. This does not include freight costs.

Custom Design
Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges.
A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes
Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes
Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes
Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a $500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance
All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware. After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning
Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights
All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental
Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

BERNHARDT | design

Bernhardt Design is a registered trademark of
Bernhardt Furniture Company of Lenoir, NC.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a $500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	$150
Zone 2	4%	$150
Zone 3	5%	$150
Zone 4	5.5%	$150
Zone 5	6%	$150

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a $500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	$200	5%	10-15
Zone 2	$200	9%	10-15
Zone 3	$200	8%	10-15
Zone 4	$200	11%	10-15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.



Greater Montreal Quebec Area (Postal Codes Starting with H) Freight is 5%