alta 580



Mid back swivel
5-star polished aluminum base and arms
Adjustable height

Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅞"	33½-36½"	2.0 yds	30.0'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	1.8 m	2.79 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2373	2413	2573	2613	2636	2667	2702	2720	2751	2778	2809	2853	3009

alta 580F



Mid back swivel
5-star polished aluminum base and arms
Fixed height

Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅞"	36"	2.0 yds	30.0'	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	914 mm	1.8 m	2.79 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2373	2413	2573	2613	2636	2667	2702	2720	2751	2778	2809	2853	3009

alta 580K



Mid back swivel
5-star matte black powder coat base and arms
Adjustable height

Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅞"	33½-36½"	2.0 yds	30.0'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	1.8 m	2.79 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2523	2563	2723	2763	2786	2817	2852	2870	2901	2928	2959	3003	3159

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

alta 582



Mid back swivel
5-star polished aluminum base and arms
Adjustable height

Upholstered back pad
Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat, back, and arm pads
yardage: 2.0 yds. leather: 30.0 sq. ft.
B) One fabric or leather for back pad and welt
yardage: 1.0 yds. leather: 13.5 sq. ft.

See terms and conditions for contrasting fabric and welt upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅞"	33½-36½"	3.0 yd	43.5'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	2.8 m	4.0 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2818	2878	3118	3178	3212	3258	3312	3338	3385	3425	3472	3538	3772

alta 582F



Mid back swivel
5-star polished aluminum base and arms
Fixed height

Upholstered back pad
Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat, back, and arm pads
yardage: 2.0 yds. leather: 30.0 sq. ft.
B) One fabric or leather for back pad and welt
yardage: 1.0 yds. leather: 13.5 sq. ft.

See terms and conditions for contrasting fabric and welt upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅞"	36"	3.0 yd	43.5'	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	914 mm	2.8 m	4.0 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2818	2878	3118	3178	3212	3258	3312	3338	3385	3425	3472	3538	3772

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

alta 582K



Mid back swivel
5-star matte black powder coat base and arms
Adjustable height

Upholstered back pad
Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat, back, and arm pads
yardage: 2.0 yds. leather: 30.0 sq. ft.
B) One fabric or leather for back pad and welt
yardage: 1.0 yds. leather: 13.5 sq. ft.

See terms and conditions for contrasting fabric and welt upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅞"	33½-36½"	3.0 yds	43.5'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	2.8 m	4.0 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2968	3028	3268	3328	3362	3408	3462	3488	3535	3575	3622	3688	3922

alta 584



Mid back swivel
5-star polished aluminum base
Adjustable height

Leather with perforated leather back pad
Cantilevered arms with leather arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.
Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of $1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:
A) Rogue or Essential leather for seat, back, arm pads and back pad welt
leather: 30.0 sq. ft.
B) Pique pattern in Rogue or Essential leather for back pad
perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅞"	33½-36½"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	-	-	25.9 kg	.82 cu

COL
3103

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

alta 584F



Mid back swivel
5-star polished aluminum base and arms
Fixed height

Leather with perforated leather back pad
Cantilevered arms with leather arm pads
Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.
Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of $1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:
A) Rogue or Essential leather for seat, back, arm pads and back pad welt
leather: 30.0 sq. ft.
B) Pique pattern in Rogue or Essential leather for back pad
perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅛"	36"	-	-	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	914 mm	-	-	25.9 kg	.82 cu

COL
3103

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

alta 584K



Mid back swivel
5-star matte black powder coat base and arms
Adjustable height

Leather with perforated leather back pad
Cantilevered arms with leather arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.
Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of $1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:
A) Rogue or Essential leather for seat, back, arm pads and back pad welt
leather: 30.0 sq. ft.
B) Pique pattern in Rogue or Essential leather for back pad
perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅛"	33½-36½"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	-	-	25.9 kg	.82 cu

COL
3253

alta 581



High back swivel
5-star polished aluminum base and arms
Adjustable height

Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅛"	36⅜-39⅜"	2.5 yd	32.0'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	2.3 m	2.97 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2524	2574	2774	2824	2852	2891	2936	2958	2997	3030	3069	3124	3319

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

alta 581F



High back swivel
5-star polished aluminum base and arms
Fixed height

Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅞"	38⅞"	2.5 yds	32.0'	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	987 mm	2.3 m	2.97 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2524	2574	2774	2824	2852	2891	2936	2958	2997	3030	3069	3124	3319

alta 581K



High back swivel
5-star matte black powder coat base and arms
Adjustable height

Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅞"	36⅜-39⅜"	2.5 yds	32.0'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	2.3 m	2.97 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2674	2724	2924	2974	3002	3041	3086	3108	3147	3180	3219	3274	3469

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

alta 583



High back swivel
5-star polished aluminum base and arms
Adjustable height

Upholstered back pad
Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat, back, and arm pads
yardage: 2.5 yds. leather: 32.0 sq. ft.
B) One fabric or leather for back pad and welt
yardage: 1.0 yds. leather: 13.5 sq. ft.

See terms and conditions for contrasting fabric and welt upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅞"	36⅜-39⅜"	3.5 yds	45.5'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	3.2 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3018	3088	3368	3438	3477	3532	3594	3625	3680	3726	3781	3858	4131

alta 583F



High back swivel
5-star polished aluminum base and arms
Fixed height

Upholstered back pad
Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat, back, and arm pads
yardage: 2.5 yds. leather: 32.0 sq. ft.
B) One fabric or leather for back pad and welt
yardage: 1.0 yds. leather: 13.5 sq. ft.

See terms and conditions for contrasting fabric and welt upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅞"	38⅞"	3.5 yds	45.5'	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	987 mm	3.2 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3018	3088	3368	3438	3477	3532	3594	3625	3680	3726	3781	3858	4131

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

alta 583K



High back swivel
5-star matte black powder coat base and arms
Adjustable height

Upholstered back pad
Cantilevered arms with upholstered arm pads
Synchro tilt mechanism with gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat, back, and arm pads
yardage: 2.5 yds. leather: 32.0 sq. ft.
B) One fabric or leather for back pad and welt
yardage: 1.0 yds. leather: 13.5 sq. ft.

See terms and conditions for contrasting fabric and welt upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅞"	36⅜-39⅜"	3.5 yds	45.5'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	3.2 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3168	3238	3518	3588	3627	3682	3744	3775	3830	3876	3931	4008	4281

alta 585



High back swivel
5-star polished aluminum base
Adjustable height

Leather with perforated leather back pad
Cantilevered arms with leather arm pads
Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.
Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of $1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:
A) Rogue or Essential leather for seat, back, arm pads and back pad welt
leather: 32.0 sq. ft.
B) Pique pattern in Rogue or Essential leather for back pad
perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅞"	36⅜-39⅜"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	-	-	25.9 kg	.82 cu

COL
3322

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

alta 585F



High back swivel
5-star polished aluminum base and arms
Fixed height

Leather with perforated leather back pad
Cantilevered arms with leather arm pads
Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.
Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of $1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:
A) Rogue or Essential leather for seat, back, arm pads and back pad welt
leather: 32.0 sq. ft.
B) Pique pattern in Rogue or Essential leather for back pad
perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅛"	38⅛"	-	-	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	987 mm	-	-	25.9 kg	.82 cu

COL
3322

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

alta 585K



High back swivel
5-star matte black powder coat base and arms
Adjustable height

Leather with perforated leather back pad
Cantilevered arms with leather arm pads
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.
Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of $1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:
A) Rogue or Essential leather for seat, back, arm pads and back pad welt
leather: 32.0 sq. ft.
B) Pique pattern in Rogue or Essential leather for back pad
perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅛"	36⅜-39⅜"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	-	-	25.9 kg	.82 cu

COL
3472

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

chantal 1025



Mid back swivel
5-star polished aluminum or matte black powder coat base
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 17¼", Inside seat depth: 18", Inside arm height: 7½"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat
yardage: 1.0 yds. leather: 15.0 sq. ft.
B) One fabric or leather for inside back and arms, outside back and sides
yardage: 2.5 yds. leather: 40.5 sq. ft.

See terms and conditions for contrasting fabric and welt upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18¼-22¼"	25¼-29¼"	25½"	26"	33-37"	3.0 yds	40.0'	48 lbs	27.56'/1
464-565 mm	641-743 mm	648 mm	660 mm	838-940 mm	2.7 m	3.7 sqm	21.8 kg	.78 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2012	2072	2312	2372	2406	2452	2506	2532	2579	2619	2666	2732	2966

sku

1 0 2 5

base finish

polished aluminum standard, OR

specify powder coat, upcharge $100
K matte black

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

chloe 1022



Mid back armless swivel
5-star polished aluminum base
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17⅞"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat
yardage: 1.0 yds. leather: 15.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 2.0 yds. leather: 35.0 sq. ft.

See terms and conditions for contrasting fabric and welt upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18¼-22¼"	-	24¼"	26"	31⅝" - 35⅝"	2.25 yds	35.0'	47 lbs	27.56'/1
464-565 mm	-	616 mm	660 mm	803-905 mm	2.1 m	3.3 sqm	21.3 kg	.78 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1642	1687	1867	1912	1937	1972	2012	2032	2067	2097	2132	2182	2357

sku

1 0 2 2

base finish

polished aluminum standard, OR

specify powder coat, upcharge $100
K matte black

duet 574



Mid back swivel
5-star polished aluminum base
Polished stainless steel flat arms
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19⅛", Inside seat depth: 17⅜", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅛-19⅞"	24-26¾"	24½"	24⅞"	32¾"-35½"	2.5 yds	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2119	2169	2369	2419	2447	2486	2531	2553	2592	2625	2664	2719	2914

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

duet 574K



Mid back swivel
5-star matte black powder coat base
Matte black powder coat flat arms
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19⅛", Inside seat depth: 17⅜", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅛-19⅞"	24-26¾"	24¼"	24⅞"	32¾"-35½"	2.5 yds	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2269	2319	2519	2569	2597	2636	2681	2703	2742	2775	2814	2869	3064

duet 575



Mid back swivel
5-star matte black powder coat base
Polished stainless steel flat arms
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19⅛", Inside seat depth: 17⅜", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅛-19⅞"	24-26¾"	24¼"	24⅞"	32¾"-35½"	2.5 yds	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2219	2269	2469	2519	2547	2586	2631	2653	2692	2725	2764	2819	3014

duet 576



Mid back swivel
5-star polished cast aluminum base
Polished stainless steel flat arms
Adjustable height

Upholstered with horizontal quilting
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19⅛", Inside seat depth: 17⅜", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅛-19⅞"	24-26¾"	24¼”	24⅞"	32¾"-35½"	2.5 yds	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2607	2657	2857	2907	2935	2974	3019	3041	3080	3113	3152	3207	3402

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

duet 576K



Mid back swivel
5-star matte black powder coat base
Matte black power coat flat arms
Adjustable height

Upholstered with horizontal quilting
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19⅛", Inside seat depth: 17⅜", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅛-19⅞"	24-26¾"	24¼"	24⅞"	32¾"-35½"	2.5 yds	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2757	2807	3007	3057	3085	3124	3169	3191	3230	3263	3302	3357	3552

duet 577



Mid back swivel
5-star matte black powder coat base
Polished stainless steel flat arms
Adjustable height

Upholstered with horizontal quilting
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19⅛", Inside seat depth: 17⅜", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅛-19⅞"	24-26¾"	24½"	24⅞"	32¾-35½"	2.5 yds	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2707	2757	2957	3007	3035	3074	3119	3141	3180	3213	3252	3307	3502

kylo 600



Mid back swivel
5-star polished aluminum base
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¼", Inside seat depth: 17⅞", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24¼-27¼"	25½"	24⅞"	34-37"	2.5 yds	40.5 m	40 lbs	27.55'/1
445-521 mm	616-692 mm	648 mm	632 mm	864-940 mm	2.3 m	3.8 sqm	18.1 kg	.78 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2090	2140	2340	2390	2418	2457	2502	2524	2563	2596	2635	2690	2885

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

kylo 600K



Mid back swivel
5-star matte black powder coat base
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¼", Inside seat depth: 17⅞", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24¼-27¼"	25½"	24⅞"	34-37"	2.5 yds	40.5'		27.55'/1
445-521 mm	616-692 mm	648 mm	632 mm	864-940 mm	2.3 m	3.8 sqm	18.1 kg	.78 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2190	2240	2440	2490	2518	2557	2602	2624	2663	2696	2735	2790	2985

kylo 602



High back swivel
5-star polished aluminum base
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¼", Inside seat depth: 17⅞", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24¼-27¼"	25½"	24⅞"	37¾-40¾"	2.6 yds	42.0'	41 lbs	27.55'/1
445-521 mm	616-692 mm	648 mm	632 mm	959-1035 mm	2.4 m	4.0 sqm	19.0 kg	.78 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2281	2333	2541	2593	2622	2663	2709	2732	2773	2807	2848	2905	3108

kylo 602K



High back swivel
5-star matte black powder coat base
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¼", Inside seat depth: 17⅞", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24¼-27¼"	25½"	24⅞"	37¾-40¾"	2.6 yds	42.0'	41 lbs	27.55'/1
445-521 mm	616-692 mm	648 mm	632 mm	959-1035 mm	2.4 m	4.0 sqm	19.0 kg	.78 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2381	2433	2641	2693	2722	2763	2809	2832	2873	2907	2948	3005	3208

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

l.a.m. 586



Mid back armless swivel
5-star polished aluminum base
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the “V” detail on outback.

Inside seat width 20¾", Inside seat depth 17½"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17¼-21¼"	-	24¾"	24¼"	33¾-37¾"	1.75 yds	24.0'	50 lbs	28.98'/1
438-540 mm	-	629 mm	616 mm	857-959 mm	1.6 m	2.2 sqm	22.7 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1836	1871	2011	2046	2066	2093	2124	2140	2167	2190	2218	2256	2393

l.a.m. 587



Mid back armless swivel
5-star matte black powder coat base
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the “V” detail on outback.

Inside seat width 20¾", Inside seat depth 17½"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-21¼"	-	24¾"	24¼"	33¾-37¾"	1.75 yds	24.0'	50 lbs	28.98'/1
438-540 mm	-	629 mm	616 mm	857-959 mm	1.6 m	2.2 sqm	22.7 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1936	1971	2111	2146	2166	2193	2224	2240	2267	2290	2318	2356	2493

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

l.a.m. 588



Mid back swivel
5-star polished aluminum base and arms
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the “V” detail on outback.

Inside seat width 20¾", Inside seat depth 17½", Inside arm height: 6⅞"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17¼-21¼"	24½-28½"	24¾"	24¼"	33¾-37¾"	1.75 yds	24.0'	50 lbs	28.98'/1
438-540 mm	622-724 mm	629 mm	616 mm	857-959 mm	1.6 m	2.2 sqm	22.7 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2014	2049	2189	2224	2244	2271	2302	2318	2345	2368	2396	2434	2571

l.a.m. 589



Mid back swivel
5-star matte black powder coat base and arms
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the “V” detail on outback.

Inside seat width 20¾", Inside seat depth 17½", Inside arm height: 6⅞"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17¼-21¼"	24½-28½"	24¾"	24¼"	33¾-37¾"	1.75 yds	24.0'	50 lbs	28.98'/1
438-540 mm	622-724 mm	629 mm	616 mm	857-959 mm	1.6 m	2.2 sqm	22.7 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2164	2199	2339	2374	2394	2421	2452	2468	2495	2518	2546	2584	2721

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

lava 594



Swivel
5-star polished aluminum base
Molded polypropylene shell
Adjustable Height

Upholstered seat pad
Molded polypropylene shell in Mist (RAL 7047)
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20½", Inside seat depth: 19", Inside arm height: 7⅛"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18-22¼"	25¼-29½"	27⅛"	24½"	33¼"-37½"	1.0 yd	18.0'	41 lbs	28.98'/1
457-565 mm	641-749 mm	689 mm	622 mm	845-953 mm	.91 m	1.67 sqm	18.59 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1928	1948	2028	2048	2060	2075	2093	2102	2117	2131	2146	2168	2246

prelude 1577



Mid back swivel
5-star polished aluminum base
Upholstered
Adjustable height

Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 18¼", Inside seat depth: 17¾", Inside arm height: 7¾"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat
yardage: 1.0 yds. leather: 16.5 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 2.75 yds. leather: 37.0 sq. ft.

See terms and conditions for contrasting fabric upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17¼" - 20¼"	25⅛-28⅛"	24⅞"	23⅝"	31-34"	2.75 yds	53.0'	40.5 lbs	22.04'/1
438-514 mm	638-714 mm	632 mm	600 mm	787-864 mm	3.43 m	4.46 sqm	18.15 kg.	.624 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1704	1759	1979	2034	2065	2108	2157	2181	2224	2261	2303	2364	2578

sku

1 5 7 7

base finish

PA polished aluminum standard, OR

specify powder coat, upcharge $150

WH	satin white	**GR**	graphite	**SG**	sage
EC	ecru	**BZ**	bronze	**RD**	black red
LA	latte	**IG**	iron grey	**BK**	matte black

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

renn 610



Mid back swivel
5-star polished aluminum or powder coat base
Adjustable height

Weight activated mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¾"; Inside seat depth: 18¼", Inside arm height: 6⅞"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat
yardage: 1.5 yds. leather: 24.3 sq. ft.
B) One fabric or leather for inback and outback
yardage: 1.5 yds. leather: 24.3 sq. ft.
C) One fabric or leather for arm wrap
yardage: 1.5 yds. leather: 24.3 sq. ft.

See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18¾ -21¾"	25½ -28½"	26"	27¼"	35¼"-38¼"	4.0 yds	65.0'	59 lbs	29.59'/1
476-552 mm	648-724 mm	660 mm	692 mm	895-972 mm	3.7 m	6.0 sqm	26.8 kg	.83 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1747	1827	2147	2227	2272	2334	2405	2441	2503	2556	2619	2707	3019

sku

6 1 0

base finish

PA polished aluminum standard, OR

specify powder coat, upcharge $100

WH	satin white	**GR**	graphite	**SG**	sage
EC	ecru	**BZ**	bronze	**RD**	black red
LA	latte	**IG**	iron grey	**BK**	matte black

rice 558



Mid back swivel
5-star polished aluminum base and arms
Adjustable height

Loop arms with upholstered arm pads
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19⅜", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18⅛-21⅛"	24⅜-27⅜"	25¾"	27⅝"	37⅝-40⅝"	2.75 yds	45.0'	57 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	708 mm	956-1032 mm	2.5 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2321	2376	2596	2651	2682	2725	2774	2798	2841	2878	2920	2981	3195

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

rice 559



High back swivel
5-star polished aluminum base
Polished aluminum arms
Adjustable height

Loop arms with upholstered arm pads
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19⅜", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18⅛-21⅛"	24⅜-27⅜"	25¾"	27⅝"	40⅝-43⅝"	3.0 yds	52.7'	60 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	1032-1108 mm	2.7 m	4.9 sqm	27.2 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2583	2643	2883	2943	2977	3023	3077	3103	3150	3190	3237	3303	3537

rice 560



Mid back swivel
5-star polished aluminum base and arms
Adjustable height

Loop arms with black neoprene arm pads
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19⅜", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18⅛-21⅛"	24⅜-27⅜"	25¾"	27⅝"	37⅝-40⅝"	2.75 yds	45.0'	57 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	708 mm	956-1032 mm	2.5 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2224	2279	2499	2554	2585	2628	2677	2701	2744	2781	2823	2884	3098

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

rice 561



High back swivel
5-star polished aluminum base
Polished aluminum arms
Adjustable height

Loop arms with black neoprene arm pads
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19⅜", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18⅛-21⅛"	24⅜-27⅜"	25¾"	27⅝"	40⅝-43⅝"	3.0 yds	52.7'	60 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	1032-1108 mm	2.7 m	4.9 sqm	27.2 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2501	2561	2801	2861	2895	2941	2995	3021	3068	3108	3155	3221	3455

rice 562



Mid back swivel
5-star black plastic base
Polished aluminum arms
Adjustable height

Loop arms with upholstered arm pads
Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 20½", Inside seat depth: 18¾", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18⅛-21⅛"	24⅜-27⅜"	25¾"	27⅝"	37⅝-40⅝"	2.75 yds	45.0'	57 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	956-1032 mm	2.5 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2047	2102	2322	2377	2408	2451	2500	2524	2567	2604	2646	2707	2921

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

rice 563



High back swivel
5-star black plastic base
Polished aluminum arms
Adjustable height

Loop arms with upholstered arm pads
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19⅜", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18⅛-21⅛"	24⅜-27⅜"	25¾"	27⅝"	40⅝-43⅝"	3.0 yds	52.7'	60 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	1032-1108 mm	2.7 m	4.9 sqm	27.2 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2429	2489	2729	2789	2823	2869	2923	2949	2996	3036	3083	3149	3383

rice 564



Mid back swivel
5-star black plastic base
Polished aluminum arms
Adjustable height

Loop arms with black neoprene arm pads
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19⅜", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18⅛-21⅛"	24⅜-27⅜"	25¾"	27⅝"	37⅝-40⅝"	2.75 yds	45.0'	57 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	956-1032 mm	2.5 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1966	2021	2241	2296	2327	2370	2419	2443	2486	2523	2565	2626	2840

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

rice 565



High back swivel
5-star black plastic base
Polished aluminum arms
Adjustable height

Loop arms with black neoprene arm pads
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19⅜", Inside arm height: 6¾"


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18⅛-21⅛"	24⅜-27⅜"	25¾"	27⅝"	40⅝-43⅝"	3.0 yds	52.7'	60 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	1032-1108 mm	2.7 m	4.9 sqm	27.2 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2351	2411	2651	2711	2745	2791	2845	2871	2918	2958	3005	3071	3305

trava 615





A. Seat and Back Cushion
B. Shell

Swivel
5-star polished aluminum or powder coat base and arms
Upholstered
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 18⅛"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and back cushion
yardage: 2.0 yds. leather: 33.0 sq. ft.
B) One fabric or leather for shell
yardage: 2.0 yds. leather: 33.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18¼"-21½"	24⅝" - 27⅛"	27¼"	23¾"	32¾"-36"	2.5 yds	40.5'	40 lbs	28.99'/1
464-546 mm	625 - 708 mm	692 mm	603 mm	832-914 mm	2.3 m	3.7 sqm	18.1 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1800	1850	2050	2100	2128	2167	2212	2234	2273	2306	2345	2400	2595

sku

6 | 1 | 5 |

base finish

PA polished aluminum standard, OR

specify powder coat, upcharge $150

WH	satin white	**LA**	latte	**IG**	iron grey	**BK**	matte black
AL	matte aluminum	**GR**	graphite	**SG**	sage		
EC	ecru	**BZ**	bronze	**RD**	black red		

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

valera 608C



Mid back swivel
5-star polished aluminum or powder coat base
Oak veneer back
Upholstered seat
Adjustable height

Tilt mechanism with adjustable height gas pneumatic lift.

Inside seat width: 20", Inside seat depth: 18", Inside arm height: 7½"

Available in all oak finishes. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

SCS Indoor Advantage™ Gold and Level 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½" - 20½"	24⅞"-27⅞"	24⅞"	22⅞"	29⅜"-32⅜"	1.0 yds	18.0' sq. ft.	38 lbs	29.0'/1
445-521 mm	632-708 mm	632 mm	581 mm	746-822 mm	.92 m	1.7 sqm	17.3 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1835	1855	1935	1955	1967	1982	2000	2009	2024	2038	2053	2075	2153

sku

6 0 8 C

base finish

PA polished aluminum standard, OR

specify powder coat, upcharge $100

WH	satin white	**GR**	graphite	**RD**	black red
EC	ecru	**BZ**	bronze	**BK**	matte black
LA	latte	**IG**	iron grey		

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

valera 608W



Mid back swivel
5-star polished aluminum or powder coat base
Walnut veneer back
Upholstered seat
Adjustable height

Tilt mechanism with adjustable height gas pneumatic lift.

Inside seat width: 20", Inside seat depth: 18", Inside arm height: 7½"

Available in all walnut finishes. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

SCS Indoor Advantage™ Gold and Level 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½" - 20½"	24⅞"-27⅞"	24⅞"	22⅞"	29⅜"-32⅜"	1.0 yds	18.0' sq. ft.	38 lbs	29.0'/1
445-521 mm	632-708 mm	632 mm	581 mm	746-822 mm	.92 m	1.7 sqm	17.3 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1949	1969	2049	2069	2081	2096	2114	2123	2138	2152	2167	2189	2267

sku

6 0 8 W

base finish

PA polished aluminum standard, OR

specify powder coat, upcharge $100

WH satin white
EC ecru
LA latte
GR graphite
BZ bronze
IG iron grey
RD black red
BK matte black

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.