swivel

#### alta 580



#### Mid back swivel 5-star polished aluminum base and arms Adjustable height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17½-20½				25½	•	25	7⁄8"	33½-36	⁄2"	2 yd	30.0'		57 I	bs	28.98'/1	
445-521 mm		610	-686 mm		648	mm	65	7mm	851-927	mm	1.8 m	2.79 so	qm	25.9	) kg	.82 cu
СОМ	COL 1 2		2		3		4	5	6	7	8	9		10	11	
2303	234	3	2499	253	5	2552		2588	2623	2637	2668	2695	272	6	2766	2921

#### alta 580F

Mid back swivel 5-star polished aluminum base and arms Fixed height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	er	Wei	ght	Cubes/	Qty
19¼"				25½	•	25	7⁄8"	36"		2 yd	30.0'		57 I	bs	28.98'/1	1	
489 mm		667	mm		648	mm	65	7mm	914 mm		1.8 m	2.79 s	qm	25.9	9 kg	.82 cu	
COM	OM COL 1 2		2		3		4	5	6	7	8	9		10	11		
2303	234	3	2499	253	35	2552		2588	2623	2637	2668	2695	272	6	2766	2921	I

#### alta 580K



#### Mid back swivel 5-star matte black powder coat base and arms Adjustable height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Seat Hei	ght	Arm	Height		W	C	)	н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17½-20½				25½	" 2	51⁄8"	331⁄2-361	/2"	2 yd	30.0'		57 I	bs	28.98'/1	
445-521	mm	610	-686 mm		648	mm 6	57mm	851-927	' mm	1.8 m	2.79 s	ηm	25.9	) kg	.82 cu
СОМ	M COL 1		2		3	4	5	6	7	8	9		10	11	
2453	2493	3	2649	268	5	2702	2738	2773	2787	2818	2845	2876	6	2916	3071

#### alta 582



#### Mid back swivel 5-star polished aluminum base and arms Adjustable height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

 A) One fabric or leather for seat, back, and arm pads yardage: 2.0 yds. leather: 30.0 sq. ft.
 B) One fabric or leather for back pad and welt

yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage <sup>™</sup> Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	1 Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17½-20½	7½-20½" 24-27"			25½	"	25	7⁄8"	33½-36	⁄2"	3.0 yd	43.5'		57 I	bs	28.98'/1	
445-521	mm	610	-686 mm		648	mm	65	7mm	851-927	mm	2.8 m	4.0 sq	n	25.9	) kg	.82 cu
СОМ	COM COL 1 2		2		3		4	5	6	7	8	9		10	11	
2735	279	5	3029	308	2	3109		3162	3215	3235	3282	3322	336	9	3429	3662

#### alta 582F



#### Mid back swivel 5-star polished aluminum base and arms Fixed height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

 A) One fabric or leather for seat, back, and arm pads yardage: 2.0 yds. leather: 30.0 sq. ft.
 B) One fabric or leather for back pad and welt

yardage: 1.0 yds. leather: 13.5 sq. ft.

Seat Hei	ght A	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cube	es/Qty
19¼"	9¼" 26¼"			25½	•	25	7⁄8"	36"		3.0 yd	43.5'		57 I	bs	28.98	B'/1	
489 mm		667 I	mm		648	mm	65	7mm	914 mm		2.8 m	4.0 sqr	n	25.9	) kg	.82 c	u
СОМ	1 COL 1 :		2		3		4	5	6	7	8	9		10	11		
2735	2795		3029	308	2	3109		3162	3215	3235	3282	3322	3369	9	3429	36	62

#### alta 582K



#### Mid back swivel 5-star matte black powder coat base and arms Adjustable height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat, back, and arm pads yardage: 2.0 yds. leather: 30.0 sq. ft.

B) One fabric or leather for back pad and welt

yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage <sup>™</sup> Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	1 Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/C	lty
17½-20½	7½-20½" 24-27"			25½	•	25	7⁄8"	33½-361	⁄2"	3.0 yd	43.5'		57 I	bs	28.98'/1		
445-521	445-521 mm		-686 mm		648	mm	65	7mm	851-927	mm	2.8 m	4.0 sq	n	25.9	) kg	.82 cu	
СОМ	COM COL 1 2		2		3		4	5	6	7	8	9		10	11		
2885	294	5	3179	323	32	3259		3312	3365	3385	3432	3472	351	9	3579	3812	

## alta 584



#### Mid back swivel 5-star polished aluminum base Adjustable height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 30.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad

perforated leather: 13.5 sq. ft.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	251/8"	331⁄2-361⁄2"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	-	-	25.9 kg	.82 cu
COL								
3013								

#### alta 584F



#### Mid back swivel 5-star polished aluminum base and arms Fixed height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 30.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat	Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
19¼"		26¼"	251⁄2"	25%"	36"	-	-	57 lbs	28.98'/1
489 r	mm	667 mm	648 mm	657mm	914 mm	-	-	25.9 kg	.82 cu

COL	
3013	

#### alta 584K



#### Mid back swivel 5-star matte black powder coat base and arms Adjustable height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

#### Leather Requirements:

С З'

- A) Rogue or Essential leather for seat, back, arm pads and back pad welt leather: 30.0 sq. ft.
- B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sq. ft.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	257⁄8"	331⁄2-361⁄2"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	-	-	25.9 kg	.82 cu

-	
3	

swivel

#### alta 581



#### High back swivel 5-star polished aluminum base and arms Adjustable height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	er	Wei	ght	Cubes/Qty
17½-20½				25½	•	25	7⁄8"	36%-39	/8"	2.5 yd	32.0'		57 I	bs	28.98'/1	
445-521 mm		610	-686 mm		648	mm	65	7mm	924-100	0 mm	2.3 m	2.97 s	qm	25.9	) kg	.82 cu
СОМ	M COL 1 2		2		3		4	5	6	7	8	9		10	11	
2450	250	0	2695	273	39	2762		2806	2850	2867	2906	2939	297	'8	3028	3223

#### alta 581F

High back swivel 5-star polished aluminum base and arms Fixed height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cu	bes/Qty
19¼"		26¼	."		25½		25	7⁄8"	38%"		2.5 yd	32.0'		57 I	bs	28.	.98'/1
489 mm		667	mm		648	mm	65	7mm	987 mm		2.3 m	2.97 so	qm	25.9	) kg	.82	cu
СОМ	COL	_	1	2		3		4	5	6	7	8	9		10		11
2450	250	0	2695	273	9	2762		2806	2850	2867	2906	2939	297	'8	3028	:	3223

#### alta 581K



#### High back swivel 5-star matte black powder coat base and arms Adjustable height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes	s/Qty
17½-20½	2	24-2	27"		25½		25%	7/8"	36%-39	8"	2.5 yd	32.0'		57 I	bs	28.98	'/1
445-521	mm	610	-686 mm		648	mm	657	7mm	924-100	0 mm	2.3 m	2.97 so	qm	25.9	9 kg	.82 cu	1
СОМ	со	_	1	2		3		4	5	6	7	8	9		10	11	
2600	265	0	2845	288	9	2912		2956	3000	3017	3056	3089	312	8	3178	337	73



alta 583



#### High back swivel 5-star polished aluminum base and arms Adjustable height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat, back, and arm pads

- yardage: 2.5 yds. leather: 32.0 sq. ft.
- B) One fabric or leather for back pad and welt
  - yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage<sup>™</sup> Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	257⁄8"	36¾-39¾"	3.5 yd	45.5'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	3.2 m	4.2 sqm	25.9 kg	.82 cu
							1	

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
2930	3000	3273	3335	3366	3428	3490	3514	3568	3615	3669	3739	4012

#### alta 583F



## High back swivel

5-star polished aluminum base and arms Fixed height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat, back, and arm pads

- yardage: 2.5 yds. leather: 32.0 sq. ft.
- B) One fabric or leather for back pad and welt
- yardage: 1.0 yds. leather: 13.5 sq. ft.

Seat Hei	ght	Arm	Height	W		D		Н		Fabric	Leathe	r	Wei	ght	Cube	es/Qty
19¼"		26¼	"	25	1⁄2"	25	57/8"	38%"		3.5 yd	45.5'		57 I	bs	28.98	3'/1
489 mm		667	mm	64	8 mm	65	57mm	987 mm		3.2 m	4.2 sq	n	25.9	) kg	.82 c	u
СОМ	COL		1	2	3		4	5	6	7	8	9		10	11	
2930	3000	)	3273	3335	3366		3428	3490	3514	3568	3615	3669	9	3739	40	)12

#### alta 583K



#### High back swivel 5-star matte black powder coat base and arms Adjustable height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

 A) One fabric or leather for seat, back, and arm pads yardage: 2.5 yds. leather: 32.0 sq. ft.
 B) One fabric or leather for back pad and welt yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17½-20½	2"	24-2	27"		25½	"	25	7⁄8"	36¾-393	/8"	3.5 yd	45.5'		57 I	bs	28.98'/1
445-521	mm	610	-686 mm		648	mm	65	7mm	924-100	0 mm	3.2 m	4.2 sqr	n	25.9	) kg	.82 cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
3080	315	0	3423	348	85	3516		3578	3640	3664	3718	3765	3819	9	3889	4162

#### alta 585



04/25

#### High back swivel

5-star polished aluminum base Adjustable height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

#### Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 32.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sq. ft.

SCS Indoor Advantage<sup>™</sup> Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25%"	36¾-39¾"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	-	-	25.9 kg	.82 cu
COL								

3226

#### alta 585F



#### High back swivel 5-star polished aluminum base and arms **Fixed height**

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 32.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	257/8"	38%"	-	-	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	987 mm	-	-	25.9 kg	.82 cu

COL 3226

#### alta 585K



#### High back swivel 5-star matte black powder coat base and arms Adjustable height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

#### Leather Requirements:

- A) Rogue or Essential leather for seat, back, arm pads and back pad welt
- leather: 32.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sq. ft.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	257/8"	36¾-39¾"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	-	-	25.9 kg	.82 cu

COL	
3376	

## aubry 605



#### Mid back swivel 5-star polished aluminum or powder coat base and arms Adjustable height

Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19", Inside seat depth: 181/4", Inside arm height: 61/4"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
18¼"-21	1/4"	24¾	′s"-27¾"		25"		26	i¾"	35½-38	1/2"	2.75 yds.	45.0'		59 II	bs.	29.00'/1
464-565	mm	619	-695 mm		635	mm	67	'9 mm	902-978	8 mm	2.6 m	4.2 sqr	n	26.8	3 kg	.82 cu.
COM	со	L	1	2		3		4	5	6	7	8	9		10	11

2480

2499

2542

2578

2621

2676

2890

sku

2040

2095

2309

#### base finish

2383

2358

PA polished aluminum standard, OR

2432

WH	satin white	IG	iron grey
GR	graphite	RD	black red
ΒZ	bronze	BK	matte blac

6 0 5

### chantal 1025



04/25

#### Mid back swivel 5-star polished aluminum or matte black powder coat base Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 171/4", Inside seat depth: 18", Inside arm height: 71/2"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat

yardage: 1.0 yds. leather: 15.0 sq. ft. B) One fabric or leather for inside back and arms, outside back and sides yardage: 2.5 yds. leather: 40.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
18¼-22¼"	25¼-29¼"	25½"	26"	33-37"	3.0 yd	40.0'	48 lbs	27.56'/1
464-565 mm	641-743 mm	648 mm	660 mm	838-940 mm	2.7 m	3.7 sqm	21.8 kg	.78 cu

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
1953	2013	2247	2300	2327	2380	2433	2453	2500	2540	2587	2647	2880

sku

#### base finish

κ

polished aluminum standard, OR

specify powder coat, upcharge \$100

matte black

1 0 2 5

#### chloe 1022

#### Mid back armless swivel 5-star polished aluminum base Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 171/8"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat yardage: 1.0 yds. leather: 15.0 sq. ft.
B) One fabric or leather for inside back and outside back yardage: 2.0 yds. leather: 35.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
18¼-22¼"	-	24¼"	26"	31%" - 35%"	2.25 yd	35.0'	47 lbs	27.56'/1
464-565 mm	-	616 mm	660 mm	803-905 mm	2.1 m	3.3 sqm	21.3 kg	.78 cu

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
1594	1639	1814	1854	1874	1914	1954	1969	2004	2034	2069	2114	2289

sku

#### base finish



#### duet 570



#### Mid back swivel 5-star polished aluminum base Tubular chrome arms Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 173/8", Inside arm height: 7"

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	er	Wei	ght	Cubes	/Qty
171⁄8-197⁄8	/ <b>"</b> 8	24-2	26¾"		24¼	"	24	7⁄8"	32¾"-35	1/2"	2.5 yd	35.0'		50 I	bs	22.25	/1
435-505	mm	610	-679 mm		616	mm	63	2 mm	832-902	mm	2.3 m	3.3 sq	m	22.6	6 kg	.63 cu	
СОМ	со	L	1	2		3		4	5	6	7	8	9		10	11	
1759	180	9	2004	204	18	2071		2115	2159	2176	2215	2248	228	37	2337	253	2

swivel

#### duet 571



#### Mid back swivel 5-star matte black powder coat base Tubular chrome arms Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 173/8", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
171⁄8-197⁄8	/ <b>"</b> 8	24-2	26¾"		24¼		24	7⁄8"	32¾"-35	1/2"	2.5 yd	35.0'		50 I	bs	22.25'/1
435-505	mm	610	-679 mm		616	mm	63	2 mm	832-902	mm	2.3 m	3.3 sqi	n	22.6	6 kg	.63 cu
СОМ	соі	-	1	2		3		4	5	6	7	8	9		10	11
1859	190	9	2104	214	48	2171		2215	2259	2276	2315	2348	238	7	2437	2632

#### duet 572

#### Mid back swivel 5-star polished aluminum base Tubular chrome arms Adjustable height

Upholstered with horizontal quilting Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 173/8", Inside arm height: 7"

Horizontal stripes and two-way patterns are not recommended for application on this product.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
171⁄8-197⁄8"	24-26¾"	24¼"	241/8"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
2205	2255	2450	2494	2517	2561	2605	2622	2661	2694	2733	2783	2978

#### duet 573



Mid back swivel 5-star matte black powder coat base Tubular chrome arms Adjustable height

Upholstered with horizontal quilting Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 173/8", Inside arm height: 7"

Horizontal stripes and two-way patterns are not recommended for application on this product.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Le	athe	r	Wei	ght	Cu	bes/Qty
171⁄8-197⁄8	3	24-2	26¾"		24½		24	7⁄8"	32¾"-35	1⁄2"	2.5 yd	35	5.0'		50 I	bs	22.	.25'/1
435-505	mm	610	-679 mm		616	mm	63	2 mm	832-902	mm	2.3 m	3.	3 sqr	n	22.6	ò kg	.63	cu
СОМ	COL	-	1	2		3		4	5	6	7	8		9		10		11
2305	235	5	2550	259	94	2617		2661	2705	2722	2761	2794	4	283	3	2883		3078

#### duet 574

Mid back swivel 5-star polished aluminum base Polished stainless steel flat arms

Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 173/8", Inside arm height: 7"

Seat Hei	ght	Arm	Height	V	N	D		н		Fabric	Leathe	r	Weig	ght	Cubes/Qty
171⁄8-197⁄8	Ś"	24-2	26¾"	2	241⁄2"	24	7⁄8"	32¾"-35	1⁄2"	2.5 yd	35.0'		50 lb	os	22.25'/1
435-505	mm	610	-679 mm	6	616 mm	n 63	82 mm	832-902	mm	2.3 m	3.3 sqr	n	22.6	kg	.63 cu
СОМ	COL		1	2	3		4	5	6	7	8	9		10	11
2057	2107	7	2302	2346	23	369	2413	2457	2474	2513	2546	2585		2635	2830

swivel

#### duet 574K



#### Mid back swivel 5-star matte black powder coat base Matte black powder coat flat arms Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 173/8", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
171⁄8-197⁄8	́в	24-2	26¾"		24¼		24	7⁄8"	32¾"-35	1/2"	2.5 yd	35.0'		50 I	bs	22.25'/1
435-505	mm	610	-679 mm		616	mm	63	2 mm	832-902	mm	2.3 m	3.3 sqr	n	22.6	6 kg	.63 cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
2207	225	7	2452	249	96	2519		2563	2607	2624	2663	2696	273	5	2785	2980

#### duet 575



#### Mid back swivel 5-star matte black powder coat base Polished stainless steel flat arms Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 173/8", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Heig	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cube	s/Qty
171⁄8-197⁄8	3	24-2	26¾"		24¼	"	24	-7⁄8"	32¾"-35	1/2"	2.5 yd	35.0'		50 I	bs	22.25	571
435-505	mm	610	-679 mm		616	mm	63	2 mm	832-902	mm	2.3 m	3.3 sqi	n	22.6	6 kg	.63 ci	1
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11	
2157	220	7	2402	244	46	2469		2513	2557	2574	2613	2646	268	5	2735	29	30

#### duet 576



#### Mid back swivel 5-star polished cast aluminum base Polished stainless steel flat arms Adjustable height

Upholstered with horizontal quilting Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 17%", Inside arm height: 7"

Seat Hei	ght	Arm	Height		W		D	н		Fabric	Leathe	er	Wei	ght	Cubes/Qt
171⁄8-197⁄8	6 H	24-2	26¾"		24¼	,	24%"	32¾"-35	1⁄2"	2.5 yd	35.0'		50 I	bs	22.25'/1
435-505	mm	610	-679 mm		616	mm	632 mm	832-902	mm	2.3 m	3.3 sqi	m	22.6	6 kg	.63 cu
СОМ	COL	-	1	2		3	4	5	6	7	8	9		10	11
2531	258	1	2776	2820	0	2843	2887	2931	2948	2987	3020	305	9	3109	3304

## swivel

#### duet 576K



#### Mid back swivel 5-star matte black powder coat base Matte black power coat flat arms Adjustable height

Upholstered with horizontal quilting Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 173/8", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
171⁄8-197⁄8	6 H	24-2	26¾"		24¼		24	7⁄8"	32¾"-35	1⁄2"	2.5 yd	35.0'		50 I	bs	22.25'/1
435-505	mm	610	-679 mm		616	mm	63	2 mm	832-902	mm	2.3 m	3.3 sqr	n	22.6	ð kg	.63 cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
2681	273	1	2926	297	0	2993		3037	3081	3098	3137	3170	320	9	3259	3454

#### duet 577



#### Mid back swivel 5-star matte black powder coat base Polished stainless steel flat arms

Adjustable height

Upholstered with horizontal quilting Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/8", Inside seat depth: 17%", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
171⁄8-197⁄8	3	24-2	26¾"		24½		24	7⁄8"	32¾-35	⁄2"	2.5 yd	35.0'		50 I	bs	22.25'/1
435-505	mm	610	-679 mm		616	mm	63	2 mm	832-902	mm	2.3 m	3.3 sqr	n	22.6	ò kg	.63 cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
2631	268	1	2876	292	20	2943		2987	3031	3048	3087	3120	315	9	3209	3404

#### kylo 600

5-star polished aluminum base

Adjustable height

Mid back swivel

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 1914", Inside seat depth: 171/8", Inside arm height: 63/4"

Seat Heig	ght	Arm	Height		W	[	)	н		Fabric	Leathe	r ۱	Weight	t (	Cubes/Qty
17½-20½	2"	24¼	-27¼"		25½	" 2	241/8"	34-37"		2.5 yds	40.5 m	4	40 lbs	2	27.55'/1
445-521	mm	616	-692 mm		648	mm 6	332 mm	864-940	mm	2.3 m	3.8 sqr	n	18.1 kg	g .	.78 cu
СОМ	COL		1	2		3	4	5	6	7	8	9	1(	0	11
2029	2079	9	2274	231	8	2341	2385	2429	2446	2485	2518	2557	26	607	2802





swivel

## kylo 600K

# 5 80 8

#### Mid back swivel 5-star matte black powder coat base Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/4", Inside seat depth: 177/8", Inside arm height: 63/4"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cub	es/Qty
17½-20½	2	24½	4-27¼"		25½		24	7⁄8"	34-37"		2.5 yds.	40.5'		40 I	bs.	27.5	55'/1
445-521	mm	616	-692 mm		648	mm	63	2 mm	864-940	mm	2.3 m	3.8 sqr	n	18.1	l kg	.78	cu.
СОМ	со	_	1	2		3		4	5	6	7	8	9		10	1	1
2129	217	9	2374	2418	8	2441		2485	2529	2546	2585	2618	265	7	2707	2	2902

#### kylo 602

#### High back swivel 5-star polished aluminum base Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/4", Inside seat depth: 177/8", Inside arm height: 63/4"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cube	es/Qty
17½-20½	2	241⁄2	4-27¼"		25½		24	-7⁄8"	37¾-403	4"	2.6 yds.	42.0'		41 I	bs.	27.5	5'/1
445-521	mm	616	-692 mm		648	mm	63	2 mm	959-103	5 mm	2.4 m	4.0 sqr	n	19.0	) kg	.78 c	:u.
	1																
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11	I
2214	226	6	2469	251	15	2538		2584	2630	2648	2688	2723	276	3	2815	30	018

#### kylo 602K



#### High back swivel 5-star matte black powder coat base Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/4", Inside seat depth: 177/8", Inside arm height: 63/4"

Seat Heig	ght	Arm	Height	W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17½-20½	2"	24¼	-27¼"	25	51⁄2"	24	7⁄8"	37¾-403	/4"	2.6 yds.	42.0'		41 II	bs.	27.55'/1
445-521	mm	616-	-692 mm	64	18 mm	63	2 mm	959-103	5 mm	2.4 m	4.0 sqr	n	19.0	) kg	.78 cu.
СОМ	COL		1	2	3		4	5	6	7	8	9		10	11
2314	2366	6	2569	2615	2638	3	2684	2730	2748	2788	2823	2863	3	2915	3118

l.a.m. 586

#### Mid back armless swivel 5-star polished aluminum base Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the "V" detail on outback.

Inside seat width 203/4", Inside seat depth 171/2"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17¼-21½	/ " 4	-			24¾	•	24	1/4"	33¾-373	/4"	1.75 yd	24.0'		50 I	bs	28.98'/1
438-540	mm	-			629	mm	61	6 mm	857-959	mm	1.6 m	2.2 sqr	n	22.7	′ kg	.82 cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
1782	181	7	1954	198	35	2000		2031	2062	2074	2101	2125	215	2	2187	2323

#### l.a.m. 587



#### Mid back armless swivel 5-star matte black powder coat base Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the "V" detail on outback.

Inside seat width 203/4", Inside seat depth 171/2"

Seat Hei	ght A	rm Height	W	[	D	н		Fabric	Leathe	r V	Veight	Cubes/Qty
17½-21½	-		24¾	" 2	24¼"	33¾-37	3/4"	1.75 yd	24.0'	5	50 lbs	28.98'/1
438-540	mm -		629	mm 6	616 mm	857-959	) mm	1.6 m	2.2 sq	m 2	22.7 kg	.82 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
1882	1917	2054	2085	2100	2131	2162	2174	2201	2225	2252	2287	2423

l.a.m. 588

#### Mid back swivel 5-star polished aluminum base and arms Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the "V" detail on outback.

Inside seat width 20<sup>3</sup>/<sub>4</sub>", Inside seat depth 17<sup>1</sup>/<sub>2</sub>", Inside arm height:  $6^{7}/_{8}$ "

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17¼-21½	, " 1	24½	2-28½"		24¾		24	1⁄4"	33¾-373	4"	1.75 yd	24.0'		50 II	bs	28.98'/1
438-540	mm	622	-724 mm		629 i	nm	61	6 mm	857-959	mm	1.6 m	2.2 sqr	n	22.7	′ kg	.82 cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
1955	199	0	2127	215	8	2173		2204	2235	2247	2274	2298	232	5	2360	2496

#### l.a.m. 589



#### Mid back swivel 5-star matte black powder coat base and arms Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the "V" detail on outback.

Inside seat width 203/4", Inside seat depth 171/2", Inside arm height: 67/8"

Seat Hei	ght	Arm	Height		W		D		н			Fabric		Leathe	r	Wei	ght	Cube	es/Qty
17¼-21½	4	24½	-28½"		24¾"		24	1⁄4"	33¾-3	37³∕	4 H	1.75 yd		24.0'		50 li	os	28.98	3'/1
438-540	mm	622-	724 mm		629 r	nm	61	6 mm	857-9	59	mm	1.6 m		2.2 sqr	n	22.7	' kg	.82 c	u
СОМ	COL	_	1	2		3		4	5		6	7	8	8	9		10	11	

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	
2105	2140	2277	2308	2323	2354	2385	2397	2424	2448	2475	2510	2646	

#### lava 594



#### Swivel 5-star polished aluminum base Molded polypropylene shell Adjustable Height

Upholstered seat pad Molded polypropylene shell in Mist (RAL 7047) Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 201/2", Inside seat depth: 19", Inside arm height: 71/8"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height	29½" 27½" '49 mm 689 mm		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty	
18-22¼"			•	24	1⁄2"	33¼"-37	1⁄2"	1.0 yd	18.0'		41 I	bs	28.98'/1			
457-565	57-565 mm 641-749 mm			689	mm	62	2 mm	845-953	mm	.91 m	1.67 s	qm	18.5	59 kg	.82 cu	
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
1871	189	1	1969	198	7	1996		2014	2031	2038	2054	2067	208	3	2103	2180

#### prelude 1577



Mid back swivel 5-star polished aluminum base Upholstered Adjustable height

Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 181/4", Inside seat depth: 173/4", Inside arm height: 73/4"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat

yardage: 1.0 yds. leather: 16.5 sq. ft.

B) One fabric or leather for inside back and outside back

yardage: 2.75 yds. leather: 37.0 sq. ft.

All COM/COL fabrics must be preapproved by Bernhardt Design prior to application.

SCS Indoor Advantage<sup>™</sup> Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Arm Height         W           25%-28%"         24%           638-714 mm         632			D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty	
17¼" - 20				24%		23	5⁄8"	31-34"		2.75 yds.	53.0'		40.	5 lbs.	22.04'/1	
438-514	438-514 mm 638-714 mm			632	mm	600	0 mm	787-864	mm	3.43 m	4.46 so	qm	18.1	15 kg.	.624 cu.	
	8-514 mm 638-714 mm 6				_											
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
1654	170	9	1923	197	2	1997		2046	2094	2113	2156	2192	223	5	2290	2504

sku

base finish

PA polished aluminum standard, OR

	specif	fy powder coat, up	charge \$15	0		
	WH	satin white	GR	graphite	SG	sage green
	EC	ecru	BZ	bronze	RD	black red
	LA	latte	IG	iron grey	BK	matte black
1 5 7 7						

#### renn 610

#### Mid back swivel 5-star polished aluminum or powder coat base Adjustable height

Weight activated mechanism with adjustable height gas pneumatic lift

Inside seat width: 193/4"; Inside seat depth: 181/4", Inside arm height: 67/8"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for	seat
yardage: 1.5 yds.	leather: 24.3 sq. ft.
B) One fabric or leather for	inback and outback
yardage: 1.5 yds.	leather: 24.3 sq. ft.
C) One fabric or leather for	arm wrap

yardage: 1.5 yds. leather: 24.3 sq. ft.

2088

SCS Indoor Advantage™ Gold certified. See terms and conditions for additional environmental information.

2265

Seat Hei	ght	Arm	n Height		W		D		н		Fabric	Leathe	er	Wei	ght	Cubes/Q	ty
18¾ -213	18¾ -21¾" 25½ -28½"			26"		27	1/4"	35¼"-3	8¼"	4.0 yds	65.0'		59 I	bs.	29.59'/1		
476-552	476-552 mm		-724 mm		660	mm	69	2 mm	895-972	2 mm	3.7 m	6.0 sq	m	26.8	3 kg	.83 cu	
COM	со	L	1	2		3		4	5	6	7	8	9		10	11	

2336

2363

2425

2479

2541

2621

2932

sku

1696

1776

#### base finish

2194

2159

	PA	polished aluminu	m standard	, OR		
	speci	fy powder coat, up	charge \$10	0		
	WH	satin white	GR	graphite	SG	sage green
	EC	ecru	BZ	bronze	RD	black red
	LA	latte	IG	iron grey	BK	matte black
6 1 0						

#### rice 558



04/25

## Mid back swivel

# 5-star polished aluminum base and arms Adjustable height

Loop arms with upholstered arm pads Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 201/4", Inside seat depth: 193/s", Inside arm height: 63/4"

Seat Hei	-211/8" 243/6-273/8"			W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty	
181⁄8-211⁄2				25¾		27	5/8"	375/8-405	8"	2.75 yd	45.0'		57 I	bs	28.98'/1	
460-537	460-537 mm 619-695		-695 mm		645	mm	70	8 mm	956-103	2 mm	2.5 m	4.2 sq	n	25.9	) kg	.82 cu
COM	COI	_	1	2		3		4	5	6	7	8	9		10	11
2253	230	8	2522	257	1	2596		2645	2693	2712	2755	2791	283	4	2889	3103

#### rice 559



#### High back swivel 5-star polished aluminum base Polished aluminum arms Adjustable height

Loop arms with upholstered arm pads Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 201/4", Inside seat depth: 193/6", Inside arm height: 63/4"

SCS Indoor Advantage<sup>™</sup> Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
181⁄8-211⁄8	B	24¾	-27%"		25¾	•	27	5/8"	405%-435	8"	3.0 yd	52.7'		60 I	bs	28.98'/1
460-537	460-537 mm 619-695 mm			645	mm	62	9 mm	1032-11	08 mm	2.7 m	4.9 sq	n	27.2	2 kg	.82 cu	
СОМ	COL		1	2		3		4	5	6	7	8	9		10	11
2507	2567	7	2801	285	4	2881		2934	2987	3007	3054	3094	314	1	3201	3434

#### rice 560



#### Mid back swivel 5-star polished aluminum base and arms Adjustable height

Loop arms with black neoprene arm pads Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 201/4", Inside seat depth: 193/6", Inside arm height: 63/4"

Seat Hei	ght	Arm	Height	V	N	D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
181⁄8-211⁄8	3	24¾	-27¾"	25%		2	75⁄8"	375/8-405	8"	2.75 yd	45.0'		57 ll	os	28.98'/1
460-537	460-537 mm 619-695 mm		6	645 m	nm 7	08 mm	956-103	2 mm	2.5 m	4.2 sqr	n	25.9	kg	.82 cu	
СОМ	COL		1	2		3	4	5	6	7	8	9		10	11
2159	2214	1	2428	2477		2502	2551	2599	2618	2661	2697	2740	)	2795	3009

#### rice 561



High back swivel 5-star polished aluminum base Polished aluminum arms Adjustable height

Loop arms with black neoprene arm pads Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 201/4", Inside seat depth: 19%", Inside arm height: 6%"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	1½" 24½-27¾" 25%		W		D		н		Fabric	Leathe	er	Wei	ght	Cubes/Qty		
181⁄8-211⁄8	3	24¾	s-27¾"		25¾	•	27	5/8"	405%-435	/8"	3.0 yd	52.7'		60 I	bs	28.98'/1
460-537	460-537 mm 619-695 mm			645	mm	62	9 mm	1032-11	08 mm	2.7 m	4.9 sq	m	27.2	2 kg	.82 cu	
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
2428	248	8	2722	277	'5	2802		2855	2908	2928	2975	3015	306	2	3122	3355

#### rice 562



Mid back swivel 5-star black plastic base Polished aluminum arms Adjustable height

Loop arms with upholstered arm pads Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 201/2", Inside seat depth: 183/4", Inside arm height: 63/4"

Seat Hei	ght .	Arm	Height	1	W	1	D	н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
181⁄8-211⁄8	3	24%	-27%"	2	25¾"	:	275⁄8"	375/8-405	8"	2.75 yd	45.0'		57 I	bs	28.98'/1
460-537	460-537 mm 619-695 mm		(	645 r	nm (	629 mm	956-103	2 mm	2.5 m	4.2 sq	m	25.9	9 kg	.82 cu	
СОМ	COL		1	2		3	4	5	6	7	8	9		10	11
1987	2042		2256	2305	5	2330	2379	2427	2446	2489	2525	2568	3	2623	2837

#### rice 563



High back swivel 5-star black plastic base Polished aluminum arms Adjustable height

Loop arms with upholstered arm pads Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 201/4", Inside seat depth: 19%", Inside arm height: 6%"

SCS Indoor Advantage<sup>TM</sup> Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	1½"         24¾-27½"         25		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty		
181⁄8-211⁄8	/ <b>"</b> 8	24¾	a-27 <b>%</b> "		25¾'		27	5/8"	405%-435	/8"	3.0 yd	52.7'		60 I	bs	28.98'/1
460-537	460-537 mm 619-695 mm			645 ı	nm	62	9 mm	1032-11	08 mm	2.7 m	4.9 sqr	n	27.2	2 kg	.82 cu	
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
2358	241	8	2652	2705	5	2732		2785	2838	2858	2905	2945	299	2	3052	3285

#### rice 564



04/25

Mid back swivel 5-star black plastic base Polished aluminum arms Adjustable height

Loop arms with black neoprene arm pads Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 201/4", Inside seat depth: 193/8", Inside arm height: 63/4"

Seat Hei	ght .	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cub	es/Qty
181⁄8-211⁄8	3	24%	-27¾"	:	25¾"		27	5/8"	375⁄8-405	8"	2.75 yd	45.0'		57 I	bs	28.9	8'/1
460-537	mm	619-	·695 mm		645 r	mm	62	9 mm	956-103	2 mm	2.5 m	4.2 sqr	n	25.9	) kg	.82 (	cu
СОМ	COL		1	2		3		4	5	6	7	8	9		10	1	1
1908	1963		2177	2226	6	2251		2300	2348	2367	2410	2446	248	9	2544	2	758

#### rice 565



High back swivel 5-star black plastic base Polished aluminum arms Adjustable height

Loop arms with black neoprene arm pads Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 201/4", Inside seat depth: 193/8", Inside arm height: 63/4"

SCS Indoor Advantage<sup>™</sup> Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
181⁄8-211⁄8	́в	24¾	a-27 <b>%</b> "		25¾	"	27	5/8"	405/8-435	8"	3.0 yd	52.7'		60 I	bs	28.98'/1
460-537	mm	619	-695 mm		645	mm	62	9 mm	1032-11	08 mm	2.7 m	4.9 sq	n	27.2	2 kg	.82 cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
2282	234	2	2576	262	29	2656		2709	2762	2782	2829	2869	291	6	2976	3209

#### valera 608C



04/25

Mid back swivel 5-star polished aluminum or powder coat base Oak veneer back Upholstered seat Adjustable height

Tilt mechanism with adjustable height gas pneumatic lift.

Inside seat width: 20", Inside seat depth: 18", Inside arm height: 71/2"

Available in all oak finishes. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

SCS Indoor Advantage™ Gold and Level 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17½" - 20	01⁄2"	24%	ś"-27%"		24%		22	7⁄8"	29¾"-32	3/8"	1.0 yd	18.0' s	q. ft.	38 I	os	29.0'/1
445-521	mm	632	-708 mm		632	mm	58	1 mm	746-822	mm	.92 m	1.7 sqr	n	17.3	8 kg	.82 cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
1781	180	1	1879	189	97	1906		1924	1941	1948	1964	1977	199	3	2013	2090

graphite

bronze

iron grey

sku

6 0 8 C

#### base finish

PA polished aluminum standard, OR

speci	fy powder coat, upcharge	\$100
WН	satin white	GR
EC	ecru	ΒZ
LA	latte	IG

RD bla	ick red
--------	---------

ΒK matte black

#### valera 608W



Mid back swivel 5-star polished aluminum or powder coat base Walnut veneer back Upholstered seat Adjustable height

Tilt mechanism with adjustable height gas pneumatic lift.

Inside seat width: 20", Inside seat depth: 18", Inside arm height: 71/2"

Available in all walnut finishes. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

SCS Indoor Advantage<sup>™</sup> Gold and Level 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½" - 20½"	247/8"-277/8"	247⁄8"	221/8"	29¾"-32¾"	1.0 yd	18.0' sq. ft.	38 lbs	29.0'/1
445-521 mm	632-708 mm	632 mm	581 mm	746-822 mm	.92 m	1.7 sqm	17.3 kg	.82 cu

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
1892	1912	1990	2008	2017	2035	2052	2059	2075	2088	2104	2124	2201

sku

6 0 8 W

#### base finish

| PA polished aluminum standard, OR

WH	satin white	GR	graphite	RD	black red
EC	ecru	BZ	bronze	BK	matte blac
LA	latte	IG	iron grey		